

Table 1-1. XMTR-TV35H-35KW VHF SYS M - 994 8744 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------------|---------------|---|
| 000 0000 003 | FREQUENCY DETERMINED PART | 0.0 EA | CH7-13 QTY 1 SEE 827-5619-001 |
| 358 0998 000 | BRACKET TBP FILTER MTG | 4.0 EA | |
| 374 0119 000 | * TUBE, 8807 | 1.0 EA | 2A14V1 |
| 374 0147 000 | TUBE, 8988 | 1.0 EA | 1A2V1 |
| 374 0148 000 | TUBE, 8984 | 1.0 EA | 2A50V1 |
| 484 0070 000 | FILTER LOW PASS 3-1/8" | 1.0 EA | FL2 |
| 484 0072 000 | FLTR BANDPASS CH-7,E5,A6 | 0.0 EA | CHAN 7 QTY 2 |
| 484 0073 000 | FLTR BANDPASS CH-8,E6, A7 | 0.0 EA | CHAN 8 QTY 2 |
| 484 0074 000 | FILTER BANDPASS CH-9 | 0.0 EA | CHAN 9 QTY 2 |
| 484 0075 000 | FLTR BANDPASS CH-10,E7,A8 | 0.0 EA | CHAN 10 QTY 2 |
| 484 0076 000 | FLTR BANDPASS CH-11,E8,A9 | 0.0 EA | CHAN 11 QTY 2 |
| 484 0077 000 | FILTER BANDPASS CH-12, E9 | 0.0 EA | CHAN 12 QTY 2 |
| 484 0078 000 | FLTR BANDPASS CH-13, E10, | 0.0 EA | CHAN 13 QTY 2 |
| 484 0274 000 | FILTER COLOR NOTCH 3-1/8 | 1.0 EA | FL3 |
| 484 0275 000 | FILTER HARMONIC 3-1/8 | 1.0 EA | FL1 |
| 620 1574 000 | DIRECTIONAL COUPLER | 1.0 EA | 1DC3 |
| 620 1575 000 | DIRECTIONAL COUPLER | 1.0 EA | 1DC2 |
| 620 1671 000 | CIRCULATOR, 1KW | 0.0 EA | CH7-10 QTY 1 |
| 620 1672 000 | CIRCULATOR, 1KW | 0.0 EA | CH11-13 QTY 1 |
| 646 0665 000 | INSPECTION LABEL | 6.0 EA | |
| 646 1206 000 | OBS, DISCONTINUED | 1.0 EA | |
| 646 1290 000 | *LABEL,VSWR DISCONNECT WARNING | 2.0 EA | |
| 646 1353 000 | NAMEPLATE, XMTR EQUIPMENT | 1.0 EA | |
| 700 0811 000 | WATTMETER 2.5KW CHAN SEL | 0.0 EA | QTY 1 CH7-13 IND CHAN# N PNAURAL 900W-2.2KW |
| 700 0812 000 | WATTMETER 5KW CHAN SEL | 0.0 EA | QTY 1 CH7-13 IND CHAN# N PNAURAL 2.21- 5.0KW |
| 700 0813 000 | WATTMETER 10KW CHAN SEL | 0.0 EA | QTY 1 CH7-13 IND CHAN# N PNVIS 8.41- 16.8KW |
| 700 0814 000 | WATTMETER 15KW CHAN SEL | 0.0 EA | QTY 1 CH7-13 IND CHAN# N PNVIS 16.81- 25.2KW |
| 700 0821 000 | WATTMETER 25KW CHAN SEL | 0.0 EA | QTY 1 CH7-13 IND CHAN# N PNVIS 25.21-38.7KW |
| 817 1420 001 | TUNING INSTRU., IPA MOD. | 0.0 EA | |
| 839 6483 004 | BL DIA TV35H | 0.0 EA | |
| 839 6487 002 | BL DIA RF FLOW TV-35H | 0.0 EA | |
| 843 3446 001 | ASSY GAUGE TUBE | 0.0 EA | |
| 843 3512 001 | DWG, OUTLINE & INSTALL | 0.0 EA | |
| 914 8729 001 | LOW PASS FILTER ASSY | 1.0 EA | 1A7A15 |
| 927 4695 001 | INTER-CONNECTING COA | 1.0 EA | 1A7 |
| 927 8096 001 | DIRECTIONAL COUPLER | 1.0 EA | |
| 927 8096 002 | DIRECTIONAL COUP. AS | 1.0 EA | |
| 943 3375 001 | HOIST ASSY, CAVITY | 1.0 EA | 2A50 |
| 988 1945 001 | DOCUMENTATION PKG | 2.0 EA | |
| 992 2963 001 | FINAL AMPLIFIER | 1.0 EA | 1A5A7 |
| 992 3615 001 | TUBE PULLER FOR 8807 | 1.0 EA | 2A14 |
| 992 4655 001 | HI BAND MULT ASSY | 1.0 EA | 1A5A6 |
| 992 4818 001 | HI BAND AURAL AMP | 1.0 EA | 1A7A11 |
| 992 5272 001 | AUR PREAMP MODULE, HB | 1.0 EA | 1A4A7 |
| 992 5275 001 | AUR PWR AMP MODULE, HB | 1.0 EA | 1A4A8 |
| 992 5278 001 | VIS PREAMP MODULE, HB | 1.0 EA | 1A4A4 |
| 992 5281 001 | VIS PWR AMP MODULE, HB | 1.0 EA | 1A4A5 |
| 992 5285 002 | HI BD IPA AGC PC | 1.0 EA | 1A4A3 |

| | | | |
|--------------|---------------------------|--------|-----------|
| 992 5355 002 | DRIVER CUBICLE UNIT 1 | 1.0 EA | UNIT 1 |
| 992 5356 001 | P.A. CUBICLE UNIT 2 | 1.0 EA | UNIT 2 |
| 992 5372 001 | TUBE PULLER | 1.0 EA | 1A2 |
| 992 5587 001 | TV ACCESSORY TRAY BT-10H3 | 0.0 EA | |
| 992 5630 001 | KIT, TOOL | 1.0 EA | |
| 992 5669 001 | KIT, INSTL HDW | 1.0 EA | |
| 992 5895 004 | HIGH BAND DRIVER KIT | 1.0 EA | |
| 992 5987 001 | TV35H POWER SUPPLY | 1.0 EA | UNIT 3 |
| 992 5989 002 | PACKING CHECK LIST | 0.0 EA | |
| 992 6521 002 | PEAK DETECTOR-VHF HI BAND | 2.0 EA | 1A16 1A17 |
| 994 6915 001 | NOTCH DIPLEXER EQLR | 0.0 EA | 1A6A2 |
| 994 6976 001 | BLANK PANEL | 0.0 EA | |
| 994 8013 012 | EXC AURAL VHF TV STEREO | 1.0 EA | |
| 994 8267 001 | *DISCONTINUED | 1.0 EA | 1A2 |
| 994 8268 001 | *DISCONTINUED | 1.0 EA | 2A50 |
| 994 8277 001 | *DISCONTINUED | 1.0 EA | 2A51 |
| 994 8470 001 | IPA EXTENDER MODULE | 1.0 EA | |
| 994 8604 002 | HI BAND MULTIPLEX OPTION | 0.0 EA | |
| 994 8703 001 | TOP REMOTE AIR INTAKE KIT | 0.0 EA | |
| 994 8713 010 | BASIC VHF VIS EXC MCP2V | 1.0 EA | 1A5 |
| 994 9049 001 | KIT, FRONT DOOR | 0.0 EA | |

Table 1-2. LOW PASS FILTER ASSY - 914 8729 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 302 0052 000 | SCR, 4-40 X 1/4 | 4.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 4.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 4.0 EA | |
| 500 0808 000 | CAP, MICA, 20PF 500V 5% | 2.0 EA | C1 C4 |
| 500 0813 000 | CAP, MICA, 33PF 500V 5% | 2.0 EA | C2 C3 |
| 612 0403 000 | RECEPTACLE BNC UG-1098/U | 2.0 EA | J1 J2 |
| 814 8724 001 | COIL, LOW PASS FLTR | 3.0 EA | L1 L2 L3 |
| 814 8729 001 | ASSY INSTR, FILTER | 0.0 EA | |
| 827 4690 001 | BOX, LOW PASS FLTR | 1.0 EA | |
| 827 5732 001 | SCHEMATIC | 0.0 EA | |
| 914 8803 001 | BOARD ASSY | 1.0 EA | |

Table 1-3. COIL, LOW PASS FLTR - 814 8724 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0003 000 | WIRE, BUS CU 18AWG | 0.01740 FT | |

Table 1-4. BOX, LOW PASS FLTR - 827 4690 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.456750 LB | |

Table 1-5. BOARD ASSY - 914 8803 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 814 8804 001 | BOARD | 1.0 EA | |
| 915 2717 001 | BOARD, LOW PASS FLT | 2.0 EA | |

Table 1-6. BOARD - 814 8804 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 2010 010 | GL, EPOXY SH .0625 | 0.001688 SF | |

Table 1-7. BOARD, LOW PASS FLT - 915 2717 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 614 0496 000 | TERM, FEED-THRU | 1.0 EA | |
| 814 8805 001 | BOARD | 1.0 EA | |

Table 1-8. BOARD - 814 8805 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 027 5010 001 | GL, .062 THK +/- .006 | 0.0750 SF | |

Table 1-9. INTER-CONNECTING COA - 927 4695 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 610 0238 000 | PLUG BNC 50 OHM | 2.0 EA | |
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 0.70 FT | |

Table 1-10. DIRECTIONAL COUPLER - 927 8096 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 358 0498 000 | CLAMP, HOSE | 2.0 EA | |
| 620 0500 000 | SAMPLING ASSY W/CLMP | 2.0 EA | |
| 620 0547 000 | ADAPTER BNC TO N UG201A/U | 2.0 EA | |
| 620 0581 000 | COUPLING ASSY, 3-1/8 | 2.0 EA | |
| 815 2896 002 | SECTION, INNER LINE | 1.0 EA | |
| 815 3038 001 | COVER | 1.0 EA | |
| 827 8096 001 | ASSY INSTR, DIR CPLR | 0.0 EA | |
| 838 5322 001 | SECTION, OUTER LINE | 1.0 EA | |

Table 1-11. SECTION, INNER LINE - 815 2896 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 003 1220 020 | CU, TBG 1.315 OD 1.231 ID | 1.6170 FT | |

Table 1-12. COVER - 815 3038 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4010 050 | CU, STRAP .020 X 4" | 0.21840 FT | |

Table 1-13. SECTION, OUTER LINE - 838 5322 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 1230 030 | CU, TBG 3.125 OD | 1.680 FT | |

Table 1-14. DIRECTIONAL COUP. AS - 927 8096 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 620 0500 000 | SAMPLING ASSY W/CLMP | 3.0 EA | |

| | | |
|--------------|---------------------------|--------|
| 620 0547 000 | ADAPTER BNC TO N UG201A/U | 3.0 EA |
| 620 0581 000 | COUPLING ASSY, 3-1/8 | 2.0 EA |
| 815 2896 002 | SECTION, INNER LINE | 1.0 EA |
| 827 8096 002 | ASSY INSTR, DIR CPLR | 0.0 EA |
| 838 5322 001 | SECTION, OUTER LINE | 1.0 EA |

Table 1-15. HOIST ASSY, CAVITY - 943 3375 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 302 0110 000 | SCR, 6-32 X 3/4 | 2.0 EA | |
| 302 0133 000 | SCR, 8-32 X 3/4 | 2.0 EA | |
| 302 0143 000 | SCR, 10-32 X 1/2 | 6.0 EA | |
| 302 0147 000 | SCR, 10-32 X 1 | 3.0 EA | |
| 302 0213 000 | SCR, 1/4-20 X 1/2 | 3.0 EA | |
| 306 0004 000 | NUT, HEX 6-32 | 2.0 EA | |
| 308 0011 000 | .375 FLAT WASHER BRS | 6.0 EA | |
| 310 0006 000 | WASHER FLAT 8 | 2.0 EA | |
| 310 0009 000 | WASHER, FLAT 1/4 | 3.0 EA | |
| 310 0010 000 | WASHER FLAT .3125 | 2.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 2.0 EA | |
| 310 0013 000 | WASHER FLAT 10 | 3.0 EA | |
| 310 0026 000 | WASHER, FLAT 1/2 | 2.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 2.0 EA | |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 2.0 EA | |
| 314 0007 000 | WASHER, SPLIT-LOCK 10 | 13.0 EA | |
| 314 0009 000 | WASHER, SPLIT-LOCK 1/4 | 3.0 EA | |
| 320 3159 000 | SCR SOC HD SHOULDER | 1.0 EA | |
| 336 0295 000 | PIN, SPRING | 1.0 EA | |
| 336 0958 000 | PIN SPRG .125 X1.000 | 2.0 EA | |
| 336 1128 000 | WOODRUFF KEY NO 5 | 2.0 EA | |
| 344 0009 000 | SCREW, SET 8-32 X 3/16 | 2.0 EA | |
| 358 0414 000 | RING RETAINING .500 | 1.0 EA | |
| 358 0417 000 | SPACER, ROLLED 3/4 L | 1.0 EA | |
| 358 0719 000 | RING RETAINING GRIP | 6.0 EA | |
| 358 2140 000 | NUT W/SPRING 1/4-20 | 1.0 EA | |
| 358 3160 000 | RING, RETAINING 5/8 SHAFT | 2.0 EA | |
| 450 0115 000 | BEARING, BRONZE | 2.0 EA | |
| 450 0117 000 | BEARING, FLANGED | 2.0 EA | |
| 452 0117 000 | WORM, HARD STEEL | 1.0 EA | |
| 454 0088 000 | LINK CONNECTING | 1.0 EA | |
| 454 0091 000 | CHAIN ROLLER NO 41 | 3.20 FT | |
| 454 0093 000 | SPROCKET STEEL 9T | 1.0 EA | |
| 816 6816 001 | SHAFT SPROCKET | 1.0 EA | |
| 816 6817 001 | ANGLE BEARING | 2.0 EA | |
| 816 6818 001 | PIN CHAIN GUARD | 2.0 EA | |
| 816 6819 001 | SHAFT WORM | 1.0 EA | |
| 816 6895 001 | HANDLE GRIP | 1.0 EA | |
| 816 7137 001 | GUIDE, CHAIN | 1.0 EA | |
| 817 0659 001 | PLATE | 4.0 EA | |
| 817 0660 001 | SUPPORT, TRACK | 1.0 EA | |
| 828 7890 001 | SUPPORT | 1.0 EA | |
| 828 7892 001 | ROLLER | 4.0 EA | |
| 828 7893 001 | PIN | 2.0 EA | |
| 828 8899 001 | U BLOCK | 1.0 EA | |
| 828 8974 001 | HANDLE PIVOT | 1.0 EA | |

| | | |
|--------------|---------------------------|--------|
| 828 8982 001 | COVER | 1.0 EA |
| 829 7746 001 | SUPPORT, TRACK | 1.0 EA |
| 829 7747 001 | CHANNEL | 1.0 EA |
| 843 3375 001 | ASSY INSTR, HOIST VIS CAV | 0.0 EA |
| 916 6902 001 | WORM GEAR MODIFIED | 1.0 EA |
| 939 5899 001 | BAR, LIFT | 1.0 EA |

Table 1-16. SHAFT SPROCKET - 816 6816 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 061 | SST, RD .4989 DIA | 0.20790 LB | |

Table 1-17. ANGLE BEARING - 816 6817 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 079 | AL, RECT .75 X 1.00 | 0.1260 LB | |

Table 1-18. PIN CHAIN GUARD - 816 6818 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 040 | SST, ROD .250 DIA | 0.023520 LB | |

Table 1-19. SHAFT WORM - 816 6819 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 070 | SST, RD .625 DIA | 0.91350 LB | |

Table 1-20. HANDLE GRIP - 816 6895 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 018 | AL, RD .750 DIA | 0.200550 LB | |

Table 1-21. GUIDE, CHAIN - 816 7137 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.111795 LB | |

Table 1-22. PLATE - 817 0659 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 030 | STL, SH 12GA CR | 0.115565 LB | |

Table 1-23. SUPPORT, TRACK - 817 0660 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 065 | AL, RECT 1.25 X 2.0 | 0.41580 LB | |

Table 1-24. SUPPORT - 828 7890 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 011 1320 100 | STL, RECT .625 X 1.25 | 1.39650 LB | |

Table 1-25. ROLLER - 828 7892 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 090 | SST, RD 1.50 DIA | 0.15750 LB | |

Table 1-26. PIN - 828 7893 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 025 | BRS, RD .500 FCB | 0.08190 LB | |

Table 1-27. U BLOCK - 828 8899 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1310 070 | AL, RECT 2.0 X 4.0 | 2.97150 LB | |

Table 1-28. HANDLE PIVOT - 828 8974 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 001 1310 020 | AL, RECT .375 X 1.000 | 0.290850 LB | |

Table 1-29. COVER - 828 8982 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 2.7260 LB | |

Table 1-30. SUPPORT, TRACK - 829 7746 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 083 | AL, RECT 1.50 X 2.50 | 2.520 LB | |

Table 1-31. CHANNEL - 829 7747 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 3.91650 FT | |

Table 1-32. WORM GEAR MODIFIED - 916 6902 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 452 0116 000 | GEAR, WORM | 1.0 EA | |

Table 1-33. BAR, LIFT - 939 5899 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 302 0130 000 | SCR, 8-32 X 3/8 | 1.0 EA | |
| 302 0217 000 | SCR, 1/4-20 X 1 | 4.0 EA | |
| 302 0219 000 | SCR, 1/4-20 X 1-1/4 | 4.0 EA | |
| 302 0457 000 | SCR, 8-32 X 5/8 | 8.0 EA | |
| 310 0006 000 | WASHER FLAT 8 | 1.0 EA | |
| 310 0009 000 | WASHER, FLAT 1/4 | 4.0 EA | |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 1.0 EA | |
| 314 0009 000 | WASHER, SPLIT-LOCK 1/4 | 4.0 EA | |
| 356 0002 000 | CABLE CLAMP 1/8 D | 1.0 EA | |
| 358 1144 000 | WRENCH 9/64 HEX | 1.0 EA | |

| | | |
|--------------|---------------------------|--------|
| 813 5087 027 | SPACER | 4.0 EA |
| 813 5087 031 | SPACER | 4.0 EA |
| 817 1055 001 | SHAFT | 2.0 EA |
| 829 8580 001 | BAR | 2.0 EA |
| 829 8580 002 | BAR | 2.0 EA |
| 829 8581 001 | BRKT | 2.0 EA |
| 839 5899 001 | ASSY INSTR,ADJ TUBE HOIST | 0.0 EA |

Table 1-34. SPACER - 813 5087 027

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 012 | AL, RD .500 DIA | 0.002625 LB | |

Table 1-35. SPACER - 813 5087 031

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 012 | AL, RD .500 DIA | 0.007875 LB | |

Table 1-36. SHAFT - 817 1055 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 053 | SST, RD .375 DIA | 0.32550 LB | |

Table 1-37. BAR - 829 8580 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1310 091 | AL, RECT .50 X .75 | 0.17850 LB | |

Table 1-38. BAR - 829 8580 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1310 091 | AL, RECT .50 X .75 | 0.17850 LB | |

Table 1-39. BRKT - 829 8581 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 0.78010 LB | |

Table 1-40. DOCUMENTATION PKG - 988 1945 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 888 5000 001 | TM LAMBDA REG PWR SUPPLY | 0.0 EA | |
| 988 1150 001 | DOC PKG- NOTCH EQUALIZER | 1.0 EA | |
| 988 1438 001 | DOC PKG - REC EQUALIZER | 1.0 EA | |
| 988 1832 001 | DOC PKG- CONTROLLER | 1.0 EA | |
| 988 1866 001 | DOC PKG-SCREEN REGULATOR | 1.0 EA | |
| 988 1867 001 | DOC PKG- IPA | 1.0 EA | |
| 988 1868 001 | DOC PKG-AURAL EXCITER | 1.0 EA | |
| 988 1870 001 | DOC PKG- AUDIO PRE-AMP | 1.0 EA | |
| 988 1872 001 | DOC PKG- 8984 CAVITY | 1.0 EA | |
| 988 1873 001 | DOC PKG - 8807 CAVITY | 1.0 EA | |
| 988 1874 001 | DOC PKG- 8988 CAVITY | 1.0 EA | |
| 988 1882 001 | DOC PKG- PWR AMP CAB | 1.0 EA | |

| | | |
|--------------|--------------------------|--------|
| 988 1883 002 | DOC PKG EXC/DVR CAB | 1.0 EA |
| 988 2114 001 | DOC PKG- 9KV HVPS TV-35H | 1.0 EA |
| 988 2135 001 | DOC PKG - MCP-2V EXCITER | 1.0 EA |
| 988 2140 001 | DOC PKG - EMER MULTIPLEX | 1.0 EA |
| 988 2146 001 | DOC PKG-TV-35H SYSTEM | 1.0 EA |
| 988 2261 001 | DP 24/26VDC FERRO PS | 1.0 EA |

Table 1-41. DOC PKG- NOTCH EQUALIZER - 988 1150 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 888 1150 009 | TM NOTCH DIPLEX EQUALIZER | 0.0 EA | |

Table 1-42. DOC PKG - REC EQUALIZER - 988 1438 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 888 1438 004 | TM RECR EQUAL | 0.0 EA | |

Table 1-43. DOC PKG- CONTROLLER - 988 1832 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 888 1832 006 | TM CONTROLLER | 0.0 EA | |

Table 1-44. DOC PKG-SCREEN REGULATOR - 988 1866 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 888 1866 003 | FM SCREEN REGULATOR | 0.0 EA | |

Table 1-45. DOC PKG- IPA - 988 1867 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 843 3111 002 | SCHEMATIC | 0.0 EA | |
| 843 3114 002 | SCHEMATIC | 0.0 EA | |
| 843 3115 001 | SCHEMATIC | 0.0 EA | |
| 843 3170 001 | SCHEMATIC | 0.0 EA | |
| 843 3172 001 | SCHEMATIC | 0.0 EA | |
| 852 8900 008 | SCHEMATIC, IPA | 0.0 EA | |
| 888 1867 015 | TM IPA | 0.0 EA | |

Table 1-46. DOC PKG-AURAL EXCITER - 988 1868 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 814 8718 001 | SCHEMATIC | 0.0 EA | |
| 827 4528 001 | SCHEMATIC | 0.0 EA | |
| 827 4571 001 | SCHEMATIC | 0.0 EA | |
| 827 5731 001 | SCHEMATIC | 0.0 EA | |
| 827 5732 001 | SCHEMATIC | 0.0 EA | |
| 829 2351 002 | SCHEM PWR DIST BD | 0.0 EA | |
| 829 2364 002 | BLOCK DIAGRAM | 0.0 EA | |
| 829 2365 002 | BLOCK DIAGRAM | 0.0 EA | |
| 838 4407 001 | SCHEMATIC | 0.0 EA | |
| 839 0717 001 | SCHEMATIC | 0.0 EA | |
| 839 3141 001 | SCHEMATIC | 0.0 EA | |
| 839 5768 001 | SCHEMATIC | 0.0 EA | |

| | | |
|--------------|---------------------------|--------|
| 839 6796 001 | SCHEM MOT POT DRIVER | 0.0 EA |
| 839 6888 001 | SCHEM, PWR SUPPLY | 0.0 EA |
| 839 6890 001 | SCHEM, AUDIO BD | 0.0 EA |
| 843 1680 002 | SCHEMATIC | 0.0 EA |
| 843 1683 002 | SCHEMATIC, LOWBAND | 0.0 EA |
| 843 1930 003 | SCHEM,LOW BAND TV AUR EXC | 0.0 EA |
| 843 1937 003 | SCHEM, HIGH BAND AUR EXC | 0.0 EA |
| 888 1868 025 | TM AURAL EXCITER | 0.0 EA |

Table 1-47. DOC PKG- AUDIO PRE-AMP - 988 1870 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 888 1870 003 | TM AUDIO PREAMP | 0.0 EA | |

Table 1-48. DOC PKG- 8984 CAVITY - 988 1872 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 888 1872 009 | TM 8984 CAVITY | 0.0 EA | |

Table 1-49. DOC PKG - 8807 CAVITY - 988 1873 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 888 1873 005 | TM 8807 CAVITY | 0.0 EA | |

Table 1-50. DOC PKG- 8988 CAVITY - 988 1874 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 888 1874 002 | TM 8988 CAVITY | 0.0 EA | |

Table 1-51. DOC PKG- PWR AMP CAB - 988 1882 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 817 0265 001 | SCHEMATIC | 0.0 EA | |
| 828 9375 001 | SCHEMATIC | 0.0 EA | |
| 839 5113 001 | SCHEMATIC | 0.0 EA | |
| 839 5130 001 | DIAGRAM, RF SIGNAL | 0.0 EA | |
| 839 6816 130 | SCHEM, PEAK DETECTOR | 0.0 EA | |
| 843 2907 001 | SCHEMATIC | 0.0 EA | |
| 843 3420 001 | DIAG, PWR DIST-PA CABINET | 0.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 888 1882 022 | TM PWR AMP CAB | 0.0 EA | |

Table 1-52. DOC PKG EXC/DVR CAB - 988 1883 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 817 1527 047 | RUNNING LIST | 0.0 EA | |
| 829 3915 001 | SCHEMATIC | 0.0 EA | |
| 829 4055 001 | SCHEMATIC | 0.0 EA | |
| 829 7393 001 | SCHEMATIC | 0.0 EA | |
| 838 5159 001 | SCHEMATIC | 0.0 EA | |
| 838 6139 001 | SCHEMATIC | 0.0 EA | |
| 839 4532 001 | WIRING DIAGRAM | 0.0 EA | |
| 843 3383 001 | PWR DIST DIAG EXC/DRIVER | 0.0 EA | |

| | | |
|--------------|----------------------|--------|
| 852 9084 002 | DIAG WIRING DRVR CAB | 0.0 EA |
| 888 1883 045 | TM EXC/DVR CABINET | 0.0 EA |

Table 1-53. DOC PKG- 9KV HVPS TV-35H - 988 2114 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 7261 001 | SCHEMATIC | 0.0 EA | |
| 852 8884 001 | SCHEMATIC | 0.0 EA | |
| 888 2114 006 | TM 9KV HVPS | 0.0 EA | |

Table 1-54. DOC PKG - MCP-2V EXCITER - 988 2135 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 888 2135 024 | TM MCP-2V EXC | 0.0 EA | |

Table 1-55. DOC PKG - EMER MULTIPLEX - 988 2140 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 888 2140 004 | TM EMER MULTIPLEX (HB) | 0.0 EA | |

Table 1-56. DOC PKG-TV-35H SYSTEM - 988 2146 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 888 2146 010 | TM TV35-H SYS | 0.0 EA | |

Table 1-57. DP 24/26VDC FERRO PS - 988 2261 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 888 2261 002 | TM 24/26 VDC FERRO PS | 0.0 EA | |

Table 1-58. FINAL AMPLIFIER - 992 2963 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|---|
| 380 0114 000 | XSTR, 2N5109 ESD | 2.0 EA | Q1 Q2 |
| 380 0153 000 | XSTR, 2N4429 ESD | 1.0 EA | Q3 |
| 380 0243 000 | * XSTR, C-12-28 ESD | 1.0 EA | Q4 |
| 384 0307 000 | DIODE 1N916 ESD | 3.0 EA | CR1 CR2 CR3 |
| 404 0196 000 | HEAT SINK A2802 | 2.0 EA | XQ1 XQ2 |
| 494 0219 000 | CHOKE WIDE BAND | 9.0 EA | L13 L14 L15 L16 L18 L19 L20 L21 L23 |
| 494 0384 000 | CHOKE RF 1.00UH | 5.0 EA | L1 L2 L3 L4 L5 |
| 500 0759 000 | CAP, MICA, 100PF 500V 5% | 3.0 EA | C33 C34 C40 |
| 500 0803 000 | CAP, MICA, 5PF 500V +/- .5PF | 2.0 EA | C37 C38 |
| 500 0804 000 | CAP, MICA, 10PF 500V +/- .5PF | 1.0 EA | C44 |
| 500 0807 000 | CAP, MICA, 18PF 500V 5% | 1.0 EA | C46 |
| 500 0808 000 | CAP, MICA, 20PF 500V 5% | 2.0 EA | C41 C45 |
| 500 0811 000 | CAP, MICA, 27PF 500V 5% | 1.0 EA | C39 |
| 500 0814 000 | CAP, MICA, 36PF 500V 5% | 1.0 EA | C47 |
| 500 0843 000 | CAP, MICA, 910PF 100V 5% | 2.0 EA | C35 C36 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 2.0 EA | C31 C32 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 5.0 EA | C27 C28 C29 C30 C48 |
| 516 0450 000 | CAP 1000PF 500V 20% | 1.0 EA | C1 |
| 516 0457 000 | CAP 1000 PF 600V | 25.0 EA | C002 C003 C004 C005 C006 C007 C008 C009 C010 C011 C012 |

| | | | C013 C014 C015 C016 C017 C018 C019 C020 C021 C022 C023 C024 C025 C026 |
|--------------|--------------------------|---------|--|
| 520 0365 000 | CAP, VAR 0.8-10PF 250V | 2.0 EA | C42 C43 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 3.0 EA | C049 C050 C051 |
| 540 0283 000 | * RES 9.1 OHM 1W 5% | 2.0 EA | R14 R15 |
| 540 0310 000 | * RES 120 OHM 1W 5% | 2.0 EA | R12 R13 |
| 540 1286 000 | RES 3.3 OHM 1/4W 5% | 1.0 EA | R17 |
| 548 2400 109 | RES 12.1 OHM 1/2W 1% | 1.0 EA | R9 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R10 R11 |
| 548 2400 209 | RES 121 OHM 1/2W 1% | 1.0 EA | R8 |
| 548 2400 247 | RES 301 OHM 1/2W 1% | 1.0 EA | R16 |
| 548 2400 251 | RES 332 OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 2.0 EA | R2 R4 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R001 R003 R005 |
| 548 2400 312 | RES 1.3K OHM 1/2W 1% | 2.0 EA | R007 R007A |
| 612 0403 000 | RECEPTACLE BNC UG-1098/U | 2.0 EA | J1 J2 |
| 614 0391 000 | TERM, STANDOFF | 15.0 EA | |
| 614 0480 000 | TERM, INSULATED | 6.0 EA | |
| 815 1599 001 | END RAIL | 2.0 EA | |
| 815 1603 001 | INDUCTOR, L24 | 1.0 EA | L24 |
| 815 1606 001 | INDUCTOR, L25 & L26 | 2.0 EA | L25 L26 |
| 827 6840 001 | SIDE RAIL | 2.0 EA | |
| 827 6842 001 | BOTTOM PLATE | 1.0 EA | |
| 827 7963 001 | PARTS LAYOUT | 0.0 EA | |
| 838 4990 001 | SCHEMATIC | 0.0 EA | |
| 915 1604 001 | R F CHOKE | 9.0 EA | L10 L11 L12 L17 L22 L6 L7 L8 L9 |
| 915 1605 001 | TRANSFORMER, RF T3 | 1.0 EA | T3 |
| 915 1607 001 | TRANSFORMER, RF, T1, | 2.0 EA | T1 T2 |
| 927 9968 001 | BASE PLATE & TERMS | 1.0 EA | |
| 999 0774 001 | HARDWARE LIST | 1.0 EA | |
| 999 0775 001 | WIRE LIST | 1.0 EA | |

Table 1-59. END RAIL - 815 1599 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 004 | AL, RECT .250 X 1.0 | 0.087675 LB | |

Table 1-60. INDUCTOR, L24 - 815 1603 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0002 000 | WIRE, BUS CU 20AWG | 0.0730 FT | |

Table 1-61. INDUCTOR, L25 & L26 - 815 1606 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0002 000 | WIRE, BUS CU 20AWG | 0.09960 FT | |

Table 1-62. SIDE RAIL - 827 6840 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 004 | AL, RECT .250 X 1.0 | 0.227850 LB | |

Table 1-63. BOTTOM PLATE - 827 6842 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.798950 LB | |

Table 1-64. R F CHOKE - 915 1604 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 251 0009 000 | WIRE, MAGNET 28AWG | 0.30 FT | |
| 414 0087 000 | BEAD FERRITE SHIELD | 1.0 EA | |
| 815 1604 001 | ASSY INSTR, RF CHOKE | 0.0 EA | |

Table 1-65. TRANSFORMER, RF T3 - 915 1605 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 251 0080 000 | WIRE, MAGNET 26AWG | 0.330 FT | |
| 254 0032 000 | WIRE, BUS CU 26AWG | 0.30 FT | |

Table 1-66. TRANSFORMER, RF, T1, - 915 1607 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 251 0080 000 | WIRE, MAGNET 26AWG | 0.250 FT | |
| 254 0032 000 | WIRE, BUS CU 26AWG | 0.20 FT | |

Table 1-67. BASE PLATE & TERMS - 927 9968 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 312 0003 000 | WASHER, INT LOCK 4 | 17.0 EA | |
| 354 0752 000 | TERM,TUR 4-40 | 17.0 EA | |
| 827 6841 001 | BASE PLATE | 1.0 EA | |
| 827 9968 001 | BASE PLATE INST | 0.0 EA | |

Table 1-68. BASE PLATE - 827 6841 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 1.42970 LB | |

Table 1-69. HARDWARE LIST - 999 0774 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1485 000 | SCR, 4-40 X 5/16 | 2.0 EA | |
| 302 0052 000 | SCR, 4-40 X 1/4 | 30.0 EA | |
| 302 0056 000 | SCR, 4-40 X 1/2 | 8.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 20.0 EA | |
| 304 0139 000 | NUT, HEX 8-32 | 3.0 EA | |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 2.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 34.0 EA | |

Table 1-70. WIRE LIST - 999 0775 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0001 000 | WIRE, BUS CU 22AWG | 0.080 FT | |

Table 1-71. TUBE PULLER FOR 8807 - 992 3615 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 308 0017 000 | WASHER, FLAT 3/4 | 1.0 EA | |
| 828 0463 001 | CHANNEL PULLER | 1.0 EA | |
| 843 3930 001 | BRKT, TUBE PUSHER | 1.0 EA | |
| 915 5442 001 | SPIDER NUT | 1.0 EA | |
| 928 0464 004 | TUBE PULLER | 1.0 EA | |

Table 1-72. CHANNEL PULLER - 828 0463 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 020 | AL, SH .190 THK | 1.20 LB | |

Table 1-73. BRKT, TUBE PUSHER - 843 3930 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 030 | STL, SH 12GA CR | 4.2050 LB | |

Table 1-74. SPIDER NUT - 915 5442 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 827 8657 002 | SHAFT | 6.0 EA | |
| 915 5443 001 | NUT, MOD | 1.0 EA | |

Table 1-75. SHAFT - 827 8657 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 040 | SST, ROD .250 DIA | 0.024990 LB | |

Table 1-76. NUT, MOD - 915 5443 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 324 0016 000 | NUT, HEX 3/4-10 STL | 1.0 EA | |

Table 1-77. TUBE PULLER - 928 0464 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 5444 001 | THD. ROD | 1.0 EA | |
| 815 5559 001 | ROD, TUBE PULLER | 1.0 EA | |
| 828 0462 001 | PLATE, TUBE PULLER | 1.0 EA | |

Table 1-78. THD. ROD - 815 5444 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 011 1030 090 | STL, RD THD .750-10 | 0.261450 FT | |

Table 1-79. ROD, TUBE PULLER - 815 5559 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 1020 015 | STL, RD .250 DIA | 0.10290 LB | |

Table 1-80. PLATE, TUBE PULLER - 828 0462 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 2.4070 LB | |

Table 1-81. HI BAND MULT ASSY - 992 4655 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 4.0 EA | |
| 358 0949 000 | GUIDE. CARD 2.5 IN L | 4.0 EA | |
| 516 0450 000 | CAP 1000PF 500V 20% | 3.0 EA | C1 C2 C3 |
| 620 0445 000 | RECP 50 OHM 27-9 | 3.0 EA | J1 J2 J3 |
| 816 9116 001 | TEST SPECIFICATION | 0.0 EA | |
| 829 0562 001 | COVER, ENCLOSURE | 1.0 EA | |
| 843 1173 001 | SCHEMATIC | 0.0 EA | |
| 929 0564 001 | SHIELD, ENCLOSURE | 1.0 EA | |
| 929 1175 001 | CABLE, MULTIPLIER | 1.0 EA | |
| 939 3395 001 | ENCLOSURE | 1.0 EA | |
| 992 4654 001 | MULT OUTPUT BOARD | 1.0 EA | A1 |
| 992 4656 001 | HI BAND MULT BD. | 1.0 EA | A2 |
| 999 1689 001 | HARDWARE LIST | 1.0 EA | |

Table 1-82. COVER, ENCLOSURE - 829 0562 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.358150 LB | |

Table 1-83. SHIELD, ENCLOSURE - 929 0564 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.1450 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 4.0 EA | |
| 829 0564 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 829 2840 001 | SHIELD, ENCLOSURE | 0.0 EA | |

Table 1-84. CABLE, MULTIPLIER - 929 1175 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 4.0 FT | |
| 296 0260 000 | TUBING, SHRINK 3/32 WHITE | 0.160 FT | |
| 296 0261 000 | TUBING, SHRINK 1/8 WHITE | 0.260 FT | |
| 354 0322 000 | FLAG CONTACT | 16.0 EA | |
| 612 0432 000 | CONN HOUSING 14 POS | 2.0 EA | |
| 618 0206 000 | COAX CABLE RG196, 50 OHM | 6.30 FT | |
| 620 2443 000 | CONN, RT ANGLE | 5.0 EA | |
| 829 1175 001 | ASSY INSTR, CADS SHEETS | 0.0 EA | |
| 839 2282 001 | CABLE LAYOUT (*), MULT. | 0.0 EA | |

Table 1-85. ENCLOSURE - 939 3395 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.66750 LB | |
| 324 0228 000 | NUT, PRESS-IN 6-32 FLUSH | 8.0 EA | |
| 816 8187 001 | SILKSCREEN, ENCLOSURE | 0.0 EA | |

| | | |
|--------------|----------------------|--------|
| 839 3395 001 | ASSY INSTRUCTIONS | 0.0 EA |
| 843 1150 001 | FAB INSTR, ENCLOSURE | 0.0 EA |

Table 1-86. MULT OUTPUT BOARD - 992 4654 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0114 000 | XSTR, 2N5109 ESD | 4.0 EA | Q1 Q2 Q3 Q4 |
| 382 0411 000 | IC, PSC-2-1 ESD | 1.0 EA | U2 |
| 382 0428 000 | IC, LM358 ESD | 1.0 EA | U1 |
| 384 0642 000 | DIODE, SCHOTTKY ESD | 1.0 EA | CR1 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 4.0 EA | XQ1 XQ2 XQ3 XQ4 |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | XU1 |
| 404 0725 000 | HEAT SINK TO-5 CASE | 2.0 EA | #Q001 #Q003 |
| 478 0392 000 | XFMR, RF MODEL T4-1 | 2.0 EA | T1 T2 |
| 500 0807 000 | CAP, MICA, 18PF 500V 5% | 2.0 EA | C10 C8 |
| 500 0835 000 | CAP, MICA, 470PF 500V 5% | 2.0 EA | C11 C9 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 7.0 EA | C1 C2 C3 C4 C5 C6 C7 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 2.0 EA | C12 C14 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 1.0 EA | C13 |
| 548 2400 058 | RES 3.92 OHM 1/2W 1% | 2.0 EA | R3 R4 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 2.0 EA | R1 R2 |
| 548 2400 162 | RES 43.2 OHM 1/2W 1% | 2.0 EA | R5 R6 |
| 548 2400 230 | RES 200 OHM 1/2W 1% | 2.0 EA | R15 R16 |
| 548 2400 242 | RES 267 OHM 1/2W 1% | 2.0 EA | R13 R14 |
| 548 2400 266 | RES 475 OHM 1/2W 1% | 4.0 EA | R10 R7 R8 R9 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 1.0 EA | R17 |
| 548 2400 309 | RES 1.21K OHM 1/2W 1% | 3.0 EA | R11 R12 R20 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 1.0 EA | R19 |
| 548 2400 377 | RES 6.19K OHM 1/2W 1% | 1.0 EA | R23 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 2.0 EA | R21 R22 |
| 548 2400 518 | RES 150K OHM 1/2W 1% | 1.0 EA | R24 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 1.0 EA | R18 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 3.0 EA | J1 J2 J3 |
| 816 9113 001 | TEST SPECIFICATION | 0.0 EA | |
| 843 1172 001 | SCHEMATIC | 0.0 EA | |
| 939 2147 001 | PRTD BD ASSY MULT OU | 1.0 EA | |

Table 1-87. PRTD BD ASSY MULT OU - 939 2147 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 1.0 EA | |
| 839 2147 001 | ASSY, PWB | 0.0 EA | |
| 839 4775 001 | PC BOARD | 1.0 EA | |

Table 1-88. HI BAND MULT BD. - 992 4656 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0114 000 | XSTR, 2N5109 ESD | 2.0 EA | Q1 Q2 |
| 382 0019 000 | IC, 3028B ESD | 2.0 EA | U1 U2 |
| 384 0642 000 | DIODE, SCHOTTKY ESD | 1.0 EA | CR1 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 2.0 EA | XQ1 XQ2 |

| | | | |
|--------------|-------------------------------|---------|---|
| 404 0264 000 | HEAT SINK FOR TO-5 CASE | 1.0 EA | Q1 |
| 478 0392 000 | XFMR, RF MODEL T4-1 | 2.0 EA | T1 T2 |
| 494 0373 000 | CHOKER RF 0.12UH | 1.0 EA | L1 |
| 494 0374 000 | CHOKER RF 0.15UH | 1.0 EA | L5 |
| 494 0376 000 | CHOKER RF 0.22UH | 3.0 EA | L2 L3 L4 |
| 500 0800 000 | CAP, MICA, 1PF 500V +/- .5PF | 1.0 EA | C15 |
| 500 0801 000 | CAP, MICA, 2PF 500V +/- .5PF | 1.0 EA | C14 |
| 500 0804 000 | CAP, MICA, 10PF 500V +/- .5PF | 1.0 EA | C16 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 2.0 EA | C17 |
| | | | C18 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 13.0 EA | C1 C10 C11 C12 C13 C2 C3 C4 C5 C6 C7 C8 C9 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 1.0 EA | C24 |
| 517 0039 000 | CAP VAR .8-18PF | 4.0 EA | C20 C21 C22 C23 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 1.0 EA | C19 |
| 548 2400 081 | RES 6.81 OHM 1/2W 1% | 1.0 EA | R2 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 1.0 EA | R3 |
| 548 2400 177 | RES 61.9 OHM 1/2W 1% | 1.0 EA | R9 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 242 | RES 267 OHM 1/2W 1% | 1.0 EA | R1 |
| 548 2400 254 | RES 357 OHM 1/2W 1% | 1.0 EA | R8 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 1.0 EA | R10 |
| 548 2400 273 | RES 562 OHM 1/2W 1% | 1.0 EA | R5 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 1.0 EA | R7 |
| 548 2400 326 | RES 1.82K OHM 1/2W 1% | 1.0 EA | R4 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J1 J2 |
| 816 6195 001 | COIL | 1.0 EA | L7 |
| 816 6196 001 | COIL | 1.0 EA | L6 |
| 816 9115 001 | TEST SPECIFICATION | 0.0 EA | |
| 839 2148 001 | PRINTED BOARD | 1.0 EA | |
| 843 1173 001 | SCHEMATIC | 0.0 EA | |
| 915 1604 001 | R F CHOKE | 3.0 EA | L10 L8 L9 |

Table 1-89. COIL - 816 6195 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 251 0058 000 | WIRE, MAGNET 20AWG | 0.3150 FT | |

Table 1-90. COIL - 816 6196 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 251 0089 000 | WIRE, MAGNET 16AWG | 0.1240 FT | |

Table 1-91. HARDWARE LIST - 999 1689 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0106 000 | SCR, 6-32 X 3/8 | 13.0 EA | |
| 306 0004 000 | NUT, HEX 6-32 | 1.0 EA | |
| 306 0011 000 | NUT, STOP 6-32 | 4.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 4.0 EA | |
| 310 0017 000 | WASHER FLAT #6 | 4.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 8.0 EA | |
| 354 0146 000 | LUG SHAKE .176 MTG | 3.0 EA | |
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 2.0 EA | |

Table 1-92. HI BAND AURAL AMP - 992 4818 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 2.0 EA | |
| 354 0319 000 | TERM LUG .375 HOLE | 2.0 EA | |
| 380 0243 000 | * XSTR, C-12-28 ESD | 1.0 EA | Q3 |
| 380 0568 000 | XSTR, RF, C3-28 | 1.0 EA | Q7 |
| 380 0569 000 | XSTR, RF C25-28A/44911 | 1.0 EA | Q4 |
| 384 0596 000 | RECT 1N3879 ESD | 1.0 EA | CR2 |
| 516 0450 000 | CAP 1000PF 500V 20% | 5.0 EA | C1 C2 C3 C4 C5 |
| 550 0908 000 | POT 10K OHM 1W 10% | 1.0 EA | R045 |
| 612 0317 000 | RECEPTACLE BNC UG-1094/U | 2.0 EA | J1 J2 |
| 816 9100 001 | TEST SPECIFICATION | 0.0 EA | |
| 829 0721 002 | COVER, AURAL AMP | 1.0 EA | |
| 829 1240 001 | INSULATOR | 1.0 EA | |
| 839 2304 001 | BASE PLATE | 1.0 EA | |
| 843 1680 002 | SCHEMATIC | 0.0 EA | |
| 913 5092 083 | SPACER ROUND | 8.0 EA | |
| 929 1905 001 | BRACKET, ENCLOSURE | 2.0 EA | |
| 939 2318 001 | ENCLOSURE, AUR AMP | 1.0 EA | |
| 939 2340 001 | DIVIDER, HI BAND AMP | 2.0 EA | |
| 939 2809 001 | ENCLOSURE, AUR AMP | 1.0 EA | |
| 992 4810 002 | HIGH BAND AURAL AMP BOA | 1.0 EA | |
| 999 1687 001 | HARDWARE LIST | 1.0 EA | |

Table 1-93. COVER, AURAL AMP - 829 0721 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.604650 LB | |

Table 1-94. INSULATOR - 829 1240 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 033 5010 010 | FISH PAPER .016 THK | 0.1850 LB | |

Table 1-95. BASE PLATE - 839 2304 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 031 | AL, PL .500 THK | 2.6750 LB | |

Table 1-96. SPACER ROUND - 913 5092 083

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 1025 006 | AL, RD .250 DIA | 0.000473 LB | |
| 813 5092 083 | ASSY INSTR, SPACER ROUND | 0.0 EA | |

Table 1-97. BRACKET, ENCLOSURE - 929 1905 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.012238 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 2.0 EA | |

Table 1-98. ENCLOSURE, AUR AMP - 939 2318 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.71050 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 3.0 EA | |

Table 1-99. DIVIDER, HI BAND AMP - 939 2340 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.1450 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 1.0 EA | |
| 839 2340 001 | DIVIDER | 0.0 EA | |

Table 1-100. ENCLOSURE, AUR AMP - 939 2809 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.3480 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 3.0 EA | |
| 816 8316 001 | STENCIL | 0.0 EA | |
| 829 1238 001 | SILKSCREEN | 0.0 EA | |
| 839 2809 001 | ENCLOSURE ASSY INSTR | 0.0 EA | |

Table 1-101. HIGH BAND AURAL AMP BOA - 992 4810 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|--|
| 380 0114 000 | XSTR, 2N5109 ESD | 2.0 EA | Q5 Q6 |
| 380 0536 000 | XSTR, 2N5179 ESD | 2.0 EA | Q1 Q2 |
| 382 0428 000 | IC, LM358 ESD | 1.0 EA | U1 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 1.0 EA | CR3 |
| 384 0355 000 | DIODE HP5082-3081/A5S139 ESD | 1.0 EA | CR1 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 2.0 EA | XQ5 XQ6 |
| 404 0264 000 | HEAT SINK FOR TO-5 CASE | 2.0 EA | |
| 404 0660 000 | HEAT SINK | 1.0 EA | |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | XU1 |
| 494 0219 000 | CHOKE WIDE BAND | 6.0 EA | L1 L11 L2 L3 L4 L5 |
| 494 0372 000 | CHOKE RF 0.10UH | 5.0 EA | L10 L12 L7 L8 L9 |
| 494 0381 000 | CHOKE RF 0.56UH | 1.0 EA | L6 |
| 500 0754 000 | CAP, MICA, 220PF 500V 5% | 3.0 EA | C007 C018 C027 |
| 500 0756 000 | CAP, MICA, 330PF 500V 5% | 2.0 EA | C10 C11 |
| 500 0826 000 | CAP, MICA, 120PF 500V 5% | 2.0 EA | C14 C8 |
| 500 0833 000 | CAP, MICA, 390PF 500V 5% | 2.0 EA | C13 C19 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 1.0 EA | C44 |
| 500 0909 000 | CAP, VAR 10-80PF | 2.0 EA | C39 C41 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 3.0 EA | C22 C34 C38 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 16.0 EA | C1 C15 C17 C2 C20 C3 C36 C4 C48 C49 C50 C51 C52 C53 C6 C9 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 4.0 EA | C28 C33 C45 C47 |
| 516 0727 000 | CAP 10PF 500V 10% | 4.0 EA | C23 C26 C29 C43 |
| 516 0729 000 | CAP 68PF 500V 10% | 2.0 EA | C12 C32 |
| 516 0738 000 | CAP 47PF 500V 10% | 1.0 EA | C25 |
| 519 0039 000 | CAP RF CHIP 36PF 5% 500V | 3.0 EA | C24 C30 C31 |
| 519 0052 000 | CAP RF CHIP 120PF 5% 300V | 1.0 EA | C42 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 5.0 EA | C016 C021 C035 C037 C040 |
| 526 0053 000 | CAP 2.7UF 35V 20% | 2.0 EA | C005 C046 |
| 540 0316 000 | NLA, USE FFF 540-1600-209 | 2.0 EA | R30 R36 |

| | | | |
|--------------|-----------------------|--------|--------------------------|
| 540 0318 000 | * RES 270 OHM 1W 5% | 1.0 EA | R27 |
| 542 0007 000 | RES 15 OHM 5% 8W | 1.0 EA | R32 |
| 548 2400 001 | RES 1 OHM 1/2W 1% | 2.0 EA | R33 R34 |
| 548 2400 073 | RES 5.62 OHM 1/2W 1% | 1.0 EA | R25 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 3.0 EA | R18 R23 R24 |
| 548 2400 105 | RES 11 OHM 1/2W 1% | 1.0 EA | R29 |
| 548 2400 118 | RES 15 OHM 1/2W 1% | 1.0 EA | R3 |
| 548 2400 130 | RES 20 OHM 1/2W 1% | 1.0 EA | R21 |
| 548 2400 151 | RES 33.2 OHM 1/2W 1% | 1.0 EA | R35 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 1.0 EA | R5 |
| 548 2400 242 | RES 267 OHM 1/2W 1% | 5.0 EA | R10 R11 R15 R17 R9 |
| 548 2400 266 | RES 475 OHM 1/2W 1% | 1.0 EA | R42 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 1.0 EA | R19 |
| 548 2400 281 | RES 681 OHM 1/2W 1% | 2.0 EA | R22 R28 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 4.0 EA | R37 R38 R6 R8 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 1.0 EA | R26 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 5.0 EA | R001 R002 R012 R014 R016 |
| 548 2400 354 | RES 3.57K OHM 1/2W 1% | 2.0 EA | R13 R20 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 3.0 EA | R40 R41 R43 |
| 548 2400 418 | RES 15K OHM 1/2W 1% | 1.0 EA | R4 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 1.0 EA | R39 |
| 548 2400 485 | RES 75K OHM 1/2W 1% | 1.0 EA | R31 |
| 843 1680 002 | SCHEMATIC | 0.0 EA | |
| 916 8524 001 | TRANSFORMER | 3.0 EA | T1 T2 T3 |
| 943 1419 002 | PRINTED BOARD | 1.0 EA | |

Table 1-102. TRANSFORMER - 916 8524 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 251 0080 000 | WIRE, MAGNET 26AWG | 0.30 FT | |
| 254 0032 000 | WIRE, BUS CU 26AWG | 0.20 FT | |

Table 1-103. PRINTED BOARD - 943 1419 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 11.0 EA | |
| 829 1146 002 | TOP SILKSCREEN | 0.0 EA | |
| 829 1147 002 | BOT PRINTED WIRING | 0.0 EA | |
| 829 1148 002 | TOP PRINTED WIRING | 0.0 EA | |
| 843 3628 002 | PC BOARD | 1.0 EA | |

Table 1-104. HARDWARE LIST - 999 1687 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1536 000 | SCR, 6-32 X 1/4 | 1.0 EA | |
| 302 0106 000 | SCR, 6-32 X 3/8 | 22.0 EA | |
| 302 0109 000 | SCR, 6-32 X 5/8 | 8.0 EA | |
| 304 0075 000 | NUT, HEX THIN 3/8-32 | 2.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 9.0 EA | |
| 304 0098 000 | NUT, HEX 10-32 | 2.0 EA | |
| 304 0139 000 | NUT, HEX 8-32 | 4.0 EA | |
| 306 0016 000 | NUT, HEX KEP 6-32 | 4.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 9.0 EA | |
| 308 0006 000 | NO 8 FLAT WASHER BRS | 4.0 EA | |

| | | |
|--------------|-----------------------|---------|
| 308 0007 000 | 10 FLAT WASHER BRASS | 1.0 EA |
| 310 0017 000 | WASHER FLAT #6 | 22.0 EA |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 9.0 EA |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 4.0 EA |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 1.0 EA |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 22.0 EA |
| 314 0013 000 | WASHER, INT LOCK 3/8 | 2.0 EA |
| 335 0006 000 | WASHER NYLON .175 ID | 1.0 EA |
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 2.0 EA |
| 354 0319 000 | TERM LUG .375 HOLE | 3.0 EA |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA |

Table 1-105. AUR PREAMP MODULE, HB - 992 5272 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 054 0011 015 | CB BX 17 X 12 X 5 | 1.0 EA | |
| 350 0048 000 | RIVET POP .093X.337 | 2.0 EA | |
| 358 2037 000 | BALL STUD 6-32X 3/16 | 1.0 EA | |
| 358 2731 000 | POLYSTYRENE BLOCK | 2.0 EA | |
| 380 0579 000 | XSTR, BM-100-28/MRF317 ESD | 4.0 EA | Q1 Q2 Q3 Q4 |
| 404 0690 000 | HEAT SINK | 1.0 EA | |
| 442 0062 000 | THERMOSTAT 85 DEG C | 1.0 EA | ST1 |
| 448 0623 000 | SPRING CATCH | 1.0 EA | |
| 519 0052 000 | CAP RF CHIP 120PF 5% 300V | 8.0 EA | C50 C51 C52 C53 C54 C55 C56 C57 |
| 612 0237 000 | RECEPTACLE BNC UG-290A/U | 2.0 EA | J1 J2 |
| 813 5611 017 | STUD 4-40 X .62 | 12.0 EA | |
| 816 9849 001 | SPACER | 1.0 EA | |
| 816 9862 001 | SPACER, SPRING CATCH | 2.0 EA | |
| 816 9862 002 | SPACER, HEATSINK | 10.0 EA | |
| 817 0428 001 | STANDOFF | 12.0 EA | |
| 817 0428 003 | STANDOFF | 2.0 EA | |
| 829 3412 001 | BRACKET, CONN | 2.0 EA | |
| 839 3797 001 | SHIELD | 2.0 EA | |
| 839 4943 001 | INSULATOR | 2.0 EA | |
| 843 3115 001 | SCHEMATIC | 0.0 EA | |
| 929 3391 001 | EXTRACTOR IPA MODULE | 1.0 EA | |
| 929 3393 001 | FRONT PANEL ASSY | 1.0 EA | |
| 929 7173 007 | CABLE, COAX | 1.0 EA | |
| 992 5273 001 | PRE AMP INPUT PC, AURAL | 1.0 EA | |
| 992 5274 001 | PRE AMP OUTPUT PC, AURAL | 1.0 EA | |
| 999 1858 001 | WIRE TUBING LIST | 1.0 EA | |
| 999 1859 001 | HARDWARE LIST | 1.0 EA | |

Table 1-106. STUD 4-40 X .62 - 813 5611 017

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 007 | BRS, THD STK 4-40 | 0.054390 FT | |

Table 1-107. SPACER - 816 9849 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 006 | AL, RD .250 DIA | 0.017850 LB | |

Table 1-108. SPACER, SPRING CATCH - 816 9862 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 006 | AL, RD .250 DIA | 0.001050 LB | |

Table 1-109. SPACER, HEATSINK - 816 9862 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 006 | AL, RD .250 DIA | 0.001050 LB | |

Table 1-110. STANDOFF - 817 0428 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.004337 LB | |

Table 1-111. STANDOFF - 817 0428 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.007140 LB | |

Table 1-112. BRACKET, CONN - 829 3412 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 003 5010 010 | CU, SH .043 X 36 X 90 | 0.05220 LB | |

Table 1-113. SHIELD - 839 3797 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 010 | BRS, SH .0403 | 1.8560 LB | |

Table 1-114. INSULATOR - 839 4943 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 007 | GL, EPOXY SH .015 | 0.461250 SF | |

Table 1-115. EXTRACTOR IPA MODULE - 929 3391 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 358 1859 000 | STANDOFF 6-32 X 1/4 | 1.0 EA | |
| 816 9701 001 | SPACER | 1.0 EA | |
| 839 3795 001 | EXTRACTOR | 1.0 EA | |

Table 1-116. SPACER - 816 9701 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.018560 LB | |

Table 1-117. EXTRACTOR - 839 3795 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.580 LB | |

Table 1-118. FRONT PANEL ASSY - 929 3393 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.4350 LB | |
| 324 0152 000 | NUT, PEM 4-40 | 4.0 EA | |
| 829 3393 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 3796 001 | FRONT PANEL | 0.0 EA | |

Table 1-119. CABLE, COAX - 929 7173 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.40 FT | CUT (2) PIECES 0.2 LONG |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 0.60 FT | DIM A = 7.0 |
| 620 0699 000 | PLUG, RT ANG, SMB | 2.0 EA | |
| 817 2446 003 | ASSY INSTR, COAX CABLE | 0.0 EA | |

Table 1-120. PRE AMP INPUT PC, AURAL - 992 5273 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|------------------------------------|
| 382 0428 000 | IC, LM358 ESD | 1.0 EA | U1 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR3 CR4 |
| 384 0431 000 | RECT. 1N4001 ESD | 2.0 EA | CR1 CR2 |
| 398 0031 000 | FUSE, FAST CART 10A 32V | 1.0 EA | F1 |
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 2.0 EA | |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | XU1 |
| 414 0087 000 | BEAD FERRITE SHIELD | 2.0 EA | E1 E2 |
| 494 0374 000 | CHOKE RF 0.15UH | 2.0 EA | L1 L2 |
| 494 0437 000 | CHOKE RF WIDE BAND | 4.0 EA | L3 L4 L7 L8 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 2.0 EA | C5 C8 |
| 500 1156 000 | CAP, VAR 10-80PF | 1.0 EA | C23 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 8.0 EA | C10 C11 C12 C14 C15 C27 C28 C29 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 3.0 EA | C3 C30 C4 |
| 516 0727 000 | CAP 10PF 500V 10% | 1.0 EA | C24 |
| 516 0729 000 | CAP 68PF 500V 10% | 2.0 EA | C19 C20 |
| 516 0732 000 | CAP 330PF 200V 10% | 8.0 EA | C1 C17 C18 C2 C25 C26 C6 C7 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 1.0 EA | C13 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C21 C22 |
| 540 0595 000 | * RES 220 OHM 2W 5% | 4.0 EA | R10 R23 R24 R9 |
| 548 2400 042 | RES 2.67 OHM 1/2W 1% | 4.0 EA | R3 R4 R5 R6 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 4.0 EA | R1 R2 R25 R26 |
| 548 2400 130 | RES 20 OHM 1/2W 1% | 2.0 EA | R7 R8 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 2.0 EA | R14 R20 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R15 R27 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R13 R18 R22 |
| 548 2400 354 | RES 3.57K OHM 1/2W 1% | 1.0 EA | R21 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R16 R19 R12 |
| 548 2400 462 | RES 43.2K OHM 1/2W 1% | 1.0 EA | R17 |
| 620 0700 000 | *RECPT, MALE SMB, PC MOUNT | 1.0 EA | J3 |
| 817 0149 001 | CHOKE, R.F. | 2.0 EA | L5 L6 |
| 829 3930 001 | COAX XFMR ASSY, OUTPUT | 1.0 EA | T2 |
| 829 3948 001 | COAX XFNR ASSY, INPUT | 1.0 EA | T1 |
| 843 3115 001 | SCHEMATIC | 0.0 EA | |
| 939 3919 001 | PC BOARD, INPUT | 1.0 EA | |

Table 1-121. CHOKE, R.F. - 817 0149 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 251 0013 000 | WIRE, MAGNET 20AWG | 0.2790 FT | |

Table 1-122. COAX XFMR ASSY, OUTPUT - 829 3930 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 618 0631 000 | COAX, SEMI-RIGID, 50 OHM. | 0.540 FT | |

Table 1-123. COAX XFNR ASSY, INPUT - 829 3948 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 618 0631 000 | COAX, SEMI-RIGID, 50 OHM. | 0.580 FT | |

Table 1-124. PC BOARD, INPUT - 939 3919 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 2.0 EA | |
| 839 4938 001 | TEMPLATE, ROUTING | 0.0 EA | |
| 852 8607 001 | PWB, AURAL PRE-AMP IN | 1.0 EA | |

Table 1-125. PRE AMP OUTPUT PC, AURAL - 992 5274 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|--|
| 382 0428 000 | IC, LM358 ESD | 1.0 EA | U1 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR3 CR4 |
| 398 0031 000 | FUSE, FAST CART 10A 32V | 2.0 EA | F1 F2 |
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 4.0 EA | |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | XU1 |
| 414 0087 000 | BEAD FERRITE SHIELD | 2.0 EA | E1 E2 |
| 494 0374 000 | CHOKE RF 0.15UH | 2.0 EA | L3 L4 |
| 494 0437 000 | CHOKE RF WIDE BAND | 4.0 EA | L1 L2 L5 L8 |
| 500 0848 000 | CAP TRIMMER 9 180UUF | 1.0 EA | C19 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 2.0 EA | C20 C3 |
| 500 1156 000 | CAP, VAR 10-80PF | 1.0 EA | C4 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 10.0 EA | C25 C27 C28 C29 C30 C31 C32 C33 C34 C35 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 1.0 EA | C26 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 2.0 EA | C12 C9 |
| 516 0732 000 | CAP 330PF 200V 10% | 6.0 EA | C1 C10 C11 C2 C21 C22 |
| 519 0039 000 | CAP RF CHIP 36PF 5% 500V | 4.0 EA | C15 C16 C17 C18 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 2.0 EA | C23 C24 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C13 C14 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 4.0 EA | R25 R26 R3 R4 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 2.0 EA | R8 R9 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R1 R27 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R10 R14 R5 |
| 548 2400 354 | RES 3.57K OHM 1/2W 1% | 1.0 EA | R11 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 3.0 EA | R12 R13 R6 |
| 548 2400 447 | RES 30.1K OHM 1/2W 1% | 1.0 EA | R7 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 1.0 EA | J4 |

| | | | |
|--------------|------------------------|--------|-------|
| 817 0149 001 | CHOKE, R.F. | 2.0 EA | L6 L7 |
| 829 3930 001 | COAX XFMR ASSY, OUTPUT | 1.0 EA | T2 |
| 829 3948 001 | COAX XFMR ASSY, INPUT | 1.0 EA | T1 |
| 843 3115 001 | SCHEMATIC | 0.0 EA | |
| 939 3918 001 | PC BOARD, OUTPUT | 1.0 EA | |

Table 1-126. PC BOARD, OUTPUT - 939 3918 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 6.0 EA | |
| 852 8606 001 | PWB, AURAL PRE-AMP OUT | 1.0 EA | |

Table 1-127. WIRE TUBING LIST - 999 1858 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0240 000 | WIRE, STRD 20AWG WHT | 1.10 FT | |

Table 1-128. HARDWARE LIST - 999 1859 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1485 000 | SCR, 4-40 X 5/16 | 12.0 EA | |
| 302 0021 000 | SCR, 3-56 X 1/4 | 2.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 18.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 2.0 EA | |
| 302 0441 000 | SCR, 4-40 X 3/8 | 4.0 EA | |
| 306 0003 000 | NUT, HEX 4-40 | 2.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 2.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 4.0 EA | |
| 312 0005 000 | WASHER, INT LOCK 6 | 1.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 12.0 EA | |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 2.0 EA | |
| 314 0002 000 | WASHER SPLIT 3 | 2.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 16.0 EA | |
| 350 0048 000 | RIVET POP .093X.337 | 2.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |

Table 1-129. AUR PWR AMP MODULE, HB - 992 5275 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 054 0011 015 | CB BX 17 X 12 X 5 | 1.0 EA | |
| 350 0048 000 | RIVET POP .093X.337 | 1.0 EA | |
| 358 2037 000 | BALL STUD 6-32X 3/16 | 1.0 EA | |
| 358 2731 000 | POLYSTYRENE BLOCK | 2.0 EA | |
| 380 0579 000 | XSTR, BM-100-28/MRF317 ESD | 4.0 EA | Q1 Q2 Q3 Q4 |
| 404 0690 000 | HEAT SINK | 1.0 EA | |
| 442 0062 000 | THERMOSTAT 85 DEG C | 1.0 EA | S1 |
| 448 0623 000 | SPRING CATCH | 1.0 EA | |
| 519 0052 000 | CAP RF CHIP 120PF 5% 300V | 8.0 EA | C50 C51 C52 C53 C54 C55 C56 C57 |
| 544 1632 000 | RES 100 OHM 75W 5% | 2.0 EA | R50 R51 |
| 612 0237 000 | RECEPTACLE BNC UG-290A/U | 2.0 EA | J1 J2 |
| 813 5611 017 | STUD 4-40 X .62 | 12.0 EA | |
| 816 9849 001 | SPACER | 1.0 EA | |
| 816 9862 001 | SPACER, SPRING CATCH | 2.0 EA | |
| 816 9862 002 | SPACER, HEATSINK | 10.0 EA | |

| | | |
|--------------|----------------------|---------|
| 817 0428 001 | STANDOFF | 12.0 EA |
| 817 0428 003 | STANDOFF | 2.0 EA |
| 829 3412 001 | BRACKET, CONN | 2.0 EA |
| 839 3797 001 | SHIELD | 2.0 EA |
| 839 5616 001 | INSULATOR | 2.0 EA |
| 843 3114 002 | SCHEMATIC | 0.0 EA |
| 929 3391 001 | EXTRACTOR IPA MODULE | 1.0 EA |
| 929 3393 001 | FRONT PANEL ASSY | 1.0 EA |
| 929 7173 007 | CABLE, COAX | 2.0 EA |
| 992 5276 002 | PC BD, INPUT | 1.0 EA |
| 992 5277 002 | PC BD, OUTPUT | 1.0 EA |
| 999 1874 001 | WIRE/TUBING LIST | 1.0 EA |
| 999 1875 001 | HARDWARE LIST | 1.0 EA |

Table 1-130. INSULATOR - 839 5616 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 007 | GL, EPOXY SH .015 | 0.461250 SF | |

Table 1-131. PC BD, INPUT - 992 5276 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 382 0428 000 | IC, LM358 ESD | 1.0 EA | U1 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR3 CR4 |
| 398 0031 000 | FUSE, FAST CART 10A 32V | 2.0 EA | F1 F2 |
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 4.0 EA | |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | |
| 494 0374 000 | CHOKER RF 0.15UH | 2.0 EA | L 9 L10 |
| 494 0437 000 | CHOKER RF WIDE BAND | 2.0 EA | L 1 L 2 |
| 500 0825 000 | CAP, MICA, 110PF 500V 5% | 4.0 EA | C35 C36 C37 C38 |
| 500 0848 000 | CAP TRIMMER 9 180UUF | 1.0 EA | C19 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 2.0 EA | C 3 C20 |
| 500 1156 000 | CAP, VAR 10-80PF | 1.0 EA | C4 |
| 506 0233 000 | CAP .1UF 63V 5% | 4.0 EA | C 9 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 9.0 EA | C12 C40 C41 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 1.0 EA | C26 |
| 516 0732 000 | CAP 330PF 200V 10% | 6.0 EA | C1 C10 C11 C2 C21 C22 |
| 519 0039 000 | CAP RF CHIP 36PF 5% 500V | 4.0 EA | C15 C16 C17 C18 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 4.0 EA | C023 C024 C039 C042 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C13 C14 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 6.0 EA | R 3 R |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 2.0 EA | R8 R9 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R 1 R16 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R 5 R10 R14 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 3.0 EA | R 6 R12 R13 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 1.0 EA | R11 |
| 548 2400 447 | RES 30.1K OHM 1/2W 1% | 1.0 EA | R7 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J3 J4 |
| 817 0149 001 | CHOKER, R.F. | 2.0 EA | L5 L8 |
| 817 1437 001 | CHOKER AUR PWR AMP 48NH | 2.0 EA | L3 L4 |
| 817 1438 001 | CHOKER AUR PWR AMP 24NH | 2.0 EA | L6 L7 |
| 829 3930 001 | COAX XFMR ASSY, OUTPUT | 1.0 EA | T2 |

| | | | |
|--------------|-----------------------|--------|----|
| 829 3948 001 | COAX XFNR ASSY, INPUT | 1.0 EA | T1 |
| 843 3114 002 | SCHEMATIC | 0.0 EA | |
| 939 3916 002 | PRINTED BD ASSY | 1.0 EA | |

Table 1-132. CHOKE AUR PWR AMP 48NH - 817 1437 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|--------------------|------------|---------------------------|
| 251 0015 000 | WIRE, MAGNET 16AWG | 0.03320 FT | |

Table 1-133. CHOKE AUR PWR AMP 24NH - 817 1438 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|--------------------|------------|---------------------------|
| 251 0015 000 | WIRE, MAGNET 16AWG | 0.00830 FT | |

Table 1-134. PRINTED BD ASSY - 939 3916 002

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-----------------------|--------|---------------------------|
| 354 0309 000 | TERM SOLDER | 4.0 EA | |
| 839 3916 002 | P.S. ASSY | 0.0 EA | |
| 839 4972 001 | TEMPLATE, ROUTINE | 0.0 EA | |
| 852 8604 002 | PWB, AURAL COUPLER IN | 1.0 EA | |

Table 1-135. PC BD, OUTPUT - 992 5277 002

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|----------------------------|---------|---|
| 382 0428 000 | IC, LM358 ESD | 1.0 EA | U1 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR3 CR4 |
| 398 0031 000 | FUSE, FAST CART 10A 32V | 2.0 EA | F1 F2 |
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 4.0 EA | |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | XU1 |
| 494 0374 000 | CHOKE RF 0.15UH | 2.0 EA | L 9 L10 |
| 494 0437 000 | CHOKE RF WIDE BAND | 2.0 EA | L1 L2 |
| 500 0825 000 | CAP, MICA, 110PF 500V 5% | 4.0 EA | C36 C37 C38 C39 |
| 500 0848 000 | CAP TRIMMER 9 180UUF | 1.0 EA | C19 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 2.0 EA | C20 C3 |
| 500 1156 000 | CAP, VAR 10-80PF | 1.0 EA | C4 |
| 506 0233 000 | CAP .1UF 63V 5% | 4.0 EA | C12 C40 C41 C9 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 10.0 EA | C25 C27 C28 C29 C30 C31 C32 C33 C34 C35 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 1.0 EA | C26 |
| 516 0732 000 | CAP 330PF 200V 10% | 6.0 EA | C 1 C 2 C10 C11 C21 C22 |
| 519 0039 000 | CAP RF CHIP 36PF 5% 500V | 4.0 EA | C15 C16 C17 C18 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 4.0 EA | C023 C024 C042 C043 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C013 C014 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 6.0 EA | R 3 R 4 R15 R17 R18 R19 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 2.0 EA | R8 R9 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R 1 R16 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R 5 R10 R14 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 3.0 EA | R 6 R12 R13 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 1.0 EA | R11 |
| 548 2400 447 | RES 30.1K OHM 1/2W 1% | 1.0 EA | R7 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J 3 J 4 |
| 817 0149 001 | CHOKE, R.F. | 2.0 EA | L 5 L008 |
| 817 1437 001 | CHOKE AUR PWR AMP 48NH | 2.0 EA | L 3 |

| | | | |
|--------------|------------------------|--------|---------|
| 817 1438 001 | CHOKE AUR PWR AMP 24NH | 2.0 EA | L 4 |
| 829 3930 001 | COAX XFMR ASSY, OUTPUT | 1.0 EA | L 6 L 7 |
| 829 3948 001 | COAX XFNR ASSY, INPUT | 1.0 EA | T 2 |
| 843 3114 002 | SCHEMATIC | 0.0 EA | T 1 |
| 939 3917 002 | PRINTED PD ASSY | 1.0 EA | |

Table 1-136. PRINTED PD ASSY - 939 3917 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 6.0 EA | |
| 829 3562 002 | TOP PRINTED WIRING | 0.0 EA | |
| 829 3563 002 | BOT PRINTED WIRING | 0.0 EA | |
| 829 7147 002 | TOP SILKSCREEN | 0.0 EA | |
| 839 3917 002 | P.C. ASSY | 0.0 EA | |
| 839 4971 001 | TEMPLATE, ROUTING | 0.0 EA | |
| 852 8605 002 | PWB, AURAL COUPLER OUT | 1.0 EA | |

Table 1-137. WIRE/TUBING LIST - 999 1874 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0240 000 | WIRE, STRD 20AWG WHT | 1.70 FT | |

Table 1-138. HARDWARE LIST - 999 1875 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 099 0003 018 | LABEL, SELF ADHESIVE | 1.0 EA | |
| 300 1485 000 | SCR, 4-40 X 5/16 | 33.0 EA | |
| 302 0021 000 | SCR, 3-56 X 1/4 | 4.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 10.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 2.0 EA | |
| 302 0441 000 | SCR, 4-40 X 3/8 | 8.0 EA | |
| 306 0003 000 | NUT, HEX 4-40 | 2.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 3.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 10.0 EA | |
| 312 0005 000 | WASHER, INT LOCK 6 | 1.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 41.0 EA | |
| 314 0002 000 | WASHER SPLIT 3 | 4.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 10.0 EA | |
| 350 0048 000 | RIVET POP .093X.337 | 2.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |

Table 1-139. VIS PREAMP MODULE, HB - 992 5278 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 054 0011 015 | CB BX 17 X 12 X 5 | 1.0 EA | |
| 350 0048 000 | RIVET POP .093X.337 | 2.0 EA | |
| 358 2037 000 | BALL STUD 6-32X 3/16 | 1.0 EA | |
| 358 2731 000 | POLYSTYRENE BLOCK | 2.0 EA | |
| 380 0528 000 | XSTR, TIP125 ESD | 4.0 EA | Q3 Q4 Q7 Q8 |
| 380 0581 000 | XSTR, ESD | 1.0 EA | Q1 |
| 380 0582 000 | XSTR, RF POWER ESD | 3.0 EA | Q2 Q5 Q6 |
| 404 0690 000 | HEAT SINK | 1.0 EA | |
| 410 0335 000 | INSULATOR SCREW | 4.0 EA | |

| | | | |
|--------------|-------------------------------|---------|---------------------|
| 410 0381 000 | INSULATOR .562 X .812 | 4.0 EA | |
| 442 0062 000 | THERMOSTAT 85 DEG C | 1.0 EA | S1 |
| 448 0623 000 | SPRING CATCH | 1.0 EA | |
| 516 0729 000 | CAP 68PF 500V 10% | 1.0 EA | C051 |
| 516 0730 000 | CAP 75PF 500V 10% | 5.0 EA | C52 C55 C56 C57 C58 |
| 516 0734 000 | CAP 100PF 500V 10% | 2.0 EA | C053 C054 |
| 548 0204 000 | RES .5 OHM 25W 1% | 3.0 EA | R50 R51 R52 |
| 612 0237 000 | RECEPTACLE BNC UG-290A/U | 2.0 EA | J1 J2 |
| 813 5611 017 | STUD 4-40 X .62 | 12.0 EA | |
| 816 9849 001 | SPACER | 1.0 EA | |
| 816 9862 001 | SPACER, SPRING CATCH | 2.0 EA | |
| 816 9862 002 | SPACER, HEATSINK | 10.0 EA | |
| 817 0428 001 | STANDOFF | 12.0 EA | |
| 817 0428 003 | STANDOFF | 2.0 EA | |
| 829 3412 001 | BRACKET, CONN | 2.0 EA | |
| 839 3797 001 | SHIELD | 2.0 EA | |
| 839 4944 001 | INSULATOR | 1.0 EA | |
| 839 4984 001 | INSULATOR | 1.0 EA | |
| 843 3172 001 | SCHEMATIC | 0.0 EA | |
| 929 3391 001 | EXTRACTOR IPA MODULE | 1.0 EA | |
| 929 3393 001 | FRONT PANEL ASSY | 1.0 EA | |
| 929 7173 007 | CABLE, COAX | 1.0 EA | |
| 992 5279 001 | PRE AMP PC, VISUAL | 1.0 EA | |
| 992 5280 001 | PC, POWER OUTPUT | 1.0 EA | |
| 999 1856 001 | WIRE TUBING LIST | 1.0 EA | |
| 999 1857 001 | HARDWARE LIST, VIS PREAMP MOD | 1.0 EA | |

Table 1-140. INSULATOR - 839 4944 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 007 | GL, EPOXY SH .015 | 0.461250 SF | |

Table 1-141. INSULATOR - 839 4984 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 007 | GL, EPOXY SH .015 | 0.461250 SF | |

Table 1-142. PRE AMP PC, VISUAL - 992 5279 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 382 0135 000 | IC, 304 ESD | 1.0 EA | U1 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 2.0 EA | CR4 CR5 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR1 CR6 |
| 384 0668 000 | PIN DIODE MA-47111 ESD | 2.0 EA | CR2 CR3 |
| 398 0032 000 | FUSE, FAST CART 15A 32V | 1.0 EA | F1 |
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 2.0 EA | |
| 494 0219 000 | CHOKE WIDE BAND | 4.0 EA | L1 L2 L3 L4 |
| 494 0222 000 | *RPLD BY FFF 494-0376-000 | 1.0 EA | L005 |
| 500 0804 000 | CAP, MICA, 10PF 500V +/- .5PF | 2.0 EA | C27 C35 |
| 500 0805 000 | CAP, MICA, 12PF 500V 5% | 1.0 EA | C7 |
| 500 0821 000 | CAP, MICA, 68PF 500V 5% | 2.0 EA | C4 C5 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 3.0 EA | C28 C36 C9 |
| 500 0909 000 | CAP, VAR 10-80PF | 1.0 EA | C19 |
| 500 1200 000 | CAP VAR 1.5-20PF | 1.0 EA | C29 |

| | | | |
|--------------|---------------------------|--------|-----------------------------|
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 5.0 EA | C16 C31 C32 C33 C34 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 3.0 EA | C1 C3 C6 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 3.0 EA | C13 C20 C30 |
| 516 0732 000 | CAP 330PF 200V 10% | 7.0 EA | C11 C12 C17 C18 C21 C24 C25 |
| 516 0734 000 | CAP 100PF 500V 10% | 1.0 EA | C26 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 1.0 EA | C2 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C15 C23 |
| 526 0045 000 | CAP 330UF 6V 10% | 2.0 EA | C14 C22 |
| 540 0591 000 | * RES 150 OHM 2W 5% | 1.0 EA | R23 |
| 540 0603 000 | * RES 470 OHM 2W 5% | 1.0 EA | R13 |
| 542 0003 000 | RES 3 OHM 5% 8W | 2.0 EA | R1 R16 |
| 548 2400 047 | RES 3.01 OHM 1/2W 1% | 2.0 EA | R11 R25 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 3.0 EA | R009 R018 R027 |
| 548 2400 134 | RES 22.1 OHM 1/2W 1% | 2.0 EA | R17 R28 |
| 548 2400 142 | RES 26.7 OHM 1/2W 1% | 2.0 EA | R10 R8 |
| 548 2400 151 | RES 33.2 OHM 1/2W 1% | 1.0 EA | R22 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 1.0 EA | R29 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 1.0 EA | R7 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 5.0 EA | R002 R003 R012 R024 R033 |
| 548 2400 237 | RES 237 OHM 1/2W 1% | 1.0 EA | R15 |
| 548 2400 242 | RES 267 OHM 1/2W 1% | 3.0 EA | R19 R5 R6 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 2.0 EA | R021 R035 |
| 548 2400 309 | RES 1.21K OHM 1/2W 1% | 1.0 EA | R31 |
| 548 2400 337 | RES 2.37K OHM 1/2W 1% | 1.0 EA | R14 |
| 548 2400 338 | RES 2.43K OHM 1/2W 1% | 1.0 EA | R20 |
| 548 2400 389 | RES 8.25K OHM 1/2W 1% | 1.0 EA | R30 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R36 R37 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 1.0 EA | R32 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 1.0 EA | J3 |
| 620 0941 000 | COUPLER, QUADRATURE | 2.0 EA | HY1 HY2 |
| 843 3172 001 | SCHEMATIC | 0.0 EA | |
| 939 3864 001 | PC BOARD | 1.0 EA | |
| 999 1869 001 | HARDWARE LIST | 1.0 EA | |

Table 1-143. PC BOARD - 939 3864 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 2.0 EA | |
| 852 8575 001 | PWB, VISUAL PRE-AMP | 1.0 EA | |

Table 1-144. HARDWARE LIST - 999 1869 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1486 000 | SCR, 4-40 X 3/8 | 8.0 EA | |
| 304 0087 000 | NUT, HEX 4-40 | 8.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 8.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 8.0 EA | |

Table 1-145. PC, POWER OUTPUT - 992 5280 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 382 0135 000 | IC, 304 ESD | 2.0 EA | U1 U2 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 1.0 EA | CR1 |
| 398 0032 000 | FUSE, FAST CART 15A 32V | 1.0 EA | F1 |

| | | | |
|--------------|-------------------------------|--------|---------------------------------|
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 2.0 EA | |
| 494 0219 000 | CHOKE WIDE BAND | 4.0 EA | L1 L2 L3 L4 |
| 500 0804 000 | CAP, MICA, 10PF 500V +/- .5PF | 1.0 EA | C17 |
| 500 0809 000 | CAP, MICA, 22PF 500V 5% | 1.0 EA | C22 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 3.0 EA | C19 C20 C21 |
| 500 1200 000 | CAP VAR 1.5-20PF | 1.0 EA | C18 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 5.0 EA | C1 C2 C26 C27 C28 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 3.0 EA | C15 C16 C25 |
| 516 0732 000 | CAP 330PF 200V 10% | 8.0 EA | C10 C11 C12 C13 C14 C7 C8 C9 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 2.0 EA | C23 C24 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C5 C6 |
| 526 0045 000 | CAP 330UF 6V 10% | 2.0 EA | C3 C4 |
| 540 0284 000 | * RES 10 OHM 1W 5% | 2.0 EA | R017 R018 |
| 542 0015 000 | RES 100 OHM 5% 8W | 2.0 EA | R10 R9 |
| 548 2400 047 | RES 3.01 OHM 1/2W 1% | 2.0 EA | R21 R22 |
| 548 2400 134 | RES 22.1 OHM 1/2W 1% | 2.0 EA | R15 R16 |
| 548 2400 151 | RES 33.2 OHM 1/2W 1% | 2.0 EA | R13 R14 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 2.0 EA | R19 R20 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R11 R12 |
| 548 2400 293 | RES 909 OHM 1/2W 1% | 1.0 EA | R23 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R26 R5 R6 |
| 548 2400 338 | RES 2.43K OHM 1/2W 1% | 2.0 EA | R7 R8 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R24 R27 |
| 548 2400 542 | RES 267K OHM 1/2W 1% | 1.0 EA | R25 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 1.0 EA | J4 |
| 829 3928 001 | COAX XFNR ASSY, OUTPUT | 1.0 EA | T2 |
| 829 4480 001 | XFMR COAX, INPUT | 1.0 EA | T1 |
| 843 3172 001 | SCHEMATIC | 0.0 EA | |
| 939 3863 001 | PC BOARD | 1.0 EA | |

Table 1-146. COAX XFNR ASSY, OUTPUT - 829 3928 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|---------------------------|----------|---------------------------|
| 618 0631 000 | COAX, SEMI-RIGID, 50 OHM. | 0.540 FT | |

Table 1-147. XFMR COAX, INPUT - 829 4480 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|---------------------------|----------|---------------------------|
| 618 0631 000 | COAX, SEMI-RIGID, 50 OHM. | 0.540 FT | |

Table 1-148. PC BOARD - 939 3863 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-------------------|--------|---------------------------|
| 354 0309 000 | TERM SOLDER | 6.0 EA | |
| 839 4979 001 | TEMPLATE, ROUTING | 0.0 EA | |
| 852 8574 001 | P.C. BOARD | 1.0 EA | |

Table 1-149. WIRE TUBING LIST - 999 1856 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|---------------------------|-----------|---------------------------|
| 252 0240 000 | WIRE, STRD 20AWG WHT | 1.330 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.0630 FT | |

Table 1-150. HARDWARE LIST, VIS PREAMP MOD - 999 1857 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1484 000 | SCR, 4-40 X 1/4 | 2.0 EA | |
| 300 1485 000 | SCR, 4-40 X 5/16 | 26.0 EA | |
| 302 0021 000 | SCR, 3-56 X 1/4 | 4.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 10.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 2.0 EA | |
| 302 0441 000 | SCR, 4-40 X 3/8 | 8.0 EA | |
| 306 0003 000 | NUT, HEX 4-40 | 2.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 6.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 8.0 EA | |
| 312 0005 000 | WASHER, INT LOCK 6 | 1.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 35.0 EA | |
| 314 0002 000 | WASHER SPLIT 3 | 10.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 10.0 EA | |
| 350 0048 000 | RIVET POP .093X.337 | 2.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |

Table 1-151. VIS PWR AMP MODULE, HB - 992 5281 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 054 0011 015 | CB BX 17 X 12 X 5 | 1.0 EA | |
| 350 0048 000 | RIVET POP .093X.337 | 2.0 EA | |
| 358 2037 000 | BALL STUD 6-32X 3/16 | 1.0 EA | |
| 358 2731 000 | POLYSTYRENE BLOCK | 2.0 EA | |
| 380 0528 000 | XSTR, TIP125 ESD | 4.0 EA | Q3 Q4 Q7 Q8 |
| 380 0582 000 | XSTR, RF POWER ESD | 4.0 EA | Q1 Q2 Q5 Q6 |
| 404 0690 000 | HEAT SINK | 1.0 EA | |
| 410 0335 000 | INSULATOR SCREW | 4.0 EA | |
| 410 0344 000 | INSULATOR KAPTON | 4.0 EA | |
| 442 0062 000 | THERMOSTAT 85 DEG C | 1.0 EA | S1 |
| 448 0623 000 | SPRING CATCH | 1.0 EA | |
| 516 0730 000 | CAP 75PF 500V 10% | 8.0 EA | C50 C51 C52 C53 C54 C55 C56 C57 |
| 544 1631 000 | RES 50 OHM 75W 5% | 2.0 EA | R3 R50 |
| 548 0204 000 | RES .5 OHM 25W 1% | 4.0 EA | R1 R2 R31 R4 |
| 612 0237 000 | RECEPTACLE BNC UG-290A/U | 2.0 EA | J1 J2 |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 3.0 FT | |
| 620 0699 000 | PLUG, RT ANG, SMB | 2.0 EA | |
| 813 5611 017 | STUD 4-40 X .62 | 12.0 EA | |
| 816 9849 001 | SPACER | 1.0 EA | |
| 816 9862 001 | SPACER, SPRING CATCH | 2.0 EA | |
| 816 9862 002 | SPACER, HEATSINK | 10.0 EA | |
| 817 0428 001 | STANDOFF | 12.0 EA | |
| 817 0428 003 | STANDOFF | 2.0 EA | |
| 829 3412 001 | BRACKET, CONN | 2.0 EA | |
| 839 3797 001 | SHIELD | 2.0 EA | |
| 839 4985 001 | INSULATOR | 2.0 EA | |
| 843 3170 001 | SCHEMATIC | 0.0 EA | |
| 929 3391 001 | EXTRACTOR IPA MODULE | 1.0 EA | |
| 929 3393 001 | FRONT PANEL ASSY | 1.0 EA | |
| 929 7173 007 | CABLE, COAX | 1.0 EA | |
| 992 5282 001 | VIS POWER AMP COUP | 1.0 EA | |

| | | |
|--------------|-----------------------|--------|
| 992 5283 001 | VIS PA COUPLER OUT PC | 1.0 EA |
| 999 1870 001 | WIRE/TUBING LIST | 1.0 EA |
| 999 1871 001 | HARDWARE LIST | 1.0 EA |

Table 1-152. INSULATOR - 839 4985 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 007 | GL, EPOXY SH .015 | 0.461250 SF | |

Table 1-153. VIS POWER AMP COUP - 992 5282 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 382 0135 000 | IC, 304 ESD | 2.0 EA | U1 U2 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR1 CR2 |
| 398 0032 000 | FUSE, FAST CART 15A 32V | 1.0 EA | F1 |
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 2.0 EA | |
| 494 0219 000 | CHOKE WIDE BAND | 4.0 EA | L1 L2 L3 L4 |
| 500 0804 000 | CAP, MICA, 10PF 500V +/- .5PF | 1.0 EA | C17 |
| 500 0809 000 | CAP, MICA, 22PF 500V 5% | 1.0 EA | C22 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 3.0 EA | C19 C20 C21 |
| 500 1200 000 | CAP VAR 1.5-20PF | 1.0 EA | C18 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 5.0 EA | C1 C2 C26 C27 C28 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 4.0 EA | C15 C16 C25 C29 |
| 516 0732 000 | CAP 330PF 200V 10% | 8.0 EA | C10 C11 C12 C13 C14 C7 C8 C9 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 2.0 EA | C23 C24 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C5 C6 |
| 526 0045 000 | CAP 330UF 6V 10% | 2.0 EA | C3 C4 |
| 540 0284 000 | * RES 10 OHM 1W 5% | 2.0 EA | R017 R018 |
| 542 0015 000 | RES 100 OHM 5% 8W | 2.0 EA | R10 R9 |
| 548 2400 047 | RES 3.01 OHM 1/2W 1% | 2.0 EA | R21 R22 |
| 548 2400 134 | RES 22.1 OHM 1/2W 1% | 2.0 EA | R15 R16 |
| 548 2400 151 | RES 33.2 OHM 1/2W 1% | 2.0 EA | R13 R14 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 3.0 EA | R19 R20 R28 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R11 R12 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R26 R5 R6 |
| 548 2400 338 | RES 2.43K OHM 1/2W 1% | 2.0 EA | R7 R8 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R24 R27 |
| | | | R23 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 1.0 EA | R25 |
| 548 2400 551 | RES 332K OHM 1/2W 1% | 1.0 EA | R29 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J3 J4 |
| 620 0941 000 | COUPLER, QUADRATURE | 1.0 EA | HY1 |
| 829 3928 001 | COAX XFNR ASSY, OUTPUT | 1.0 EA | |
| 829 4480 001 | XFMR COAX, INPUT | 1.0 EA | T1 |
| 843 3170 001 | SCHEMATIC | 0.0 EA | |
| 939 3861 001 | PRINTED BD ASSY | 1.0 EA | |
| 999 1872 001 | HARDWARE LIST | 1.0 EA | |

Table 1-154. PRINTED BD ASSY - 939 3861 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 5.0 EA | |
| 839 4969 001 | ROUTER TEMPLATE | 0.0 EA | |
| 852 8572 001 | PWB, VISUAL COUPLER INPUT | 1.0 EA | |

Table 1-155. HARDWARE LIST - 999 1872 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0056 000 | SCR, 4-40 X 1/2 | 4.0 EA | |
| 304 0087 000 | NUT, HEX 4-40 | 4.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 4.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 4.0 EA | |

Table 1-156. VIS PA COUPLER OUT PC - 992 5283 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 382 0135 000 | IC, 304 ESD | 2.0 EA | U1 U2 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR1 CR2 |
| 398 0032 000 | FUSE, FAST CART 15A 32V | 1.0 EA | F1 |
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 2.0 EA | |
| 494 0219 000 | CHOKE WIDE BAND | 4.0 EA | L1 L2 L3 L4 |
| 500 0804 000 | CAP, MICA, 10PF 500V +/- .5PF | 1.0 EA | C17 |
| 500 0809 000 | CAP, MICA, 22PF 500V 5% | 1.0 EA | C22 |
| 500 0904 000 | CAP, VAR 12-60PF 175WVDC | 3.0 EA | C19 C20 C21 |
| 500 1200 000 | CAP VAR 1.5-20PF | 1.0 EA | C18 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 5.0 EA | C1 C2 C26 C27 C28 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 4.0 EA | C15 C16 C25 C29 |
| 516 0732 000 | CAP 330PF 200V 10% | 8.0 EA | C10 C11 C12 C13 C14 C7 C8 C9 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 2.0 EA | C23 C24 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C5 C6 |
| 526 0045 000 | CAP 330UF 6V 10% | 2.0 EA | C3 C4 |
| 540 0284 000 | * RES 10 OHM 1W 5% | 2.0 EA | R017 R018 |
| 542 0015 000 | RES 100 OHM 5% 8W | 2.0 EA | R10 R9 |
| 548 2400 047 | RES 3.01 OHM 1/2W 1% | 2.0 EA | R21 R22 |
| 548 2400 134 | RES 22.1 OHM 1/2W 1% | 2.0 EA | R15 R16 |
| 548 2400 151 | RES 33.2 OHM 1/2W 1% | 2.0 EA | R13 R14 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 3.0 EA | R19 R20 R29 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R11 R12 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R26 R5 R6 |
| 548 2400 338 | RES 2.43K OHM 1/2W 1% | 2.0 EA | R7 R8 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R23 |
| | | | R24 R27 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 1.0 EA | R25 |
| 548 2400 551 | RES 332K OHM 1/2W 1% | 1.0 EA | R28 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J3 J4 |
| 620 0941 000 | COUPLER, QUADRATURE | 1.0 EA | HY1 |
| 829 3928 001 | COAX XFNR ASSY, OUTPUT | 1.0 EA | T2 |
| 829 4480 001 | XFMR COAX, INPUT | 1.0 EA | T1 |
| 843 3170 001 | SCHEMATIC | 0.0 EA | |
| 939 3862 001 | PRINTED BD ASSY | 1.0 EA | |
| 999 1873 001 | HARDWARE LIST | 1.0 EA | |

Table 1-157. PRINTED BD ASSY - 939 3862 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 6.0 EA | |
| 839 4968 001 | ROUTER TEMPLATE | 0.0 EA | |
| 852 8573 001 | PWB, VISUAL POWER AMP | 1.0 EA | |

Table 1-158. HARDWARE LIST - 999 1873 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0056 000 | SCR, 4-40 X 1/2 | 4.0 EA | |
| 304 0087 000 | NUT, HEX 4-40 | 4.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 4.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 4.0 EA | |

Table 1-159. WIRE/TUBING LIST - 999 1870 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0240 000 | WIRE, STRD 20AWG WHT | 1.8750 FT | |

Table 1-160. HARDWARE LIST - 999 1871 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 099 0003 018 | LABEL, SELF ADHESIVE | 1.0 EA | |
| 300 1484 000 | SCR, 4-40 X 1/4 | 2.0 EA | |
| 300 1485 000 | SCR, 4-40 X 5/16 | 32.0 EA | |
| 302 0021 000 | SCR, 3-56 X 1/4 | 4.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 6.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 2.0 EA | |
| 302 0441 000 | SCR, 4-40 X 3/8 | 8.0 EA | |
| 306 0003 000 | NUT, HEX 4-40 | 2.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 5.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 4.0 EA | |
| 312 0005 000 | WASHER, INT LOCK 6 | 1.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 42.0 EA | |
| 314 0002 000 | WASHER SPLIT 3 | 4.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 6.0 EA | |
| 335 0001 000 | WASHER NYLON .149 ID | 1.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |

Table 1-161. HI BD IPA AGC PC - 992 5285 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|--|
| 354 0309 000 | TERM SOLDER | 9.0 EA | |
| 358 1214 000 | SCREWLOCK, FEMALE | 1.0 EA | |
| 380 0190 000 | XSTR, PNP 2N3906 ESD | 2.0 EA | Q001 Q002 |
| 380 0246 000 | XSTR, 2N2219A ESD | 1.0 EA | Q003 |
| 380 0528 000 | XSTR, TIP125 ESD | 1.0 EA | Q004 |
| 382 0415 000 | IC, 324 ESD | 1.0 EA | U004 |
| 382 0428 000 | IC, LM358 ESD | 3.0 EA | U001 U002 U003 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 3.0 EA | CR008 CR009 CR010 |
| 384 0431 000 | RECT. 1N4001 ESD | 11.0 EA | CR005 CR006 CR012 CR013 CR014 CR021 CR022 CR023 CR024 CR025 CR026 |
| 384 0668 000 | PIN DIODE MA-47111 ESD | 6.0 EA | CR015 CR016 CR017 CR018 CR019 CR020 |
| 404 0161 000 | SOCKET RELAY 9KH2 | 1.0 EA | XK001 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 1.0 EA | XQ003 |
| 404 0655 000 | HEAT SINK | 1.0 EA | RA001 |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 3.0 EA | XU001 XU002 XU003 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 1.0 EA | XU004 |

| | | | |
|--------------|------------------------------|---------|--|
| 500 0801 000 | CAP, MICA, 2PF 500V +/- .5PF | 1.0 EA | C018 |
| 500 0820 000 | CAP, MICA, 62PF 500V 5% | 2.0 EA | C012 C013 |
| 500 0821 000 | CAP, MICA, 68PF 500V 5% | 2.0 EA | C014 C015 |
| 500 0822 000 | CAP, MICA, 75PF 500V 5% | 2.0 EA | C016 C017 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 7.0 EA | C001 C002 C005 C006 C057 C062 C065 |
| 516 0059 000 | CAP, DISC .0015UF 1KV 10% | 3.0 EA | C003 C067 C072 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 10.0 EA | C009 C010 C059 C060 C063 C064 C066 C068 C069 C071 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 2.0 EA | C008 C011 |
| 526 0050 000 | CAP 1UF 35V 20% | 1.0 EA | C007 |
| 526 0097 000 | CAP 47UF 35V 20% | 2.0 EA | C020 C021 |
| 526 0318 000 | CAP 10UF 35V 20% | 1.0 EA | C050 |
| 540 0563 000 | * RES 10 OHM 2W 5% | 1.0 EA | R091 |
| 540 0580 000 | * RES 51 OHM 2W 5% | 1.0 EA | R028 |
| 540 0598 000 | * RES 300 OHM 2W 5% | 6.0 EA | R022 R023 R024 R025 R026 R027 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 6.0 EA | R063 R081 R082 R085 R086 R088 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 1.0 EA | R021 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 7.0 EA | R019 R036 R037 R038 R039 R040 R096 |
| 548 2400 277 | RES 619 OHM 1/2W 1% | 1.0 EA | R092 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 6.0 EA | R005 R041 R062 R080 R084 R095 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 14.0 EA | R011 R012 R013 R014 R015 R016 R049 R051 R053 R055 R071 R072 R100 R103 |
| 548 2400 362 | RES 4.32K OHM 1/2W 1% | 1.0 EA | R064 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 2.0 EA | R060 R093 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 6.0 EA | R032 R034 R035 R073 R087 R105 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 3.0 EA | R033 R083 R089 |
| 548 2400 442 | RES 26.7K OHM 1/2W 1% | 2.0 EA | R046 R047 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 3.0 EA | R018 R101 R104 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 4.0 EA | R067 R068 R069 R070 |
| 548 2400 542 | RES 267K OHM 1/2W 1% | 1.0 EA | R061 |
| 548 2400 547 | RES 301K OHM 1/2W 1% | 1.0 EA | R044 |
| 548 2400 566 | RES 475K OHM 1/2W 1% | 1.0 EA | R102 |
| 548 2400 601 | RES 1MEG OHM 1/2W 1% | 3.0 EA | R056 R057 R106 |
| 548 2400 701 | RES 10MEG OHM 1/2W 1% | 1.0 EA | R058 |
| 550 0760 000 | POT 20K OHM .5W 10% | 5.0 EA | R001 R002 R003 R004 R017 |
| 550 0881 000 | POT 100K OHM .5W 10% | 4.0 EA | R007 R008 R009 R010 |
| 574 0103 000 | RELAY 24VDC 4PDT | 1.0 EA | K001 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 3.0 EA | P001 P002 P003 |
| 610 0689 000 | PLUG 15 PIN | 1.0 EA | J005 |
| 612 0775 000 | JACK, PC MT, .040 PINS | 9.0 EA | |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 4.0 EA | J001 J002 J003 J004 |
| 620 0941 000 | COUPLER, QUADRATURE | 2.0 EA | HYB001 HYB002 |
| 843 3103 002 | PRINTED BD A.G.C. | 1.0 EA | |
| 843 3111 002 | SCHEMATIC | 0.0 EA | |
| 999 1862 001 | HARDWARE LIST | 1.0 EA | |

Table 1-162. HARDWARE LIST - 999 1862 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|----------------------|--------|---------------------------|
| 300 1485 000 | SCR, 4-40 X 5/16 | 1.0 EA | |
| 300 1486 000 | SCR, 4-40 X 3/8 | 8.0 EA | |
| 304 0087 000 | NUT, HEX 4-40 | 9.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 8.0 EA | |

Table 1-163. DRIVER CUBICLE UNIT 1 - 992 5355 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------------|---------------|---|
| 000 0000 002 | APPEARS ON HIGHER LEVEL | 0.0 EA | 1A02 1A02V01 1A04A03 1A04A04 1A04A05 1A04A07 1A04A08 1A04W11 1A04W12 1A04W13 1A04W14 1A05 1A05A06 1A05A07 1A06 1A06A02 1A07 1A07A01 1A07A15 1A15 1A16 1A17 1C06 1C07 1DC02 1DC03 1R010 1R011 |
| 055 0120 004 | CONDUIT LKNUT .5 | 1.0 EA | #1S004 |
| 088 0020 015 | TAPE, SCOTCH FOAM | 0.0 RL | |
| 296 0344 000 | TUBG, POLYETHYLENE 1/4 OD | 16.0 FT | |
| 302 0294 000 | SCR, 1/4-20 X 1 | 4.0 EA | |
| 302 0589 000 | SCR, 10-32 X 5/8 | 33.0 EA | |
| 335 0007 000 | WASHER NYLON .175 ID | 12.0 EA | |
| 335 0012 000 | WASHER NYLON .195 ID | 12.0 EA | |
| 335 0017 000 | WASHER NYLON .261 ID | 2.0 EA | |
| 350 0037 000 | RIVET POP .125X.265 | 24.0 EA | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 10.0 EA | |
| 354 0197 000 | CONNECTOR SET SCREW TYPE | 4.0 EA | #1B001 |
| 354 0760 000 | TAB ADAPTOR 250 SERIES | 2.0 EA | #CR001 |
| 356 0109 000 | CABLE CLAMP 11/16D | 1.0 EA | #1C006 |
| 358 0002 000 | BRACKET RESISTOR MTG | 2.0 EA | #R009 |
| 358 0004 000 | BRACKET RESISTOR MTG | 8.0 EA | #R002 #R003 #R004 #R005 |
| 358 0185 000 | RECEPTACLE 85 SPRING | 4.0 EA | #1A001 |
| 358 1022 000 | SLIDE, DRAWER | 4.0 EA | |
| 358 1955 000 | REPLD BY 939-7900-839 | 2.0 EA | |
| 358 2184 000 | TAPE, HOOK FASTENING | 12.0 FT | |
| 358 2426 000 | PLUG, WHITE 2" HOLE | 1.0 EA | |
| 358 3187 000 | PLUG, WHITE 1.75" HOLE | 2.0 EA | |
| 359 0179 000 | CONNECTOR MALE 268-N | 2.0 EA | #1M001 #1S004 |
| 359 0838 000 | TEE, NYLON UNION FTGS 1/4 | 2.0 EA | #1M001 |
| 384 0702 000 | RECT FW BRIDGE 600V 35A ESD | 1.0 EA | CR001 |
| 398 0090 000 | FUSE, SLOW CART 3A 250V | 1.0 EA | 1F002 |
| 398 0326 000 | FUSE, 1A | 1.0 EA | 1F001 |
| 402 0001 000 | CLIP, FUSE 1.062 60A 600V | 2.0 EA | #1R003 |
| 402 0004 000 | CLIP, FUSE .812 60A 250V | 2.0 EA | #1R012 |
| 402 0024 000 | FUSE HOLDER | 2.0 EA | 1XFD001 1XFD002 |
| 402 0107 000 | CLIP, FUSE 9/16 | 2.0 EA | #1S002 |
| 410 0005 000 | INSULATOR ROUND NS5W 0110 | 2.0 EA | #1R009 |
| 410 0010 000 | INSULATOR ROUND NS5W 0208 | 4.0 EA | #1A011 |
| 410 0017 000 | INSULATOR ROUND NS5W 0310 | 8.0 EA | #1R002 #1R003 #1R004 #1R005 |
| 410 0018 000 | INSULATOR ROUND NS5W 0312 | 2.0 EA | #1R012 |
| 410 0026 000 | INSULATOR ROUND NS5W 0420 | 1.0 EA | #1E001 |
| 424 0001 000 | GROMMET 3/8 MTG DIA | 1.0 EA | |
| 424 0013 000 | GROMMET .381 MTG DIA | 1.0 EA | |
| 424 0024 000 | GROMMET 3/4 MTG DIA | 1.0 EA | |
| 424 0031 000 | GROMMET 2.5 MTG DIA | 3.0 EA | |
| 424 0360 000 | GROMMET 1-3/4 MTG DIA | 2.0 EA | |
| 426 0075 000 | ISOLATION MOUNT | 4.0 EA | #1B001 |
| 430 0130 000 | FAN 200/240CFM 115V AXIAL | 1.0 EA | 1B002 |
| 430 0131 000 | FINGER GUARD MAJOR FAN | 2.0 EA | #1B002 |
| 432 0239 000 | WHEEL, BLOWER CW ROTATION | 1.0 EA | #1B001 |

| | | | |
|--------------|---------------------------|---------|-------------------------------|
| 432 0241 000 | INLET VENTURI | 1.0 EA | #1B001 |
| 432 0304 000 | HOUSING, BLOWER | 1.0 EA | #1B001 |
| 433 0103 000 | BOOT, BLOWER | 1.0 EA | #1B001 |
| 436 0266 000 | MOTOR 1.5HP 3PH 50/60HZ | 1.0 EA | #1B001 |
| 448 0541 000 | LATCH, FLUSH, LIFT & TURN | 2.0 EA | |
| 448 0548 000 | HANDLE TEE | 1.0 EA | |
| 472 0695 000 | XFMR,LOWVOLT,815-1856-001 | 1.0 EA | 1T003 |
| 472 1089 000 | XFMR, STPDN, 816-6641-001 | 1.0 EA | 1T004 |
| 472 1162 000 | XFMR, PLT, 816-9893-001 | 1.0 EA | 1T002 |
| 472 1164 000 | XFMR, FIL, 816-9960-001 | 1.0 EA | 1T001 |
| 476 0265 000 | REACTOR 814 1811 001 | 1.0 EA | 1L001 |
| 476 0345 000 | REACTOR, 828-1174-002 | 1.0 EA | 1L002 |
| 476 0408 000 | CHOKE, FLTR .3HY 1A 3 OHM | 1.0 EA | 1L004 |
| 510 0560 000 | CAP 12UF 2KV 10% | 1.0 EA | 1C004 |
| 510 0711 000 | CAP .14 UF 5000VDC | 1.0 EA | 1C002 |
| 522 0437 000 | CAP 500UF 30V | 1.0 EA | 1C006 |
| 524 0176 000 | CAP 12,000UF 25V | 1.0 EA | 1C005 |
| 530 0088 000 | BRACKET, CAP, 2" ID | 1.0 EA | #1C005 |
| 540 0611 000 | * RES 1K OHM 2W 5% | 1.0 EA | 1R006 |
| 540 1200 000 | RES 110.0 OHM 50W 10% | 1.0 EA | 1R003 |
| 540 1341 000 | RES 22.0 OHM 45W 10% | 1.0 EA | 1R012 |
| 542 0211 000 | RES 500 OHM 5% 50W | 1.0 EA | 1R009 |
| 542 0377 000 | RES 60K OHM 5% 225W | 1.0 EA | 1R002 |
| 542 1582 000 | * RES 100K OHM 100W 5% | 2.0 EA | 1R004 1R005 |
| 590 0037 000 | SOLENOID 220V, 60HZ | 1.0 EA | 1L003 |
| 604 0447 000 | SW, PRESS. | 1.0 EA | 1S004 |
| 604 1035 000 | SW, PRECISION DPDT | 1.0 EA | 1S002 |
| 604 1044 000 | SW, INTLK DPDT | 4.0 EA | 1S001 1S003 1S005 1S006 |
| 614 0010 000 | TERM BD 10 TERM | 1.0 EA | 1TB003 |
| 614 0015 000 | TERM BD 15 TERM | 1.0 EA | 1TB002 |
| 614 0047 000 | TERM BD 3 TERM | 1.0 EA | 1TB001 |
| 614 0048 000 | TERM BD 4 TERM | 1.0 EA | 1TB004 |
| 614 0056 000 | TERM BD 12 TERM | 1.0 EA | 1TB005 |
| 614 0060 000 | TERM BD 16 TERM | 2.0 EA | 1TB008 1TB009 |
| 614 0525 000 | JUMPER TYPE 600-J | 6.0 EA | #1TB001 |
| 614 0718 000 | JUMPER MODEL 601-J/141J | 10.0 EA | #1TB005 |
| 620 0047 000 | CPLR DBL MICROMATCH | 1.0 EA | 1DC001 |
| 620 0118 000 | ADAPTOR N UG57B/U | 1.0 EA | |
| 620 0305 000 | ADAPTOR,RT ANGLE UG-27B/U | 4.0 EA | |
| 620 0455 000 | ADPT BNC UG492A/U | 4.0 EA | 1J010 1J011 1J013 1J014 |
| 620 0549 000 | JACK, BNC 50 OHM BULKHEAD | 1.0 EA | 1J001 |
| 620 2411 000 | GUAGE, PRESSURE 0-10" | 1.0 EA | 1M001 |
| 646 0972 000 | *LABEL 117V | 1.0 EA | #TB003 |
| 646 0973 000 | *LABEL, 230V | 5.0 EA | #1TB006 #1TB007 #1T001 #1T002 |
| 646 1250 000 | LABEL SAFETY INSTR. | 1.0 EA | |
| 646 1301 000 | LABEL, DANGER HI VOLTAGE | 1.0 EA | #1A008 |
| 736 0148 000 | POWER SUPPLY, SIZE M6 | 1.0 EA | 1PS005 |
| 810 2264 001 | LOCKING PLATE | 4.0 EA | #1R003 #1R012 |
| 813 4999 022 | STDOFF 6-32X1/4 1/4 HEX | 12.0 EA | |
| 813 4999 024 | STDOFF 6-32X3/8 1/4 HEX | 2.0 EA | #1TB003 |
| 816 9163 001 | ADAPTOR-SOLENOID | 1.0 EA | 1E002 |
| 817 0136 001 | CONTACT | 1.0 EA | 1E001 |
| 817 1527 017 | INS., REAR DOOR DRIVER | 1.0 EA | |
| 817 1527 018 | FILTER, DRIVER | 1.0 EA | |
| 817 1527 044 | SHIELDING | 1.0 EA | |

| | | | |
|--------------|---------------------------|--------|---------------------------------|
| 817 1527 047 | RUNNING LIST | 0.0 EA | |
| 822 0249 001 | SKID, DRVR | 1.0 EA | |
| 822 0446 059 | BRKT STOP-PWR SUP SUPPORT | 6.0 EA | |
| 829 1346 001 | ANGLE | 1.0 EA | |
| 829 4022 001 | PANEL, LOWER FRONT | 1.0 EA | |
| 829 4082 001 | PANEL | 1.0 EA | |
| 829 4082 002 | PANEL | 1.0 EA | |
| 829 4524 001 | BLOCK | 2.0 EA | |
| 829 4554 002 | PNL TV ACCESSORY | 1.0 EA | #1A006 |
| 829 4925 001 | HINGE | 1.0 EA | #1A009 |
| 829 4926 001 | BRACKET | 1.0 EA | |
| 829 7376 001 | PLATE | 1.0 EA | #1PS005 |
| 829 9583 031 | BRACKET, SWITCH | 4.0 EA | #S001 #S003 #S005 #S006 |
| 829 9583 045 | SHIELD, FAN INLET | 1.0 EA | #1B001 |
| 829 9583 070 | PNL ACCESS, TOP | 1.0 EA | |
| 829 9583 071 | PNL ACCESS, BOTT | 1.0 EA | |
| 829 9583 106 | SEAL, LOWER DOOR | 1.0 EA | |
| 839 0206 010 | COVER TERM BD | 1.0 EA | #1TB003 |
| 839 0206 027 | COVER, TERM. BD. | 3.0 EA | #1T002 |
| 839 0206 037 | COVER, TERM BD | 1.0 EA | #1T001 |
| 839 4532 003 | DIAG WIRING SIGNAL CABLES | 0.0 EA | |
| 839 4772 001 | ANGLE | 1.0 EA | #1S002 |
| 839 5195 001 | SUPPORT | 1.0 EA | |
| 839 5207 001 | PLATE, PLUG MTG | 1.0 EA | #1P005 #1P006 |
| 839 5800 059 | BRKT, PEAK DET. | 1.0 EA | #1A016 #1A017 |
| 839 5800 089 | BRACKET, SAMPLE JACK | 1.0 EA | |
| 839 6678 029 | BRACKET, MTR | 1.0 EA | #1A001 |
| 839 6678 030 | BRACKET, MTR | 1.0 EA | #1A001 |
| 839 6678 213 | PLATE FAN HOUSING | 1.0 EA | #1B001 |
| 843 3385 001 | STRAP, GND | 1.0 EA | |
| 843 3385 002 | STRAP, GND | 1.0 EA | |
| 843 4260 043 | TV DRIVER MOTOR BASE | 1.0 EA | #1B001 |
| 843 4260 044 | MOTOR BASE MOUNT | 1.0 EA | #1B001 |
| 843 4500 001 | CHASSIS, CONNECTOR | 1.0 EA | |
| 852 9084 002 | DIAG WIRING DRVR CAB | 0.0 EA | |
| 914 3424 006 | METER MULTIPLIER | 1.0 EA | 1A014 |
| 915 1842 001 | STUD TERMINAL | 1.0 EA | #1TB8-3 |
| 916 4954 002 | GRD STRAP | 1.0 EA | #1E002 |
| 916 9997 001 | ANGLE ASSY | 2.0 EA | |
| 917 1527 039 | PLATE PLUNGER | 2.0 EA | #INTERLOCK |
| 929 4057 001 | ASSY, DC FILAMENT | 1.0 EA | 1A012 |
| 929 7701 001 | DUCT ASSY | 1.0 EA | |
| 929 9583 084 | ASSY, SIDE PANEL | 1.0 EA | |
| 938 4203 004 | GROUND STICK ASSY | 1.0 EA | |
| 939 4711 001 | DUCT ASSY | 1.0 EA | |
| 939 4720 002 | DUCT, REAR DRIVER CAVITY | 1.0 EA | |
| 939 6678 068 | ASSY, SAFETY COVER | 1.0 EA | #1T004 |
| 939 6678 069 | ASSY, SAFETY COVER | 1.0 EA | #1TB005 |
| 943 3025 001 | DUCT ASSY | 1.0 EA | |
| 943 4260 011 | BACK PANEL, DRIVER DOOR | 1.0 EA | |
| 943 4260 022 | ASSY, DRIVER REAR DOOR | 1.0 EA | |
| 943 4260 046 | ASSY LOWER DUCT DRIVER | 1.0 EA | |
| 943 4785 002 | SUPPORT, POWER SUPPLY | 3.0 EA | #USED WITH 1PS001 1PS002 1PS004 |
| 952 8695 002 | CABINET ASSY, DRIVER | 1.0 EA | |
| 992 5294 001 | TRANSMITTER CTRL ASSY | 1.0 EA | 1A009 |

| | | | |
|--------------|--------------------------|--------|----------------------|
| 992 5359 001 | OVERLOAD ASSY | 1.0 EA | 1A019 |
| 992 5405 003 | METER PANEL, INNER | 1.0 EA | 1A001 |
| 992 5409 001 | ANODE RECT ASSY | 1.0 EA | 1A013 |
| 992 5413 002 | CONTACTOR BREAKER PANEL | 1.0 EA | 1A008 |
| 992 5414 002 | MULTIMETER PANEL | 1.0 EA | 1A003 |
| 992 5594 001 | IPA ASSY | 1.0 EA | 1A004 |
| 992 5595 001 | SCREEN SUPPLY, DRIVER | 1.0 EA | 1A011 |
| 992 8066 001 | CABLE, PKG - DRV CUBICLE | 1.0 EA | |
| 994 9108 001 | POWER SUPPLY ONLY FOR | 3.0 EA | 1PS001 1PS002 1PS004 |
| 999 1885 001 | HARDWARE LIST | 1.0 EA | |

Table 1-164. LOCKING PLATE - 810 2264 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1320 001 | BRS, RECT .064 X 24 | 0.021315 LB | |

Table 1-165. STDOFF 6-32X1/4 1/4 HEX - 813 4999 022

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.001313 LB | |

Table 1-166. STDOFF 6-32X3/8 1/4 HEX - 813 4999 024

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.001964 LB | |

Table 1-167. ADAPTOR-SOLENOID - 816 9163 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 0.267750 LB | |

Table 1-168. CONTACT - 817 0136 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 0.379050 LB | |

Table 1-169. INS., REAR DOOR DRIVER - 817 1527 017

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 043 5050 010 | POLYSTYRENE SHEET, 1" THK | 15.590 SF | |

Table 1-170. FILTER, DRIVER - 817 1527 018

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 033 9010 010 | INDUSTRIAL FOAM 1 IN | 4.36250 SF | |

Table 1-171. SHIELDING - 817 1527 044

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 0.26250 SF | |

Table 1-172. BRKT STOP-PWR SUP SUPPORT - 822 0446 059

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.0290 LB | |

Table 1-173. ANGLE - 829 1346 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 050 | STL, SH 16GA CR | 1.58050 LB | |

Table 1-174. PANEL, LOWER FRONT - 829 4022 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 10.6720 LB | |

Table 1-175. PANEL - 829 4082 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 1.161450 LB | |

Table 1-176. PANEL - 829 4082 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.468350 LB | |

Table 1-177. BLOCK - 829 4524 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 071 | AL, SQ 1.0 X 1.0 | 0.33180 LB | |

Table 1-178. PNL TV ACCESSORY - 829 4554 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 1.63850 LB | |

Table 1-179. HINGE - 829 4925 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 043 1110 010 | PLASTIC PIANO HINGE | 1.04580 FT | |

Table 1-180. BRACKET - 829 4926 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.17980 LB | |

Table 1-181. PLATE - 829 7376 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.729350 LB | |

Table 1-182. BRACKET, SWITCH - 829 9583 031

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 080 | AL, SH .100 THK | 0.082650 | LB |

Table 1-183. SHIELD, FAN INLET - 829 9583 045

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 0.3570 | SF |

Table 1-184. PNL ACCESS, TOP - 829 9583 070

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.6670 | LB |
| 817 1527 034 | STENCIL DRIVER AIR | 0.0 | EA |
| 829 9583 077 | SILKSCREEN | 0.0 | EA |

Table 1-185. PNL ACCESS, BOTT - 829 9583 071

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.6670 | LB |

Table 1-186. SEAL, LOWER DOOR - 829 9583 106

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.30450 | LB |

Table 1-187. COVER TERM BD - 839 0206 010

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.059875 | SF |

Table 1-188. COVER, TERM. BD. - 839 0206 027

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.0510 | SF |

Table 1-189. COVER, TERM BD - 839 0206 037

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.116875 | SF |

Table 1-190. ANGLE - 839 4772 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.55970 | LB |

Table 1-191. SUPPORT - 839 5195 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 3.00150 | LB |

Table 1-192. PLATE, PLUG MTG - 839 5207 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.28420 LB | |

Table 1-193. BRKT, PEAK DET. - 839 5800 059

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.65250 LB | |

Table 1-194. BRACKET, SAMPLE JACK - 839 5800 089

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.561150 LB | |

Table 1-195. BRACKET, MTR - 839 6678 029

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.0870 LB | |

Table 1-196. BRACKET, MTR - 839 6678 030

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.0870 LB | |

Table 1-197. PLATE FAN HOUSING - 839 6678 213

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 4.59650 LB | |

Table 1-198. STRAP, GND - 843 3385 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4010 045 | CU, STRAP .020 X 2" | 6.0270 FT | |

Table 1-199. STRAP, GND - 843 3385 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4010 045 | CU, STRAP .020 X 2" | 5.4180 FT | |

Table 1-200. TV DRIVER MOTOR BASE - 843 4260 043

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 4.71250 LB | |

Table 1-201. MOTOR BASE MOUNT - 843 4260 044

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 4.2920 LB | |

Table 1-202. CHASSIS, CONNECTOR - 843 4500 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.82650 LB | |
| 829 9924 001 | SILKSCREEN, CHASSIS CONN | 0.0 EA | |
| 829 9925 001 | STENCIL, CHASSIS CONN | 0.0 EA | |

Table 1-203. METER MULTIPLIER - 914 3424 006

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 357 0029 000 | SCREW 8-32 X 1/2 BHMS | 2.0 EA | |
| 410 0010 000 | INSULATOR ROUND NS5W 0208 | 2.0 EA | |
| 938 4433 004 | METER MULTIPLIER | 1.0 EA | |
| 999 1731 001 | HARDWARE LIST | 1.0 EA | |

Table 1-204. METER MULTIPLIER - 938 4433 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|---|
| 254 0002 000 | WIRE, BUS CU 20AWG | 0.30 FT | |
| 300 1565 000 | SCR, 8-32 X 1/2 | 2.0 EA | |
| 304 0035 000 | NUT CAP 8-32 BRASS | 2.0 EA | |
| 308 0006 000 | NO 8 FLAT WASHER BRS | 2.0 EA | |
| 312 0006 000 | WASHER, INT LOCK 8 | 2.0 EA | |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 2.0 EA | |
| 357 0037 000 | SCREW 6-32 X .25 BHMS | 4.0 EA | |
| 410 0003 000 | INSULATOR ROUND NS5W 0106 | 2.0 EA | |
| 548 0373 000 | RES 249K OHM 3/4W 1% | 20.0 EA | R1 R10 R11 R12 R13 R14 R15 R16 R17 R18 R19 R2 R20 R3 R4 R5 R6 R7 R8 R9 |
| 813 5017 021 | STDOFF 8-32X3/16 5/16 H | 2.0 EA | |
| 827 6002 001 | PRINTED CIRCUIT | 1.0 EA | |
| 838 4432 001 | PWB, METER MULTIPLIER, | 1.0 EA | |

Table 1-205. STDOFF 8-32X3/16 5/16 H - 813 5017 021

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 020 | BRS, HEX .313 | 0.00510 LB | |

Table 1-206. HARDWARE LIST - 999 1731 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1566 000 | SCR, 8-32 X 5/8 | 2.0 EA | |
| 304 0035 000 | NUT CAP 8-32 BRASS | 2.0 EA | |
| 308 0006 000 | NO 8 FLAT WASHER BRS | 4.0 EA | |
| 312 0006 000 | WASHER, INT LOCK 8 | 2.0 EA | |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 2.0 EA | |

Table 1-207. STUD TERMINAL - 915 1842 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1020 010 | BRS, THD STK 6-32 | 0.1050 FT | |
| 304 0089 000 | NUT, HEX 6-32 | 1.0 EA | |
| 815 1842 001 | ASSY INSTR, STUD TERMINAL | 0.0 EA | |

Table 1-208. GRD STRAP - 916 4954 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 254 0017 000 | WIRE, ROPE 10AWG | 0.30 FT | |
| 354 0287 000 | LUG #10 RING N/INS 7-9AWG | 2.0 EA | |

Table 1-209. ANGLE ASSY - 916 9997 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.046835 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 1.0 EA | |
| 816 9995 001 | ANGLE | 0.0 EA | |
| 816 9997 001 | ASSY INSTRUCTIONS | 0.0 EA | |

Table 1-210. PLATE PLUNGER - 917 1527 039

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.004350 LB | |
| 358 2811 000 | STANDOFF 6-32 X 1-1/16 | 1.0 EA | |
| 817 1527 039 | PLATE, PLUNGER | 0.0 EA | |

Table 1-211. ASSY, DC FILAMENT - 929 4057 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0005 000 | WIRE, STRD 16AWG GREY | 0.40 FT | |
| 300 1648 000 | SCR, 1/4-20 X 5/8 | 7.0 EA | |
| 300 1651 000 | SCR, 1/4-20 X 1 | 2.0 EA | |
| 302 0385 000 | SCR, 6-32 X 1/2 | 1.0 EA | |
| 304 0009 000 | NUT, HEX 1/4-20 | 10.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 1.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 1.0 EA | |
| 308 0009 000 | .25 FLAT WASHER BRS | 9.0 EA | |
| 312 0051 000 | WASHER, SPLIT-LOCK 1/4 | 17.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 1.0 EA | |
| 335 0017 000 | WASHER NYLON .261 ID | 3.0 EA | |
| 354 0140 000 | LUG SLDR .25 HOLE | 1.0 EA | |
| 384 0628 000 | RECT 1N3289/1N3289A ESD | 3.0 EA | CR1 CR2 CR3 |
| 384 0667 000 | RECTIFIER 1N3289R ESD | 3.0 EA | CR4 CR5 CR6 |
| 398 0020 000 | FUSE, FAST CART 3A 250V | 1.0 EA | |
| 402 0024 000 | FUSE HOLDER | 1.0 EA | |
| 410 0025 000 | INSULATOR ROUND NS5W 0416 | 3.0 EA | |
| 813 5608 022 | *NON STANDARD | 3.0 EA | |
| 829 4046 001 | HEATSINK | 2.0 EA | |
| 839 4244 001 | MOUNTING PLATE | 1.0 EA | |

Table 1-212. *NON STANDARD - 813 5608 022

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1020 050 | BRS, THD STK 1/4-20 | 0.162750 FT | |

Table 1-213. HEATSINK - 829 4046 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 003 5010 040 | CU, SH .125 X 36 X 96 | 1.740 LB | |

Table 1-214. MOUNTING PLATE - 839 4244 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 0.7050 LB | |

Table 1-215. DUCT ASSY - 929 7701 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 839 5196 001 | ENCLOSURE | 1.0 EA | |
| 917 0630 001 | BRACKET ASSY | 1.0 EA | |

Table 1-216. ENCLOSURE - 839 5196 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 2.6680 LB | |

Table 1-217. BRACKET ASSY - 917 0630 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 324 0165 000 | NUT, PEM 8-32 | 3.0 EA | |
| 829 7700 001 | BRACKET | 1.0 EA | |

Table 1-218. BRACKET - 829 7700 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.870 LB | |

Table 1-219. ASSY, SIDE PANEL - 929 9583 084

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 829 1348 001 | BRACE | 1.0 EA | |
| 829 9583 083 | AIR BLOCK, SIDE PANEL | 1.0 EA | |
| 829 9583 084 | ASSY, SIDE PANEL | 0.0 EA | |
| 839 2407 001 | SIDE PANEL | 1.0 EA | |

Table 1-220. BRACE - 829 1348 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 5.5390 LB | |

Table 1-221. AIR BLOCK, SIDE PANEL - 829 9583 083

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.74240 LB | |

Table 1-222. SIDE PANEL - 839 2407 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 20.590 LB | |

Table 1-223. GROUND STICK ASSY - 938 4203 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 254 0017 000 | WIRE, ROPE 10AWG | 4.20 FT | |
| 296 0019 000 | PLASTIC TUBE 4AWG CLEAR | 4.10 FT | |
| 306 0006 000 | NUT, HEX 10-32 | 2.0 EA | |
| 308 0007 000 | 10 FLAT WASHER BRASS | 1.0 EA | |
| 312 0007 000 | WASHER, INT LOCK 10 | 1.0 EA | |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 1.0 EA | |
| 354 0287 000 | LUG #10 RING N/INS 7-9AWG | 1.0 EA | |
| 354 0289 000 | LUG .25 RING N/INS 7-9AWG | 1.0 EA | |
| 814 7796 002 | HANDLE | 1.0 EA | |
| 814 7917 001 | HOOK, 1/2IN RADIUS | 1.0 EA | |
| 838 4203 001 | ASSY INSTR, GROUND HOOK | 0.0 EA | |

Table 1-224. HANDLE - 814 7796 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 037 1010 033 | PHENOLIC RD 1/2 DIA | 2.08950 FT | |

Table 1-225. HOOK, 1/2IN RADIUS - 814 7917 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 003 | AL, RD .188 DIA | 0.01260 LB | |

Table 1-226. DUCT ASSY - 939 4711 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4845 001 | DEFLECTOR | 1.0 EA | |
| 829 4846 001 | COVER | 1.0 EA | |
| 829 4847 001 | TOP | 1.0 EA | |
| 839 4710 001 | ENCLOSURE | 1.0 EA | |
| 929 4880 001 | ENCLOSURE ASSY | 1.0 EA | |

Table 1-227. DEFLECTOR - 829 4845 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.58290 LB | |

Table 1-228. COVER - 829 4846 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.07250 LB | |

Table 1-229. TOP - 829 4847 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.49010 LB | |

Table 1-230. ENCLOSURE - 839 4710 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 1.344150 LB | |

Table 1-231. ENCLOSURE ASSY - 929 4880 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 324 0167 000 | NUT, PEM 6-32 | 3.0 EA | |
| 829 7353 001 | SIDE ENCLOSURE | 1.0 EA | |

Table 1-232. SIDE ENCLOSURE - 829 7353 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.91930 LB | |

Table 1-233. DUCT, REAR DRIVER CAVITY - 939 4720 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 001 5010 080 | AL, SH .100 THK | 6.0610 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 14.0 EA | |
| 358 0945 000 | STUD 10-32 X 1/2 | 4.0 EA | |
| 358 2788 000 | SPACER 4-40 X 3/8 | 1.0 EA | |
| 839 4718 002 | ENCLOSURE DUCT DRIVER | 0.0 EA | |
| 839 4720 002 | ASSY, DUCT ENCLOSURE | 0.0 EA | |

Table 1-234. ASSY, SAFETY COVER - 939 6678 068

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.250 SF | |
| 646 0973 000 | *LABEL, 230V | 1.0 EA | |
| 839 6678 068 | COVER, SAFETY | 0.0 EA | |

Table 1-235. ASSY, SAFETY COVER - 939 6678 069

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.250 SF | |
| 646 0972 000 | *LABEL 117V | 1.0 EA | |
| 839 6678 069 | COVER, SAFETY | 0.0 EA | |

Table 1-236. DUCT ASSY - 943 3025 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4874 001 | VANE | 1.0 EA | |
| 829 4875 001 | VANE | 1.0 EA | |
| 829 4876 001 | TOP | 1.0 EA | |
| 839 4741 001 | SIDE | 1.0 EA | |
| 929 4873 001 | ENCLOSURE | 1.0 EA | |

Table 1-237. VANE - 829 4874 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.18270 LB | |

Table 1-238. VANE - 829 4875 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.2320 LB | |

Table 1-239. TOP - 829 4876 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.543750 LB | |

Table 1-240. SIDE - 839 4741 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.6820 LB | |

Table 1-241. ENCLOSURE - 929 4873 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 324 0163 000 | NUT, PEM 6-32 | 5.0 EA | |
| 843 3024 001 | ENCLOSURE | 1.0 EA | |

Table 1-242. ENCLOSURE - 843 3024 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 3.0450 LB | |

Table 1-243. BACK PANEL, DRIVER DOOR - 943 4260 011

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 14.1810 LB | |
| 324 0143 000 | NUT, PEM 6-32 | 4.0 EA | |
| 843 4260 011 | BACK PLATE, REAR DOOR | 0.0 EA | |

Table 1-244. ASSY, DRIVER REAR DOOR - 943 4260 022

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 448 0323 000 | HINGE LATCH RELEASE | 1.0 EA | |
| 448 0324 000 | HINGE LATCH RELEASE | 1.0 EA | |
| 646 1250 000 | LABEL SAFETY INSTR. | 1.0 EA | |
| 815 4268 001 | SPACER, DOOR | 2.0 EA | |
| 843 4260 012 | DOOR, DRIVER REAR | 1.0 EA | |
| 843 4260 022 | ASSY INSTRUCTIONS | 0.0 EA | |

Table 1-245. SPACER, DOOR - 815 4268 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.009527 LB | |

Table 1-246. DOOR, DRIVER REAR - 843 4260 012

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 24.6210 LB | |

Table 1-247. ASSY LOWER DUCT DRIVER - 943 4260 046

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 839 6678 212 | SIDE FRONT BLOWER DUCT | 1.0 EA | |
| 843 4260 042 | DUCT, BLOWER DRIVER | 1.0 EA | |
| 843 4260 046 | ASSY LOWER DUCT DRIVER | 0.0 EA | |

Table 1-248. SIDE FRONT BLOWER DUCT - 839 6678 212

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.11650 LB | |

Table 1-249. DUCT, BLOWER DRIVER - 843 4260 042

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 2.10250 LB | |

Table 1-250. SUPPORT, POWER SUPPLY - 943 4785 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 3.55250 LB | |
| 324 0151 000 | NUT, PEM 10-32 | 2.0 EA | |
| 843 4785 002 | ASSY INST,SUPPORT PWR SUP | 0.0 EA | |

Table 1-251. CABINET ASSY, DRIVER - 952 8695 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 302 0217 000 | SCR, 1/4-20 X 1 | 90.0 EA | |
| 302 0338 000 | SCR, 1/2-13 X 1-1/2 | 48.0 EA | |
| 302 0360 000 | SCR, 1/4-20 X 3/4 | 2.0 EA | |
| 302 0396 000 | SCR, 10-32 X 2 | 4.0 EA | |
| 304 0075 000 | NUT, HEX THIN 3/8-32 | 2.0 EA | |
| 314 0009 000 | WASHER, SPLIT-LOCK 1/4 | 90.0 EA | |
| 314 0013 000 | WASHER, INT LOCK 3/8 | 2.0 EA | |
| 314 0015 000 | WASHER, SPLIT-LOCK 1/2 | 48.0 EA | |
| 328 0033 000 | WASHER FLAT STEEL | 2.0 EA | |
| 358 0437 000 | BUSHING PANEL .252 ID | 2.0 EA | |
| 358 1895 000 | NUT W/SPRING 1/2-13 | 16.0 EA | |
| 358 2140 000 | NUT W/SPRING 1/4-20 | 72.0 EA | |
| 829 1280 001 | PLATE, CAB FITTING | 4.0 EA | |
| 829 3668 003 | CHANNEL FRAME 26.25 | 4.0 EA | |
| 829 3668 004 | CHANNEL | 3.0 EA | |
| 829 3668 008 | CHANNEL FRAME 68.375 | 1.0 EA | |
| 829 4130 001 | HINGE, BOTTOM REAR | 1.0 EA | |
| 829 4132 001 | HINGE, TOP REAR | 1.0 EA | |
| 829 4238 001 | FRONT CHANNEL | 1.0 EA | |
| 829 4771 002 | CHANNEL | 1.0 EA | |
| 829 9583 086 | FRAME CHANNEL UPPER REAR | 1.0 EA | |
| 839 2899 001 | CHANNEL | 1.0 EA | |
| 839 4056 001 | CHANNEL, REAR | 1.0 EA | |
| 839 4258 001 | STRIP, TOP | 2.0 EA | |
| 839 4263 001 | PANEL | 1.0 EA | |
| 839 4732 001 | PANEL | 1.0 EA | |
| 839 4781 001 | STRIP | 1.0 EA | |

| | | |
|--------------|---------------------------|--------|
| 843 2722 001 | FRONT POST | 1.0 EA |
| 843 2783 001 | PANEL | 1.0 EA |
| 852 8695 002 | CABINET ASSY INSTRUCTIONS | 0.0 EA |
| 916 9843 003 | ANGLE ASSY | 1.0 EA |
| 917 0292 001 | ANGLE ASSY | 1.0 EA |
| 929 4163 001 | SUPPORT RT | 1.0 EA |
| 929 4376 001 | PANEL ASSY | 1.0 EA |
| 929 4996 001 | SHELF ASSY | 1.0 EA |
| 929 7018 002 | SHELF ASSY | 1.0 EA |
| 929 7483 001 | PANEL ASSY, RT SIDE | 1.0 EA |
| 929 7504 001 | PANEL ASSY, BLANK | 1.0 EA |
| 929 8503 001 | GUSSET, WELDED | 8.0 EA |
| 929 9583 081 | SUPPORT LEFT DRAWER ASSY | 1.0 EA |
| 929 9583 102 | TOP DVR CAB ASSEMBLY | 1.0 EA |
| 939 4281 001 | CORNER, RF AND LR LOWER | 1.0 EA |
| 939 4282 001 | CORNER, LF AND RR LOWER | 1.0 EA |
| 939 4284 001 | CORNER, L R TOP | 1.0 EA |
| 939 4285 001 | CORNER, R F TOP | 2.0 EA |
| 939 4286 001 | CORNER, L F TOP | 3.0 EA |
| 939 4824 001 | DIVIDER ASSY | 1.0 EA |
| 939 6678 214 | BASE PLATE DRIVER CAB | 1.0 EA |

Table 1-252. PLATE, CAB FITTING - 829 1280 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 014 | AL, RECT .250 X 4.0 | 0.16590 LB | |

Table 1-253. CHANNEL FRAME 26.25 - 829 3668 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.27850 FT | |

Table 1-254. CHANNEL - 829 3668 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.61450 FT | |

Table 1-255. CHANNEL FRAME 68.375 - 829 3668 008

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 5.95350 FT | |

Table 1-256. HINGE, BOTTOM REAR - 829 4130 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 0.72790 LB | |

Table 1-257. HINGE, TOP REAR - 829 4132 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 0.503150 LB | |

Table 1-258. FRONT CHANNEL - 829 4238 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 5.95350 FT | |

Table 1-259. CHANNEL - 829 4771 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.6250 FT | |

Table 1-260. FRAME CHANNEL UPPER REAR - 829 9583 086

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.63550 FT | |

Table 1-261. CHANNEL - 839 2899 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.61450 FT | |

Table 1-262. CHANNEL, REAR - 839 4056 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 5.95350 FT | |

Table 1-263. STRIP, TOP - 839 4258 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 0.86130 LB | |

Table 1-264. PANEL - 839 4263 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 3.00150 LB | |

Table 1-265. PANEL - 839 4732 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.61450 FT | |

Table 1-266. STRIP - 839 4781 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 2.65350 LB | |

Table 1-267. FRONT POST - 843 2722 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 5.95350 FT | |

Table 1-268. PANEL - 843 2783 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 14.6450 LB | |

Table 1-269. ANGLE ASSY - 916 9843 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 010 | STL, SH 10GA CR | 4.88650 LB | |
| 306 0065 000 | NUT, WELD 1/4-20 | 3.0 EA | |
| 816 9843 003 | ASSY INSTRUCTIONS | 0.0 EA | |
| 829 3727 003 | FAB INSTR, ANGLE | 0.0 EA | |

Table 1-270. ANGLE ASSY - 917 0292 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 010 | STL, SH 10GA CR | 4.88650 LB | |
| 306 0065 000 | NUT, WELD 1/4-20 | 3.0 EA | |
| 817 0292 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 829 4228 001 | FAB INSTR, ANGLE | 0.0 EA | |

Table 1-271. SUPPORT RT - 929 4163 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 8.27950 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 2.0 EA | |
| 358 1065 000 | STUD 6-32 X 5/8 | 2.0 EA | |
| 829 4163 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 2765 001 | SUPPORT | 0.0 EA | |

Table 1-272. PANEL ASSY - 929 4376 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 11.81750 LB | |
| 358 0945 000 | STUD 10-32 X 1/2 | 11.0 EA | |
| 358 1101 000 | STUD 6-32 X 1/2 | 2.0 EA | |
| 358 1851 000 | STUD 1/4-20 X 3/4 | 4.0 EA | |
| 829 4376 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 4408 001 | PANEL, BACK | 0.0 EA | |

Table 1-273. SHELF ASSY - 929 4996 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 18.850 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 4.0 EA | |
| 829 4996 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 3052 001 | SHELF, DRIVER CABINET | 0.0 EA | |

Table 1-274. SHELF ASSY - 929 7018 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 6.5540 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 5.0 EA | |
| 829 7013 001 | STENCIL, OVERLOAD | 0.0 EA | |

| | | |
|--------------|-------------------|--------|
| 829 7018 002 | SHELF, CONTROLLER | 0.0 EA |
| 843 2807 002 | PANEL, OVERLOAD | 0.0 EA |

Table 1-275. PANEL ASSY, RT SIDE - 929 7483 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 19.8650 LB | |
| 358 0957 000 | STUD 8-32 X 1/2 | 8.0 EA | |
| 358 1101 000 | STUD 6-32 X 1/2 | 4.0 EA | |
| 829 7483 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 4481 001 | PANEL | 0.0 EA | |

Table 1-276. PANEL ASSY, BLANK - 929 7504 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.8410 LB | |
| 358 1101 000 | STUD 6-32 X 1/2 | 1.0 EA | |
| 829 7503 001 | PANEL, BLANK | 0.0 EA | |
| 829 7504 001 | ASSY INSTRUCTIONS | 0.0 EA | |

Table 1-277. GUSSET, WELDED - 929 8503 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 8503 001 | GUSSET, WELDED | 0.0 EA | |
| 839 5847 001 | CLIP ANGLE | 1.0 EA | |
| 839 5848 001 | GUSSET | 1.0 EA | |

Table 1-278. CLIP ANGLE - 839 5847 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 010 | STL, SH 10GA CR | 0.868550 LB | |

Table 1-279. GUSSET - 839 5848 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 010 | STL, SH 10GA CR | 2.59550 LB | |

Table 1-280. SUPPORT LEFT DRAWER ASSY - 929 9583 081

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 10.2370 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 6.0 EA | |
| 358 0945 000 | STUD 10-32 X 1/2 | 1.0 EA | |
| 829 4956 001 | STENCIL | 0.0 EA | |
| 829 9583 081 | SUPPORT, LEFT DRAWER | 0.0 EA | |
| 829 9583 095 | STENCIL | 0.0 EA | |
| 843 4260 036 | SUPPORT DRAWER | 0.0 EA | |

Table 1-281. TOP DVR CAB ASSEMBLY - 929 9583 102

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 9583 100 | TUBE EXHAUST | 1.0 EA | |
| 829 9583 102 | TOP DRIVER CAB | 0.0 EA | |

Table 1-282. TUBE EXHAUST - 829 9583 100

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.580 LB | |

Table 1-283. TOP DRIVER - 843 4260 041

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 18.16850 LB | |

Table 1-284. CORNER, RF AND LR LOWER - 939 4281 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0727 000 | CORNER, CAST | 1.0 EA | |

Table 1-285. CORNER, LF AND RR LOWER - 939 4282 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0727 000 | CORNER, CAST | 1.0 EA | |

Table 1-286. CORNER, L R TOP - 939 4284 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0727 000 | CORNER, CAST | 1.0 EA | |

Table 1-287. CORNER, R F TOP - 939 4285 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0727 000 | CORNER, CAST | 1.0 EA | |

Table 1-288. CORNER, L F TOP - 939 4286 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0727 000 | CORNER, CAST | 1.0 EA | |

Table 1-289. DIVIDER ASSY - 939 4824 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 21.8950 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 2.0 EA | |
| 324 0285 000 | NUT, PEM 1/4-20 | 12.0 EA | |
| 358 0943 000 | STUD 6-32 X 3/8 | 7.0 EA | |
| 358 0945 000 | STUD 10-32 X 1/2 | 8.0 EA | |
| 358 0957 000 | STUD 8-32 X 1/2 | 7.0 EA | |
| 358 1065 000 | STUD 6-32 X 5/8 | 6.0 EA | |
| 839 4824 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 852 8712 001 | DIVIDER | 0.0 EA | |

Table 1-290. BASE PLATE DRIVER CAB - 939 6678 214

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 14.210 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 4.0 EA | |
| 324 0183 000 | NUT, PEM 1/4-20 | 8.0 EA | |
| 324 0271 000 | NUT, PEM 5/16-18 | 4.0 EA | |
| 324 0286 000 | NUT, PEM 3/8-16 | 4.0 EA | |
| 839 6678 214 | ASSY INSTRUCTIONS | 0.0 EA | |

Table 1-291. TRANSMITTER CTRL ASSY - 992 5294 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 324 0087 000 | NUT U 4-40 | 14.0 EA | |
| 358 1214 000 | SCREWLOCK, FEMALE | 14.0 EA | |
| 358 2204 000 | KEY (POLARIZING) | 3.0 EA | |
| 646 0569 000 | REPLACE WITH 646-1301-201 | 1.0 EA | |
| 813 4999 003 | STDOFF 4-40X1/4 1/4 HEX | 2.0 EA | |
| 813 4999 007 | STDOFF 4-40X1/2 1/4 HEX | 4.0 EA | |
| 829 7326 001 | COVER | 1.0 EA | |
| 843 2978 002 | SCHEMATIC | 0.0 EA | |
| 852 8728 001 | SCHEMATIC | 0.0 EA | |
| 917 0584 001 | COVER ASSY | 1.0 EA | |
| 992 5295 002 | LOGIC CONTRL. BD (XMTR) | 1.0 EA | |
| 992 5296 001 | INTERFACE PC BOARD | 1.0 EA | |

Table 1-292. STDOFF 4-40X1/4 1/4 HEX - 813 4999 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.001313 LB | |

Table 1-293. STDOFF 4-40X1/2 1/4 HEX - 813 4999 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.002625 LB | |

Table 1-294. COVER - 829 7326 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.19750 SF | |

Table 1-295. COVER ASSY - 917 0584 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 1.376050 LB | |
| 358 2192 000 | PLUNGER, SPRING-LOADED | 2.0 EA | |
| 839 4768 001 | COVER | 0.0 EA | |

Table 1-296. LOGIC CONTRL. BD (XMTR) - 992 5295 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|-----------------------------------|
| 380 0125 000 | XSTR, NPN 2N4401 ESD | 2.0 EA | Q2 Q9 |
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 9.0 EA | Q1 Q13 Q14 Q15 Q25 Q26 Q27 Q28 Q7 |
| 380 0190 000 | XSTR, PNP 2N3906 ESD | 4.0 EA | Q10 Q11 Q12 Q8 |

| | | | |
|--------------|----------------------------|---------|---|
| 380 0623 000 | XSTR VN67AB ESD | 2.0 EA | Q3 Q4 |
| 382 0260 000 | IC, 555 ESD | 3.0 EA | U2 U6 U7 |
| 382 0302 000 | IC, 4023/14023 ESD | 1.0 EA | U8 |
| 382 0553 000 | IC 4012 ESD | 1.0 EA | U4 |
| 382 0554 000 | IC, 14013/4013 ESD | 2.0 EA | U3 U5 |
| 384 0316 000 | RECT SIL CTL 2N5060 ESD | 9.0 EA | Q16 Q17 Q18 Q19 Q20 Q21 Q22 Q23 Q24 |
| 384 0431 000 | RECT. 1N4001 ESD | 59.0 EA | CR1 CR10 CR11 CR12 CR13 CR15 CR16 CR17 CR19 CR2 CR20 CR21 CR22 CR23 CR24 CR25 CR26 CR28 CR29 CR3 CR30 CR31 CR32 CR33 CR34 CR35 CR36 CR37 CR38 CR39 CR4 CR40 CR41 CR42 CR44 CR45 CR46 CR47 CR48 CR49 CR5 CR50 CR51 CR52 CR53 CR54 CR55 CR56 CR57 CR58 CR59 CR6 CR60 CR61 CR62 CR63 CR7 CR8 CR9 CR18 CR27 CR43 |
| 386 0135 000 | ZENER, 1N4733A 5.1V ESD | 3.0 EA | CR18 CR27 CR43 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 2.0 EA | #Q3 #Q4 |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 3.0 EA | XU002 XU006 XU007 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 4.0 EA | XU3 XU4 XU5 XU8 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 4.0 EA | C15 C21 C32 C36 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 4.0 EA | C13 C16 C30 C34 |
| 522 0531 000 | CAP 1UF 50V 20% | 7.0 EA | C008 C012 C020 C028 C029 C033 C066 |
| 526 0048 000 | CAP 10UF 20V 20% | 1.0 EA | C23 |
| 526 0050 000 | CAP 1UF 35V 20% | 26.0 EA | C002 C003 C009 C010 C022 C026 C037 C038 C039 C040 C041 C042 C043 C044 C045 C046 C056 C057 C058 C059 C060 C061 C062 C063 C064 C065 |
| 526 0057 000 | CAP 100UF 20V 20% | 1.0 EA | C18 |
| 526 0331 000 | CAP .33UF 35V 20% | 9.0 EA | C47 C48 C49 C50 C51 C52 C53 C54 C55 |
| 526 0360 000 | CAP 220 UF 15V 10% | 5.0 EA | C14 C19 C31 C35 C6 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 2.0 EA | R100 R101 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 6.0 EA | R18 R28 R33 R55 R60 R93 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 1.0 EA | R41 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 1.0 EA | R2 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 7.0 EA | R21 R24 R3 R30 R42 R45 R48 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 10.0 EA | R51 R84 R85 R86 R87 R88 R89 R90 R91 R92 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 10.0 EA | R64 R66 R67 R68 R69 R70 R71 R72 R73 R74 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 6.0 EA | R020 R040 R043 R047 R052 R062 |
| 548 2400 369 | RES 5.11K OHM 1/2W 1% | 1.0 EA | R65 |
| 548 2400 377 | RES 6.19K OHM 1/2W 1% | 9.0 EA | R75 R76 R77 R78 R79 R80 R81 R82 R83 |
| 548 2400 385 | RES 7.5K OHM 1/2W 1% | 3.0 EA | R22 R39 R54 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 23.0 EA | R005 R019 R023 R025 R035 R036 R038 R044 R046 R049 R053 R056 R057 R061 R063 R095 R096 R097 R098 R099 R104 R105 R106 |
| 548 2400 418 | RES 15K OHM 1/2W 1% | 1.0 EA | R50 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 1.0 EA | R94 |
| 548 2400 451 | RES 33.2K OHM 1/2W 1% | 1.0 EA | R32 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 4.0 EA | R103 R34 R37 R58 |
| 548 2400 489 | RES 82.5K OHM 1/2W 1% | 1.0 EA | R26 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 2.0 EA | R102 R29 |
| 548 2400 509 | RES 121K OHM 1/2W 1% | 1.0 EA | R59 |
| 548 2400 569 | RES 511K OHM 1/2W 1% | 1.0 EA | R27 |

| | | | |
|--------------|---------------------------|---------|--------------------------------|
| 548 2400 573 | RES 562K OHM 1/2W 1% | 1.0 EA | R7 |
| 574 0351 000 | * RELAY, REED SPST 6VDC | 2.0 EA | K1 K3 |
| 574 0392 000 | RELAY, REED DPST 6VDC | 1.0 EA | K4 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 3.0 EA | P1 P2 P3 |
| 612 0904 000 | JACK, PC MT GOLD PLATED | 10.0 EA | J1 J10 J2 J3 J4 J5 J6 J7 J8 J9 |
| 843 2978 002 | SCHEMATIC | 0.0 EA | |
| 852 8801 002 | DIAGRAM DWG | 0.0 EA | |
| 939 4912 002 | PTD BD CONTROL. LOGIC | 1.0 EA | |

Table 1-297. PTD BD CONTROL. LOGIC - 939 4912 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 19.0 EA | |
| 843 3110 002 | PC BD | 1.0 EA | |

Table 1-298. INTERFACE PC BOARD - 992 5296 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|--|
| 358 1726 000 | SPRING, HOLD DOWN | 3.0 EA | |
| 384 0431 000 | RECT. 1N4001 ESD | 7.0 EA | CR001 CR002 CR003 CR004 CR005 CR006 CR007 |
| 404 0161 000 | SOCKET RELAY 9KH2 | 3.0 EA | XK001 XK002 XK003 |
| 494 0218 000 | CHOKE WIDE BAND | 49.0 EA | L001 L002 L003 L004 L005 L006 L007 L008 L009 L010 L011 L012 L013 L014 L015 L016 L017 L018 L019 L020 L021 L022 L023 L024 L025 L026 L027 L028 L029 L030 L031 L032 L033 L034 L035 L036 L037 L038 L039 L040 L041 L042 L043 L044 L045 L046 L047 L048 L049 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 49.0 EA | C001 C002 C003 C004 C005 C006 C007 C008 C009 C010 C011 C012 C013 C014 C015 C016 C017 C018 C019 C020 C021 C022 C023 C024 C025 C026 C027 C028 C029 C030 C031 C032 C033 C034 C035 C036 C037 C038 C039 C040 C041 C042 C043 C044 C045 C046 C047 C048 C049 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 3.0 EA | R020 R027 R034 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 2.0 EA | R021 R022 |
| 548 2400 277 | RES 619 OHM 1/2W 1% | 26.0 EA | R001 R002 R003 R004 R005 R006 R007 R008 R009 R010 R011 R012 R013 R014 R015 R016 R017 R018 R023 R024 R025 R026 R029 R030 R031 R032 |
| 574 0156 000 | RELAY 12VDC 4PDT | 3.0 EA | K001 K002 K003 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 3.0 EA | P001 P002 P003 |
| 612 0784 000 | RECP 9 CONT | 1.0 EA | J001 |
| 612 0785 000 | RECP 15 CONT | 2.0 EA | J005 J006 |
| 612 0792 000 | RECP 25 CONT | 1.0 EA | J007 |
| 612 0904 000 | JACK, PC MT GOLD PLATED | 6.0 EA | |
| 612 0913 000 | RECEPTACLE 37 CONT | 3.0 EA | J002 J003 J004 |
| 612 0914 000 | CONN, RIGHT ANGLE 72 CONT | 1.0 EA | J008 |
| 813 4999 007 | STDOFF 4-40X1/2 1/4 HEX | 2.0 EA | |
| 829 7621 001 | ANGLE BRACKET | 2.0 EA | |
| 843 3116 001 | PRTD BOARD | 1.0 EA | |
| 852 8728 001 | SCHEMATIC | 0.0 EA | |

Table 1-299. ANGLE BRACKET - 829 7621 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.002538 LB | |

Table 1-300. OVERLOAD ASSY - 992 5359 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 335 0009 000 | WASHER, NYLON .195 ID | 4.0 EA | |
| 335 0041 000 | WASHER NYLON .75 ID | 4.0 EA | |
| 335 0104 000 | WASHER PLAIN .156 ID | 6.0 EA | |
| 358 0159 000 | STUD 82 OVAL HEAD | 2.0 EA | |
| 358 0184 000 | RETAINER 82 ALL HDS | 2.0 EA | |
| 358 0187 000 | RECEPTACLE 82 SPRING | 2.0 EA | |
| 358 0765 000 | WASHER WEAR 82 NYLON | 2.0 EA | |
| 410 0003 000 | INSULATOR ROUND NS5W 0106 | 3.0 EA | |
| 410 0153 000 | INSULATOR BSHG NS5W-4104 | 2.0 EA | |
| 410 0157 000 | INSULATOR BSHG NS5W-4204 | 2.0 EA | |
| 550 0065 000 | POT 5K OHM 2W 10% | 1.0 EA | R1 |
| 604 0405 000 | SW, PB BLK SPDT | 1.0 EA | S1 |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA | J1 |
| 646 1254 402 | LABEL,DANGER HIGH VOLTAGE | 1.0 EA | |
| 813 5604 001 | STUD BRZ 6 32 X .375 | 2.0 EA | |
| 813 5606 027 | STUD BRS 10-32 X 3 | 2.0 EA | |
| 829 4054 001 | COVER | 1.0 EA | |
| 829 4055 001 | SCHEMATIC | 0.0 EA | |
| 829 4056 001 | PLATE | 1.0 EA | |
| 839 4247 001 | ENCLOSURE | 1.0 EA | |
| 927 6053 001 | COIL, OUTER OL SENSE | 1.0 EA | |
| 929 9701 001 | COIL ASSY | 1.0 EA | |
| 992 2979 001 | P C BOARD ASSY | 1.0 EA | |
| 999 2424 001 | HARDWARE LIST | 1.0 EA | |
| 999 2425 001 | WIRE/TUBING LIST | 1.0 EA | |

Table 1-301. STUD BRZ 6 32 X .375 - 813 5604 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 010 | BRS, THD STK 6-32 | 0.032655 FT | |

Table 1-302. STUD BRS 10-32 X 3 - 813 5606 027

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 040 | BRS, THD STK 10-32 | 0.261450 FT | |

Table 1-303. COVER - 829 4054 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.33930 LB | |

Table 1-304. PLATE - 829 4056 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 1.059950 LB | |

Table 1-305. ENCLOSURE - 839 4247 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.65250 LB | |
| 829 0660 001 | STENCIL, ENCL OL SENSING | 0.0 EA | |

Table 1-306. COIL, OUTER OL SENSE - 927 6053 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 251 0009 000 | WIRE, MAGNET 28AWG | 75.0 FT | |
| 344 0004 000 | SCREW, SET 6-32 X 3/16 | 2.0 EA | |
| 827 5725 001 | FORM, OUTER COIL | 1.0 EA | |
| 827 6053 001 | ASSY INSTR, OL SENSE COIL | 0.0 EA | |

Table 1-307. FORM, OUTER COIL - 827 5725 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 043 1010 009 | ROD, NORYL, 1-1/2" DIA | 0.152250 FT | |

Table 1-308. COIL ASSY - 929 9701 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 051 0001 023 | *ADHESIVE, DP-190 GRAY | 0.0 EA | |
| 063 0001 060 | *COMPOUND #4 | 0.0 EA | |
| 088 0001 063 | TAPE TEF 3/4 WIDE | 0.0 RL | |
| 255 0005 000 | WIRE, HV 18AWG 20KV | 2.0 FT | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 2.0 EA | |
| 604 0455 000 | SW REED | 1.0 EA | |
| 829 9700 002 | COIL FORM | 1.0 EA | |
| 829 9701 001 | COIL ASSY INST | 0.0 EA | |

Table 1-309. COIL FORM - 829 9700 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 043 1010 006 | ROD, NORYL, 3/4" DIA | 0.210 FT | |

Table 1-310. P C BOARD ASSY - 992 2979 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 384 0020 000 | RECTIFIER IN4005 ESD | 2.0 EA | CR1 CR2 |
| 516 0081 000 | CAP, DISC .01UF 1KV 20% | 1.0 EA | C1 |
| 526 0004 000 | CAP 1 UF 35V 10% TANT | 2.0 EA | C3 C4 |
| 526 0067 000 | CAP 68UF 15V 20% | 1.0 EA | C2 |
| 540 0593 000 | * RES 180 OHM 2W 5% | 1.0 EA | R1 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 1.0 EA | R2 |
| 548 2400 285 | RES 750 OHM 1/2W 1% | 1.0 EA | R3 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 1.0 EA | R4 |
| 828 9375 001 | SCHEMATIC | 0.0 EA | |
| 915 1331 001 | BOARD | 1.0 EA | |

Table 1-311. BOARD - 915 1331 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 13.0 EA | |
| 815 1331 001 | ASSY, PWB | 0.0 EA | |
| 827 6470 001 | PRINTED BRD | 1.0 EA | |

Table 1-312. HARDWARE LIST - 999 2424 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 300 1538 000 | SCR, 6-32 X 3/8 | 1.0 EA | |
| 302 0380 000 | SCR, 6-32 X 5/16 | 7.0 EA | |
| 304 0098 000 | NUT, HEX 10-32 | 6.0 EA | |
| 306 0016 000 | NUT, HEX KEP 6-32 | 4.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 1.0 EA | |
| 308 0007 000 | 10 FLAT WASHER BRASS | 6.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 1.0 EA | |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 6.0 EA | |
| 328 0033 000 | WASHER FLAT STEEL | 1.0 EA | |
| 335 0009 000 | WASHER, NYLON .195 ID | 4.0 EA | |
| 335 0041 000 | WASHER NYLON .75 ID | 4.0 EA | |
| 335 0104 000 | WASHER PLAIN .156 ID | 6.0 EA | |
| 344 0006 000 | SCREW, SET 6-32 X 3/8 | 2.0 EA | |
| 350 0050 000 | RIVET POP .093X.212 | 4.0 EA | |
| 356 0087 000 | CABLE TIE TY RAP | 5.0 EA | |

Table 1-313. WIRE/TUBING LIST - 999 2425 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 4.10 FT | |
| 252 0235 000 | WIRE, STRD 22AWG GRN | 0.440 FT | |
| 254 0001 000 | WIRE, BUS CU 22AWG | 0.10 FT | |
| 296 0310 000 | TUBING TEFLON 20 AWG | 0.30 FT | |
| 354 0335 000 | * CONNECTOR CONTACT | 3.0 EA | |

Table 1-314. METER PANEL, INNER - 992 5405 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 358 0060 000 | STUD 85 OVAL HEAD | 2.0 EA | |
| 358 0410 000 | RETAINER 85 ALL HDS | 2.0 EA | |
| 358 0801 000 | WASHER WEAR 85 NYLON | 2.0 EA | |
| 448 0412 000 | HINGE, LATCH RELEASE | 2.0 EA | |
| 448 0413 000 | HINGE, LATCH RELEASE | 2.0 EA | |
| 516 0081 000 | CAP, DISC .01UF 1KV 20% | 3.0 EA | C002 C003 C004 |
| 632 1098 000 | MTR 0-5KV, 4-1/2", S | 1.0 EA | M001 |
| 632 1105 000 | MTR % AVG PWR, 4-1/2", S | 1.0 EA | M004 |
| 632 1106 000 | MTR PK PWR, 4-1/2", S | 1.0 EA | M003 |
| 632 1122 000 | MTR 0-3ADC, 4-1/2", S | 1.0 EA | M002 |
| 829 4664 001 | STIFFENER, METER PNL | 1.0 EA | |
| 843 4608 001 | PANEL METER MOUNTING | 1.0 EA | |
| 852 8760 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 992 2858 002 | PC BOARD, METERING | 1.0 EA | A001 |

Table 1-315. STIFFENER, METER PNL - 829 4664 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 027 9010 010 | GL, ANGLE .125 X 1, 94 VO | 2.3520 FT | |

Table 1-316. PANEL METER MOUNTING - 843 4608 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 1.50 LB | |

Table 1-317. PC BOARD, METERING - 992 2858 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 516 0081 000 | CAP, DISC .01UF 1KV 20% | 1.0 EA | C1 |
| 540 0349 000 | * RES 5.1K OHM 1W 5% | 1.0 EA | R2 |
| 540 0356 000 | * RES 10K OHM 1W 5% | 1.0 EA | R1 |
| 817 0247 001 | SCHEMATIC | 0.0 EA | |
| 829 4116 001 | PC BOARD | 1.0 EA | |

Table 1-318. ANODE RECT ASSY - 992 5409 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 384 0185 000 | RECTIFIER ESD | 3.0 EA | CR1 CR2 CR3 |
| 510 0483 000 | CAP 6 UF 4000VDC | 2.0 EA | C1 C2 |
| 813 5002 049 | STDOFF 10-32X1 1/2 HEX | 12.0 EA | |
| 843 2796 001 | PANEL | 1.0 EA | |
| 852 8760 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |

Table 1-319. STDOFF 10-32X1 1/2 HEX - 813 5002 049

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 025 | AL, HEX .500 | 0.02310 LB | |

Table 1-320. PANEL - 843 2796 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 6.10450 LB | |

Table 1-321. CONTACTOR BREAKER PANEL - 992 5413 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 358 0003 000 | BRACKET RESISTOR MTG | 6.0 EA | #R001 #R002 #R003 |
| 398 0011 000 | FUSE,FAST CART .250A 250V | 3.0 EA | F001A F001B F001C |
| 402 0142 000 | FUSE HOLDER, 3 POLE | 1.0 EA | XF001 |
| 404 0707 000 | SOCKET RELAY OCTAL | 1.0 EA | XK006 |
| 410 0016 000 | INSULATOR ROUND NS5W 0308 | 6.0 EA | |
| 506 0086 000 | CAP 1 UF 400V 20 PCT | 5.0 EA | C001 C002 C003 C004 C005 |
| 542 0286 000 | RES 5 OHM 5% 100W | 3.0 EA | R001 R002 R003 |
| 548 2400 277 | RES 619 OHM 1/2W 1% | 1.0 EA | R004 |
| 570 0264 000 | STARTER, MOTOR 120V COIL | 2.0 EA | K001 K004 |
| 570 0267 000 | CONTACTOR 3 POLE 30A | 1.0 EA | K002 |
| 570 0270 000 | CONTACTOR 4 POLE 30A | 1.0 EA | K003 |
| 574 0157 000 | RLY AC CTL 4 POLE | 1.0 EA | K005A |
| 584 0156 000 | TIMER PNEUMATIC | 1.0 EA | K005B |

| | | | |
|--------------|---------------------------|--------|-------------------------|
| 584 0269 000 | HEATER B36 | 3.0 EA | K1HR001 K1HR002 K1HR003 |
| 584 0272 000 | HEATER B50 | 3.0 EA | K4HR001 K4HR002 K4HR003 |
| 606 0160 000 | CIRCUIT BREAKER 30A | 2.0 EA | CB003 CB005 |
| 606 0664 000 | CKT BREAKER 2 POLE 5 A | 1.0 EA | CB001 |
| 606 0665 000 | CKT BREAKER 3 POLE 7.5A | 1.0 EA | CB004 |
| 606 0706 000 | CIR BREAKER 30A 4 POLE | 1.0 EA | CB002 |
| 614 0108 000 | TERM BD 18 TERM | 1.0 EA | TB001 |
| 614 0274 000 | TERM BD 3 TERM | 1.0 EA | TB002 |
| 636 0036 000 | METER, ELAPSED TIME 60HZ | 1.0 EA | M001 |
| 646 0704 000 | NOT FOR NEW DESIGN | 1.0 EA | |
| 646 0973 000 | *LABEL, 230V | 1.0 EA | |
| 740 0495 000 | PHASE MONITOR | 1.0 EA | K006 |
| 813 5000 026 | STDOFF 8-32X1/2 5/16 HEX | 2.0 EA | |
| 813 5001 069 | STDOFF 10-32X1-1/4 3/8 H | 2.0 EA | |
| 816 9996 001 | SPACER | 3.0 EA | |
| 817 0006 001 | PLATE | 1.0 EA | |
| 817 1527 041 | RUN LIST, CONT/BKR PNL | 0.0 EA | |
| 829 4020 001 | BLOCK, BUS BAR | 1.0 EA | |
| 829 8798 003 | COVER, TERM BD | 1.0 EA | #TB001 |
| 839 4226 001 | BUS BAR | 1.0 EA | |
| 839 4227 001 | BUS BAR | 1.0 EA | |
| 839 4239 001 | BUS BAR | 1.0 EA | |
| 852 9037 006 | WIRING DIAG, DRVR CUBICLE | 0.0 EA | |
| 917 1189 001 | COVER, TERM BD | 1.0 EA | |
| 939 6678 065 | AC COVER | 1.0 EA | |
| 943 4260 037 | PANEL ASSY, CONT/BREAKER | 1.0 EA | |

Table 1-322. STDOFF 8-32X1/2 5/16 HEX - 813 5000 026

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 015 | AL, HEX .313 | 0.00420 LB | |

Table 1-323. STDOFF 10-32X1-1/4 3/8 H - 813 5001 069

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 020 | AL, HEX .375 | 0.015750 LB | |

Table 1-324. SPACER - 816 9996 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 020 | AL, HEX .375 | 0.07560 LB | |

Table 1-325. PLATE - 817 0006 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 5010 030 | CU, SH .093 THK | 0.03190 LB | |

Table 1-326. BLOCK, BUS BAR - 829 4020 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 037 5015 010 | BAKELITE SH .50 | 0.148750 LB | |

Table 1-327. COVER, TERM BD - 829 8798 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.218750 SF | |

Table 1-328. BUS BAR - 839 4226 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 5010 030 | CU, SH .093 THK | 1.23830 LB | |

Table 1-329. BUS BAR - 839 4227 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 5010 030 | CU, SH .093 THK | 1.6240 LB | |

Table 1-330. BUS BAR - 839 4239 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 5010 030 | CU, SH .093 THK | 1.81250 LB | |

Table 1-331. COVER, TERM BD - 917 1189 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 646 0973 000 | *LABEL, 230V | 1.0 EA | |
| 829 8798 001 | COVER | 1.0 EA | |

Table 1-332. COVER - 829 8798 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.068625 SF | |

Table 1-333. AC COVER - 939 6678 065

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.54750 SF | |
| 350 0037 000 | RIVET POP .125X.265 | 1.0 EA | |
| 646 1301 000 | LABEL, DANGER HI VOLTAGE | 1.0 EA | |
| 839 6678 065 | FAB/ASSY INSTR, COVER | 0.0 EA | |

Table 1-334. PANEL ASSY, CONT/BREAKER - 943 4260 037

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 10.150 LB | |
| 324 0165 000 | NUT, PEM 8-32 | 2.0 EA | |
| 324 0168 000 | NUT, PEM 10-32 | 7.0 EA | |
| 358 0945 000 | STUD 10-32 X 1/2 | 4.0 EA | |
| 358 0957 000 | STUD 8-32 X 1/2 | 17.0 EA | |
| 358 0973 000 | STUD 8-32 X 3/4 | 2.0 EA | |
| 358 1101 000 | STUD 6-32 X 1/2 | 2.0 EA | |
| 829 4725 001 | STENCIL, AC PANEL | 0.0 EA | |
| 839 4235 001 | SILKSCREEN, CONT/BKR PNL | 0.0 EA | |
| 839 4661 003 | STENCIL AC PANEL | 0.0 EA | |
| 839 4672 001 | STENCIL, AC PANEL | 0.0 EA | |

Table 1-335. MULTIMETER PANEL - 992 5414 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|--|
| 384 0669 000 | LED, T1-3/4, RED PANEL MT ESD | 9.0 EA | DS001 DS002 DS003 DS004 DS005 DS006 DS007 DS008 DS009 |
| 386 0112 000 | ZENER, 1N4733 5.1V ESD | 1.0 EA | CR001 |
| 410 0010 000 | INSULATOR ROUND NS5W 0208 | 4.0 EA | |
| 516 0081 000 | CAP, DISC .01UF 1KV 20% | 1.0 EA | C001 |
| 550 0071 000 | POT, 50K OHM 2W | 1.0 EA | R001 |
| 550 0073 000 | POT, 100K OHM 2W | 1.0 EA | R004 |
| 550 0077 000 | POT, 500K OHM 2W | 2.0 EA | R003 R005 |
| 598 0222 000 | MODULE, ESCUTCHEON | 1.0 EA | |
| 604 0884 000 | SW, PB SPST | 1.0 EA | S002 |
| 632 1096 000 | MTR MULTI, 3-1/2", B | 1.0 EA | |
| 650 0028 000 | KNOB RD SKIRT 1.135" DIA | 1.0 EA | |
| 814 8544 001 | SUPPORT | 1.0 EA | |
| 817 1527 040 | RUNNING LIST MULT PNL | 0.0 EA | |
| 822 0493 001 | GLASS, WINDOW | 1.0 EA | |
| 829 4198 001 | BRACKET | 1.0 EA | |
| 852 9084 002 | DIAG WIRING DRVR CAB | 0.0 EA | |
| 929 9583 082 | PANEL ASSY, MULTIMETER | 1.0 EA | |
| 992 5417 001 | MULTIMETER ASSY | 1.0 EA | A001 |

Table 1-336. SUPPORT - 814 8544 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 0.191250 LB | |

Table 1-337. GLASS, WINDOW - 822 0493 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.250 SF | |

Table 1-338. BRACKET - 829 4198 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.332050 LB | |

Table 1-339. PANEL ASSY, MULTIMETER - 929 9583 082

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 2.2330 LB | |
| 358 0944 000 | STUD 8-32 X 3/8 | 6.0 EA | |
| 358 1013 000 | STUD 4-40 X 3/8 | 2.0 EA | |
| 646 0569 000 | REPLACE WITH 646-1301-201 | 1.0 EA | |
| 829 9583 096 | STENCIL | 0.0 EA | |
| 839 4646 001 | STENCIL, PNL | 0.0 EA | |
| 839 6678 062 | PANEL MULTIMETER | 0.0 EA | |
| 839 6678 063 | SILKSCREEN DRIVER MULTI | 0.0 EA | |

Table 1-340. MULTIMETER ASSY - 992 5417 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 548 0593 000 | RES 10 OHM 2.5W 1% | 2.0 EA | R17 R8 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 1.0 EA | R13 |
| 600 0575 000 | SW, ROTARY 12 POS | 1.0 EA | S1 |
| 829 3915 001 | SCHEMATIC | 0.0 EA | |
| 992 5418 001 | PC BD ASSY | 1.0 EA | |
| 999 1880 001 | WIRE LIST | 1.0 EA | |

Table 1-341. PC BD ASSY - 992 5418 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 384 0286 000 | RECT SILICON 1N4721 ESD | 3.0 EA | CR1 CR2 CR3 |
| 548 1255 000 | *RES 5 MEG OHM 1/2W 1% | 5.0 EA | R10 R11 R12 R5 R9 |
| 548 1258 000 | RES 1.13 MEG OHM 3/4W 1% | 1.0 EA | R2 |
| 548 2400 496 | RES 97.6K OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 539 | RES 249K OHM 1/2W 1% | 1.0 EA | R1 |
| 548 2400 551 | RES 332K OHM 1/2W 1% | 3.0 EA | R14 R15 R16 |
| 829 3915 001 | SCHEMATIC | 0.0 EA | |
| 929 7571 001 | PRTD PC BD ASSY | 1.0 EA | |

Table 1-342. PRTD PC BD ASSY - 929 7571 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 30.0 EA | |
| 839 5114 001 | PC BOARD | 1.0 EA | |

Table 1-343. WIRE LIST - 999 1880 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 254 0001 000 | WIRE, BUS CU 22AWG | 0.50 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 5.350 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 1.250 FT | |
| 296 0258 000 | TUBING TEFLON 19AWG | 1.570 FT | |

Table 1-344. IPA ASSY - 992 5594 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 306 0004 000 | NUT, HEX 6-32 | 1.0 EA | |
| 336 1210 000 | SCREW 6-32 X 5/8 | 16.0 EA | |
| 350 0037 000 | RIVET POP .125X.265 | 4.0 EA | |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 2.0 EA | |
| 358 0066 000 | STUD 85 OVAL HEAD | 2.0 EA | |
| 358 0185 000 | RECEPTACLE 85 SPRING | 2.0 EA | |
| 358 0410 000 | RETAINER 85 ALL HDS | 2.0 EA | |
| 358 0420 000 | SPACER, ROLLED 1/4 L | 4.0 EA | |
| 358 0801 000 | WASHER WEAR 85 NYLON | 2.0 EA | |
| 358 1795 000 | PIN, HARDENED DOWEL | 2.0 EA | |
| 358 2104 000 | CARD GUIDE | 9.0 EA | |
| 358 2105 000 | CARD GUIDE | 9.0 EA | |
| 358 2174 000 | CARD GUIDE, METAL 9 IN. | 12.0 EA | |
| 358 2175 000 | CARD GUIDE, METAL 10 IN. | 12.0 EA | |
| 424 0005 000 | GROMMET 3/4 MTG DIA | 1.0 EA | |

| | | | |
|--------------|--------------------------|--------|-----------|
| 424 0016 000 | GROMMET 1-1/8 MTG D. | 1.0 EA | |
| 516 0080 000 | CAP DISC .01UF 600V | 1.0 EA | C001 |
| 620 0208 000 | ADPT, STRAIGHT N UG-30/U | 2.0 EA | J005 J006 |
| 632 1095 000 | MTR MULTI, 2-1/2", B | 1.0 EA | |
| 650 0028 000 | KNOB RD SKIRT 1.135" DIA | 2.0 EA | |
| 813 4999 021 | STDOFF 6-32X3/16 1/4 HEX | 7.0 EA | |
| 816 8977 001 | BUSHING, STOPLING | 2.0 EA | |
| 829 3574 001 | ANGLE, METERING BD. | 1.0 EA | |
| 829 4304 001 | PLATE, AIR DAM | 3.0 EA | |
| 829 7924 001 | SPACER | 2.0 EA | |
| 829 7925 001 | SPACER | 1.0 EA | |
| 829 7998 001 | ANGLE, REAR | 2.0 EA | |
| 829 8440 165 | AIR DAM | 1.0 EA | |
| 829 8860 001 | BLOCK, SUPPORT | 1.0 EA | |
| 839 3844 001 | BLOCK, UPPER TRIM | 1.0 EA | |
| 839 3856 001 | BLOCK, LOWER TRIM | 1.0 EA | |
| 839 3902 001 | FIXTURE, ALIGNMENT | 0.0 EA | |
| 839 4906 001 | MODULE, BLANK | 2.0 EA | |
| 839 5437 001 | COVER, TOP IPA | 1.0 EA | |
| 839 5439 001 | COVER, BOT IPA | 1.0 EA | |
| 839 5499 001 | PANEL, REAR | 1.0 EA | |
| 843 2521 001 | PLATE, BOTTOM | 1.0 EA | |
| 852 8900 008 | SCHEMATIC, IPA | 0.0 EA | |
| 916 8974 001 | STOP LINK | 2.0 EA | |
| 917 0729 001 | CHAN, BOT IPA | 1.0 EA | |
| 929 4703 001 | CHASSIS ASSY | 1.0 EA | |
| 929 7997 001 | SIDE, IPA | 1.0 EA | |
| 929 7997 002 | SIDE, PA | 1.0 EA | |
| 939 3875 002 | PANEL ASSY, FRONT | 1.0 EA | |
| 992 5286 002 | PWB, METERING | 1.0 EA | A002 |
| 992 5968 002 | MOTHER BOARD | 1.0 EA | A001 |

Table 1-345. STDOFF 6-32X3/16 1/4 HEX - 813 4999 021

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.000982 LB | |

Table 1-346. BUSHING, STOPLING - 816 8977 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 020 | AL, HEX .375 | 0.004410 LB | |

Table 1-347. ANGLE, METERING BD. - 829 3574 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.134850 LB | |

Table 1-348. PLATE, AIR DAM - 829 4304 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.10440 LB | |

Table 1-349. SPACER - 829 7924 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 012 | AL, RECT .250 X 2.5 | 0.908250 LB | |

Table 1-350. SPACER - 829 7925 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 026 1320 020 | RECT, NYLON .250 X 1.50 | 1.03110 FT | |

Table 1-351. ANGLE, REAR - 829 7998 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 066 | AL, EXTRUSION MTG | 0.51870 LB | |

Table 1-352. AIR DAM - 829 8440 165

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.107590 LB | |

Table 1-353. BLOCK, SUPPORT - 829 8860 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1320 010 | AL, RECT .250 X .500 | 0.01890 LB | |

Table 1-354. BLOCK, UPPER TRIM - 839 3844 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 056 | AL, EXTRUSION | 1.8690 FT | |

Table 1-355. BLOCK, LOWER TRIM - 839 3856 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 057 | AL, EXTRUSION | 1.8690 FT | |

Table 1-356. MODULE, BLANK - 839 4906 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 010 | BRS, SH .0403 | 2.36350 LB | |

Table 1-357. COVER, TOP IPA - 839 5437 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 2.7260 LB | |

Table 1-358. COVER, BOT IPA - 839 5439 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 2.85650 LB | |

Table 1-359. PANEL, REAR - 839 5499 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 6.3510 LB | |

Table 1-360. PLATE, BOTTOM - 843 2521 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 4.27750 LB | |

Table 1-361. STOP LINK - 916 8974 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 310 0016 000 | WASHER FLAT #4 | 2.0 EA | |
| 350 0085 000 | RIVET .125D X .25 LG | 1.0 EA | |
| 816 8975 001 | LINK | 1.0 EA | |
| 816 8976 001 | ANGLE | 1.0 EA | |

Table 1-362. LINK - 816 8975 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.042195 LB | |

Table 1-363. ANGLE - 816 8976 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.061625 LB | |

Table 1-364. CHAN, BOT IPA - 917 0729 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.6090 LB | |
| 324 0256 000 | NUT, PEM 6-32 | 6.0 EA | |
| 817 0729 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 829 7900 001 | CHAN BOT | 0.0 EA | |

Table 1-365. CHASSIS ASSY - 929 4703 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 5.32150 LB | |
| 358 0987 000 | STUD 6-32 X 3/4 | 7.0 EA | |
| 829 4703 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 2968 001 | CHASSIS, MAIN FRAME | 0.0 EA | |

Table 1-366. SIDE, IPA - 929 7997 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 4.10350 LB | |
| 324 0143 000 | NUT, PEM 6-32 | 4.0 EA | |
| 829 7997 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 3481 001 | SIDE | 0.0 EA | |

Table 1-367. SIDE, PA - 929 7997 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 4.10350 LB | |
| 324 0143 000 | NUT, PEM 6-32 | 4.0 EA | |
| 829 7997 002 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 3481 002 | SIDE | 0.0 EA | |

Table 1-368. PANEL ASSY, FRONT - 939 3875 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 059 | AL, EXTRUSION | 1.890 FT | |
| 358 1013 000 | STUD 4-40 X 3/8 | 4.0 EA | |
| 358 1101 000 | STUD 6-32 X 1/2 | 2.0 EA | |
| 839 3875 002 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 2717 001 | PANEL, FRONT | 0.0 EA | |

Table 1-369. PWB, METERING - 992 5286 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|---|
| 516 0453 000 | CAP .1UF 100V 20% X7R | 5.0 EA | C001 C002 C003 C004 C005 |
| 548 2400 309 | RES 1.21K OHM 1/2W 1% | 2.0 EA | R013 R014 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 4.0 EA | R003 R006 R009 R012 |
| 548 2400 566 | RES 475K OHM 1/2W 1% | 8.0 EA | R001 R002 R004 R005 R007 R008 R010 R011 |
| 600 0591 000 | SWITCH, ROTARY | 1.0 EA | S002 |
| 600 0592 000 | SWITCH, ROTARY | 1.0 EA | S001 |
| 610 0954 000 | HEADER 40 PIN PCB MT | 1.0 EA | J001 |
| 852 8742 001 | SCHEMATIC | 0.0 EA | |
| 939 5062 002 | ASSY, PWB METERING BD | 1.0 EA | |

Table 1-370. ASSY, PWB METERING BD - 939 5062 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 2.0 EA | |
| 839 5062 002 | PWB, METERING BD | 1.0 EA | |

Table 1-371. MOTHER BOARD - 992 5968 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|--|
| 254 0003 000 | WIRE, BUS CU 18AWG | 1.0 FT | |
| 358 1214 000 | SCREWLOCK, FEMALE | 2.0 EA | |
| 494 0218 000 | CHOKE WIDE BAND | 2.0 EA | L001 L002 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 4.0 EA | C001 C002 C003 C004 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 4.0 EA | R001 R002 R003 R004 |
| 610 0690 000 | PLUG 25 PIN | 1.0 EA | J015 |
| 610 0954 000 | HEADER 40 PIN PCB MT | 1.0 EA | J013 |
| 612 0785 000 | RECP 15 CONT | 1.0 EA | J014 |
| 612 0945 000 | CONN, PC, 44 CONT | 12.0 EA | J001 J002 J003 J004 J005 J006 J007 J008 J009 J010 J011 J012 |
| 614 0714 000 | TERM BD 20C 1ROW PC MT | 1.0 EA | TB001 |
| 852 8900 008 | SCHEMATIC, IPA | 0.0 EA | |
| 943 3730 070 | BD, IPA MOTHERBD | 1.0 EA | |
| 999 1863 001 | HARDWARE LIST | 1.0 EA | |

Table 1-372. BD, IPA MOTHERBD - 943 3730 070

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|--------------------------|--------|---------------------------|
| 354 0336 000 | TERMINAL, SOLDER | 6.0 EA | |
| 843 3730 070 | ASSY INSTR, IPA MOTHERBD | 1.0 EA | |

Table 1-373. HARDWARE LIST - 999 1863 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|----------------------|---------|---------------------------|
| 302 0052 000 | SCR, 4-40 X 1/4 | 24.0 EA | |
| 302 0110 000 | SCR, 6-32 X 3/4 | 2.0 EA | |
| 306 0004 000 | NUT, HEX 6-32 | 2.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 2.0 EA | |

Table 1-374. SCREEN SUPPLY, DRIVER - 992 5595 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-------------------------------|---------|---------------------------|
| 300 1542 000 | SCR, 6-32 X 3/4 | 4.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 10.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 4.0 EA | |
| 354 0633 000 | CONTACT, PIN | 15.0 EA | |
| 357 0042 000 | WASHER NYLON-SHLDR | 4.0 EA | |
| 380 0215 000 | XSTR, 2N3439 ESD | 2.0 EA | Q1 Q4 |
| 380 0534 000 | XSTR, 2N3902 ESD | 2.0 EA | Q2 Q3 |
| 382 0184 000 | IC, 340T-5/7805 +5V REG ESD | 1.0 EA | U1 |
| 384 0253 000 | RECTIFIER 1N4007 ESD | 1.0 EA | CR9 |
| 386 0084 000 | ZENER, 1N4761A 75V ESD | 1.0 EA | CR10 |
| 386 0103 000 | ZNR 1N3350A 200V 50W 10% ESD | 4.0 EA | CR1 CR3 CR5 CR7 |
| 386 0397 000 | ZNR 1N3340RA 100V 50W 10% ESD | 4.0 EA | CR2 CR4 CR6 CR8 |
| 404 0684 000 | HEAT SINK 1/4-28 TAP | 4.0 EA | |
| 410 0232 000 | INSULATOR TO-3 MICA | 2.0 EA | |
| 522 0572 000 | CAP 3.3UF 50V 20% | 1.0 EA | C1 |
| 540 0581 000 | * RES 56 OHM 2W 5% | 1.0 EA | R4 |
| 540 0601 000 | * RES 390 OHM 2W 5% | 1.0 EA | R3 |
| 542 0072 000 | RES 750 OHM 5% 12W | 1.0 EA | R8 |
| 542 0163 000 | RES 100K OHM 5% 20W | 1.0 EA | R1 |
| 550 0292 000 | POT 1K OHM .75W 10% | 1.0 EA | R7 |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA | J1 |
| 612 0775 000 | JACK, PC MT, .040 PINS | 4.0 EA | |
| 614 0048 000 | TERM BD 4 TERM | 1.0 EA | TB1 |
| 829 7393 001 | SCHEMATIC | 0.0 EA | |
| 917 0826 001 | HEATSINK MOD | 1.0 EA | |
| 943 3208 001 | P.C. BOARD | 1.0 EA | |
| 999 2091 001 | HARDWARE LIST | 1.0 EA | |
| 999 2092 001 | WIRE LIST | 1.0 EA | |

Table 1-375. HEATSINK MOD - 917 0826 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-----------------------|--------|---------------------------|
| 404 0692 000 | HEAT SINK - DUAL T0-3 | 1.0 EA | |

Table 1-376. P.C. BOARD - 943 3208 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0336 000 | TERMINAL, SOLDER | 8.0 EA | |
| 843 3207 001 | PRINTED BD. | 1.0 EA | |

Table 1-377. HARDWARE LIST - 999 2091 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1542 000 | SCR, 6-32 X 3/4 | 4.0 EA | |
| 300 1563 000 | SCR, 8-32 X 3/8 | 3.0 EA | |
| 302 0130 000 | SCR, 8-32 X 3/8 | 16.0 EA | |
| 302 0133 000 | SCR, 8-32 X 3/4 | 2.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 8.0 EA | |
| 304 0090 000 | NUT, HEX 8-32 | 3.0 EA | |
| 306 0005 000 | NUT, HEX 8-32 | 2.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 12.0 EA | |
| 308 0006 000 | NO 8 FLAT WASHER BRS | 3.0 EA | |
| 310 0006 000 | WASHER FLAT 8 | 20.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 8.0 EA | |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 3.0 EA | |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 2.0 EA | |
| 324 0074 000 | NUT U TYPE 8-32 | 16.0 EA | |

Table 1-378. WIRE LIST - 999 2092 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 6.50 FT | |
| 354 0009 000 | LUG #8 RING BLUE 16-14AWG | 6.0 EA | |
| 354 0016 000 | LUG BLUE SPADE 8 | 2.0 EA | |

Table 1-379. CABLE, PKG - DRV CUBICLE - 992 8066 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 929 7172 001 | CABLE, RIBBON 40 COND | 1.0 EA | |
| 929 7173 001 | CABLE, COAX | 1.0 EA | |
| 929 7173 002 | CABLE, COAX | 1.0 EA | |
| 929 7173 003 | CABLE, COAX | 1.0 EA | |
| 929 7173 004 | CABLE, COAX | 1.0 EA | |
| 929 7173 008 | CABLE ASSY | 1.0 EA | |
| 929 7173 013 | CABLE COAX | 1.0 EA | |
| 929 7173 014 | CABLE COAX | 1.0 EA | |
| 929 7173 015 | CABLE COAX | 1.0 EA | |
| 929 7173 016 | CABLE COAX | 1.0 EA | |
| 929 7178 001 | CABLE ASSY | 1.0 EA | |
| 929 7509 002 | CABLE ASSY | 1.0 EA | |
| 929 7762 001 | CABLE ASSY, IPA TNT | 1.0 EA | |
| 929 7766 001 | CABLE ASSY, H.V. | 1.0 EA | |
| 929 7767 002 | CABLE ASSY RF | 1.0 EA | |
| 929 8801 001 | CABLE, WIB | 1.0 EA | |
| 929 9583 089 | CABLE, MULTIMETER PANEL | 1.0 EA | |
| 929 9583 093 | CABLE, CONT/BKR PANEL | 1.0 EA | |
| 929 9583 111 | CABLE, DRIVER MAIN | 1.0 EA | |
| 999 1886 001 | WIRE/TUBING LIST | 1.0 EA | |

Table 1-380. CABLE, RIBBON 40 COND - 929 7172 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 250 0269 000 | CABLE, RIBBON 40C 28AWG | 2.70 FT | |
| 612 0897 000 | RECP CONN KIT 40 PIN | 2.0 EA | |

Table 1-381. CABLE, COAX - 929 7173 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 612 0419 000 | JACK, BULKHEAD UG-909/U | 1.0 EA | |
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 1.30 FT | DIM A - 15.0 |
| 620 0502 000 | PLUG BNC UG-88/U | 1.0 EA | |
| 817 2446 001 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 001 | MARKER CABLE | 1.0 EA | |
| 829 7624 002 | MARKER CABLE | 1.0 EA | |

Table 1-382. MARKER CABLE - 829 7624 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-383. MARKER CABLE - 829 7624 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-384. CABLE, COAX - 929 7173 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 0.50 FT | DIM A = 6.0 |
| 620 0545 000 | JACK, BULKHEAD, BNC | 1.0 EA | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 817 2446 002 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 007 | MARKER CABLE | 1.0 EA | |
| 829 7624 008 | MARKER CABLE | 1.0 EA | |

Table 1-385. MARKER CABLE - 829 7624 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |

Table 1-386. MARKER CABLE - 829 7624 008

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |

Table 1-387. CABLE, COAX - 929 7173 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.30 FT | DIM A = 15.0 |
| 620 0545 000 | JACK, BULKHEAD, BNC | 1.0 EA | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 817 2446 002 | ASSY INSTR, COAX CABLE | 0.0 EA | |

| | | |
|--------------|--------------|--------|
| 829 7624 003 | MARKER CABLE | 1.0 EA |
| 829 7624 004 | MARKER CABLE | 1.0 EA |

Table 1-388. MARKER CABLE - 829 7624 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |

Table 1-389. MARKER CABLE - 829 7624 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |

Table 1-390. CABLE, COAX - 929 7173 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 0.80 FT | DIM A = 10.0 |
| 620 0545 000 | JACK, BULKHEAD, BNC | 1.0 EA | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 817 2446 002 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 011 | MARKER CABLE | 1.0 EA | |
| 829 7624 012 | MARKER CABLE | 1.0 EA | |

Table 1-391. MARKER CABLE - 829 7624 011

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |

Table 1-392. MARKER CABLE - 829 7624 012

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |

Table 1-393. CABLE ASSY - 929 7173 008

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 612 0419 000 | JACK, BULKHEAD UG-909/U | 1.0 EA | |
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 3.0 FT | DIM A = 36.0 |
| 620 0502 000 | PLUG BNC UG-88/U | 1.0 EA | |
| 817 2446 001 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 013 | MARKER CABLE | 1.0 EA | |
| 829 7624 014 | MARKER CABLE | 1.0 EA | |

Table 1-394. MARKER CABLE - 829 7624 013

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-395. MARKER CABLE - 829 7624 014

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-396. CABLE COAX - 929 7173 013

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 1.50 FT | DIM A = 18.0 |
| 620 1951 000 | STRAIGHT PLUG BNC CRIMP | 1.0 EA | |
| 620 1962 000 | JACK, BNC BULKHEAD | 1.0 EA | |
| 817 2446 001 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 005 | MARKER CABLE | 1.0 EA | |
| 829 7624 006 | MARKER CABLE | 1.0 EA | |

Table 1-397. MARKER CABLE - 829 7624 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-398. MARKER CABLE - 829 7624 006

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-399. CABLE COAX - 929 7173 014

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 1.50 FT | DIM A = 18.0 |
| 620 1951 000 | STRAIGHT PLUG BNC CRIMP | 1.0 EA | |
| 620 1962 000 | JACK, BNC BULKHEAD | 1.0 EA | |
| 817 2446 001 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 009 | MARKER CABLE | 1.0 EA | |
| 829 7624 010 | MARKER CABLE | 1.0 EA | |

Table 1-400. MARKER CABLE - 829 7624 009

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-401. MARKER CABLE - 829 7624 010

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-402. CABLE COAX - 929 7173 015

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.30 FT | DIM A = 15.0 |
| 620 0545 000 | JACK, BULKHEAD, BNC | 1.0 EA | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 817 2446 002 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 021 | MARKER CABLE | 1.0 EA | |
| 829 7624 022 | MARKER CABLE | 1.0 EA | |

Table 1-403. MARKER CABLE - 829 7624 021

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |

Table 1-404. MARKER CABLE - 829 7624 022

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |

Table 1-405. CABLE COAX - 929 7173 016

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 1.0 FT | DIM A = 12.0 |
| 620 0502 000 | PLUG BNC UG-88/U | 2.0 EA | |
| 817 2446 004 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 017 | MARKER CABLE | 1.0 EA | |
| 829 7624 018 | MARKER CABLE | 1.0 EA | |

Table 1-406. MARKER CABLE - 829 7624 017

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-407. MARKER CABLE - 829 7624 018

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-408. CABLE ASSY - 929 7178 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 23.0 FT | |
| 296 0260 000 | TUBING, SHRINK 3/32 WHITE | 1.0 FT | |
| 354 0338 000 | LUG 4 RING RED | 1.0 EA | |
| 354 0384 000 | CONTACT, PIN | 14.0 EA | |
| 354 0385 000 | CONTACT, SOCKET | 15.0 EA | |
| 408 0223 000 | SHIELD 15 POSITION | 2.0 EA | |
| 484 0063 000 | FILTER RFI 12 SECTION | 1.0 EA | FL1 |
| 610 0538 000 | PLUG 15 POS | 1.0 EA | P2 |
| 612 0543 000 | RECEPTACLE 205205-1 | 1.0 EA | P1 |
| 829 7178 001 | ASSY INSTR, CADS | 0.0 EA | |
| 839 5292 001 | CABLE LAYOUT | 0.0 EA | |

Table 1-409. CABLE ASSY - 929 7509 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 252 0008 000 | WIRE, STRD 10AWG GRY | 40.30 FT | |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.20 FT | |
| 296 0287 000 | TUBG SHRINKABLE 3/16 | 0.50 FT | |
| 354 0028 000 | TERM LUG YEL SPADE 6 | 8.0 EA | |
| 354 0325 000 | LUG, .25 RING YEL 12-10AWG | 4.0 EA | |
| 354 0652 000 | CONTACT | 8.0 EA | |
| 610 0774 000 | PLUG 4 POSITION | 2.0 EA | P5 P6 |

Table 1-410. CABLE ASSY, IPA TNT - 929 7762 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 5.0 FT | |
| 252 0008 000 | WIRE, STRD 10AWG GRY | 16.50 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.10 FT | |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.20 FT | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 4.0 EA | |
| 354 0028 000 | TERM LUG YEL SPADE 6 | 10.0 EA | |
| 354 0644 000 | CONTACT, MALE PIN | 4.0 EA | |
| 354 0652 000 | CONTACT | 8.0 EA | |
| 610 0818 000 | HSG PLUG 6C 2 ROW | 1.0 EA | |
| 612 0941 000 | HOUSING, CAP 4 POS | 2.0 EA | |
| 839 5239 001 | CABLE LAYOUT | 0.0 EA | |

Table 1-411. CABLE ASSY, H.V. - 929 7766 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 255 0001 000 | WIRE, TURBO 18AWG RED | 7.50 FT | |
| 255 0002 000 | WIRE, TURBO 12AWG BRN | 24.0 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 8.60 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |
| 354 0009 000 | LUG #8 RING BLUE 16-14AWG | 2.0 EA | |
| 354 0020 000 | *LUG, RING #10 18/16 AWG | 2.0 EA | |
| 354 0245 000 | TERM LUG YEL RING 10 | 9.0 EA | |
| 354 0255 000 | LUG 6 RING YEL | 10.0 EA | |
| 354 0259 000 | LUG 6 RING | 4.0 EA | |
| 354 0262 000 | LUG 8 RING | 1.0 EA | |
| 354 0644 000 | CONTACT, MALE PIN | 1.0 EA | |
| 354 0645 000 | CONTACT, FEMALE PIN | 1.0 EA | |
| 610 0765 000 | HOUSING, PLUG CONN | 1.0 EA | |
| 612 0924 000 | HOUSING, CAP CONN | 1.0 EA | |
| 817 0668 001 | RUNNING LIST | 0.0 EA | |
| 829 7766 001 | CADS (W3) ASSY INSTR | 0.0 EA | |
| 852 8797 001 | CABLE LAYOUT | 0.0 EA | |

Table 1-412. CABLE ASSY RF - 929 7767 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 253 0059 000 | CABLE, 2C 22AWG AUDIO | 6.70 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 1.90 FT | |
| 296 0263 000 | TUBING, SHRINK 3/8 WHITE | 1.20 FT | |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.20 FT | |
| 296 0265 000 | TUBING, SHRINK 1/16 WHITE | 0.20 FT | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 3.0 EA | |
| 610 0182 000 | CONN, XLR TYPE 3-C A3M | 1.0 EA | |
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 42.90 FT | |
| 618 0188 000 | COAX CABLE RG213, 50 OHM | 1.20 FT | |
| 618 0210 000 | COAX CABLE RG142B, 50 OHM | 16.50 FT | |
| 618 0211 000 | COAX CABLE RG59B, 75 OHM | 36.20 FT | |
| 620 0412 000 | PLUG BNC UG 913/U | 2.0 EA | |

| | | |
|--------------|-------------------------|---------|
| 620 1948 000 | PLUG, STRAIGHT TYPE N | 2.0 EA |
| 620 1951 000 | STRAIGHT PLUG BNC CRIMP | 22.0 EA |
| 620 1952 000 | STRAIGHT PLUG BNC CRIMP | 10.0 EA |
| 620 1962 000 | JACK, BNC BULKHEAD | 6.0 EA |
| 620 1963 000 | JACK, BNC BULKHEAD | 4.0 EA |
| 829 7767 002 | CADS | 0.0 EA |
| 852 8798 002 | CABLE LAYOUT RF WIRES | 0.0 EA |

Table 1-413. CABLE, WIB - 929 8801 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 128.70 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |
| 354 0001 000 | LUG #6 RING RED 22-18 AWG | 2.0 EA | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 23.0 EA | |
| 354 0385 000 | CONTACT, SOCKET | 20.0 EA | |
| 354 0624 000 | TERMINAL, MALE | 3.0 EA | |
| 408 0225 000 | SHIELD 25 POSITION | 1.0 EA | |
| 610 0738 000 | PLUG HOUSING | 1.0 EA | P21 |
| 612 0544 000 | RECEPTACLE 205207-1 | 1.0 EA | |
| 829 8801 001 | ASSY INSTR, WIB | 0.0 EA | |
| 852 8961 001 | CABLE LAYOUT | 0.0 EA | |

Table 1-414. CABLE, MULTIMETER PANEL - 929 9583 089

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 31.0 FT | |
| 253 0059 000 | CABLE, 2C 22AWG AUDIO | 2.50 FT | |
| 253 0081 000 | WIRE, 3C 22AWG STRD | 1.20 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 1.0 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.30 FT | |
| 296 0260 000 | TUBING, SHRINK 3/32 WHITE | 0.30 FT | |
| 354 0365 000 | * CONTACT 61061-5 | 29.0 EA | |
| 354 0644 000 | CONTACT, MALE PIN | 1.0 EA | |
| 354 0645 000 | CONTACT, FEMALE PIN | 1.0 EA | |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 3.0 EA | J001 J002 J003 |
| 610 0765 000 | HOUSING, PLUG CONN | 1.0 EA | P001 |
| 612 0924 000 | HOUSING, CAP CONN | 1.0 EA | P002 |
| 817 1527 040 | RUNNING LIST MULT PNL | 0.0 EA | |
| 829 9583 089 | CADS, MULTIMETER PANEL | 0.0 EA | |
| 839 6678 064 | CABLE LAYOUT, MULTIMETER | 0.0 EA | |

Table 1-415. CABLE, CONT/BKR PANEL - 929 9583 093

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 38.0 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 28.0 FT | |
| 252 0008 000 | WIRE, STRD 10AWG GRY | 74.0 FT | |
| 252 0152 000 | WIRE, THHN STRD 4AWG BLK | 5.0 FT | |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.50 FT | |
| 354 0001 000 | LUG #6 RING RED 22-18 AWG | 6.0 EA | |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 3.0 EA | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 15.0 EA | |
| 354 0006 000 | TERM LUG RED SPADE 8 | 3.0 EA | |

| | | |
|--------------|---------------------------|---------|
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 5.0 EA |
| 354 0015 000 | LUG BLUE SPADE 6 | 9.0 EA |
| 354 0016 000 | LUG BLUE SPADE 8 | 8.0 EA |
| 354 0026 000 | LUG YEL SPADE 10 | 25.0 EA |
| 354 0027 000 | TERM LUG YEL SPADE 8 | 10.0 EA |
| 354 0298 000 | LUG #10 RING YEL 4-3 AWG | 3.0 EA |
| 354 0323 000 | LUG #8 RING YEL 12-10AWG | 9.0 EA |
| 354 0324 000 | LUG #10 RING YEL 12-10AWG | 12.0 EA |
| 354 0365 000 | * CONTACT 61061-5 | 7.0 EA |
| 610 0515 000 | PLUG HSG 7 CIRCUIT | 1.0 EA |
| 817 1527 041 | RUN LIST, CONT/BKR PNL | 0.0 EA |
| 829 9583 093 | CADS | 0.0 EA |
| 852 9037 007 | CABLE LAYOUT, CONT/BKR | 0.0 EA |

Table 1-416. CABLE, DRIVER MAIN - 929 9583 111

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 250 0037 000 | CABLE, MICROPHONE 1C | 24.30 FT | |
| 250 0468 000 | CABLE, 1AWG 600V WELDING | 4.40 FT | |
| 252 0003 000 | WIRE, STRD 20AWG WHT | 720.0 FT | |
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 85.60 FT | |
| 252 0005 000 | WIRE, STRD 16AWG GREY | 14.0 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 43.80 FT | |
| 252 0008 000 | WIRE, STRD 10AWG GRY | 63.60 FT | |
| 253 0059 000 | CABLE, 2C 22AWG AUDIO | 28.40 FT | |
| 253 0081 000 | WIRE, 3C 22AWG STRD | 7.60 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 1.10 FT | |
| 296 0260 000 | TUBING, SHRINK 3/32 WHITE | 2.0 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.50 FT | |
| 296 0263 000 | TUBING, SHRINK 3/8 WHITE | 0.20 FT | |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 1.40 FT | |
| 296 0271 000 | TUBING, SHRINK 3/4 WHITE | 1.10 FT | |
| 299 0010 000 | SPIRAL PLASTIC WRAP | 1.10 FT | |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 4.0 EA | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 11.0 EA | |
| 354 0004 000 | LUG .25 RING RED 22-18AWG | 9.0 EA | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 50.0 EA | |
| 354 0006 000 | TERM LUG RED SPADE 8 | 3.0 EA | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 2.0 EA | |
| 354 0015 000 | LUG BLUE SPADE 6 | 16.0 EA | |
| 354 0016 000 | LUG BLUE SPADE 8 | 6.0 EA | |
| 354 0027 000 | TERM LUG YEL SPADE 8 | 10.0 EA | |
| 354 0028 000 | TERM LUG YEL SPADE 6 | 13.0 EA | |
| 354 0335 000 | * CONNECTOR CONTACT | 76.0 EA | |
| 354 0356 000 | LUG 1/4 HOLE CODE PINK | 7.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 3.0 EA | |
| 354 0384 000 | CONTACT, PIN | 42.0 EA | |
| 354 0592 000 | LUG 1/2 HOLE | 1.0 EA | |
| 354 0624 000 | TERMINAL, MALE | 3.0 EA | |
| 354 0625 000 | TERMINAL, FEMALE | 5.0 EA | |
| 354 0634 000 | TERM FOR .187 X .020 TAB | 4.0 EA | |
| 354 0645 000 | CONTACT, FEMALE PIN | 4.0 EA | |
| 354 0658 000 | TERMINAL PRESSURE | 10.0 EA | |
| 354 0669 000 | TERM 250 FEM RED 22-18 | 4.0 EA | |
| 408 0207 000 | SHIELD 9 POSITION | 1.0 EA | |

| | | | |
|--------------|-----------------------|---------|--|
| 408 0218 000 | SHIELD 37 POSITION | 2.0 EA | |
| 610 0451 000 | CAP CONN HSG 15 CKT | 11.0 EA | P008 P009 P010 P011 P012 P013 P014 P015 P016 P017 P02 |
| 610 0659 000 | PLUG 9 PIN | 1.0 EA | P001 |
| 610 0738 000 | PLUG HOUSING | 1.0 EA | |
| 610 0762 000 | PLUG 37 PIN | 2.0 EA | P003 P004 |
| 612 0504 000 | CAP HOUSING 7 CKT | 1.0 EA | P018 |
| 612 0885 000 | RECEPTACLE HOUSING | 2.0 EA | P019 P022 |
| 612 0984 000 | HOUSING, CAP 6 CKT | 1.0 EA | P007 |
| 829 9583 111 | DRIVER CADS ASSY INST | 0.0 EA | |
| 852 9037 009 | CABLE LAYOUT DRVR | 0.0 EA | |

Table 1-417. WIRE/TUBING LIST - 999 1886 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 026 6010 002 | EXTRUDED GROMMETING | 0.420 FT | |
| 026 6010 003 | EXTRUDED GROMMETING | 0.420 FT | |
| 041 6030 012 | CHANNEL RUBBER | 1.050 FT | |
| 252 0003 000 | WIRE, STRD 20AWG WHT | 9.90 FT | |
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 1.20 FT | |
| 252 0005 000 | WIRE, STRD 16AWG GREY | 4.80 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 2.90 FT | |
| 252 0008 000 | WIRE, STRD 10AWG GRY | 7.0 FT | |
| 252 0235 000 | WIRE, STRD 22AWG GRN | 0.50 FT | |
| 254 0002 000 | WIRE, BUS CU 20AWG | 1.0 FT | |
| 254 0017 000 | WIRE, ROPE 10AWG | 4.20 FT | |
| 255 0001 000 | WIRE, TURBO 18AWG RED | 3.20 FT | |
| 255 0002 000 | WIRE, TURBO 12AWG BRN | 17.60 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 3.0 FT | |
| 296 0018 000 | PLASTIC TUBE 5AWG CLEAR | 4.0 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.40 FT | |
| 296 0258 000 | TUBING TEFLON 19AWG | 0.40 FT | |
| 296 0259 000 | TUBING TEFLON 18 AWG | 0.70 FT | |
| 296 0261 000 | TUBING, SHRINK 1/8 WHITE | 0.70 FT | |
| 296 0310 000 | TUBING TEFLON 20 AWG | 0.30 FT | |
| 296 0344 000 | TUBG, POLYETHYLENE 1/4 OD | 11.40 FT | |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 3.0 EA | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 2.0 EA | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 1.0 EA | |
| 354 0008 000 | LUG #6 RING BLUE 16-14AWG | 1.0 EA | |
| 354 0009 000 | LUG #8 RING BLUE 16-14AWG | 2.0 EA | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 2.0 EA | |
| 354 0015 000 | LUG BLUE SPADE 6 | 13.0 EA | |
| 354 0019 000 | TERM LUG RING 8 | 1.0 EA | |
| 354 0020 000 | *LUG, RING #10 18/16 AWG | 2.0 EA | |
| 354 0026 000 | LUG YEL SPADE 10 | 4.0 EA | |
| 354 0027 000 | TERM LUG YEL SPADE 8 | 2.0 EA | |
| 354 0028 000 | TERM LUG YEL SPADE 6 | 6.0 EA | |
| 354 0245 000 | TERM LUG YEL RING 10 | 8.0 EA | |
| 354 0255 000 | LUG 6 RING YEL | 9.0 EA | |
| 354 0259 000 | LUG 6 RING | 4.0 EA | |
| 354 0262 000 | LUG 8 RING | 20.0 EA | |
| 354 0287 000 | LUG #10 RING N/INS 7-9AWG | 1.0 EA | |
| 354 0289 000 | LUG .25 RING N/INS 7-9AWG | 1.0 EA | |
| 354 0324 000 | LUG #10 RING YEL 12-10AWG | 5.0 EA | |

| | | |
|--------------|---------------------------|---------|
| 354 0325 000 | LUG,.25 RING YEL 12-10AWG | 3.0 EA |
| 354 0335 000 | * CONNECTOR CONTACT | 3.0 EA |
| 354 0669 000 | TERM 250 FEM RED 22-18 | 3.0 EA |
| 358 2184 000 | TAPE, HOOK FASTENING | 7.30 FT |

Table 1-418. POWER SUPPLY ONLY FOR - 994 9108 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|--------------------------|--------|---------------------------|
| 606 0808 000 | CB, 7.5A 250VAC 50/60HZ | 1.0 EA | |
| 817 2063 001 | EQUIP SPEC FERRO 60HZ PS | 0.0 EA | |
| 822 0446 061 | LABEL, SHIPPING | 1.0 EA | |
| 992 6656 001 | PWR SUP 24/26VDC 60HZ | 1.0 EA | |

Table 1-419. LABEL, SHIPPING - 822 0446 061

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|---------------------------|--------|---------------------------|
| 817 1895 022 | SILKSCREEN SHIPPING LABEL | 0.0 EA | |

Table 1-420. PWR SUP 24/26VDC 60HZ - 992 6656 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-------------------------------|--------|----------------------------------|
| 250 0086 000 | PLUG/CORD MOLDED BLACK | 1.0 EA | #B001 |
| 302 0390 000 | SCR 6-32 X 1-3/4 | 4.0 EA | #B001 |
| 302 0615 000 | SCR, 10-32 X 3/8 | 6.0 EA | #T001 |
| 335 0266 000 | WASHER SHOULDER .375 ID | 2.0 EA | |
| 335 0267 000 | WASHER SHOULDER .266 ID | 2.0 EA | |
| 335 0268 000 | INSULATOR SIL-PAD DO-5 | 2.0 EA | #SCR001 |
| 358 1765 000 | BUSHING, TEFLON | 1.0 EA | #SCR1 |
| 358 3086 000 | STANDOFF-MALE/FEMALE 6-32 | 6.0 EA | |
| 358 3089 000 | STANDOFF-MALE/FEMALE 6-32 | 2.0 EA | |
| 380 0669 000 | XSTR, NPN PWR, 300 WATT, ESD | 4.0 EA | Q001 Q002 Q003 Q004 |
| 384 0615 000 | RECT. SCR ESD | 1.0 EA | SCR001 |
| 384 0761 000 | BRIDGE, FW 100A 200V ESD | 1.0 EA | CR001 |
| 410 0391 000 | INSULATOR TRANSISTOR T03 | 4.0 EA | #Q001 #Q002 #Q003 #Q004 |
| 424 0017 000 | GROMMET 5/16 MTG DIA | 1.0 EA | #B001 |
| 430 0030 000 | *FAN 115VAC 106CFM 4.69SQ | 1.0 EA | B001 |
| 430 0192 000 | FINGER GUARD, 119MM FAN | 1.0 EA | #B001 |
| 472 1580 000 | XFMR, PWR, P13965 | 1.0 EA | T001 |
| 476 0415 000 | CH, 0.4MH 30A | 1.0 EA | L001 |
| 484 0370 000 | FILTER AC LINE 120/250VAC | 1.0 EA | FL001 |
| 510 0766 000 | CAPACITOR 12UF 660VAC 50/60HZ | 1.0 EA | C001 |
| 516 0074 000 | CAP, DISC .005UF 1KV 20% | 1.0 EA | C018 |
| 516 0087 000 | CAP DISC .05UF 600V | 1.0 EA | C009 |
| 522 0346 000 | CAP 500 UF 50V | 1.0 EA | C008 |
| 524 0347 000 | CAP 36KUF 40V | 3.0 EA | C002 C003 C004 |
| 530 0089 000 | * BRACKET, CAP, 2"ID | 3.0 EA | #C002 #C003 #C004 |
| 542 1592 000 | RES 50.0 OHM 40W 10% | 1.0 EA | R038 |
| 544 1633 000 | RES 300 OHM 10W 5% | 1.0 EA | R037 |
| 546 0306 000 | RES, .1 OHM 25W 1% | 1.0 EA | R036 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 1.0 EA | R039 |
| 559 0051 000 | POSISTOR 100 OHM 90 DEG C | 1.0 EA | RT001 |
| 560 0036 000 | MOV 6500A 80J - 150 VAC | 2.0 EA | RV001 RV002 |
| 606 0808 000 | CB, 7.5A 250VAC 50/60HZ | 0.0 EA | CB001 USE ONLY WITH 994-9108-001 |
| 614 0805 000 | STRIP, TERM 3 POS | 1.0 EA | TB002 |

| | | | |
|--------------|---------------------------|--------|-------------------------|
| 646 1301 201 | LABEL, DANGER HI VOLTAGE | 2.0 EA | #USED ON WIRE FOR C1 |
| 813 5608 022 | *NON STANDARD | 2.0 EA | |
| 817 1895 023 | RUNNING LIST 24V PWR SUP | 0.0 EA | |
| 817 1924 001 | RESISTOR, .02 OHM | 2.0 EA | R034 R035 |
| 817 1925 001 | RESISTOR, .032 OHM | 4.0 EA | R030 R031 R032 R033 |
| 822 0532 001 | BUS BAR, PWR SUP | 2.0 EA | |
| 822 0622 001 | STRAP | 1.0 EA | #Q001 #Q002 #Q003 #Q004 |
| 839 7048 001 | SCHEM, 24/26V POWER SUPPL | 0.0 EA | |
| 839 7495 049 | SPACER, TRANS SOCKET | 1.0 EA | |
| 843 4795 001 | HEATSINK, PWR SUP MOD | 1.0 EA | |
| 917 1895 021 | BRACKET SCR MOUNTING | 1.0 EA | #SCR1 |
| 922 0446 060 | SOCKET, TRANSISTOR | 4.0 EA | #Q001 #Q002 #Q003 #Q004 |
| 922 0446 063 | BRACKET, RES. MTG. | 1.0 EA | #R036 |
| 922 0620 001 | STRAP, CAP-LONG | 1.0 EA | |
| 922 0621 001 | STRAP, GND-SHORT | 1.0 EA | |
| 922 1295 010 | BRACKET, CAP MOUNTING | 1.0 EA | #C001 |
| 943 4755 001 | CHASSIS, POWER SUPPLY | 1.0 EA | |
| 943 4756 001 | COVER, POWER SUPPLY | 1.0 EA | |
| 992 6673 001 | PWB, 24V/26V PWR SPLY | 1.0 EA | |
| 999 2503 001 | HARDWARE LIST | 1.0 EA | |
| 999 2504 001 | WIRE/TUBING LIST | 1.0 EA | |

Table 1-421. RESISTOR, .02 OHM - 817 1924 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 256 0004 000 | WIRE, CUPRON 14AWG | 0.4080 FT | |

Table 1-422. RESISTOR, .032 OHM - 817 1925 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 256 0004 000 | WIRE, CUPRON 14AWG | 0.3830 FT | |

Table 1-423. BUS BAR, PWR SUP - 822 0532 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 005 2010 010 | BRS, SQ FCB .250 X .250 | 0.09450 LB | |

Table 1-424. STRAP - 822 0622 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 003 5010 020 | CU, SH .064 X 48 X 96 | 0.0870 LB | |

Table 1-425. SPACER, TRANS SOCKET - 839 7495 049

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 030 | AL, SH .032 THK | 0.001450 LB | |

Table 1-426. HEATSINK, PWR SUP MOD - 843 4795 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 6061 028 | AL, HT SK EXTRUSION | 0.78750 FT | |

Table 1-427. BRACKET SCR MOUNTING - 917 1895 021

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.01450 LB | |
| 324 0228 000 | NUT, PRESS-IN 6-32 FLUSH | 4.0 EA | |
| 817 1895 021 | ASSY INSTR, BRKT,SCR, MTG | 0.0 EA | |

Table 1-428. SOCKET, TRANSISTOR - 922 0446 060

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 404 0776 000 | SOCKET TRANSISTOR TO-3 | 1.0 EA | |
| 822 0446 060 | MOD INST, TRANS SOCKET | 0.0 EA | |

Table 1-429. BRACKET, RES. MTG. - 922 0446 063

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.04350 LB | |
| 324 0228 000 | NUT, PRESS-IN 6-32 FLUSH | 2.0 EA | |
| 324 0229 000 | NUT, PRESS-IN 4-40 FLUSH | 3.0 EA | |
| 822 0446 063 | ASSY INSTR, BRKT,RESISTOR | 0.0 EA | |

Table 1-430. STRAP, CAP-LONG - 922 0620 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 003 5010 020 | CU, SH .064 X 48 X 96 | 0.20 LB | |
| 822 0620 001 | ASSY INST, STRAP,CAP-LONG | 0.0 EA | |

Table 1-431. STRAP, GND-SHORT - 922 0621 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 003 5010 020 | CU, SH .064 X 48 X 96 | 0.110 LB | |
| 822 0621 001 | ASSY INST,STRAP,CAP-SHORT | 0.0 EA | |

Table 1-432. BRACKET, CAP MOUNTING - 922 1295 010

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.160 LB | |
| 822 1295 010 | ASSY INSTR, BRKT CAP MTG | 0.0 EA | |

Table 1-433. CHASSIS, POWER SUPPLY - 943 4755 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 2.320 LB | |
| 324 0151 000 | NUT, PEM 10-32 | 4.0 EA | |
| 324 0163 000 | NUT, PEM 6-32 | 2.0 EA | |
| 324 0228 000 | NUT, PRESS-IN 6-32 FLUSH | 16.0 EA | |
| 358 0943 000 | STUD 6-32 X 3/8 | 10.0 EA | |
| 358 1013 000 | STUD 4-40 X 3/8 | 2.0 EA | |
| 822 0446 062 | SILKSCRN PWR SUP CHASSIS | 0.0 EA | |
| 843 4755 001 | ASSY INSTR, CHASSIS | 0.0 EA | |

Table 1-434. COVER, POWER SUPPLY - 943 4756 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|---------------------------|-----------|---------------------------|
| 001 5010 060 | AL, SH .063 THK | 3.2190 LB | |
| 646 1301 000 | LABEL, DANGER HI VOLTAGE | 1.0 EA | |
| 822 0776 001 | SILKSCREEN, PWR SUP COVER | 0.0 EA | |
| 839 7559 001 | SILKSCREEN, PWR SUP | 0.0 EA | |
| 843 4756 001 | FAB/ASSY INSTR, COVER | 0.0 EA | |

Table 1-435. PWB, 24V/26V PWR SPLY - 992 6673 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-----------------------------|--------|--|
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 1.0 EA | Q008 |
| 380 0192 000 | XSTR, MJE521 ESD | 1.0 EA | Q005 |
| 380 0244 000 | XSTR, 2N2905 ESD | 1.0 EA | Q006 |
| 382 1123 000 | IC, 723/1723 (MIL TEMP) ESD | 1.0 EA | U001 |
| 382 1127 000 | IC ADJ VOLT REG ESD | 1.0 EA | U002 |
| 382 1128 000 | IC OVR VOLT SEN MC3423 ESD | 1.0 EA | U003 |
| 384 0597 000 | RECT 1N4002 ESD | 7.0 EA | CR002 CR003 CR004 CR005 CR006 CR007 CR008 |
| 384 0784 000 | * SCR S2600B ESD | 1.0 EA | Q007 |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | #U003 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 1.0 EA | #U001 |
| 494 0218 000 | CHOKE WIDE BAND | 3.0 EA | E001 E002 E003 |
| 500 0826 000 | CAP, MICA, 120PF 500V 5% | 1.0 EA | C007 |
| 500 0844 000 | CAP, MICA, 1000PF 100V 5% | 2.0 EA | C010 C011 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 4.0 EA | C012 C013 C014 C017 |
| 522 0531 000 | CAP 1UF 50V 20% | 3.0 EA | C005 C015 C016 |
| 548 2400 134 | RES 22.1 OHM 1/2W 1% | 1.0 EA | R040 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R005 |
| 548 2400 218 | RES 150 OHM 1/2W 1% | 1.0 EA | R006 |
| 548 2400 237 | RES 237 OHM 1/2W 1% | 1.0 EA | R016 |
| 548 2400 242 | RES 267 OHM 1/2W 1% | 2.0 EA | R028 R029 |
| 548 2400 273 | RES 562 OHM 1/2W 1% | 1.0 EA | R008 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 1.0 EA | R007 |
| 548 2400 326 | RES 1.82K OHM 1/2W 1% | 2.0 EA | R017 R025 |
| 548 2400 373 | RES 5.62K OHM 1/2W 1% | 1.0 EA | R015 |
| 548 2400 378 | RES 6.34K OHM 1/2W 1% | 1.0 EA | R012 |
| 548 2400 381 | RES 6.81K OHM 1/2W 1% | 1.0 EA | R027 |
| 548 2400 383 | RES 7.15K OHM 1/2W 1% | 1.0 EA | R011 |
| 548 2400 385 | RES 7.5K OHM 1/2W 1% | 1.0 EA | R019 |
| 548 2400 389 | RES 8.25K OHM 1/2W 1% | 1.0 EA | R023 |
| 548 2400 393 | RES 9.09K OHM 1/2W 1% | 1.0 EA | R021 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R010 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 1.0 EA | R009 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 3.0 EA | R018 R020 R026 |
| 550 0927 000 | POT 2K OHM 1/2W | 4.0 EA | R013 R014 R022 R024 |
| 560 0065 000 | POSISTOR 10 OHM 24VAC 2A | 4.0 EA | R001 R002 R003 R004 |
| 604 0859 000 | SW, TGL DPDT | 1.0 EA | S001 |
| 610 1059 000 | HDR, RT ANG, 8 PIN, SQ | 2.0 EA | J001 J002 |
| 839 7048 001 | SCHEM, 24/26V POWER SUPPL | 0.0 EA | |
| 839 7519 001 | PWB, 24/26V POWER SUPPLY | 1.0 EA | |

Table 1-436. HARDWARE LIST - 999 2503 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 300 1536 000 | SCR, 6-32 X 1/4 | 1.0 EA | |
| 300 1540 000 | SCR, 6-32 X 1/2 | 4.0 EA | |
| 300 1542 000 | SCR, 6-32 X 3/4 | 5.0 EA | |
| 300 1543 000 | SCR, 6-32 X 7/8 | 3.0 EA | |
| 300 1544 000 | SCR, 6-32 X 1 | 1.0 EA | |
| 300 1575 000 | SCR, 10-32 X 3/8 | 13.0 EA | |
| 300 2059 000 | SCR, 4-40 X 5/8 | 4.0 EA | |
| 302 0053 000 | SCR, 4-40 X 5/16 | 13.0 EA | |
| 302 0105 000 | SCR, 6-32 X 5/16 | 7.0 EA | |
| 302 0106 000 | SCR, 6-32 X 3/8 | 7.0 EA | |
| 302 0108 000 | SCR, 6-32 X 1/2 | 1.0 EA | |
| 302 0109 000 | SCR, 6-32 X 5/8 | 2.0 EA | |
| 302 0285 000 | SCR, 8-32 X 1/2 | 2.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 5.0 EA | |
| 302 0352 000 | SCR, 6-32 X 1/4 | 1.0 EA | |
| 302 0380 000 | SCR, 6-32 X 5/16 | 2.0 EA | |
| 304 0009 000 | NUT, HEX 1/4-20 | 8.0 EA | |
| 304 0025 000 | NUT, HEX 1/4-28 | 3.0 EA | |
| 304 0087 000 | NUT, HEX 4-40 | 6.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 14.0 EA | |
| 306 0011 000 | NUT, STOP 6-32 | 3.0 EA | |
| 306 0016 000 | NUT, HEX KEP 6-32 | 3.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 4.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 10.0 EA | |
| 308 0007 000 | 10 FLAT WASHER BRASS | 8.0 EA | |
| 308 0009 000 | .25 FLAT WASHER BRS | 9.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 2.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 12.0 EA | |
| 312 0003 000 | WASHER, INT LOCK 4 | 12.0 EA | |
| 312 0005 000 | WASHER, INT LOCK 6 | 14.0 EA | |
| 312 0006 000 | WASHER, INT LOCK 8 | 2.0 EA | |
| 312 0009 000 | WASHER, INT LOCK 1/4 | 1.0 EA | |
| 312 0026 000 | NO 6 EXT SHAKE BRZ | 2.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 4.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 23.0 EA | |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 13.0 EA | |
| 312 0051 000 | WASHER, SPLIT-LOCK 1/4 | 8.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 4.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 12.0 EA | |
| 344 0004 000 | SCREW, SET 6-32 X 3/16 | 8.0 EA | |
| 354 0004 000 | LUG .25 RING RED 22-18AWG | 6.0 EA | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 5.0 EA | |
| 354 0011 000 | LUG BLUE RING .25 | 4.0 EA | |
| 354 0015 000 | LUG BLUE SPADE 6 | 2.0 EA | |
| 354 0140 000 | LUG SLDR .25 HOLE | 1.0 EA | |
| 354 0324 000 | LUG #10 RING YEL 12-10AWG | 3.0 EA | |
| 354 0767 000 | TERM FOR .250 X .032 TAB | 2.0 EA | |
| 356 0087 000 | CABLE TIE TY RAP | 3.0 EA | |

Table 1-437. WIRE/TUBING LIST - 999 2504 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 9.20 FT | |
| 252 0005 000 | WIRE, STRD 16AWG GREY | 4.40 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 2.20 FT | |
| 252 0008 000 | WIRE, STRD 10AWG GRY | 3.90 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.2080 FT | |
| 296 0259 000 | TUBING TEFLON 18 AWG | 0.170 FT | |
| 296 0261 000 | TUBING, SHRINK 1/8 WHITE | 0.0830 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.1040 FT | |
| 296 0267 000 | TUBING TEFLON 14 AWG | 0.5420 FT | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 3.0 EA | |
| 354 0008 000 | LUG #6 RING BLUE 16-14AWG | 1.0 EA | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 2.0 EA | |
| 354 0011 000 | LUG BLUE RING .25 | 2.0 EA | |
| 354 0015 000 | LUG BLUE SPADE 6 | 1.0 EA | |
| 354 0023 000 | LUG #6 RING YEL 12-10AWG | 1.0 EA | |
| 354 0325 000 | LUG, .25 RING YEL 12-10AWG | 2.0 EA | |
| 354 0584 000 | TERM, SQ WIRE | 14.0 EA | |
| 354 0765 000 | TERM FOR .250 X .032 TAB | 3.0 EA | |
| 354 0767 000 | TERM FOR .250 X .032 TAB | 15.0 EA | |
| 612 0526 000 | HSG, 8 CKT, SGL ROW | 2.0 EA | |

Table 1-438. HARDWARE LIST - 999 1885 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 300 1538 000 | SCR, 6-32 X 3/8 | 1.0 EA | |
| 300 1563 000 | SCR, 8-32 X 3/8 | 14.0 EA | |
| 300 1565 000 | SCR, 8-32 X 1/2 | 5.0 EA | |
| 300 1575 000 | SCR, 10-32 X 3/8 | 6.0 EA | |
| 300 1577 000 | SCR, 10-32 X 1/2 | 3.0 EA | |
| 300 1578 000 | SCR, 10-32 X 5/8 | 5.0 EA | |
| 300 1582 000 | SCR, 10-32 X 1-1/8 | 1.0 EA | |
| 300 1583 000 | SCR, 10-32 X 1-1/4 | 1.0 EA | |
| 300 1648 000 | SCR, 1/4-20 X 5/8 | 10.0 EA | |
| 300 1651 000 | SCR, 1/4-20 X 1 | 2.0 EA | |
| 300 1656 000 | SCR, 1/4-20 X 2 | 1.0 EA | |
| 302 0012 000 | SCR, 2-56 X 1/4 | 4.0 EA | |
| 302 0052 000 | SCR, 4-40 X 1/4 | 8.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 5.0 EA | |
| 302 0055 000 | SCR, 4-40 X 7/16 | 6.0 EA | |
| 302 0057 000 | SCR, 4-40 X 5/8 | 26.0 EA | |
| 302 0060 000 | SCR, 4-40 X 1 | 2.0 EA | |
| 302 0104 000 | SCR, 6-32 X 1/4 | 39.0 EA | |
| 302 0105 000 | SCR, 6-32 X 5/16 | 3.0 EA | |
| 302 0106 000 | SCR, 6-32 X 3/8 | 51.0 EA | |
| 302 0108 000 | SCR, 6-32 X 1/2 | 18.0 EA | |
| 302 0109 000 | SCR, 6-32 X 5/8 | 7.0 EA | |
| 302 0130 000 | SCR, 8-32 X 3/8 | 39.0 EA | |
| 302 0132 000 | SCR, 8-32 X 5/8 | 5.0 EA | |
| 302 0133 000 | SCR, 8-32 X 3/4 | 4.0 EA | |
| 302 0138 000 | SCR, 8-32 X 1-1/2 | 1.0 EA | |
| 302 0140 000 | SCR, 10-32 X 5/16 | 1.0 EA | |
| 302 0141 000 | SCR, 10-32 X 3/8 | 24.0 EA | |

| | | |
|--------------|----------------------|----------|
| 302 0143 000 | SCR, 10-32 X 1/2 | 108.0 EA |
| 302 0144 000 | SCR, 10-32 X 5/8 | 38.0 EA |
| 302 0155 000 | SCR, 10-24 X 3/8 | 1.0 EA |
| 302 0214 000 | SCR, 1/4-20 X 5/8 | 44.0 EA |
| 302 0215 000 | SCR, 1/4-20 X 3/4 | 20.0 EA |
| 302 0216 000 | SCR, 1/4-20 X 7/8 | 4.0 EA |
| 302 0217 000 | SCR, 1/4-20 X 1 | 69.0 EA |
| 302 0220 000 | SCR, 1/4-20 X 1-1/2 | 12.0 EA |
| 302 0285 000 | SCR, 8-32 X 1/2 | 27.0 EA |
| 302 0307 000 | SCR, 5/16-18 X 1 | 4.0 EA |
| 302 0318 000 | SCR, 3/8-16 X 1.0 | 10.0 EA |
| 302 0324 000 | SCR, 3/8-16 X 2-1/2 | 2.0 EA |
| 302 0325 000 | SCR, 3/8-16 X 3.0 | 1.0 EA |
| 302 0350 000 | SCR, 4-40 X 5/16 | 4.0 EA |
| 302 0352 000 | SCR, 6-32 X 1/4 | 9.0 EA |
| 302 0359 000 | SCR, 10-32 X 3/8 | 3.0 EA |
| 302 0360 000 | SCR, 1/4-20 X 3/4 | 14.0 EA |
| 302 0364 000 | SCR, 4-40 X 3/16 | 14.0 EA |
| 302 0374 000 | SCR, 6-32 X 3/8 | 36.0 EA |
| 302 0380 000 | SCR, 6-32 X 5/16 | 7.0 EA |
| 302 0384 000 | SCR, 8-32 X 3/8 | 10.0 EA |
| 302 0385 000 | SCR, 6-32 X 1/2 | 7.0 EA |
| 302 0389 000 | SCR, 10-32 X 1/2 | 27.0 EA |
| 302 0394 000 | SCR, 10-32 X 3/4 | 5.0 EA |
| 304 0009 000 | NUT, HEX 1/4-20 | 24.0 EA |
| 304 0013 000 | NUT, HEX 1/2-13 | 5.0 EA |
| 304 0075 000 | NUT, HEX THIN 3/8-32 | 14.0 EA |
| 304 0089 000 | NUT, HEX 6-32 | 2.0 EA |
| 304 0090 000 | NUT, HEX 8-32 | 48.0 EA |
| 304 0098 000 | NUT, HEX 10-32 | 34.0 EA |
| 306 0003 000 | NUT, HEX 4-40 | 10.0 EA |
| 306 0004 000 | NUT, HEX 6-32 | 45.0 EA |
| 306 0005 000 | NUT, HEX 8-32 | 15.0 EA |
| 306 0006 000 | NUT, HEX 10-32 | 50.0 EA |
| 306 0007 000 | NUT, HEX 1/4-20 | 35.0 EA |
| 306 0008 000 | NUT, HEX 5/16-18 | 4.0 EA |
| 306 0012 000 | NUT, STOP 8-32 | 1.0 EA |
| 306 0015 000 | NUT, HEX KEP 4-40 | 3.0 EA |
| 306 0016 000 | NUT, HEX KEP 6-32 | 24.0 EA |
| 306 0017 000 | NUT, HEX KEP 8-32 | 42.0 EA |
| 306 0018 000 | NUT, HEX KEP 10-32 | 62.0 EA |
| 306 0019 000 | NUT, HEX KEP 1/4-20 | 34.0 EA |
| 306 0021 000 | NUT, HEX 3/8-16 | 7.0 EA |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 1.0 EA |
| 308 0006 000 | NO 8 FLAT WASHER BRS | 13.0 EA |
| 308 0007 000 | 10 FLAT WASHER BRASS | 29.0 EA |
| 308 0009 000 | .25 FLAT WASHER BRS | 12.0 EA |
| 310 0001 000 | WASHER, FLAT #2 | 4.0 EA |
| 310 0003 000 | WASHER, FLAT NO. 4 | 42.0 EA |
| 310 0006 000 | WASHER FLAT 8 | 95.0 EA |
| 310 0009 000 | WASHER, FLAT 1/4 | 88.0 EA |
| 310 0010 000 | WASHER FLAT .3125 | 12.0 EA |
| 310 0011 000 | WASHER, FLAT 3/8 | 14.0 EA |
| 310 0012 000 | WASHER FLAT 6 | 87.0 EA |
| 310 0013 000 | WASHER FLAT 10 | 122.0 EA |

| | | |
|--------------|---------------------------|----------|
| 310 0015 000 | WASHER, FLAT 1/4 | 16.0 EA |
| 310 0016 000 | WASHER FLAT #4 | 8.0 EA |
| 310 0017 000 | WASHER FLAT #6 | 25.0 EA |
| 312 0005 000 | WASHER, INT LOCK 6 | 37.0 EA |
| 312 0006 000 | WASHER, INT LOCK 8 | 7.0 EA |
| 312 0007 000 | WASHER, INT LOCK 10 | 9.0 EA |
| 312 0009 000 | WASHER, INT LOCK 1/4 | 7.0 EA |
| 312 0031 000 | .312 EXT SHAKE. BRZ | 2.0 EA |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 4.0 EA |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 43.0 EA |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 64.0 EA |
| 312 0051 000 | WASHER, SPLIT-LOCK 1/4 | 28.0 EA |
| 312 0055 000 | WASHER, SPLIT-LOCK 1/2 | 1.0 EA |
| 312 0068 000 | WASHER, INT-EXT LOCK 1/4 | 2.0 EA |
| 312 0070 000 | WASHER, INT-EXT LOCK 3/8 | 1.0 EA |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 4.0 EA |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 48.0 EA |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 122.0 EA |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 72.0 EA |
| 314 0007 000 | WASHER, SPLIT-LOCK 10 | 161.0 EA |
| 314 0009 000 | WASHER, SPLIT-LOCK 1/4 | 118.0 EA |
| 314 0010 000 | WASHER, SPLIT-LOCK 5/16 | 4.0 EA |
| 314 0011 000 | WASHER, SPLIT-LOCK 3/8 | 17.0 EA |
| 314 0013 000 | WASHER, INT LOCK 3/8 | 5.0 EA |
| 314 0015 000 | WASHER, SPLIT-LOCK 1/2 | 46.0 EA |
| 324 0087 000 | NUT U 4-40 | 14.0 EA |
| 328 0033 000 | WASHER FLAT STEEL | 11.0 EA |
| 335 0001 000 | WASHER NYLON .149 ID | 4.0 EA |
| 335 0007 000 | WASHER NYLON .175 ID | 14.0 EA |
| 335 0008 000 | WASHER NYLON .175 ID | 4.0 EA |
| 335 0009 000 | WASHER, NYLON .195 ID | 39.0 EA |
| 335 0010 000 | WASHER NYLON .195 ID | 4.0 EA |
| 335 0012 000 | WASHER NYLON .195 ID | 28.0 EA |
| 335 0016 000 | WASHER NYLON .261 ID | 3.0 EA |
| 335 0017 000 | WASHER NYLON .261 ID | 5.0 EA |
| 335 0041 000 | WASHER NYLON .75 ID | 4.0 EA |
| 335 0044 000 | WASHER NYLON .120 ID | 3.0 EA |
| 335 0104 000 | WASHER PLAIN .156 ID | 6.0 EA |
| 336 0493 000 | SCREW 8 X 3/8 | 5.0 EA |
| 336 1136 000 | PIN, SPRING | 4.0 EA |
| 344 0006 000 | SCREW, SET 6-32 X 3/8 | 2.0 EA |
| 350 0047 000 | RIVET, POP .125 X .390L | 8.0 EA |
| 350 0058 000 | RIVET, POP 1/8 D X .230L | 4.0 EA |
| 350 0063 000 | RIVET PULL THRU .093 | 4.0 EA |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 10.0 EA |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 2.0 EA |
| 354 0005 000 | TERM LUG RED SPADE 6 | 20.0 EA |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 9.0 EA |
| 354 0050 000 | LUG 10 MTG HOLE | 4.0 EA |
| 354 0140 000 | LUG SLDR .25 HOLE | 1.0 EA |
| 356 0002 000 | CABLE CLAMP 1/8 D | 4.0 EA |
| 356 0005 000 | CABLE CLAMP 5/16 D | 2.0 EA |
| 356 0082 000 | CABLE TIE TY RAP | 10.0 EA |
| 356 0084 000 | CABLE TY RAP | 9.0 EA |
| 356 0087 000 | CABLE TIE TY RAP | 55.0 EA |

| | | |
|--------------|---------------------------|---------|
| 356 0089 000 | CABLE TIE TY RAP | 32.0 EA |
| 356 0110 000 | CABLE CLAMP 3/4 D | 3.0 EA |
| 358 1024 000 | CABLE STRIP MOUNT | 41.0 EA |
| 424 0001 000 | GROMMET 3/8 MTG DIA | 2.0 EA |
| 424 0003 000 | GROMMET 1/2 MTG DIA | 1.0 EA |
| 424 0016 000 | GROMMET 1-1/8 MTG D. | 3.0 EA |
| 424 0024 000 | GROMMET 3/4 MTG DIA | 1.0 EA |
| 424 0031 000 | GROMMET 2.5 MTG DIA | 3.0 EA |
| 646 0569 000 | REPLACE WITH 646-1301-201 | 1.0 EA |
| 646 0972 000 | *LABEL 117V | 1.0 EA |
| 646 1250 000 | LABEL SAFETY INSTR. | 1.0 EA |

Table 1-439. P.A. CUBICLE UNIT 2 - 992 5356 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|--|
| 055 0120 004 | CONDUIT LKNUT .5 | 2.0 EA | |
| 296 0277 000 | TUBING NYLON .25 OD | 4.0 FT | |
| 302 0294 000 | SCR, 1/4-20 X 1 | 4.0 EA | |
| 356 0110 000 | CABLE CLAMP 3/4 D | 3.0 EA | |
| 356 0112 000 | CABLE CLAMP 7/8 D | 5.0 EA | |
| 358 0002 000 | BRACKET RESISTOR MTG | 2.0 EA | #R002 |
| 358 0004 000 | BRACKET RESISTOR MTG | 10.0 EA | #R001 #R002 #R003 #R004 #R005 |
| 358 0185 000 | RECEPTACLE 85 SPRING | 8.0 EA | |
| 358 0499 000 | CLAMP, HOSE | 2.0 EA | |
| 358 0966 000 | CLAMP, ADJ, SIZE 128 | 1.0 EA | |
| 358 2140 000 | NUT W/SPRING 1/4-20 | 2.0 EA | |
| 358 2184 000 | TAPE, HOOK FASTENING | 13.0 FT | |
| 358 2426 000 | PLUG, WHITE 2" HOLE | 1.0 EA | |
| 358 2792 000 | CUP, PLASTIC | 4.0 EA | |
| 358 3122 000 | STUD, BRS 10-32 X 1-1/4 | 2.0 EA | # INSULATORS 410-0017-000 & 410-0018-000 |
| 359 0179 000 | CONNECTOR MALE 268-N | 1.0 EA | |
| 359 0180 000 | ELBOW MALE 90 DEG | 1.0 EA | |
| 402 0001 000 | CLIP, FUSE 1.062 60A 600V | 6.0 EA | |
| 402 0004 000 | CLIP, FUSE .812 60A 250V | 2.0 EA | |
| 402 0107 000 | CLIP, FUSE 9/16 | 4.0 EA | |
| 410 0004 000 | INSULATOR ROUND NS5W 0108 | 3.0 EA | |
| 410 0016 000 | INSULATOR ROUND NS5W 0308 | 13.0 EA | #R1 #R13 #R2 #R3 #R4 #R5 #R6 |
| 410 0017 000 | INSULATOR ROUND NS5W 0310 | 1.0 EA | |
| 410 0018 000 | INSULATOR ROUND NS5W 0312 | 1.0 EA | |
| 410 0019 000 | INSULATOR ROUND NS5W 0316 | 4.0 EA | |
| 410 0027 000 | INSULATOR ROUND NS5W 0424 | 2.0 EA | |
| 424 0001 000 | GROMMET 3/8 MTG DIA | 1.0 EA | |
| 424 0016 000 | GROMMET 1-1/8 MTG D. | 1.0 EA | |
| 424 0022 000 | GROMMET 3/4 MTG DIA | 1.0 EA | |
| 424 0030 000 | BUMPER RUBBER | 2.0 EA | |
| 424 0031 000 | GROMMET 2.5 MTG DIA | 1.0 EA | |
| 424 0033 000 | GROMMET 1-1/16 MTG D | 1.0 EA | B1 |
| 424 0360 000 | GROMMET 1-3/4 MTG DIA | 7.0 EA | |
| 424 0410 000 | GROMMET 1.38 MTG DIA | 7.0 EA | |
| 426 0028 000 | SHOCK MOUNT 35 LB | 3.0 EA | |
| 433 0085 000 | BOOT, AURAL DUCT | 1.0 EA | |
| 433 0094 000 | SLEEVE, AIR DUCT | 1.0 EA | |
| 448 0319 000 | CATCH MAGNETIC | 3.0 EA | |
| 448 0776 000 | CATCH MAGNETIC | 2.0 EA | |
| 472 1284 000 | XFMR, FIL, 817-1168-001 | 1.0 EA | T002 |

| | | | |
|--------------|---------------------------|--------|-------------------|
| 472 1296 000 | XFMR, FIL, 817-1239-001 | 1.0 EA | T1 |
| 476 0345 000 | REACTOR, 828-1174-002 | 1.0 EA | L1 |
| 476 0403 000 | REACTOR, 816-9958-001 | 1.0 EA | L2 |
| 484 0156 000 | FILTER LOW PASS | 1.0 EA | |
| 510 0560 000 | CAP 12UF 2KV 10% | 1.0 EA | C1 |
| 510 0699 000 | CAP .1UF 10KV 10% | 1.0 EA | C2 |
| 510 0720 000 | CAP 2UF 15KV 10% | 1.0 EA | C5 |
| 510 0732 000 | CAP 0.10 UF 15KVDC 10% | 1.0 EA | C6 |
| 516 0402 000 | CAP 4800 PF 20KV | 1.0 EA | C3 |
| 540 0565 000 | * RES 12 OHM 2W 5% | 1.0 EA | R8 |
| 540 0832 000 | RES 50.0 OHM 100W 10% | 1.0 EA | R7 |
| 540 1167 000 | RES 5.0 OHM 275W 10% | 1.0 EA | R6 |
| 540 1226 000 | RES 2.5 OHM 275W 10% | 1.0 EA | R10 |
| 540 1341 000 | RES 22.0 OHM 45W 10% | 1.0 EA | R13 |
| 542 0368 000 | RES 7.5K OHM 5% 225W | 4.0 EA | R1 R2 R3 R4 |
| 542 0372 000 | RES 25K OHM 5% 225W | 1.0 EA | R5 |
| 604 0447 000 | SW, PRESS. | 1.0 EA | S9 |
| 604 0450 000 | SW, PRECISION DPDT | 2.0 EA | S2 S5 |
| 604 0893 000 | SW, INTLK DPDT | 6.0 EA | S1 S3 S4 S6 S7 S8 |
| 604 0895 000 | SW, DIR | 1.0 EA | S10 |
| 614 0008 000 | TERM BD 8 TERM | 1.0 EA | TB2 |
| 614 0224 000 | TERM BD 3 TERM | 1.0 EA | B1 |
| 614 0525 000 | JUMPER TYPE 600-J | 7.0 EA | |
| 614 0693 000 | TERM BD 4 TERM | 1.0 EA | TB001 |
| 620 0118 000 | ADAPTOR N UG57B/U | 2.0 EA | |
| 620 0122 000 | ADPTR ANGLE N UG27CU | 2.0 EA | |
| 620 0305 000 | ADAPTOR,RT ANGLE UG-27B/U | 1.0 EA | |
| 620 0455 000 | ADPT BNC UG492A/U | 3.0 EA | J3 J5 J6 |
| 620 0498 000 | ADAPTOR 3-1/8 301-014 | 1.0 EA | |
| 646 0973 000 | *LABEL, 230V | 3.0 EA | |
| 646 1254 402 | LABEL,DANGER HIGH VOLTAGE | 1.0 EA | |
| 646 1259 000 | MARKER STRIP, 4 TERM | 1.0 EA | |
| 700 0484 000 | LOAD, COAXIAL 1000W | 1.0 EA | R12 |
| 810 2264 001 | LOCKING PLATE | 7.0 EA | |
| 813 5000 005 | STDOFF 6-32X3/8 5/16 HEX | 2.0 EA | |
| 813 5000 024 | STDOFF 8-32X3/8 5/16 HEX | 2.0 EA | |
| 813 5001 070 | STDOFF 10-32X1-1/2 3/8 H | 2.0 EA | |
| 813 5002 049 | STDOFF 10-32X1 1/2 HEX | 1.0 EA | |
| 813 5019 032 | STDOFF 8-32X1-1/2 1/2 HEX | 1.0 EA | |
| 813 5608 037 | STUD.BRZ .25 20 X 1. | 2.0 EA | E1 E2 |
| 813 5614 007 | STUD STL 10 32 X .75 | 6.0 EA | |
| 817 0086 001 | ANGLE, TOP | 4.0 EA | |
| 817 0132 001 | SCREEN | 1.0 EA | |
| 817 0157 001 | PLATE | 2.0 EA | |
| 817 0164 001 | SCREEN, INLET | 1.0 EA | |
| 817 0168 001 | STANDOFF | 4.0 EA | |
| 817 0168 002 | STANDOFF | 2.0 EA | |
| 817 0177 001 | FILTER | 1.0 EA | |
| 817 0178 001 | FILTER | 1.0 EA | |
| 817 0262 001 | SHIELD | 1.0 EA | B1 |
| 817 0543 001 | COVER | 1.0 EA | |
| 817 0708 001 | RUNNING SHEET | 0.0 EA | |
| 817 0793 001 | SCREW, SPACER | 9.0 EA | |
| 829 0109 001 | BRACKET CAP | 1.0 EA | |
| 829 1346 001 | ANGLE | 1.0 EA | |

| | | | |
|--------------|--------------------------|--------|-----|
| 829 2973 001 | ANGLE CLIP | 3.0 EA | |
| 829 4162 001 | ANGLE, MTG | 2.0 EA | |
| 829 4164 001 | WASHER | 2.0 EA | |
| 829 4351 001 | BRACKET | 6.0 EA | |
| 829 4352 001 | CHANNEL | 1.0 EA | |
| 829 4363 001 | ANGLE | 4.0 EA | |
| 829 4430 001 | PANEL, FT LWR LT | 1.0 EA | |
| 829 4459 001 | COVER | 1.0 EA | |
| 829 4478 001 | PANEL | 3.0 EA | |
| 829 4506 001 | TOP TRIM, INST'L MAT'L | 1.0 EA | |
| 829 4507 001 | CHANNEL, TRIM | 2.0 EA | |
| 829 4512 001 | HANDLE | 2.0 EA | |
| 829 4515 001 | PANEL, TOP | 1.0 EA | |
| 829 4516 001 | PANEL | 1.0 EA | |
| 829 4769 001 | CLAMP | 1.0 EA | |
| 829 7671 001 | HEATSINK | 1.0 EA | |
| 829 7927 001 | BRKT | 1.0 EA | |
| 829 7961 010 | BOOT CLAMP | 2.0 EA | |
| 829 7961 011 | BOOT CLAMP | 2.0 EA | |
| 829 7961 012 | BOOT CLAMP | 4.0 EA | |
| 839 0206 075 | COVER, TERM BD | 1.0 EA | |
| 839 4323 001 | BASE, SHOCKMOUNT | 1.0 EA | |
| 839 4324 001 | BRKT, SHOCKMOUNT | 1.0 EA | |
| 839 4330 001 | BRKT, SHOCKMOUNT | 2.0 EA | |
| 839 4378 001 | RAIL | 1.0 EA | |
| 839 4378 002 | RAIL | 1.0 EA | |
| 839 4533 001 | BRKT | 1.0 EA | |
| 839 4538 001 | BRACKET | 2.0 EA | |
| 839 4547 001 | BRACKET, METER PANEL MTG | 2.0 EA | |
| 839 4547 002 | BRACKET, METER PANEL MTG | 2.0 EA | |
| 839 4571 001 | TRAY, FILTER | 1.0 EA | |
| 839 4587 001 | SHIELD | 1.0 EA | |
| 839 5130 001 | DIAGRAM, RF SIGNAL | 0.0 EA | |
| 839 5605 001 | STRAP | 4.0 EA | |
| 839 5763 001 | COVER, METER | 1.0 EA | |
| 843 3029 001 | SCREEN, FILTER | 1.0 EA | |
| 843 3465 001 | STRAP GND | 1.0 EA | |
| 843 3465 002 | STRAP GND | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 929 1378 001 | SIDE PANEL | 1.0 EA | |
| 929 4057 001 | ASSY, DC FILAMENT | 1.0 EA | A13 |
| 929 4368 001 | WRAP, INLET DOCT | 1.0 EA | |
| 929 4526 001 | CLAMP ASSY | 1.0 EA | |
| 929 7527 001 | TOP ASSY, DUCT | 1.0 EA | |
| 929 7549 001 | CABLE ASSY, MAIN | 1.0 EA | |
| 929 7549 002 | CABLE ASSY | 1.0 EA | |
| 929 7863 001 | CABLE ASSY BT50H3 PA | 1.0 EA | W2 |
| 929 7979 001 | CABLE JUMPER | 1.0 EA | |
| 929 9583 101 | TOP ASS'Y | 1.0 EA | |
| 938 4203 001 | GROUND HOOKS ASSY | 2.0 EA | |
| 939 4459 001 | SUPPORT, CHOKE | 1.0 EA | |
| 939 4550 001 | PANEL, CAVITY | 1.0 EA | |
| 939 4657 001 | DOOR, REAR RIGHT | 1.0 EA | |
| 939 4657 002 | DOOR, REAR LEFT | 1.0 EA | |
| 939 5831 002 | BLOWER HOUSING MOD. | 1.0 EA | |

| | | | |
|--------------|------------------------------|--------|-----------|
| 943 2869 001 | DUCT ASSY, VISUAL | 1.0 EA | |
| 943 2870 001 | DUCT ASSY, AURAL | 1.0 EA | |
| 952 8660 002 | PA CABINET ASSY | 1.0 EA | |
| 992 4552 001 | AUR PA OL SENSE NET | 1.0 EA | A10 |
| 992 4553 001 | VIS PA OL SENSE NET | 1.0 EA | |
| 992 5297 001 | PA CONTROLLER BOARD | 1.0 EA | A4 |
| 992 5361 001 | SCREEN REG ASSY AURAL | 1.0 EA | A9 |
| 992 5362 001 | REPL'D, USE FFF 992-5955-001 | 1.0 EA | A65 |
| 992 5396 004 | METER PNL, PA VIS | 1.0 EA | A053 |
| 992 5397 004 | METER PNL, PA AURAL | 1.0 EA | A002 |
| 992 5398 001 | MULTIMETER PNL ASSY | 1.0 EA | A3 |
| 992 5399 002 | AC CONTACTOR PANEL ASSY | 1.0 EA | A5 |
| 992 5403 001 | FILAMENT RECT ASSY | 1.0 EA | A54 |
| 992 5415 001 | PA CTRL/IND PANEL | 1.0 EA | A6 |
| 992 5480 001 | H.V. SHORTING ASSY | 1.0 EA | A12 |
| 992 5495 004 | METER PNL, OUTER PA VIS | 1.0 EA | A052 |
| 992 5496 004 | METER PNL, OUTER PA AUR | 1.0 EA | A001 |
| 992 5498 001 | ASSY, SCREEN SPARK GAP | 1.0 EA | A16 |
| 992 5499 001 | METER MULTIPLIER ASSY | 1.0 EA | A55 |
| 992 5500 001 | GRID BIAS PNL ASSY | 1.0 EA | A63 |
| 992 6521 002 | PEAK DETECTOR-VHF HI BAND | 2.0 EA | A007 A008 |
| 992 6960 001 | BLOWER, ASSY | 1.0 EA | B001 |
| 992 8296 001 | * POWER SUPPLY ASSY | 1.0 EA | PS001 |
| 994 6852 001 | *DISCONTINUED | 1.0 EA | A15 |
| 994 8265 001 | *DISCONTINUED | 1.0 EA | A14 |
| 999 1887 001 | WIRE LIST | 1.0 EA | |
| 999 1939 001 | HARDWARE LIST | 1.0 EA | |

Table 1-440. STDOFF 6-32X3/8 5/16 HEX - 813 5000 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 015 | AL, HEX .313 | 0.003150 LB | |

Table 1-441. STDOFF 8-32X3/8 5/16 HEX - 813 5000 024

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 015 | AL, HEX .313 | 0.003150 LB | |

Table 1-442. STDOFF 10-32X1-1/2 3/8 H - 813 5001 070

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 020 | AL, HEX .375 | 0.01890 LB | |

Table 1-443. STDOFF 8-32X1-1/2 1/2 HEX - 813 5019 032

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 040 | BRS, HEX .500 | 0.103950 LB | |

Table 1-444. STUD.BRZ .25 20 X 1. - 813 5608 037

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1020 050 | BRS, THD STK 1/4-20 | 0.152250 FT | |

Table 1-445. STUD STL 10 32 X .75 - 813 5614 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1020 030 | SST, THD STK 10-32 | 0.065310 FT | |

Table 1-446. ANGLE, TOP - 817 0086 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.052345 LB | |

Table 1-447. SCREEN - 817 0132 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 0.43890 SF | |

Table 1-448. PLATE - 817 0157 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.74820 LB | |

Table 1-449. SCREEN, INLET - 817 0164 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 0.301350 SF | |

Table 1-450. STANDOFF - 817 0168 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 008 | AL, RD .375 DIA | 0.008663 LB | |

Table 1-451. STANDOFF - 817 0168 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 008 | AL, RD .375 DIA | 0.008663 LB | |

Table 1-452. FILTER - 817 0177 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 033 9010 010 | INDUSTRIAL FOAM 1 IN | 2.68750 SF | |

Table 1-453. FILTER - 817 0178 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 033 9010 010 | INDUSTRIAL FOAM 1 IN | 0.840 SF | |

Table 1-454. SHIELD - 817 0262 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.064625 SF | |

Table 1-455. COVER - 817 0543 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.00920 LB | |

Table 1-456. SCREW, SPACER - 817 0793 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 010 | BRS HEX .250 | 0.01680 LB | |

Table 1-457. BRACKET CAP - 829 0109 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.172550 LB | |

Table 1-458. ANGLE CLIP - 829 2973 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.007236 LB | |

Table 1-459. ANGLE, MTG - 829 4162 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.87580 LB | |

Table 1-460. WASHER - 829 4164 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 011 | AL, RD 1.00 DIA | 0.010080 LB | |

Table 1-461. BRACKET - 829 4351 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 080 | AL, SH .100 THK | 0.184150 LB | |

Table 1-462. CHANNEL - 829 4352 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 012 | AL, CHAN EXTD | 0.456750 LB | |

Table 1-463. ANGLE - 829 4363 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.14910 LB | |

Table 1-464. PANEL, FT LWR LT - 829 4430 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 14.6450 LB | |

Table 1-465. COVER - 829 4459 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.981250 SF | |

Table 1-466. PANEL - 829 4478 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 14.6450 LB | |

Table 1-467. TOP TRIM, INST'L MAT'L - 829 4506 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.8560 LB | |

Table 1-468. CHANNEL, TRIM - 829 4507 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 064 | AL, CHAN .125 | 6.2370 FT | |

Table 1-469. HANDLE - 829 4512 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 019 | AL, RECT .375 X .625 | 0.18060 LB | |

Table 1-470. PANEL, TOP - 829 4515 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 12.62950 LB | |

Table 1-471. PANEL - 829 4516 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 7.7720 LB | |

Table 1-472. CLAMP - 829 4769 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.20880 LB | |

Table 1-473. HEATSINK - 829 7671 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 001 | AL, SH .250 THK | 1.28750 LB | |

Table 1-474. BRKT - 829 7927 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.125860 LB | |

Table 1-475. BOOT CLAMP - 829 7961 010

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.230550 LB | |

Table 1-476. BOOT CLAMP - 829 7961 011

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.22910 LB | |

Table 1-477. BOOT CLAMP - 829 7961 012

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.236350 LB | |

Table 1-478. COVER, TERM BD - 839 0206 075

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.088125 SF | |

Table 1-479. BASE, SHOCKMOUNT - 839 4323 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 020 | AL, SH .190 THK | 8.85950 LB | |

Table 1-480. BRKT, SHOCKMOUNT - 839 4324 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 3.43650 LB | |

Table 1-481. BRKT, SHOCKMOUNT - 839 4330 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.65250 LB | |

Table 1-482. RAIL - 839 4378 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 7010 055 | STL, ANGLE | 13.020 LB | |

Table 1-483. RAIL - 839 4378 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 7010 055 | STL, ANGLE | 13.020 LB | |

Table 1-484. BRKT - 839 4533 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.740 LB | |
| 829 4474 001 | SILKSCREEN, PEAK DET | 0.0 EA | |
| 829 4916 001 | STENCIL, PEAK DET BRKT | 0.0 EA | |

Table 1-485. BRACKET - 839 4538 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 020 | AL, SH .190 THK | 4.4080 LB | |

Table 1-486. BRACKET, METER PANEL MTG - 839 4547 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.23780 LB | |

Table 1-487. BRACKET, METER PANEL MTG - 839 4547 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.23780 LB | |

Table 1-488. TRAY, FILTER - 839 4571 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.7690 LB | |

Table 1-489. SHIELD - 839 4587 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.265850 LB | |

Table 1-490. STRAP - 839 5605 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 080 | AL, SH .100 THK | 0.288550 LB | |

Table 1-491. COVER, METER - 839 5763 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 3.41250 SF | |

Table 1-492. SCREEN, FILTER - 843 3029 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 3.907750 LB | |

Table 1-493. STRAP GND - 843 3465 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4010 045 | CU, STRAP .020 X 2" | 7.5180 FT | |

Table 1-494. STRAP GND - 843 3465 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4010 045 | CU, STRAP .020 X 2" | 7.7280 FT | |

Table 1-495. SIDE PANEL - 929 1378 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 1348 001 | BRACE | 1.0 EA | |
| 839 2407 001 | SIDE PANEL | 1.0 EA | |

Table 1-496. WRAP, INLET DOCT - 929 4368 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 839 4570 001 | WRAP | 2.0 EA | |

Table 1-497. WRAP - 839 4570 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 6.3220 LB | |

Table 1-498. CLAMP ASSY - 929 4526 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0165 001 | SPACER, RING | 1.0 EA | |
| 829 4526 001 | ASSY INSTR, CLAMP | 0.0 EA | |
| 829 4527 001 | CLAMP, RING | 1.0 EA | |

Table 1-499. SPACER, RING - 817 0165 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.378450 LB | |

Table 1-500. CLAMP, RING - 829 4527 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.195750 LB | |

Table 1-501. TOP ASSY, DUCT - 929 7527 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 839 4569 001 | COVER | 2.0 EA | |

Table 1-502. COVER - 839 4569 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.590150 LB | |

Table 1-503. CABLE ASSY, MAIN - 929 7549 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 250 0211 000 | CABLE, 1/0 AWG 600V | 14.10 FT | |
| 250 0468 000 | CABLE, 1AWG 600V WELDING | 26.30 FT | |
| 252 0003 000 | WIRE, STRD 20AWG WHT | 492.0 FT | |
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 101.0 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 6.50 FT | |
| 252 0072 000 | WIRE, THHN 6AWG BLK | 23.0 FT | |
| 253 0059 000 | CABLE, 2C 22AWG AUDIO | 35.70 FT | |

| | | | |
|--------------|----------------------------|---------|-------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 1.30 FT | |
| 296 0260 000 | TUBING, SHRINK 3/32 WHITE | 1.90 FT | |
| 296 0263 000 | TUBING, SHRINK 3/8 WHITE | 0.80 FT | |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.90 FT | |
| 296 0271 000 | TUBING, SHRINK 3/4 WHITE | 2.20 FT | |
| 354 0001 000 | LUG #6 RING RED 22-18 AWG | 6.0 EA | |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 4.0 EA | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 21.0 EA | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 46.0 EA | |
| 354 0006 000 | TERM LUG RED SPADE 8 | 4.0 EA | |
| 354 0008 000 | LUG #6 RING BLUE 16-14AWG | 1.0 EA | |
| 354 0009 000 | LUG #8 RING BLUE 16-14AWG | 1.0 EA | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 6.0 EA | |
| 354 0011 000 | LUG BLUE RING .25 | 1.0 EA | |
| 354 0015 000 | LUG BLUE SPADE 6 | 1.0 EA | |
| 354 0252 000 | TERM 250 FEM BLU 16-14 | 4.0 EA | |
| 354 0292 000 | LUG #10 RING U/INS 6-5AWG | 1.0 EA | |
| 354 0297 000 | LUG .25 RING BLUE | 1.0 EA | |
| 354 0335 000 | * CONNECTOR CONTACT | 36.0 EA | |
| 354 0353 000 | LUG 3/8 HOLE | 4.0 EA | |
| 354 0356 000 | LUG 1/4 HOLE CODE PINK | 13.0 EA | |
| 354 0361 000 | LUG 5/16 RING BLUE | 1.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 25.0 EA | |
| 354 0384 000 | CONTACT, PIN | 23.0 EA | |
| 354 0584 000 | TERM, SQ WIRE | 12.0 EA | |
| 354 0634 000 | TERM FOR .187 X .020 TAB | 4.0 EA | |
| 354 0646 000 | LUG, CRIMP | 4.0 EA | |
| 354 0647 000 | LUG, CRIMP | 1.0 EA | |
| 354 0648 000 | LUG, CRIMP | 3.0 EA | |
| 354 0658 000 | TERMINAL PRESSURE | 14.0 EA | |
| 354 0669 000 | TERM 250 FEM RED 22-18 | 4.0 EA | |
| 354 0701 000 | LUG 5/16 HOLE CODE PINK | 1.0 EA | |
| 408 0223 000 | SHIELD 15 POSITION | 1.0 EA | |
| 408 0225 000 | SHIELD 25 POSITION | 1.0 EA | |
| 610 0451 000 | CAP CONN HSG 15 CKT | 6.0 EA | P1 P2 P6 P7 P8 P9 |
| 610 0538 000 | PLUG 15 POS | 1.0 EA | P3 |
| 610 0539 000 | PLUG 25 POS | 1.0 EA | P4 |
| 612 0816 000 | HSG, 12 CKT, SGL ROW | 2.0 EA | P10 P5 |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 4.70 FT | |
| 620 0545 000 | JACK, BULKHEAD, BNC | 2.0 EA | J1 J2 |
| 817 0708 001 | RUNNING SHEET | 0.0 EA | |
| 829 7549 001 | CADS ASSY INST | 0.0 EA | |
| 852 8805 001 | CABLE ASSY PA. BT50H3 | 0.0 EA | |

Table 1-504. CABLE ASSY - 929 7549 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0006 000 | WIRE, STRD 14AWG BLU | 61.60 FT | |
| 252 0008 000 | WIRE, STRD 10AWG GRY | 25.0 FT | |
| 354 0015 000 | LUG BLUE SPADE 6 | 16.0 EA | |
| 354 0016 000 | LUG BLUE SPADE 8 | 8.0 EA | |
| 354 0026 000 | LUG YEL SPADE 10 | 3.0 EA | |
| 354 0027 000 | TERM LUG YEL SPADE 8 | 3.0 EA | |
| 817 0708 001 | RUNNING SHEET | 0.0 EA | |
| 829 7549 002 | CADS | 0.0 EA | |

Table 1-505. CABLE ASSY BT50H3 PA - 929 7863 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 255 0002 000 | WIRE, TURBO 12AWG BRN | 47.30 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 16.0 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.40 FT | |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 2.0 EA | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 2.0 EA | |
| 354 0245 000 | TERM LUG YEL RING 10 | 14.0 EA | |
| 354 0261 000 | LUG .25 RING | 2.0 EA | |
| 354 0262 000 | LUG 8 RING | 2.0 EA | |
| 354 0644 000 | CONTACT, MALE PIN | 2.0 EA | |
| 354 0645 000 | CONTACT, FEMALE PIN | 2.0 EA | |
| 610 0765 000 | HOUSING, PLUG CONN | 2.0 EA | |
| 612 0924 000 | HOUSING, CAP CONN | 2.0 EA | |
| 817 0708 001 | RUNNING SHEET | 0.0 EA | |
| 829 7863 001 | CADS PA TV50 | 0.0 EA | |
| 852 8818 001 | CABLE, LAYOUT | 0.0 EA | |

Table 1-506. CABLE JUMPER - 929 7979 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 250 0108 000 | CABLE, 12C 22AWG | 6.0 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.90 FT | |
| 296 0265 000 | TUBING, SHRINK 1/16 WHITE | 0.30 FT | |
| 296 0271 000 | TUBING, SHRINK 3/4 WHITE | 0.50 FT | |
| 354 0384 000 | CONTACT, PIN | 18.0 EA | |
| 408 0223 000 | SHIELD 15 POSITION | 2.0 EA | |
| 610 0538 000 | PLUG 15 POS | 2.0 EA | |
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 28.10 FT | |
| 618 0221 000 | CABLE, COAX, 1/2", FSJ450B | 16.50 FT | |
| 620 0502 000 | PLUG BNC UG-88/U | 8.0 EA | |
| 620 0574 000 | PLUG, MALE TYPE N, F4NM | 6.0 EA | |
| 829 7979 001 | CADS JUMPERS | 0.0 EA | |

Table 1-507. TOP ASS'Y - 929 9583 101

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 9583 098 | TUBE EXHAUST | 1.0 EA | |
| 829 9583 099 | TUBE EXHAUST | 1.0 EA | |
| 829 9583 101 | TOP | 0.0 EA | |
| 843 4260 040 | TOP PA CABINET | 1.0 EA | |

Table 1-508. TUBE EXHAUST - 829 9583 098

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.580 LB | |

Table 1-509. TUBE EXHAUST - 829 9583 099

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.870 LB | |

Table 1-510. TOP PA CABINET - 843 4260 040

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 24.4760 LB | |

Table 1-511. GROUND HOOKS ASSY - 938 4203 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 254 0017 000 | WIRE, ROPE 10AWG | 4.20 FT | |
| 296 0019 000 | PLASTIC TUBE 4AWG CLEAR | 4.10 FT | |
| 306 0006 000 | NUT, HEX 10-32 | 2.0 EA | |
| 308 0007 000 | 10 FLAT WASHER BRASS | 1.0 EA | |
| 312 0007 000 | WASHER, INT LOCK 10 | 1.0 EA | |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 1.0 EA | |
| 354 0287 000 | LUG #10 RING N/INS 7-9AWG | 2.0 EA | |
| 814 7796 002 | HANDLE | 1.0 EA | |
| 814 7917 001 | HOOK, 1/2IN RADIUS | 1.0 EA | |
| 838 4203 001 | ASSY INSTR, GROUND HOOK | 0.0 EA | |

Table 1-512. SUPPORT, CHOKE - 939 4459 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4353 001 | LEG, CHOKE SUPPORT | 1.0 EA | |
| 829 4353 002 | LEG, CHOKE SUPPORT | 1.0 EA | |
| 829 4354 001 | SUPPORT, CHOKE | 1.0 EA | |

Table 1-513. LEG, CHOKE SUPPORT - 829 4353 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.3780 LB | |

Table 1-514. LEG, CHOKE SUPPORT - 829 4353 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.3780 LB | |

Table 1-515. SUPPORT, CHOKE - 829 4354 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.330750 LB | |

Table 1-516. PANEL, CAVITY - 939 4550 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4510 001 | PANEL | 1.0 EA | |
| 829 4513 001 | STIFFENER | 1.0 EA | |
| 829 4514 001 | HINGE | 1.0 EA | |
| 829 4521 001 | HINGE | 1.0 EA | |

929 4511 001

PANEL ASSY

1.0 EA

Table 1-517. PANEL - 829 4510 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 7.1920 LB | |

Table 1-518. STIFFENER - 829 4513 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 3.5090 LB | |

Table 1-519. HINGE - 829 4514 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 011 1110 010 | STL, HNG CONT 2.0WD | 2.46750 FT | |

Table 1-520. HINGE - 829 4521 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 011 1110 010 | STL, HNG CONT 2.0WD | 2.4780 FT | |

Table 1-521. PANEL ASSY - 929 4511 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 1059 000 | STUD 4-40 X 1/4 | 3.0 EA | |
| 829 4511 001 | PNL, UPPER ACCESS | 0.0 EA | |
| 839 4546 001 | PANEL | 1.0 EA | |

Table 1-522. PANEL - 839 4546 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 7.87350 LB | |

Table 1-523. DOOR, REAR RIGHT - 939 4657 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 088 0020 015 | TAPE, SCOTCH FOAM | 0.0 RL | |
| 350 0058 000 | RIVET, POP 1/8 D X .230L | 4.0 EA | |
| 448 0541 000 | LATCH, FLUSH, LIFT & TURN | 2.0 EA | |
| 646 0847 000 | OBS SEE 646-1250-000 | 1.0 EA | |
| 816 7751 001 | SPACER | 2.0 EA | |
| 943 2880 003 | REAR DOOR WELD ASSY | 1.0 EA | |

Table 1-524. SPACER - 816 7751 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.013050 LB | |

Table 1-525. REAR DOOR WELD ASSY - 943 2880 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 448 0323 000 | HINGE LATCH RELEASE | 1.0 EA | |
| 448 0324 000 | HINGE LATCH RELEASE | 1.0 EA | |
| 815 4268 001 | SPACER, DOOR | 2.0 EA | |
| 839 4665 001 | BRACE, DOOR | 1.0 EA | |
| 839 4665 002 | BRACE, DOOR | 1.0 EA | |
| 843 2878 001 | DOOR, REAR | 1.0 EA | |
| 843 2880 003 | ASSY INSTR, REAR DOOR | 0.0 EA | |

Table 1-526. BRACE, DOOR - 839 4665 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 3.52350 LB | |

Table 1-527. BRACE, DOOR - 839 4665 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 3.52350 LB | |

Table 1-528. DOOR, REAR - 843 2878 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 24.7950 LB | |

Table 1-529. DOOR, REAR LEFT - 939 4657 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 088 0020 015 | TAPE, SCOTCH FOAM | 0.0 RL | |
| 350 0058 000 | RIVET, POP 1/8 D X .230L | 4.0 EA | |
| 448 0541 000 | LATCH, FLUSH, LIFT & TURN | 2.0 EA | |
| 646 0847 000 | OBS SEE 646-1250-000 | 1.0 EA | |
| 816 7751 001 | SPACER | 2.0 EA | |
| 943 2880 004 | REAR DOOR WELD ASSY | 1.0 EA | |

Table 1-530. REAR DOOR WELD ASSY - 943 2880 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 448 0323 000 | HINGE LATCH RELEASE | 1.0 EA | |
| 448 0324 000 | HINGE LATCH RELEASE | 1.0 EA | |
| 815 4268 001 | SPACER, DOOR | 2.0 EA | |
| 839 4665 001 | BRACE, DOOR | 2.0 EA | |
| 839 4665 002 | BRACE, DOOR | 1.0 EA | |
| 843 2878 002 | DOOR, REAR | 1.0 EA | |
| 843 2880 004 | ASSY INSTR, REAR DOOR | 0.0 EA | |

Table 1-531. DOOR, REAR - 843 2878 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 24.7950 LB | |

Table 1-532. BLOWER HOUSING MOD. - 939 5831 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 432 0349 000 | BLOWER 3HP 230/460V 60HZ | 1.0 EA | |
| 839 5831 003 | BLOWER MODIFICATION | 0.0 EA | |

Table 1-533. DUCT ASSY, VISUAL - 943 2869 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 839 4462 001 | VANE, DUCT | 1.0 EA | |
| 839 4463 001 | VANE, DUCT | 1.0 EA | |
| 843 2865 001 | SIDE, DUCT LEFT | 1.0 EA | |
| 843 2866 001 | SIDE, DUCT RIGHT | 1.0 EA | |
| 843 2867 001 | WRAP, INNER DUCT | 1.0 EA | |
| 929 4362 001 | WRAP, OUTER DUCT | 1.0 EA | |

Table 1-534. VANE, DUCT - 839 4462 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.254250 LB | |

Table 1-535. VANE, DUCT - 839 4463 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.7980 LB | |

Table 1-536. SIDE, DUCT LEFT - 843 2865 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 2.5810 LB | |

Table 1-537. SIDE, DUCT RIGHT - 843 2866 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 2.6970 LB | |

Table 1-538. WRAP, INNER DUCT - 843 2867 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.7980 LB | |

Table 1-539. WRAP, OUTER DUCT - 929 4362 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 324 0165 000 | NUT, PEM 8-32 | 14.0 EA | |
| 843 2868 001 | WRAP, OUTER DUCT | 1.0 EA | |

Table 1-540. WRAP, OUTER DUCT - 843 2868 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 3.5670 LB | |

Table 1-541. DUCT ASSY, AURAL - 943 2870 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4413 001 | TUBE, CONN | 1.0 EA | |
| 829 4850 001 | PLATE, FRONT | 1.0 EA | |
| 839 4473 001 | BAFFLE, TOP | 1.0 EA | |
| 839 4704 001 | PANEL, FRONT | 1.0 EA | |
| 839 4706 001 | SIDE, AIR DUCT | 1.0 EA | |
| 839 4707 001 | SIDE, AIR DUCT | 1.0 EA | |
| 843 2870 001 | ASSY INSTR, DUCT | 0.0 EA | |
| 939 4727 001 | PANEL ASSY, REAR | 1.0 EA | |

Table 1-542. TUBE, CONN - 829 4413 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 8060 070 | AL, TBG RD 2X.065WL | 0.08190 LB | |

Table 1-543. PLATE, FRONT - 829 4850 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.62060 LB | |

Table 1-544. BAFFLE, TOP - 839 4473 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.604650 LB | |

Table 1-545. PANEL, FRONT - 839 4704 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.7980 LB | |

Table 1-546. SIDE, AIR DUCT - 839 4706 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.92850 LB | |

Table 1-547. SIDE, AIR DUCT - 839 4707 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.8560 LB | |

Table 1-548. PANEL ASSY, REAR - 939 4727 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 324 0163 000 | NUT, PEM 6-32 | 10.0 EA | |
| 358 0945 000 | STUD 10-32 X 1/2 | 4.0 EA | |
| 843 2876 001 | PANEL, REAR | 1.0 EA | |

Table 1-549. PANEL, REAR - 843 2876 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 3.3930 LB | |

Table 1-550. PA CABINET ASSY - 952 8660 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 302 0338 000 | SCR, 1/2-13 X 1-1/2 | 70.0 EA | |
| 302 0396 000 | SCR, 10-32 X 2 | 8.0 EA | |
| 320 3175 000 | CAP SCREW 1/4-20 X 1/2 | 4.0 EA | |
| 328 0061 000 | WASHER SPRING BELLEVILLE | 2.0 EA | |
| 358 0437 000 | BUSHING PANEL .252 ID | 2.0 EA | |
| 358 1895 000 | NUT W/SPRING 1/2-13 | 32.0 EA | |
| 358 2140 000 | NUT W/SPRING 1/4-20 | 129.0 EA | |
| 816 9887 001 | SPACER | 2.0 EA | |
| 816 9889 001 | SPACER | 2.0 EA | |
| 817 0466 001 | PLATE, BASE COVER | 1.0 EA | |
| 822 0249 004 | SKID, TV30H3 PA CAB | 1.0 EA | |
| 829 1280 001 | PLATE, CAB FITTING | 8.0 EA | |
| 829 3668 003 | CHANNEL FRAME 26.25 | 4.0 EA | |
| 829 3668 004 | CHANNEL | 5.0 EA | |
| 829 3668 007 | CHANNEL | 2.0 EA | |
| 829 3668 008 | CHANNEL FRAME 68.375 | 2.0 EA | |
| 829 3668 009 | CHANNEL FRAME | 2.0 EA | |
| 829 4130 001 | HINGE, BOTTOM REAR | 1.0 EA | |
| 829 4132 001 | HINGE, TOP REAR | 2.0 EA | |
| 829 4133 001 | HINGE, LEFT BOTTOM | 1.0 EA | |
| 829 4218 001 | CHANNEL, FRAME | 3.0 EA | |
| 829 4238 001 | FRONT CHANNEL | 2.0 EA | |
| 829 4522 001 | STRIP | 1.0 EA | |
| 829 4523 001 | STRIP | 1.0 EA | |
| 829 4771 001 | CHANNEL | 1.0 EA | |
| 829 4780 001 | CHANNEL, TOP REAR | 1.0 EA | |
| 839 4034 001 | PANEL, RT SIDE | 1.0 EA | |
| 839 4056 001 | CHANNEL, REAR | 2.0 EA | |
| 839 4233 001 | STRIP, TOP | 1.0 EA | |
| 839 4256 001 | CROSS MEMBER, CTRL PNL | 1.0 EA | |
| 839 4258 001 | STRIP, TOP | 2.0 EA | |
| 839 4366 001 | STRIP, EIA | 4.0 EA | |
| 839 4379 001 | ANGLE | 1.0 EA | |
| 839 4379 002 | ANGLE | 1.0 EA | |
| 839 4395 001 | STRIP | 2.0 EA | |
| 839 4732 002 | PANEL, CROSSMEMBER | 1.0 EA | |
| 843 2722 001 | FRONT POST | 2.0 EA | |
| 843 2824 001 | CHANNEL | 1.0 EA | |
| 843 2824 002 | ANGLE | 1.0 EA | |
| 843 2864 001 | DECK, PA CABINET | 1.0 EA | |
| 843 2904 001 | PANEL, DIVIDER | 1.0 EA | |
| 843 3004 002 | PANEL, SCREEN BIAS | 1.0 EA | |
| 852 8660 002 | CABINET ASSY | 0.0 EA | |
| 916 9843 006 | SUPPORT HINGE | 2.0 EA | |
| 917 0293 001 | PLATE ASSY, REAR | 1.0 EA | |
| 929 3752 001 | FRONT CHANNEL ASSY | 1.0 EA | |
| 929 3753 001 | REAR CHANNEL ASSY | 1.0 EA | |
| 929 4495 001 | SIDE PANEL ASSY | 1.0 EA | |
| 929 4808 001 | PANEL ASSY, CAVITY | 1.0 EA | |
| 929 8503 001 | GUSSET, WELDED | 12.0 EA | |
| 939 4280 001 | CORNER, C F TOP | 2.0 EA | |

| | | |
|--------------|---------------------------|--------|
| 939 4281 001 | CORNER, RF AND LR LOWER | 2.0 EA |
| 939 4282 001 | CORNER, LF AND RR LOWER | 2.0 EA |
| 939 4283 001 | CORNER, R R TOP | 1.0 EA |
| 939 4284 001 | CORNER, L R TOP | 1.0 EA |
| 939 4285 001 | CORNER, R F TOP | 1.0 EA |
| 939 4286 001 | CORNER, L F TOP | 1.0 EA |
| 943 2831 001 | PANEL ASSY UPPER LFT SIDE | 1.0 EA |
| 943 3005 001 | PLATE, PA BASE | 1.0 EA |

Table 1-551. SPACER - 816 9887 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 080 | SST RD .750 DIA | 0.022260 LB | |

Table 1-552. SPACER - 816 9889 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 052 | SST, RD .3125 DIA | 0.007277 LB | |

Table 1-553. PLATE, BASE COVER - 817 0466 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.468350 LB | |

Table 1-554. CHANNEL - 829 3668 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 5.6910 FT | |

Table 1-555. CHANNEL FRAME - 829 3668 009

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.25750 FT | |

Table 1-556. HINGE, LEFT BOTTOM - 829 4133 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 0.7250 LB | |

Table 1-557. CHANNEL, FRAME - 829 4218 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 6010 020 | STL, CHAN .105 THK | 5.6910 FT | |

Table 1-558. STRIP - 829 4522 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 8.0620 LB | |

Table 1-559. STRIP - 829 4523 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 3.08850 LB | |

Table 1-560. CHANNEL - 829 4771 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.61450 FT | |

Table 1-561. CHANNEL, TOP REAR - 829 4780 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 5.6910 FT | |

Table 1-562. PANEL, RT SIDE - 839 4034 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 14.36950 LB | |

Table 1-563. STRIP, TOP - 839 4233 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 4.4370 LB | |

Table 1-564. CROSS MEMBER, CTRL PNL - 839 4256 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.61450 FT | |

Table 1-565. STRIP, EIA - 839 4366 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 3.84250 LB | |

Table 1-566. ANGLE - 839 4379 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 030 | STL, SH 12GA CR | 2.39250 LB | |

Table 1-567. ANGLE - 839 4379 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 030 | STL, SH 12GA CR | 2.39250 LB | |

Table 1-568. STRIP - 839 4395 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 7.7720 LB | |

Table 1-569. PANEL, CROSSMEMBER - 839 4732 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 060 | AL, FR CHANNEL | 2.61450 FT | |

Table 1-570. CHANNEL - 843 2824 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 9.860 LB | |

Table 1-571. ANGLE - 843 2824 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 9.860 LB | |

Table 1-572. DECK, PA CABINET - 843 2864 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 31.1750 LB | |
| 817 0048 001 | STENCIL | 0.0 EA | |
| 817 0562 001 | STENCIL | 0.0 EA | |

Table 1-573. PANEL, DIVIDER - 843 2904 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 21.750 LB | |

Table 1-574. PANEL, SCREEN BIAS - 843 3004 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 17.110 LB | |
| 839 4694 002 | STENCIL | 0.0 EA | |
| 839 4695 002 | STENCIL | 0.0 EA | |

Table 1-575. SUPPORT HINGE - 916 9843 006

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 011 5020 010 | STL, SH 10GA CR | 10.62850 LB | |
| 306 0065 000 | NUT, WELD 1/4-20 | 6.0 EA | |
| 816 9843 006 | ASSY INSTRUCTIONS | 0.0 EA | |
| 829 3733 003 | FAB INSTR, HINGE SUPPORT | 0.0 EA | |

Table 1-576. PLATE ASSY, REAR - 917 0293 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 1.7690 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 1.0 EA | |
| 817 0293 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 829 4772 001 | PLATE, REAR | 0.0 EA | |

Table 1-577. FRONT CHANNEL ASSY - 929 3752 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 816 9856 001 | PLATE, CHANNEL | 3.0 EA | |
| 829 3752 001 | FAB INSTR, CHANNEL FRONT | 0.0 EA | |
| 829 3754 001 | CENTER CHANNEL | 1.0 EA | |

Table 1-578. PLATE, CHANNEL - 816 9856 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1320 020 | AL, RECT .250 X .625 | 0.02730 LB | |

Table 1-579. CENTER CHANNEL - 829 3754 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 064 | AL, CHAN .125 | 6.10050 FT | |

Table 1-580. REAR CHANNEL ASSY - 929 3753 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 816 9856 001 | PLATE, CHANNEL | 3.0 EA | |
| 829 3753 001 | FAB INSTR, CHANNEL REAR | 0.0 EA | |
| 829 3754 002 | CENTER CHANNEL | 1.0 EA | |

Table 1-581. CENTER CHANNEL - 829 3754 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 6060 064 | AL, CHAN .125 | 5.95350 FT | |

Table 1-582. SIDE PANEL ASSY - 929 4495 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 14.6450 LB | |
| 324 0174 000 | NUT, PEM 8-32 | 3.0 EA | |
| 839 4382 001 | PANEL, SIDE | 0.0 EA | |

Table 1-583. PANEL ASSY, CAVITY - 929 4808 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 17.8350 LB | |
| 358 0961 000 | STUD 10-32 X 5/8 | 16.0 EA | |
| 358 1851 000 | STUD 1/4-20 X 3/4 | 4.0 EA | |
| 829 4808 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 2841 001 | PANEL | 0.0 EA | |

Table 1-584. CORNER, C F TOP - 939 4280 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0727 000 | CORNER, CAST | 1.0 EA | |

Table 1-585. CORNER, R R TOP - 939 4283 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0727 000 | CORNER, CAST | 1.0 EA | |

Table 1-586. PANEL ASSY UPPER LFT SIDE - 943 2831 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 21.8950 LB | |
| 358 2746 000 | STUD 8-32 X 5/8 | 4.0 EA | |
| 843 2831 001 | PANEL, UPPER LT SIDE | 0.0 EA | |

Table 1-587. PLATE, PA BASE - 943 3005 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 30.740 LB | |
| 324 0153 000 | NUT, PEM 1/4-20 | 6.0 EA | |
| 324 0213 000 | NUT, PEM 10-32 | 2.0 EA | |
| 324 0271 000 | NUT, PEM 5/16-18 | 8.0 EA | |
| 324 0286 000 | NUT, PEM 3/8-16 | 10.0 EA | |
| 829 4848 001 | STENCIL | 0.0 EA | |
| 829 4849 001 | STENCIL | 0.0 EA | |
| 843 3005 001 | FAB/ASSY INSTR, PA BASE | 0.0 EA | |

Table 1-588. AUR PA OL SENSE NET - 992 4552 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 304 0045 000 | NUT CAP 10-32 BRASS | 2.0 EA | #E001 #E002 |
| 335 0009 000 | WASHER, NYLON .195 ID | 4.0 EA | #E001 #E002 |
| 335 0041 000 | WASHER NYLON .75 ID | 4.0 EA | #E001 #E002 |
| 335 0104 000 | WASHER PLAIN .156 ID | 6.0 EA | #A001 MTG |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 1.0 EA | #A1 REED RELAY |
| 358 0159 000 | STUD 82 OVAL HEAD | 2.0 EA | #COVER |
| 358 0184 000 | RETAINER 82 ALL HDS | 2.0 EA | #COVER |
| 358 0187 000 | RECEPTACLE 82 SPRING | 2.0 EA | #ENCLOSURE |
| 358 0765 000 | WASHER WEAR 82 NYLON | 2.0 EA | #COVER |
| 410 0001 000 | INSULATOR ROUND NS5W 0104 | 3.0 EA | #A001 |
| 410 0153 000 | INSULATOR BSHG NS5W-4104 | 2.0 EA | #E001 #E002 |
| 410 0157 000 | INSULATOR BSHG NS5W-4204 | 2.0 EA | #E001 #E002 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R005 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R002 |
| 550 0065 000 | POT 5K OHM 2W 10% | 1.0 EA | R001 |
| 604 0405 000 | SW, PB BLK SPDT | 1.0 EA | S001 |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA | J001 |
| 646 1254 402 | LABEL,DANGER HIGH VOLTAGE | 1.0 EA | #COVER |
| 741 0005 000 | CURRENT TRANSDUCER | 1.0 EA | DCT001 |
| 813 5604 001 | STUD BRZ 6 32 X .375 | 2.0 EA | #A001 MTG |
| 813 5606 026 | STUD BRS 10-32 X 2-3/4 | 2.0 EA | #E001 #E002 |
| 828 7271 001 | COVER | 1.0 EA | |
| 828 9375 001 | SCHEMATIC | 0.0 EA | |
| 839 1196 001 | ENCL, OVERLOAD SENSE | 1.0 EA | |
| 839 1316 001 | PLATE, MOUNTING | 1.0 EA | |
| 922 1001 001 | COIL ASSY | 1.0 EA | #A1 REED RELAY |
| 927 6053 001 | COIL, OUTER OL SENSE | 1.0 EA | #REED RELAY |
| 992 2979 001 | P C BOARD ASSY | 1.0 EA | A001 |

| | | |
|--------------|------------------|--------|
| 999 1576 001 | HARDWARE LIST | 1.0 EA |
| 999 1577 001 | WIRE/TUBING LIST | 1.0 EA |

Table 1-589. STUD BRS 10-32 X 2-3/4 - 813 5606 026

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 040 | BRS, THD STK 10-32 | 0.23940 FT | |

Table 1-590. COVER - 828 7271 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.47270 LB | |

Table 1-591. ENCL, OVERLOAD SENSE - 839 1196 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 1.007750 LB | |
| 829 0660 001 | STENCIL, ENCL OL SENSING | 0.0 EA | |

Table 1-592. PLATE, MOUNTING - 839 1316 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 1.320950 LB | |

Table 1-593. COIL ASSY - 922 1001 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 051 0001 023 | *ADHESIVE, DP-190 GRAY | 0.0 EA | |
| 063 0001 060 | *COMPOUND #4 | 0.0 EA | |
| 088 0001 063 | TAPE TEF 3/4 WIDE | 0.0 RL | |
| 255 0005 000 | WIRE, HV 18AWG 20KV | 2.90 FT | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 1.0 EA | |
| 604 0455 000 | SW REED | 1.0 EA | |
| 822 1001 001 | FAB INSTR, COIL | 0.0 EA | |
| 829 9700 002 | COIL FORM | 1.0 EA | |

Table 1-594. HARDWARE LIST - 999 1576 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 086 0001 010 | *SEALANT GLYPTOL | 0.0 QT | |
| 300 1537 000 | SCR, 6-32 X 5/16 | 1.0 EA | |
| 302 0352 000 | SCR, 6-32 X 1/4 | 3.0 EA | |
| 302 0374 000 | SCR, 6-32 X 3/8 | 8.0 EA | |
| 304 0098 000 | NUT, HEX 10-32 | 6.0 EA | |
| 306 0016 000 | NUT, HEX KEP 6-32 | 8.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 1.0 EA | |
| 308 0007 000 | 10 FLAT WASHER BRASS | 6.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 1.0 EA | |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 6.0 EA | |
| 328 0033 000 | WASHER FLAT STEEL | 1.0 EA | |
| 335 0106 000 | WASHER PLAIN .187 ID | 2.0 EA | |
| 350 0050 000 | RIVET POP .093X.212 | 4.0 EA | |
| 356 0087 000 | CABLE TIE TY RAP | 5.0 EA | |

Table 1-595. WIRE/TUBING LIST - 999 1577 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 8.440 FT | |
| 252 0235 000 | WIRE, STRD 22AWG GRN | 0.2190 FT | |
| 254 0001 000 | WIRE, BUS CU 22AWG | 0.0830 FT | |
| 296 0259 000 | TUBING TEFLON 18 AWG | 0.10 FT | |
| 296 0310 000 | TUBING TEFLON 20 AWG | 0.250 FT | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 3.0 EA | |
| 354 0335 000 | * CONNECTOR CONTACT | 6.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 2.0 EA | |

Table 1-596. VIS PA OL SENSE NET - 992 4553 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 304 0045 000 | NUT CAP 10-32 BRASS | 2.0 EA | #E001 #E002 |
| 335 0009 000 | WASHER, NYLON .195 ID | 4.0 EA | #E001 #E002 |
| 335 0041 000 | WASHER NYLON .75 ID | 4.0 EA | #E001 #E002 |
| 335 0104 000 | WASHER PLAIN .156 ID | 6.0 EA | #A001 MTG |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 1.0 EA | #A1 REED RELAY |
| 358 0159 000 | STUD 82 OVAL HEAD | 2.0 EA | #COVER |
| 358 0184 000 | RETAINER 82 ALL HDS | 2.0 EA | #COVER |
| 358 0187 000 | RECEPTACLE 82 SPRING | 2.0 EA | #ENCLOSURE |
| 358 0765 000 | WASHER WEAR 82 NYLON | 2.0 EA | #COVER |
| 410 0001 000 | INSULATOR ROUND NS5W 0104 | 3.0 EA | #A001 |
| 410 0153 000 | INSULATOR BSHG NS5W-4104 | 2.0 EA | #E001 #E002 |
| 410 0157 000 | INSULATOR BSHG NS5W-4204 | 2.0 EA | #E001 #E002 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R005 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R002 |
| 550 0065 000 | POT 5K OHM 2W 10% | 1.0 EA | R001 |
| 604 0405 000 | SW, PB BLK SPDT | 1.0 EA | S001 |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA | J001 |
| 646 1254 402 | LABEL,DANGER HIGH VOLTAGE | 1.0 EA | #COVER |
| 741 0005 000 | CURRENT TRANSDUCER | 1.0 EA | DCT001 |
| 813 5604 001 | STUD BRZ 6 32 X .375 | 2.0 EA | #A001 MTG |
| 813 5606 026 | STUD BRS 10-32 X 2-3/4 | 2.0 EA | #E001 #E002 |
| 828 7271 001 | COVER | 1.0 EA | |
| 828 9375 001 | SCHEMATIC | 0.0 EA | |
| 839 1196 001 | ENCL, OVERLOAD SENSE | 1.0 EA | |
| 839 1316 001 | PLATE, MOUNTING | 1.0 EA | |
| 922 1001 002 | COIL ASSY | 1.0 EA | #A1 REED RELAY |
| 927 6053 001 | COIL, OUTER OL SENSE | 1.0 EA | #A1 REED RELAY |
| 992 2979 001 | P C BOARD ASSY | 1.0 EA | A001 |
| 999 1576 001 | HARDWARE LIST | 1.0 EA | |
| 999 1577 001 | WIRE/TUBING LIST | 1.0 EA | |

Table 1-597. COIL ASSY - 922 1001 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 051 0001 023 | *ADHESIVE, DP-190 GRAY | 0.0 EA | |
| 063 0001 060 | *COMPOUND #4 | 0.0 EA | |
| 088 0001 063 | TAPE TEF 3/4 WIDE | 0.0 RL | |
| 255 0005 000 | WIRE, HV 18AWG 20KV | 2.80 FT | |

| | | |
|--------------|---------------------------|--------|
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 1.0 EA |
| 604 0455 000 | SW REED | 1.0 EA |
| 822 1001 002 | FAB INSTR, COIL | 0.0 EA |
| 829 9700 002 | COIL FORM | 1.0 EA |

Table 1-598. PA CONTROLLER BOARD - 992 5297 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|--|
| 324 0087 000 | NUT U 4-40 | 10.0 EA | |
| 358 1214 000 | SCREWLOCK, FEMALE | 5.0 EA | |
| 358 1726 000 | SPRING, HOLD DOWN | 3.0 EA | |
| 380 0125 000 | XSTR, NPN 2N4401 ESD | 1.0 EA | Q2 |
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 1.0 EA | Q1 |
| 384 0316 000 | RECT SIL CTL 2N5060 ESD | 6.0 EA | Q3 Q4 Q5 Q6 Q7 Q8 |
| 384 0431 000 | RECT. 1N4001 ESD | 11.0 EA | CR1 CR10 CR11 CR12 CR2 CR3 CR4 CR5 CR6 CR7 CR8 |
| 386 0135 000 | ZENER, 1N4733A 5.1V ESD | 1.0 EA | CR9 |
| 404 0161 000 | SOCKET RELAY 9KH2 | 3.0 EA | XK1 XK2 XK3 |
| 494 0218 000 | CHOKE WIDE BAND | 16.0 EA | L1 L10 L11 L12 L13 L14 L15 L16 L2 L3 L4 L5 L6 L7 L8 L9 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 16.0 EA | C1 C10 C11 C12 C13 C14 C15 C16 C2 C3 C4 C5 C6 C7 C8 C9 |
| 526 0050 000 | CAP 1UF 35V 20% | 14.0 EA | C17 C18 C19 C20 C21 C22 C23 C24 C31 C32 C33 C34 C35 C36 |
| 526 0331 000 | CAP .33UF 35V 20% | 6.0 EA | C25 C26 C27 C28 C29 C30 |
| 548 2400 277 | RES 619 OHM 1/2W 1% | 16.0 EA | R26 R27 R28 R29 R30 R31 R32 R33 R34 R35 R36 R37 R38 R39 R40 R41 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 2.0 EA | R1 R2 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 6.0 EA | R20 R21 R22 R23 R24 R25 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 6.0 EA | R3 R4 R5 R6 R7 R8 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 2.0 EA | R10 R13 |
| 548 2400 377 | RES 6.19K OHM 1/2W 1% | 6.0 EA | R14 R15 R16 R17 R18 R19 |
| 548 2400 385 | RES 7.5K OHM 1/2W 1% | 1.0 EA | R12 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R11 |
| 548 2400 418 | RES 15K OHM 1/2W 1% | 1.0 EA | R9 |
| 574 0156 000 | RELAY 12VDC 4PDT | 3.0 EA | K1 K2 K3 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 2.0 EA | P6 P7 |
| 612 0775 000 | JACK, PC MT, .040 PINS | 6.0 EA | |
| 612 0785 000 | RECP 15 CONT | 3.0 EA | J1 J2 J5 |
| 612 0792 000 | RECP 25 CONT | 2.0 EA | J3 J4 |
| 843 2907 001 | SCHEMATIC | 0.0 EA | |
| 843 2988 001 | PC BOARD | 1.0 EA | |

Table 1-599. SCREEN REG ASSY AURAL - 992 5361 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 384 0639 000 | RECTIFIER 10KV ESD | 1.0 EA | CR9 |
| 386 0103 000 | ZNR 1N3350A 200V 50W 10% ESD | 4.0 EA | CR1 CR3 CR5 CR7 |
| 386 0397 000 | ZNR 1N3340RA 100V 50W 10% ESD | 4.0 EA | CR2 CR4 CR6 CR8 |
| 404 0684 000 | HEAT SINK 1/4-28 TAP | 4.0 EA | |
| 614 0048 000 | TERM BD 4 TERM | 1.0 EA | TB1 |
| 813 5001 030 | STDOFF 6-32X1 3/8 HEX | 4.0 EA | |
| 829 4698 001 | PLATE, HEATSINK MTG | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |

Table 1-600. STDOFF 6-32X1 3/8 HEX - 813 5001 030

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 020 | AL, HEX .375 | 0.01260 LB | |

Table 1-601. PLATE, HEATSINK MTG - 829 4698 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 054 | GL, EPOXY .250 | 1.40 LB | |

Table 1-602. REPL'D, USE FFF 992-5955-001 - 992 5362 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|----------------------------------|
| 354 0644 000 | CONTACT, MALE PIN | 3.0 EA | |
| 357 0029 000 | SCREW 8-32 X 1/2 BHMS | 2.0 EA | |
| 358 0004 000 | BRACKET RESISTOR MTG | 2.0 EA | |
| 358 1974 000 | SPEED NUT 10-32 | 6.0 EA | |
| 358 3123 000 | STUD, BRS 10-32 X 1-1/2 | 3.0 EA | |
| 410 0010 000 | INSULATOR ROUND NS5W 0208 | 2.0 EA | |
| 410 0021 000 | INSULATOR ROUND NS5W 0324 | 3.0 EA | |
| 410 0153 000 | INSULATOR BSHG NS5W-4104 | 1.0 EA | |
| 410 0157 000 | INSULATOR BSHG NS5W-4204 | 1.0 EA | |
| 424 0002 000 | GROMMET 7/16 MTG DIA | 1.0 EA | |
| 472 1243 000 | XFMR, PWR, 817-0619-001 | 1.0 EA | T1 |
| 476 0383 000 | CHOKE 8 HY C1722 | 1.0 EA | L1 |
| 510 0686 000 | NLA, USE NFFF 510-0765-000 | 1.0 EA | C1 |
| 540 0691 000 | RES 2.2M OHM 2W 5% | 1.0 EA | R1 |
| 542 0338 000 | RES 25K OHM 5% 175W | 1.0 EA | R2 |
| 548 1449 000 | RES 40 MEGOHM 3W 1% | 2.0 EA | R3 R4 |
| 606 0764 000 | CKT BREAKER 3A 250VAC 3P | 1.0 EA | CB001 |
| 610 0765 000 | HOUSING, PLUG CONN | 3.0 EA | |
| 614 0015 000 | TERM BD 15 TERM | 2.0 EA | B2 TB1 |
| 646 0704 000 | NOT FOR NEW DESIGN | 1.0 EA | |
| 813 5605 027 | STUD BRS 8-32 X 3 | 3.0 EA | |
| 813 5606 027 | STUD BRS 10-32 X 3 | 1.0 EA | |
| 817 0629 001 | BLOCK SUPPORT | 1.0 EA | |
| 817 0835 001 | RUNNING LIST | 0.0 EA | |
| 829 7665 001 | ANGLE TERMINAL | 1.0 EA | |
| 829 7665 002 | ANGLE TERMINAL | 1.0 EA | |
| 829 7692 001 | ANGLE, SUPPORT | 5.0 EA | |
| 829 7692 002 | ANGLE, SUPPORT | 4.0 EA | |
| 829 7693 001 | CLAMP CAPACITOR | 1.0 EA | |
| 829 7694 001 | ANGLE MOUNTING | 1.0 EA | |
| 839 5190 001 | COVER | 1.0 EA | |
| 839 6103 001 | REPL'D, USE FFF 839-5800-206 | 0.0 EA | |
| 914 8641 001 | ASSY, FLANGE AND TUBE | 1.0 EA | |
| 929 7721 001 | PANEL, CIRCUIT BREAKER | 1.0 EA | |
| 929 7912 001 | PLATE BACK | 1.0 EA | |
| 929 8150 001 | CABLE | 1.0 EA | |
| 943 3333 001 | ASSY ENCLOSURE | 1.0 EA | |
| 992 5533 001 | REPL'D, USE FFF 992-5956-001 | 1.0 EA | |
| 992 5666 001 | RECTIFIER BOARD ASSY. | 1.0 EA | |

| | | |
|--------------|---------------|--------|
| 999 1968 001 | WIRE LIST | 1.0 EA |
| 999 1969 001 | HARDWARE LIST | 1.0 EA |

Table 1-603. STUD BRS 8-32 X 3 - 813 5605 027

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 020 | BRS, THD STK 8-32 | 0.261450 FT | |

Table 1-604. BLOCK SUPPORT - 817 0629 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 041 | AL, SQ .500 | 0.024150 LB | |

Table 1-605. ANGLE TERMINAL - 829 7665 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 027 9010 010 | GL, ANGLE .125 X 1, 94 VO | 0.630 FT | |

Table 1-606. ANGLE TERMINAL - 829 7665 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 027 9010 010 | GL, ANGLE .125 X 1, 94 VO | 0.630 FT | |

Table 1-607. ANGLE, SUPPORT - 829 7692 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.010426 LB | |

Table 1-608. ANGLE, SUPPORT - 829 7692 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.010426 LB | |

Table 1-609. CLAMP CAPACITOR - 829 7693 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.029145 LB | |

Table 1-610. ANGLE MOUNTING - 829 7694 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 027 9010 010 | GL, ANGLE .125 X 1, 94 VO | 0.565950 FT | |

Table 1-611. COVER - 839 5190 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.75450 LB | |

Table 1-612. ASSY, FLANGE AND TUBE - 914 8641 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 814 8642 001 | FLANGE | 1.0 EA | |
| 814 8643 001 | TUBE | 1.0 EA | |

Table 1-613. FLANGE - 814 8642 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.129195 LB | |

Table 1-614. TUBE - 814 8643 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 8060 070 | AL, TBG RD 2X.065WL | 0.043365 LB | |

Table 1-615. PANEL, CIRCUIT BREAKER - 929 7721 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 324 0142 000 | NUT, PEM 8-32 | 2.0 EA | |
| 324 0165 000 | NUT, PEM 8-32 | 1.0 EA | |
| 843 3334 001 | PANEL | 1.0 EA | |

Table 1-616. PANEL - 843 3334 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.92220 LB | |

Table 1-617. PLATE BACK - 929 7912 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 324 0168 000 | NUT, PEM 10-32 | 6.0 EA | |
| 358 0957 000 | STUD 8-32 X 1/2 | 12.0 EA | |
| 358 1014 000 | STUD 4-40 X 1/2 | 4.0 EA | |
| 839 5448 001 | PLATE | 1.0 EA | |

Table 1-618. PLATE - 839 5448 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 4.19050 LB | |

Table 1-619. CABLE - 929 8150 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 33.0 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 3.50 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.60 FT | |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 3.0 EA | |
| 354 0005 000 | TERM LUG RED SPADE 6 | 5.0 EA | |
| 354 0009 000 | LUG #8 RING BLUE 16-14AWG | 1.0 EA | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 1.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 12.0 EA | |
| 354 0584 000 | TERM, SQ WIRE | 13.0 EA | |

| | | |
|--------------|------------------------|--------|
| 354 0644 000 | CONTACT, MALE PIN | 3.0 EA |
| 354 0645 000 | CONTACT, FEMALE PIN | 6.0 EA |
| 354 0669 000 | TERM 250 FEM RED 22-18 | 6.0 EA |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA |
| 610 0765 000 | HOUSING, PLUG CONN | 3.0 EA |
| 612 0740 000 | HSG, 15 CKT, SGL ROW | 1.0 EA |
| 612 0924 000 | HOUSING, CAP CONN | 6.0 EA |
| 843 3578 001 | CABLE LAYOUT | 0.0 EA |

Table 1-620. ASSY ENCLOSURE - 943 3333 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 7689 001 | SIDE RIGHT | 1.0 EA | |
| 829 7910 001 | BOTTOM ENCLOSURE | 1.0 EA | |
| 839 5447 001 | TOP ENCLOSURE | 1.0 EA | |
| 929 7913 002 | SIDE LEFT | 1.0 EA | |

Table 1-621. SIDE RIGHT - 829 7689 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.66750 LB | |

Table 1-622. BOTTOM ENCLOSURE - 829 7910 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.842450 LB | |

Table 1-623. TOP ENCLOSURE - 839 5447 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.367350 LB | |

Table 1-624. SIDE LEFT - 929 7913 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 0957 000 | STUD 8-32 X 1/2 | 1.0 EA | |
| 829 7690 001 | SIDE LEFT | 1.0 EA | |

Table 1-625. SIDE LEFT - 829 7690 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.66750 LB | |

Table 1-626. REPL'D, USE FFF 992-5956-001 - 992 5533 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 1.0 EA | Q13 |
| 380 0215 000 | XSTR, 2N3439 ESD | 7.0 EA | Q10 Q12 Q14 Q2 Q4 Q6 Q8 |
| 380 0319 000 | XSTR, MPS-A14 ESD | 2.0 EA | Q16 Q17 |
| 380 0585 000 | XSTR, MJ15011 ESD | 6.0 EA | Q1 Q11 Q3 Q5 Q7 Q9 |
| 380 0593 000 | XSTR FET VN66AFD ESD | 1.0 EA | Q15 |
| 382 0452 000 | IC, LM311/CA311 ESD | 1.0 EA | U3 |
| 382 0520 000 | IC, TL430CLP ESD | 2.0 EA | U1 U2 |

| | | | |
|--------------|------------------------------|--------|--------------------------------|
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 5.0 EA | CR21 CR23 CR24 CR30 CR31 |
| 384 0317 000 | RECT 1N4725 ESD | 1.0 EA | CR20 |
| 384 0368 000 | RECT 1000V PIV 1.5A ESD | 7.0 EA | CR10 |
| | | | CR11 CR12 CR13 CR7 CR8 CR9 |
| 384 0431 000 | RECT. 1N4001 ESD | 1.0 EA | CR35 |
| 384 0611 000 | LED, RED ESD | 1.0 EA | CR32 |
| 384 0639 000 | RECTIFIER 10KV ESD | 2.0 EA | CR25 CR26 |
| 386 0051 000 | ZNR 1N3346A 150V 50W 10% ESD | 3.0 EA | CR14 CR15 CR16 |
| 386 0100 000 | ZENER, 1N4747A 20V ESD | 1.0 EA | CR22 |
| 386 0168 000 | ZENER, 1N5357A 20V ESD | 1.0 EA | CR38 |
| 386 0297 000 | ZENER 1N5338B 5.1V 5W 5% ESD | 2.0 EA | CR28 CR29 |
| 386 0320 000 | ZENER 1N3340A 100V 50W ESD | 3.0 EA | CR17 CR18 CR19 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 7.0 EA | XQ10 XQ12 XQ14 XQ2 XQ4 XQ6 XQ8 |
| 404 0661 000 | SOCKET, TRANSISTOR TO-3 | 6.0 EA | XQ1 XQ11 XQ3 XQ5 XQ7 XQ9 |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | |
| 410 0232 000 | INSULATOR TO-3 MICA | 6.0 EA | |
| 516 0081 000 | CAP, DISC .01UF 1KV 20% | 1.0 EA | C1 |
| 516 0419 000 | CAP .05 UF 500V | 2.0 EA | C6 C7 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 4.0 EA | C10 C11 C12 C8 |
| 516 0530 000 | CAP .01UF 10% 100V X7R | 1.0 EA | C13 |
| 522 0133 000 | CAP 16 UF 450V | 1.0 EA | C4 |
| 522 0379 000 | CAP 100UF 250V | 1.0 EA | C3 |
| 522 0394 000 | CAP 100UF 50V | 1.0 EA | C5 |
| 526 0049 000 | CAP 6.8UF 35V 20% | 2.0 EA | C015 C016 |
| 526 0311 000 | CAP 2.2UF 35V 10% | 1.0 EA | C14 |
| 540 0326 000 | * RES 560 OHM 1W 5% | 1.0 EA | R54 |
| 540 0327 000 | * RES 620 OHM 1W 5% | 1.0 EA | R13 |
| 540 0566 000 | * RES 13 OHM 2W 5% | 1.0 EA | R23 |
| 540 0635 000 | * RES 10K OHM 2W 5% | 3.0 EA | R18 R19 R34 |
| 540 0644 000 | * RES 24K OHM 2W 5% | 1.0 EA | R22 |
| 540 0647 000 | * RES 33K OHM 2W 5% | 2.0 EA | R3 R6 |
| 540 0648 000 | * RES 36K OHM 2W 5% | 2.0 EA | R4 R7 |
| 540 0654 000 | * RES 62K OHM 2W 5% | 1.0 EA | R27 |
| 540 0672 000 | RES 360.0K OHM 2W 5% | 3.0 EA | R10 R11 R12 |
| 542 0010 000 | RES 30 OHM 5% 8W | 1.0 EA | R28 |
| 542 0013 000 | RES 50 OHM 5% 8W | 1.0 EA | R25 |
| 542 0123 000 | RES 250 OHM 5% 20W | 3.0 EA | R17 R26 R37 |
| 542 0127 000 | RES 500 OHM 5% 20W | 2.0 EA | R1 R2 |
| 542 1157 000 | RES 75K OHM 5% 25W | 2.0 EA | R31 R32 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R39 |
| 548 2400 251 | RES 332 OHM 1/2W 1% | 1.0 EA | R38 |
| 548 2400 277 | RES 619 OHM 1/2W 1% | 2.0 EA | R49 R51 |
| 548 2400 281 | RES 681 OHM 1/2W 1% | 1.0 EA | R52 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 2.0 EA | R33 R55 |
| 548 2400 321 | RES 1.62K OHM 1/2W 1% | 1.0 EA | R41 |
| 548 2400 326 | RES 1.82K OHM 1/2W 1% | 1.0 EA | R35 |
| 548 2400 342 | RES 2.67K OHM 1/2W 1% | 1.0 EA | R42 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 2.0 EA | R46 R53 |
| 548 2400 351 | RES 3.32K OHM 1/2W 1% | 7.0 EA | R20 R21 R24 R30 R5 R8 R9 |
| 548 2400 354 | RES 3.57K OHM 1/2W 1% | 1.0 EA | R47 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 2.0 EA | R40 R43 |
| 548 2400 389 | RES 8.25K OHM 1/2W 1% | 2.0 EA | R45 R50 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 3.0 EA | R14 R44 R48 |
| 548 2400 447 | RES 30.1K OHM 1/2W 1% | 1.0 EA | R36 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 1.0 EA | R016 |

| | | | |
|--------------|------------------------------|---------|-----|
| 548 2400 469 | RES 51.1K OHM 1/2W 1% | 1.0 EA | R56 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 1.0 EA | R15 |
| 550 0457 000 | POT 500K OHM 2.25 W | 1.0 EA | R29 |
| 578 0021 000 | RELAY DPDT 12V | 1.0 EA | K1 |
| 580 0001 000 | RELAY, VACUUM 26.5VDC | 1.0 EA | K3 |
| 610 0662 000 | CONN 15 PIN | 1.0 EA | J1 |
| 817 0990 106 | SPACER, HEATSINK | 12.0 EA | |
| 839 5800 127 | HEATSINK | 6.0 EA | |
| 839 6103 001 | REPL'D, USE FFF 839-5800-206 | 0.0 EA | |
| 943 3326 001 | PC BD SCREEN REG | 1.0 EA | |
| 999 1921 001 | HARDWARE LIST | 1.0 EA | |
| 999 1922 001 | WIRE LIST | 1.0 EA | |

Table 1-627. SPACER, HEATSINK - 817 0990 106

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 021 | AL, SQ .375 | 0.01470 LB | |

Table 1-628. HEATSINK - 839 5800 127

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 6061 025 | AL, HT SK EXTRUSIONS | 0.30450 FT | |

Table 1-629. PC BD SCREEN REG - 943 3326 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|----------------------------------|
| 354 0336 000 | TERMINAL, SOLDER | 37.0 EA | |
| 843 3325 001 | REPL'D, USE FFF 843-3730-064 | 1.0 EA | |
| 843 3326 001 | ASSY, PWB | 0.0 EA | |

Table 1-630. HARDWARE LIST - 999 1921 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1486 000 | SCR, 4-40 X 3/8 | 6.0 EA | |
| 300 1540 000 | SCR, 6-32 X 1/2 | 12.0 EA | |
| 300 1541 000 | SCR, 6-32 X 5/8 | 1.0 EA | |
| 300 1542 000 | SCR, 6-32 X 3/4 | 12.0 EA | |
| 300 1575 000 | SCR, 10-32 X 3/8 | 1.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 1.0 EA | |
| 302 0109 000 | SCR, 6-32 X 5/8 | 1.0 EA | |
| 302 0362 000 | SCR, 8-32 X 2-1/2 | 4.0 EA | |
| 302 0386 000 | SCR, 6-32 X 2-1/2 | 2.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 13.0 EA | |
| 306 0003 000 | NUT, HEX 4-40 | 3.0 EA | |
| 306 0005 000 | NUT, HEX 8-32 | 1.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 6.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 13.0 EA | |
| 308 0007 000 | 10 FLAT WASHER BRASS | 2.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 3.0 EA | |
| 310 0006 000 | WASHER FLAT 8 | 8.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 6.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 13.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 3.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 4.0 EA | |

| | | |
|--------------|------------------------|---------|
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 4.0 EA |
| 335 0091 000 | WASHER, SHLD .171 ID | 8.0 EA |
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 12.0 EA |
| 354 0386 000 | TERM, LOCKING #10 RING | 1.0 EA |
| 356 0084 000 | CABLE TY RAP | 1.0 EA |
| 356 0089 000 | CABLE TIE TY RAP | 4.0 EA |

Table 1-631. WIRE LIST - 999 1922 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 252 0059 000 | WIRE, 1C 22AWG YEL | 9.380 FT | |
| 254 0002 000 | WIRE, BUS CU 20AWG | 0.0830 FT | |
| 254 0004 000 | WIRE, BUS CU 16AWG | 0.1670 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 6.850 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.1250 FT | |

Table 1-632. RECTIFIER BOARD ASSY. - 992 5666 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|-------------------------------------|
| 384 0688 000 | RECT 10KV PIV ESD | 6.0 EA | CR001 CR002 CR003 CR004 CR005 CR006 |
| 839 6103 001 | REPL'D, USE FFF 839-5800-206 | 0.0 EA | |
| 929 7696 001 | PC BD | 1.0 EA | |

Table 1-633. PC BD - 929 7696 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0314 000 | TERM, TUR SLDR | 9.0 EA | |
| 829 7695 001 | PC BD | 1.0 EA | |

Table 1-634. PC BD - 829 7695 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 0.886250 LB | |

Table 1-635. WIRE LIST - 999 1968 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 043 8030 010 | PLASTIC CHAN NO 190 | 0.2920 FT | |
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 1.040 FT | |
| 254 0003 000 | WIRE, BUS CU 18AWG | 0.5830 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 6.580 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 3.620 FT | |
| 296 0258 000 | TUBING TEFLON 19AWG | 0.2080 FT | |
| 354 0008 000 | LUG #6 RING BLUE 16-14AWG | 3.0 EA | |
| 354 0009 000 | LUG #8 RING BLUE 16-14AWG | 2.0 EA | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 2.0 EA | |

Table 1-636. HARDWARE LIST - 999 1969 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 300 1563 000 | SCR, 8-32 X 3/8 | 2.0 EA | |
| 302 0104 000 | SCR, 6-32 X 1/4 | 2.0 EA | |
| 302 0108 000 | SCR, 6-32 X 1/2 | 8.0 EA | |

| | | |
|--------------|---------------------------|---------|
| 302 0130 000 | SCR, 8-32 X 3/8 | 4.0 EA |
| 302 0141 000 | SCR, 10-32 X 3/8 | 8.0 EA |
| 302 0143 000 | SCR, 10-32 X 1/2 | 9.0 EA |
| 302 0285 000 | SCR, 8-32 X 1/2 | 7.0 EA |
| 302 0377 000 | SCR, 6-32 X 5/8 | 2.0 EA |
| 304 0090 000 | NUT, HEX 8-32 | 4.0 EA |
| 304 0098 000 | NUT, HEX 10-32 | 14.0 EA |
| 304 0139 000 | NUT, HEX 8-32 | 4.0 EA |
| 306 0005 000 | NUT, HEX 8-32 | 18.0 EA |
| 306 0012 000 | NUT, STOP 8-32 | 2.0 EA |
| 306 0015 000 | NUT, HEX KEP 4-40 | 4.0 EA |
| 306 0016 000 | NUT, HEX KEP 6-32 | 4.0 EA |
| 306 0017 000 | NUT, HEX KEP 8-32 | 2.0 EA |
| 308 0007 000 | 10 FLAT WASHER BRASS | 5.0 EA |
| 310 0006 000 | WASHER FLAT 8 | 15.0 EA |
| 310 0012 000 | WASHER FLAT 6 | 8.0 EA |
| 310 0013 000 | WASHER FLAT 10 | 18.0 EA |
| 312 0027 000 | WASHER, EXT SHAKE NO. 8 | 1.0 EA |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 3.0 EA |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 9.0 EA |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 10.0 EA |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 19.0 EA |
| 314 0007 000 | WASHER, SPLIT-LOCK 10 | 15.0 EA |
| 314 0018 000 | WASHER, INT-EXT LOCK 8 | 10.0 EA |
| 335 0007 000 | WASHER NYLON .175 ID | 4.0 EA |
| 335 0008 000 | WASHER NYLON .175 ID | 2.0 EA |
| 335 0010 000 | WASHER NYLON .195 ID | 3.0 EA |
| 335 0012 000 | WASHER NYLON .195 ID | 3.0 EA |
| 335 0041 000 | WASHER NYLON .75 ID | 2.0 EA |
| 350 0043 000 | RIVET POP .156X.379 | 4.0 EA |
| 350 0050 000 | RIVET POP .093X.212 | 4.0 EA |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 4.0 EA |
| 354 0005 000 | TERM LUG RED SPADE 6 | 26.0 EA |
| 354 0038 000 | SOLDER LUG 6 MTG HOLE | 14.0 EA |
| 356 0087 000 | CABLE TIE TY RAP | 8.0 EA |
| 357 0029 000 | SCREW 8-32 X 1/2 BHMS | 2.0 EA |
| 358 1024 000 | CABLE STRIP MOUNT | 2.0 EA |
| 358 1974 000 | SPEED NUT 10-32 | 5.0 EA |

Table 1-637. METER PNL, PA VIS - 992 5396 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 358 0059 000 | STUD 85 OVAL HEAD | 2.0 EA | |
| 358 0410 000 | RETAINER 85 ALL HDS | 2.0 EA | |
| 358 0801 000 | WASHER WEAR 85 NYLON | 2.0 EA | |
| 516 0081 000 | CAP, DISC .01UF 1KV 20% | 2.0 EA | C001 C002 |
| 632 1122 000 | MTR 0-3ADC, 4-1/2", S | 1.0 EA | M001 |
| 632 1123 000 | MTR 0-10ADC, 4-1/2", S | 1.0 EA | M003 |
| 632 1124 000 | MTR 0-10KV, 4-1/2", S | 1.0 EA | M002 |
| 632 1125 000 | MTR, 15KV, 4-1/2", S | 1.0 EA | M004 |
| 829 4664 001 | STIFFENER, METER PNL | 1.0 EA | |
| 843 4608 002 | PANEL METER MOUNTING | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 929 4502 001 | HINGE, LATCH | 2.0 EA | |
| 929 4502 002 | HINGE, LATCH | 2.0 EA | |

Table 1-638. PANEL METER MOUNTING - 843 4608 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 1.3750 LB | |

Table 1-639. HINGE, LATCH - 929 4502 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 336 1130 000 | PIN, SPRING | 1.0 EA | |
| 456 0082 000 | SPRING LC-026C-5 | 1.0 EA | |
| 817 0155 001 | PIN, LATCH | 1.0 EA | |
| 817 0639 001 | HANDLE, HINGE | 1.0 EA | |
| 829 4501 001 | BLOCK, LATCH | 1.0 EA | |

Table 1-640. PIN, LATCH - 817 0155 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 040 | SST, ROD .250 DIA | 0.020580 LB | |

Table 1-641. HANDLE, HINGE - 817 0639 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1015 010 | AL, RD .125 DIA | 0.000315 LB | |

Table 1-642. BLOCK, LATCH - 829 4501 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 050 | GL, LAM SH .5 G10 | 0.078750 LB | |

Table 1-643. HINGE, LATCH - 929 4502 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 336 1130 000 | PIN, SPRING | 1.0 EA | |
| 456 0082 000 | SPRING LC-026C-5 | 1.0 EA | |
| 817 0155 001 | PIN, LATCH | 1.0 EA | |
| 817 0639 001 | HANDLE, HINGE | 1.0 EA | |
| 829 4501 002 | BLOCK, LATCH | 1.0 EA | |

Table 1-644. BLOCK, LATCH - 829 4501 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 050 | GL, LAM SH .5 G10 | 0.078750 LB | |

Table 1-645. METER PNL, PA AURAL - 992 5397 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 358 0059 000 | STUD 85 OVAL HEAD | 2.0 EA | |
| 358 0410 000 | RETAINER 85 ALL HDS | 2.0 EA | |
| 358 0801 000 | WASHER WEAR 85 NYLON | 2.0 EA | |
| 448 0412 000 | HINGE, LATCH RELEASE | 2.0 EA | |

| | | | |
|--------------|---------------------------|--------|-----------|
| 448 0413 000 | HINGE, LATCH RELEASE | 2.0 EA | |
| 516 0081 000 | CAP, DISC .01UF 1KV 20% | 2.0 EA | C001 C002 |
| 550 0077 000 | POT, 500K OHM 2W | 2.0 EA | R001 R002 |
| 632 1088 000 | MTR PK PWR/VSWR, 4-1/2",S | 1.0 EA | M002 |
| 632 1107 000 | MTR PWR, 4-1/2", S | 1.0 EA | M001 |
| 829 4665 001 | STIFFENER | 1.0 EA | |
| 843 2840 001 | PANEL | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |

Table 1-646. STIFFENER - 829 4665 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 027 9010 010 | GL, ANGLE .125 X 1, 94 VO | 2.3520 FT | |

Table 1-647. PANEL - 843 2840 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 1.63750 LB | |

Table 1-648. MULTIMETER PNL ASSY - 992 5398 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 410 0004 000 | INSULATOR ROUND NS5W 0108 | 6.0 EA | |
| 610 0765 000 | HOUSING, PLUG CONN | 0.0 EA | |
| 612 0924 000 | HOUSING, CAP CONN | 0.0 EA | |
| 632 1096 000 | MTR MULTI, 3-1/2", B | 1.0 EA | |
| 632 1113 000 | MTR MULTI, 3-1/2", S | 1.0 EA | |
| 650 0116 000 | KNOB BAR 2.5" LG | 1.0 EA | |
| 817 0707 001 | RUNNING SHEET | 0.0 EA | |
| 829 7639 001 | WINDOW | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 917 0711 001 | SWITCH MODIFICATION | 1.0 EA | |
| 929 4411 001 | PANEL, MULTIMETER | 1.0 EA | |
| 929 7861 001 | CABLE ASSY | 1.0 EA | W1 |
| 992 5446 001 | PC BD ASSY | 1.0 EA | |

Table 1-649. WINDOW - 829 7639 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.80750 SF | |

Table 1-650. SWITCH MODIFICATION - 917 0711 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 600 0595 000 | SWITCH, ROTARY 12 POS | 1.0 EA | S1 |

Table 1-651. PANEL, MULTIMETER - 929 4411 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 4.91550 LB | |
| 358 0943 000 | STUD 6-32 X 3/8 | 6.0 EA | |
| 646 0569 000 | REPLACE WITH 646-1301-201 | 1.0 EA | |
| 829 4411 001 | ASSY INSTRUCTIONS | 0.0 EA | |

Table 1-652. CABLE ASSY - 929 7861 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 19.90 FT | |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 15.40 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.90 FT | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 2.0 EA | |
| 354 0644 000 | CONTACT, MALE PIN | 2.0 EA | |
| 354 0645 000 | CONTACT, FEMALE PIN | 2.0 EA | |
| 610 0765 000 | HOUSING, PLUG CONN | 2.0 EA | P1 P3 |
| 612 0924 000 | HOUSING, CAP CONN | 2.0 EA | P2 P4 |
| 829 7861 001 | CADS, P.A. MULTIMETER | 0.0 EA | |
| 843 3403 001 | CABLE LAYOUT | 0.0 EA | |

Table 1-653. PC BD ASSY - 992 5446 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 384 0286 000 | RECT SILICON 1N4721 ESD | 4.0 EA | CR3 CR4 CR5 CR6 |
| 384 0357 000 | RECTIFIER 1N4004 ESD | 2.0 EA | CR1 CR2 |
| 516 0081 000 | CAP, DISC .01UF 1KV 20% | 1.0 EA | C1 |
| 542 0054 000 | RES 10 OHM 5% 12W | 2.0 EA | R1 R2 |
| 548 0073 000 | *RES 500K OHM .5W 1% | 2.0 EA | R17 R18 |
| 548 0075 000 | RES 1 MEG OHM 3/4W 1% | 4.0 EA | R19 R20 R21 R22 |
| 548 0594 000 | RES 1 OHM 2.5W/3W 1% | 1.0 EA | R15 |
| 548 1236 000 | RES 2.3 OHM 1W 1% | 1.0 EA | R16 |
| 548 1255 000 | *RES 5 MEG OHM 1/2W 1% | 10.0 EA | R10 R11 R12 R3 R4 R5 R6 R7 R8 R9 |
| 548 2400 496 | RES 97.6K OHM 1/2W 1% | 1.0 EA | R24 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 2.0 EA | R13 R14 |
| 548 2400 539 | RES 249K OHM 1/2W 1% | 1.0 EA | R23 |
| 610 0704 000 | CONN 12 PIN | 2.0 EA | J1 J2 |
| 612 0816 000 | HSG, 12 CKT, SGL ROW | 0.0 EA | P001 P002 |
| 839 5113 001 | SCHEMATIC | 0.0 EA | |
| 929 4720 001 | PC PTD BD ASSY | 1.0 EA | |

Table 1-654. PC PTD BD ASSY - 929 4720 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 354 0336 000 | TERMINAL, SOLDER | 22.0 EA | |
| 829 4720 001 | ASSY INSTR, PA MULTIMETER | 0.0 EA | |
| 843 3285 001 | P C BOARD | 1.0 EA | |

Table 1-655. AC CONTACTOR PANEL ASSY - 992 5399 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 404 0672 000 | SOCKET RELAY | 1.0 EA | XK006 |
| 506 0086 000 | CAP 1 UF 400V 20 PCT | 6.0 EA | C001 C002 C003 C004 C005 C006 |
| 570 0255 000 | FULL VOLTAGE STARTER 600V | 1.0 EA | K004 |
| 570 0263 000 | CONTACTOR 4 POLE 10A | 1.0 EA | K001 |
| 570 0264 000 | STARTER, MOTOR 120V COIL | 1.0 EA | K005 |
| 570 0265 000 | CONTACTOR 4 POLE 20A | 1.0 EA | K003 |
| 574 0405 000 | RELAY 3PDT 120VAC 50/60HZ | 1.0 EA | K006 |
| 576 0132 000 | RELAY, TIME DELAY | 1.0 EA | K002 |

| | | | |
|--------------|-------------------------|--------|-------------------|
| 584 0272 000 | HEATER B50 | 3.0 EA | K5HR1 K5HR2 K5HR3 |
| 584 0291 000 | HEATER B65 | 3.0 EA | K4HR1 K4HR2 K4HR3 |
| 606 0141 000 | CKT BREAKER 15 AMP | 1.0 EA | CB001 |
| 606 0160 000 | CIRCUIT BREAKER 30A | 1.0 EA | CB004 |
| 606 0665 000 | CKT BREAKER 3 POLE 7.5A | 1.0 EA | CB002 |
| 606 0803 000 | CKT BREAKER 50A 250VAC | 1.0 EA | CB003 |
| 614 0105 000 | TERM BD 15 TERM | 1.0 EA | TB002 |
| 614 0274 000 | TERM BD 3 TERM | 1.0 EA | TB001 |
| 614 0762 000 | TERM BD 3 TERM | 1.0 EA | |
| 817 0640 001 | RUNNING LIST | 0.0 EA | |
| 829 4020 001 | BLOCK, BUS BAR | 1.0 EA | |
| 829 4486 001 | BRKT, SOCKET | 1.0 EA | |
| 839 4535 001 | ANGLE, BUS BAR | 1.0 EA | |
| 839 4545 001 | ANGLE, BUS BAR | 1.0 EA | |
| 839 4545 002 | ANGLE, BUS BAR | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 915 1842 005 | STUD TERMINAL | 2.0 EA | |
| 929 9165 001 | CABLE ASSY DATA SHT | 1.0 EA | |
| 939 4496 002 | ASSY AC DIST PNL | 1.0 EA | |

Table 1-656. BRKT, SOCKET - 829 4486 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.036685 LB | |

Table 1-657. ANGLE, BUS BAR - 839 4535 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 5010 030 | CU, SH .093 THK | 1.1020 LB | |

Table 1-658. ANGLE, BUS BAR - 839 4545 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 5010 030 | CU, SH .093 THK | 1.170150 LB | |

Table 1-659. ANGLE, BUS BAR - 839 4545 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 5010 030 | CU, SH .093 THK | 1.170150 LB | |

Table 1-660. STUD TERMINAL - 915 1842 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1020 020 | BRS, THD STK 8-32 | 0.15750 FT | |
| 304 0090 000 | NUT, HEX 8-32 | 1.0 EA | |
| 815 1842 005 | ASSY INSTR, STUD TERMINAL | 0.0 EA | |

Table 1-661. CABLE ASSY DATA SHT - 929 9165 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 50.10 FT | |
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 20.30 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 52.50 FT | |

| | | |
|--------------|---------------------------|----------|
| 252 0007 000 | WIRE, STRD 12AWG WHT | 23.90 FT |
| 252 0210 000 | WIRE, STRD 8AWG BLK | 18.50 FT |
| 296 0263 000 | TUBING, SHRINK 3/8 WHITE | 0.50 FT |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 6.0 EA |
| 354 0005 000 | TERM LUG RED SPADE 6 | 28.0 EA |
| 354 0006 000 | TERM LUG RED SPADE 8 | 4.0 EA |
| 354 0007 000 | LUG RED SPADE 10 | 1.0 EA |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 6.0 EA |
| 354 0015 000 | LUG BLUE SPADE 6 | 9.0 EA |
| 354 0016 000 | LUG BLUE SPADE 8 | 8.0 EA |
| 354 0017 000 | LUG BLUE SPADE 10 | 9.0 EA |
| 354 0026 000 | LUG YEL SPADE 10 | 6.0 EA |
| 354 0027 000 | TERM LUG YEL SPADE 8 | 3.0 EA |
| 354 0311 000 | LUG, #10 RING RED 7-9AWG | 3.0 EA |
| 354 0324 000 | LUG #10 RING YEL 12-10AWG | 3.0 EA |
| 354 0335 000 | * CONNECTOR CONTACT | 15.0 EA |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA |
| 829 9165 001 | CADS | 0.0 EA |
| 852 8992 001 | CABLE LAYOUT | 0.0 EA |

Table 1-662. ASSY AC DIST PNL - 939 4496 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 358 0945 000 | STUD 10-32 X 1/2 | 8.0 EA | |
| 358 0957 000 | STUD 8-32 X 1/2 | 15.0 EA | |
| 358 0973 000 | STUD 8-32 X 3/4 | 4.0 EA | |
| 358 1065 000 | STUD 6-32 X 5/8 | 5.0 EA | |
| 829 4415 001 | GUSSET | 2.0 EA | |
| 839 4496 002 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 4496 010 | STENCIL AC DIST PNL | 0.0 EA | |
| 843 2888 010 | PNL AC DISTRIBUTION | 1.0 EA | |

Table 1-663. GUSSET - 829 4415 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.58290 LB | |

Table 1-664. PNL AC DISTRIBUTION - 843 2888 010

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 11.64350 LB | |

Table 1-665. FILAMENT RECT ASSY - 992 5403 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 384 0628 000 | RECT 1N3289/1N3289A ESD | 3.0 EA | CR1 CR2 CR3 |
| 384 0667 000 | RECTIFIER 1N3289R ESD | 3.0 EA | CR4 CR5 CR6 |
| 398 0019 000 | FUSE, FAST CART 2A 250V | 1.0 EA | F1 |
| 402 0024 000 | FUSE HOLDER | 1.0 EA | XF1 |
| 817 0546 001 | POST, TERMINAL | 2.0 EA | |
| 829 4094 001 | STANDOFF | 3.0 EA | |
| 829 4096 001 | HEATSINK | 2.0 EA | |
| 839 4293 001 | HEATSINK MOUNT | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |

Table 1-666. POST, TERMINAL - 817 0546 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 060 | BRS, HEX .750 | 0.3150 LB | |

Table 1-667. STANDOFF - 829 4094 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 040 | BRS, HEX .500 | 0.20790 LB | |

Table 1-668. HEATSINK - 829 4096 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 003 5010 045 | CU, SH .187 X 36 X 96 | 3.3930 LB | |

Table 1-669. HEATSINK MOUNT - 839 4293 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 054 | GL, EPOXY .250 | 1.190 LB | |

Table 1-670. PA CTRL/IND PANEL - 992 5415 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 384 0669 000 | LED, T1-3/4, RED PANEL MT ESD | 7.0 EA | DS1 DS2 DS3 DS4 DS5 DS6 DS7 |
| 598 0222 000 | MODULE, ESCUTCHEON | 1.0 EA | |
| 604 0884 000 | SW, PB SPST | 1.0 EA | S1 |
| 614 0004 000 | TERM BD 4 TERM | 1.0 EA | TB2 |
| 614 0016 000 | TERM BD 16 TERM | 1.0 EA | TB1 |
| 646 0972 000 | *LABEL 117V | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 929 4460 001 | PANEL ASSY | 1.0 EA | |
| 929 4839 001 | CABLE ASSY | 1.0 EA | |

Table 1-671. PANEL ASSY - 929 4460 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 3.6540 LB | |
| 358 1013 000 | STUD 4-40 X 3/8 | 2.0 EA | |
| 358 1101 000 | STUD 6-32 X 1/2 | 2.0 EA | |
| 358 1551 000 | STANDOFF BLIND 6-32 X 1/2 | 9.0 EA | |
| 829 4460 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 4518 001 | PANEL | 0.0 EA | |

Table 1-672. CABLE ASSY - 929 4839 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 6.80 FT | |
| 354 0384 000 | CONTACT, PIN | 10.0 EA | |
| 408 0223 000 | SHIELD 15 POSITION | 1.0 EA | |
| 610 0538 000 | PLUG 15 POS | 1.0 EA | |
| 817 0313 001 | RUNNING SHEETS | 0.0 EA | |
| 829 4839 001 | CADS, INDICATOR CABLE | 0.0 EA | |

839 4701 001

CABLE LAYOUT

0.0 EA

Table 1-673. H.V. SHORTING ASSY - 992 5480 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 335 0017 000 | WASHER NYLON .261 ID | 4.0 EA | |
| 410 0026 000 | INSULATOR ROUND NS5W 0420 | 2.0 EA | |
| 590 0037 000 | SOLENOID 220V, 60HZ | 2.0 EA | L1 L2 |
| 816 9163 001 | ADAPTOR-SOLENOID | 2.0 EA | |
| 817 0136 002 | CONTACT | 2.0 EA | |
| 829 4454 001 | SCHEMATIC | 0.0 EA | |
| 916 4954 002 | GRD STRAP | 2.0 EA | |
| 929 4401 001 | CHASSIS ASSY | 1.0 EA | |

Table 1-674. CONTACT - 817 0136 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 0.267750 LB | |

Table 1-675. CHASSIS ASSY - 929 4401 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 3.8570 LB | |
| 358 0945 000 | STUD 10-32 X 1/2 | 2.0 EA | |
| 358 1934 000 | STUD 1/4-20 X 5/8 | 8.0 EA | |
| 829 4401 001 | ASSY INSTR, HV SHORTING | 0.0 EA | |
| 839 4486 001 | CHASSIS | 0.0 EA | |

Table 1-676. METER PNL, OUTER PA VIS - 992 5495 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 324 0239 000 | PUSHNUT FASTENER | 2.0 EA | |
| 358 0059 000 | STUD 85 OVAL HEAD | 2.0 EA | |
| 358 0410 000 | RETAINER 85 ALL HDS | 2.0 EA | |
| 358 0801 000 | WASHER WEAR 85 NYLON | 2.0 EA | |
| 646 1092 000 | FRAME, NAMEPLATE | 1.0 EA | |
| 815 2998 001 | SPACER | 1.0 EA | |
| 815 3000 002 | BLOCK, SUPPORT | 1.0 EA | |
| 815 3001 001 | STRIP, TRIM SIDE | 2.0 EA | |
| 816 8641 001 | LINK, METER PANEL | 1.0 EA | |
| 829 4060 003 | WINDOW | 1.0 EA | |
| 839 4253 001 | HINGE | 1.0 EA | |
| 839 4257 003 | TRIM STRIP | 2.0 EA | |
| 843 2748 001 | PLATE, BACK | 1.0 EA | |
| 843 2842 001 | PANEL, CONTROL | 1.0 EA | |
| 843 4612 013 | TRIM CONTROL PANEL | 1.0 EA | |

Table 1-677. SPACER - 815 2998 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 040 | SST, ROD .250 DIA | 0.002982 LB | |

Table 1-678. BLOCK, SUPPORT - 815 3000 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 011 2020 010 | STL, SQ .250 X .250 CRS | 0.059010 LB | |

Table 1-679. STRIP, TRIM SIDE - 815 3001 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 017 | AL, RECT .25 X 1.25 | 0.292950 LB | |

Table 1-680. LINK, METER PANEL - 816 8641 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 011 1820 010 | STL, FLAT WIRE .125 X | 0.13440 LB | |

Table 1-681. WINDOW - 829 4060 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 023 5020 010 | PLEXIGLASS SH .125 | 1.150 SF | |

Table 1-682. HINGE - 839 4253 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 1110 009 | AL, HNG CONT 2" W .050 TH | 2.86650 FT | |

Table 1-683. TRIM STRIP - 839 4257 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 017 | AL, RECT .25 X 1.25 | 1.12350 LB | |

Table 1-684. PLATE, BACK - 843 2748 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 060 | STL, SH 18GA CR | 8.0040 LB | |

Table 1-685. PANEL, CONTROL - 843 2842 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 060 | STL, SH 18GA CR | 7.250 LB | |

Table 1-686. TRIM CONTROL PANEL - 843 4612 013

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 030 | AL, SH .032 THK | 1.0440 LB | |
| 843 4612 008 | SILKSCREEN | 0.0 EA | |

Table 1-687. METER PNL, OUTER PA AUR - 992 5496 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 358 0059 000 | STUD 85 OVAL HEAD | 2.0 EA | |
| 358 0410 000 | RETAINER 85 ALL HDS | 2.0 EA | |
| 358 0801 000 | WASHER WEAR 85 NYLON | 2.0 EA | |
| 650 0028 000 | KNOB RD SKIRT 1.135" DIA | 1.0 EA | |

| | | | |
|--------------|----------------------|--------|------|
| 815 2998 001 | SPACER | 1.0 EA | |
| 815 3000 002 | BLOCK, SUPPORT | 1.0 EA | |
| 815 3001 001 | STRIP, TRIM SIDE | 2.0 EA | |
| 816 8641 001 | LINK, METER PANEL | 2.0 EA | |
| 829 4060 001 | WINDOW | 1.0 EA | |
| 839 4253 001 | HINGE | 1.0 EA | |
| 839 4257 003 | TRIM STRIP | 2.0 EA | |
| 843 2748 001 | PLATE, BACK | 1.0 EA | |
| 843 2843 001 | PANEL, OUTER | 1.0 EA | |
| 843 4612 012 | TRIM METER PANEL | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 915 0754 003 | SW, MOD. | 1.0 EA | S001 |

Table 1-688. WINDOW - 829 4060 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 023 5020 010 | PLEXIGLASS SH .125 | 0.78250 SF | |

Table 1-689. PANEL, OUTER - 843 2843 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 060 | STL, SH 18GA CR | 7.250 LB | |

Table 1-690. TRIM METER PANEL - 843 4612 012

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 5010 030 | AL, SH .032 THK | 0.7250 LB | |
| 829 4234 001 | SILKSCREEN MTR PANEL | 0.0 EA | |

Table 1-691. SW, MOD. - 915 0754 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 600 0488 000 | SW, ROTARY 6 POS | 1.0 EA | |

Table 1-692. ASSY, SCREEN SPARK GAP - 992 5498 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 402 0004 000 | CLIP, FUSE .812 60A 250V | 2.0 EA | |
| 402 0113 000 | CLIP, FUSE 13/32 | 2.0 EA | |
| 540 1384 000 | RES 100.0 OHM 10W 20% | 1.0 EA | R1 |
| 560 0008 000 | SPARK GAP 2KVDC | 1.0 EA | E1 |
| 560 0013 000 | SPARK GAP 600V | 1.0 EA | E2 |
| 614 0048 000 | TERM BD 4 TERM | 1.0 EA | TB001 |
| 813 5002 048 | STDOFF 10-32X7/8 1/2 HEX | 4.0 EA | |
| 817 0265 001 | SCHEMATIC | 0.0 EA | |
| 829 4717 001 | BOARD MTG | 1.0 EA | |

Table 1-693. STDOFF 10-32X7/8 1/2 HEX - 813 5002 048

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 025 | AL, HEX .500 | 0.020160 LB | |

Table 1-694. BOARD MTG - 829 4717 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 0.313750 LB | |
| 829 4726 001 | STENCIL, MTG BOARD | 0.0 EA | |

Table 1-695. METER MULTIPLIER ASSY - 992 5499 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 410 0197 000 | INSULATOR ROUND NS5W 0204 | 4.0 EA | |
| 829 4378 001 | PANEL | 1.0 EA | |
| 914 3424 004 | METER MULTI ASSY | 5.0 EA | |

Table 1-696. PANEL - 829 4378 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 0.78750 LB | |

Table 1-697. METER MULTI ASSY - 914 3424 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 357 0069 000 | SCREW 8-32 X 1/4 | 2.0 EA | |
| 410 0008 000 | INSULATOR ROUND NS5W 0205 | 2.0 EA | |
| 938 4433 003 | PTD CIRCUIT ASSY | 1.0 EA | |

Table 1-698. PTD CIRCUIT ASSY - 938 4433 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 304 0090 000 | NUT, HEX 8-32 | 4.0 EA | |
| 312 0006 000 | WASHER, INT LOCK 8 | 2.0 EA | |
| 357 0037 000 | SCREW 6-32 X .25 BHMS | 4.0 EA | |
| 358 0409 000 | SPADEBOLT 8-32 THD | 2.0 EA | |
| 410 0003 000 | INSULATOR ROUND NS5W 0106 | 2.0 EA | |
| 548 1238 000 | *RES 250K OHM 1/2W 1% | 20.0 EA | |
| 827 6002 001 | PRINTED CIRCUIT | 1.0 EA | |
| 838 4432 001 | PWB, METER MULTIPLIER, | 1.0 EA | |
| 999 0808 001 | WIRE LIST | 1.0 EA | |

Table 1-699. WIRE LIST - 999 0808 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0002 000 | WIRE, BUS CU 20AWG | 0.20 FT | |

Table 1-700. GRID BIAS PNL ASSY - 992 5500 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 550 0071 000 | POT, 50K OHM 2W | 1.0 EA | R001 |
| 614 0006 000 | TERM BD 6 TERM, DUAL ROW | 1.0 EA | TB1 |
| 650 0137 000 | KNOB RD SKIRTED | 2.0 EA | |
| 839 4528 001 | CHASSIS | 1.0 EA | |
| 852 8770 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 914 8466 004 | MOD. CONTROL | 1.0 EA | R4 |

Table 1-701. CHASSIS - 839 4528 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.7690 LB | |
| 829 4473 001 | SILKSCREEN, GRID BIAS ADJ | 0.0 EA | |

Table 1-702. MOD. CONTROL - 914 8466 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 550 0029 000 | POT, 10K OHM 2W | 1.0 EA | R4 |

Table 1-703. PEAK DETECTOR-VHF HI BAND - 992 6521 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 414 0087 000 | BEAD FERRITE SHIELD | 14.0 EA | |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 2.0 EA | C001 C009 |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA | J003 |
| 612 0317 000 | RECEPTACLE BNC UG-1094/U | 4.0 EA | J001 J002 J004 J005 |
| 814 8852 001 | PLATE | 1.0 EA | |
| 829 9726 042 | PLATE, RECEPTACLE | 1.0 EA | |
| 829 9726 043 | STRAP, PC GND PEAK DET | 1.0 EA | |
| 829 9726 044 | BRACKET, SOCKET | 1.0 EA | |
| 829 9726 052 | LUG, SOLDER | 1.0 EA | |
| 839 6816 130 | SCHEM, PEAK DETECTOR | 0.0 EA | |
| 929 9726 041 | ENCL. PEAL PWR DETECTOR | 1.0 EA | |
| 992 6550 001 | PWB, PEAK PWR DETECTOR | 1.0 EA | |
| 999 2382 001 | HARDWARE LIST | 1.0 EA | |
| 999 2383 001 | WIRE/TUBING LIST | 1.0 EA | |

Table 1-704. PLATE - 814 8852 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.1450 LB | |

Table 1-705. PLATE, RECEPTACLE - 829 9726 042

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.13050 LB | |
| 829 9726 048 | STENCIL, RECEPTACLE PLATE | 0.0 EA | |

Table 1-706. STRAP, PC GND PEAK DET - 829 9726 043

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 003 5010 050 | CU, SH .020" X 36" X 96" | 0.030450 LB | |

Table 1-707. BRACKET, SOCKET - 829 9726 044

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.079170 LB | |
| 829 9726 110 | STENCIL, CONN BRKT | 0.0 EA | |

Table 1-708. LUG, SOLDER - 829 9726 052

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 003 5010 050 | CU, SH .020" X 36" X 96" | 0.015950 LB | |

Table 1-709. ENCL. PEAL PWR DETECTOR - 929 9726 041

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 4030 010 | AL, EXTD DIE | 0.3570 FT | |
| 358 0957 000 | STUD 8-32 X 1/2 | 2.0 EA | |
| 829 9726 041 | ASSY INSTR, ENCL PEAK PWR | 0.0 EA | |

Table 1-710. PWB, PEAK PWR DETECTOR - 992 6550 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|---------------------------------------|
| 380 0126 000 | XSTR, PNP 2N4403 ESD | 1.0 EA | Q001 |
| 382 0719 000 | IC LM324AN ESD | 1.0 EA | U1A U1B U1C |
| 382 0882 000 | IC, 78L05A ESD | 1.0 EA | U002 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 1.0 EA | CR003 |
| 384 0252 000 | DIODE HP5082-2900/AHR2900 ESD | 4.0 EA | CR001 CR002 CR004 CR005 |
| 384 0357 000 | RECTIFIER 1N4004 ESD | 1.0 EA | CR006 |
| 384 0678 000 | * DIODE DSR-3200 ESD | 1.0 EA | CR009 |
| 494 0166 000 | CHOKE RF 2.7UH | 2.0 EA | L001 L002 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 4.0 EA | C002 C006 C010 C014 |
| 516 0084 000 | CAP DISC .02UF 600V | 2.0 EA | C018 C019 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 7.0 EA | C004 C005 C012 C013 C016 C017 C023 |
| 522 0573 000 | CAP 47UF 50V 20% | 1.0 EA | C022 |
| 526 0050 000 | CAP 1UF 35V 20% | 1.0 EA | C015 |
| 526 0051 000 | CAP 5.6 UF 35V 10% | 1.0 EA | C008 |
| 526 0108 000 | CAP 4.7UF 35V 20% | 2.0 EA | C003 C011 |
| 540 1015 000 | RES 20.0M OHM 1/4W 5% | 1.0 EA | R019 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 1.0 EA | R028 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 3.0 EA | R001 R011 R018 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 1.0 EA | R008 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R021 R022 R027 |
| 548 2400 342 | RES 2.67K OHM 1/2W 1% | 2.0 EA | R006 R014 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R020 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 2.0 EA | R007 R026 |
| 548 2400 512 | RES 130K OHM 1/2W 1% | 6.0 EA | R003 R004 R015 R016 R024 R025 |
| 548 2400 566 | RES 475K OHM 1/2W 1% | 2.0 EA | R010 R017 |
| 550 0320 000 | POT 1K OHM 1/2W 30% | 2.0 EA | R005 R013 |
| 550 0964 000 | POT. 20K OHM .5W 10% | 1.0 EA | R009 |
| 939 6903 001 | PWB ASSY, PEAK-DET | 1.0 EA | |

Table 1-711. PWB ASSY, PEAK-DET - 939 6903 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 10.0 EA | |
| 839 6903 001 | PWB, PEAK-DET | 1.0 EA | |

Table 1-712. HARDWARE LIST - 999 2382 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0052 000 | SCR, 4-40 X 1/4 | 8.0 EA | |
| 302 0053 000 | SCR, 4-40 X 5/16 | 2.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 2.0 EA | |
| 306 0015 000 | NUT, HEX KEP 4-40 | 4.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 8.0 EA | |

Table 1-713. WIRE/TUBING LIST - 999 2383 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0235 000 | WIRE, STRD 22AWG GRN | 4.10 FT | |
| 354 0365 000 | * CONTACT 61061-5 | 12.0 EA | |

Table 1-714. BLOWER, ASSY - 992 6960 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 358 2184 000 | TAPE, HOOK FASTENING | 2.50 FT | |
| 426 0065 000 | ISOLATOR VIBRATION | 2.0 EA | |
| 426 0066 000 | ISOLATOR VIBRATION | 2.0 EA | |
| 432 0341 000 | HOUSING, BLOWER | 1.0 EA | |
| 432 0342 000 | WHEEL, BLOWER 13-1/2 X 3 | 1.0 EA | |
| 432 0343 000 | INLET VENTURI | 1.0 EA | |
| 433 0106 000 | BOOT, BLOWER | 1.0 EA | |
| 822 0717 001 | SHIELD FAN INLET | 1.0 EA | |
| 829 7961 013 | CLAMP, BOOT | 2.0 EA | |
| 839 7605 001 | PLATE, FAN HOUSING | 1.0 EA | |
| 843 4830 001 | BASE, MOTOR MOUNT | 1.0 EA | |
| 922 0716 001 | MODIFICATION MOTOR | 1.0 EA | |

Table 1-715. SHIELD FAN INLET - 822 0717 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 1.3230 SF | |

Table 1-716. CLAMP, BOOT - 829 7961 013

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.290 LB | |

Table 1-717. PLATE, FAN HOUSING - 839 7605 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 10.440 LB | |

Table 1-718. BASE, MOTOR MOUNT - 843 4830 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 7.3660 LB | |

Table 1-719. MODIFICATION MOTOR - 922 0716 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 436 0224 000 | MOTOR 10HP 3PH 50/60HZ | 1.0 EA | |
| 822 0716 001 | ASSY INSTR, MOTOR MOD | 0.0 EA | |

Table 1-720. * POWER SUPPLY ASSY - 992 8296 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 17.0 FT | |
| 354 0001 000 | LUG #6 RING RED 22-18 AWG | 16.0 EA | |
| 356 0087 000 | CABLE TIE TY RAP | 5.0 EA | |
| 542 0081 000 | RES 2K OHM 5% 12W | 2.0 EA | |
| 736 0226 000 | POWER SUPPLY ADJ 0-100V | 2.0 EA | PS001-A PS001-B |
| 922 0989 001 | BRK'T, PWR SUPPLY MTG | 1.0 EA | |

Table 1-721. BRK'T, PWR SUPPLY MTG - 922 0989 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 1.450 LB | |
| 822 0989 001 | FAB INSTR, BRKT | 0.0 EA | |

Table 1-722. *DISCONTINUED - 994 6852 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 086 0001 001 | *SEALANT, MILD STRENGTH | 1.0 EA | |
| 302 0130 000 | SCR, 8-32 X 3/8 | 3.0 EA | |
| 302 0400 000 | SCR, 8-32 X 1/2 | 1.0 EA | |
| 306 0005 000 | NUT, HEX 8-32 | 1.0 EA | |
| 344 0033 000 | SCREW, SET 4-40 X 1/8 | 2.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |
| 827 8011 002 | OUTPUT COUPLING | 1.0 EA | |
| 827 8012 002 | ROD, CAP DRIVE | 1.0 EA | |
| 827 8013 001 | STOP SLAVE | 1.0 EA | |
| 827 8017 001 | SLAVE CLAMP | 1.0 EA | |
| 827 8020 002 | BUSHING | 1.0 EA | |
| 827 8022 002 | SCREW, CAP. ADJ. | 1.0 EA | |
| 827 8023 001 | TUNING INDCTR PROBE | 1.0 EA | |
| 915 5196 001 | PRIMARY CAPACITOR | 1.0 EA | |
| 927 8028 001 | COUPLING BULLET | 1.0 EA | |
| 938 4134 001 | ELBOW COAX | 1.0 EA | |
| 938 4135 001 | AURAL COUPLING ASSY | 0.0 EA | |

Table 1-723. OUTPUT COUPLING - 827 8011 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 003 1220 020 | CU, TBG 1.315 OD 1.231 ID | 0.217350 FT | |

Table 1-724. ROD, CAP DRIVE - 827 8012 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 043 1010 005 | ROD, NORYL, 1/4" DIA | 0.866250 FT | |

Table 1-725. STOP SLAVE - 827 8013 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 024 | BRS, RD .437 FCB | 0.009660 LB | |

Table 1-726. SLAVE CLAMP - 827 8017 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 090 | SST, RD 1.50 DIA | 0.131250 LB | |

Table 1-727. BUSHING - 827 8020 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 037 | BRS, RD .750 FCB | 0.14280 LB | |

Table 1-728. SCREW, CAP. ADJ. - 827 8022 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 053 | SST, RD .375 DIA | 0.042315 LB | |

Table 1-729. TUNING INDCTR PROBE - 827 8023 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1010 009 | BRS, RD .1875 X 12' | 0.015960 LB | |

Table 1-730. PRIMARY CAPACITOR - 915 5196 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 300 1484 000 | SCR, 4-40 X 1/4 | 1.0 EA | |
| 815 2970 003 | FAB INSTR, FINGERSTOCK | 1.0 EA | |
| 815 5195 001 | CURVED CAP. PLATE | 1.0 EA | |
| 815 5196 001 | ASSY INSTR, PRIMARY CAPACITOR | 0.0 EA | |
| 827 8016 001 | PRIMARY CAP | 1.0 EA | |

Table 1-731. CURVED CAP. PLATE - 815 5195 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 041 | BRS, SH .1285 X 24 | 0.20880 LB | |

Table 1-732. PRIMARY CAP - 827 8016 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 065 | BRS, RD 1.625 FCB | 0.76230 LB | |

Table 1-733. COUPLING BULLET - 927 8028 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 620 0017 000 | ADAPTER, INNER 3.125 | 1.0 EA | |

Table 1-734. ELBOW COAX - 938 4134 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 620 0056 000 | ELBOW, 90 DEG, 1062 | 1.0 EA | |

| | | |
|--------------|-------------------|--------|
| 827 8027 001 | SLAVE FLANGE | 1.0 EA |
| 927 5559 001 | ELBOW, COAX INNER | 0.0 EA |

Table 1-735. SLAVE FLANGE - 827 8027 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 005 1320 079 | BRS, RECT FCB .500 X 1.5 | 0.362250 LB | |

Table 1-736. AURAL COUPLING ASSY - 938 4135 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 086 0001 001 | *SEALANT, MILD STRENGTH | 0.0 EA | |
| 302 0130 000 | SCR, 8-32 X 3/8 | 3.0 EA | |
| 302 0400 000 | SCR, 8-32 X 1/2 | 1.0 EA | |
| 306 0005 000 | NUT, HEX 8-32 | 1.0 EA | |
| 312 0006 000 | WASHER, INT LOCK 8 | 4.0 EA | |
| 344 0033 000 | SCREW, SET 4-40 X 1/8 | 2.0 EA | |
| 827 8011 002 | OUTPUT COUPLING | 1.0 EA | |
| 827 8012 002 | ROD, CAP DRIVE | 1.0 EA | |
| 827 8013 001 | STOP SLAVE | 1.0 EA | |
| 827 8017 001 | SLAVE CLAMP | 1.0 EA | |
| 827 8020 002 | BUSHING | 1.0 EA | |
| 827 8022 002 | SCREW, CAP. ADJ. | 1.0 EA | |
| 827 8023 001 | TUNING INDCTR PROBE | 1.0 EA | |
| 838 4135 001 | ASSY INSTR,AURAL COUPLING | 0.0 EA | |
| 838 5411 001 | AURAL CAV. BRAC. | 1.0 EA | |
| 915 5196 001 | PRIMARY CAPACITOR | 1.0 EA | |
| 927 8028 001 | COUPLING BULLET | 1.0 EA | |
| 938 4134 001 | ELBOW COAX | 1.0 EA | |

Table 1-737. AURAL CAV. BRAC. - 838 5411 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 2.8130 LB | |

Table 1-738. *DISCONTINUED - 994 8265 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 829 7213 001 | SCHEMATIC | 0.0 EA | |
| 952 8650 001 | BASIC PRIMARY CAVITY | 1.0 EA | |

Table 1-739. BASIC PRIMARY CAVITY - 952 8650 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 055 0110 008 | *ADHESIVE EPOXY | 1.0 EA | |
| 254 0003 000 | WIRE, BUS CU 18AWG | 0.30 FT | |
| 300 1486 000 | SCR, 4-40 X 3/8 | 8.0 EA | |
| 300 1489 000 | SCR, 4-40 X 5/8 | 6.0 EA | |
| 300 1490 000 | SCR, 4-40 X 3/4 | 6.0 EA | |
| 300 1537 000 | SCR, 6-32 X 5/16 | 6.0 EA | |
| 300 1542 000 | SCR, 6-32 X 3/4 | 12.0 EA | |
| 300 1653 000 | SCR, 1/4-20 X 1-1/4 | 2.0 EA | |
| 300 1654 000 | SCR, 1/4-20 X 1-1/2 | 1.0 EA | |

| | | | |
|--------------|-------------------------------|---------|-------|
| 302 0396 000 | SCR, 10-32 X 2 | 4.0 EA | |
| 304 0009 000 | NUT, HEX 1/4-20 | 23.0 EA | |
| 308 0009 000 | .25 FLAT WASHER BRS | 10.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 6.0 EA | |
| 312 0051 000 | WASHER, SPLIT-LOCK 1/4 | 10.0 EA | |
| 335 0001 000 | WASHER NYLON .149 ID | 4.0 EA | |
| 335 0009 000 | WASHER, NYLON .195 ID | 4.0 EA | |
| 335 0129 000 | WASHER, SHLD .265 ID | 2.0 EA | |
| 344 0003 000 | SCREW, SET 6-32 X 1/8 | 16.0 EA | |
| 344 0008 000 | SCREW, SET 8-32 X 1/8 | 2.0 EA | |
| 344 0017 000 | SCREW, SET 10-32 X 3/16 | 7.0 EA | |
| 344 0033 000 | SCREW, SET 4-40 X 1/8 | 3.0 EA | |
| 344 0079 000 | SCREW, SET 4-40 X 3/8 | 12.0 EA | |
| 354 0142 000 | LUG SHAKE .150 MTG | 2.0 EA | |
| 354 0143 000 | LUG SHAKE .176 MTG | 1.0 EA | |
| 358 0411 000 | RING RETAINING .250 | 2.0 EA | |
| 358 0414 000 | RING RETAINING .500 | 9.0 EA | |
| 358 1165 000 | COLLAR 1/4 HOLE | 6.0 EA | |
| 358 1166 000 | SPACER .012 LG | 4.0 EA | |
| 414 0250 000 | BEAD FERRITE Q3/M3 MATERIAL | 4.0 EA | |
| 450 0077 000 | BEARING, ROLLER | 2.0 EA | |
| 450 0078 000 | BEARING, GRD RADIAL | 4.0 EA | |
| 452 0025 000 | GEAR, MITER 16 TEETH | 3.0 EA | |
| 452 0026 000 | GEAR, MITER 16 TEETH | 3.0 EA | |
| 452 0074 000 | GEAR, HELICAL AC1-30 | 2.0 EA | |
| 452 0075 000 | GEAR, HELICAL AD1-30 | 2.0 EA | |
| 454 0002 000 | LINK CONNECTING | 2.0 EA | |
| 454 0003 000 | LINK OFFSET | 1.0 EA | |
| 454 0074 000 | SPROCKET 17 TEETH | 5.0 EA | |
| 456 0059 000 | SPRING LE-026C-3 | 1.0 EA | |
| 516 0358 000 | CAP. 1000 PF 20KV | 1.0 EA | C2 |
| 516 0491 000 | CAP .01 UF 3KV | 2.0 EA | C3 C4 |
| 614 0539 000 | TERM, STANDOFF | 2.0 EA | |
| 620 0516 000 | ADPT, HN, UG212C/U | 1.0 EA | J001 |
| 620 0592 000 | ADAPTER HN TO N | 1.0 EA | P001 |
| 646 0569 000 | REPLACE WITH 646-1301-201 | 1.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |
| 646 0811 000 | REP'D WITH 646-1251-402 | 1.0 EA | |
| 646 0857 000 | DISCONTIN. NOT FOR NEW DESIGN | 1.0 EA | |
| 648 0061 000 | COUNTER CCW | 3.0 EA | |
| 650 0093 000 | KNOB, CRANK 2.272" DIA | 1.0 EA | |
| 650 0104 000 | KNOB CRANK 1.772" DIA | 2.0 EA | |
| 813 5605 004 | STUD BRS 8-32 X 9/16 | 1.0 EA | |
| 814 9584 001 | SPACER | 2.0 EA | |
| 814 9585 001 | HANDLE | 1.0 EA | |
| 815 2955 001 | SUPPORT, TUNING PNL | 6.0 EA | |
| 815 2973 001 | INSULATOR, HEATER | 1.0 EA | |
| 815 3006 001 | SPACER, ROD | 3.0 EA | |
| 815 3006 003 | SPACER, ROD | 3.0 EA | |
| 815 3052 001 | SLEEVE, GEAR | 1.0 EA | |
| 815 3068 001 | INSL., HEAT CONTACT | 1.0 EA | |
| 815 3068 003 | HEAT CONTACT | 1.0 EA | |
| 815 3113 001 | PLATE | 1.0 EA | |
| 815 4024 001 | SPACER, BEARING | 1.0 EA | |
| 815 5332 001 | SPACER | 1.0 EA | |

| | | |
|--------------|--------------------------|--------|
| 815 5333 001 | LEAD, FIL CONN | 1.0 EA |
| 815 5567 001 | RING, COMPRESSION | 1.0 EA |
| 815 5567 002 | RING, COMPRESSION | 1.0 EA |
| 815 5721 001 | FINGERSTOCK 97-438 | 1.0 EA |
| 815 5721 002 | FINGERSTOCK 97-438 | 1.0 EA |
| 816 6882 001 | INSTALLATION | 0.0 EA |
| 816 9897 001 | CATHODE AIR DAM | 1.0 EA |
| 816 9939 001 | INSULATOR, PLATE | 1.0 EA |
| 816 9974 001 | PLATE STANDOFF INSERT | 1.0 EA |
| 817 0389 001 | STUD | 1.0 EA |
| 817 1533 001 | SUPPORT, INPUT DRIVE | 2.0 EA |
| 827 5313 001 | INSERT, DRIVEN SPRK | 3.0 EA |
| 827 5404 001 | ROD, INPUT TUNING | 4.0 EA |
| 827 5421 001 | ROD, PLT TUNING | 3.0 EA |
| 827 5421 002 | ROD, PLT TUNING | 1.0 EA |
| 827 5421 006 | STUD 1/4-20 X 8 | 4.0 EA |
| 827 5505 001 | SUPPORT | 2.0 EA |
| 827 7873 001 | NUT, INPUT DRIVE | 1.0 EA |
| 827 7873 002 | NUT, INPUT DRIVE | 1.0 EA |
| 827 7875 001 | BRACKET, INPUT DRIVE | 2.0 EA |
| 827 8104 001 | BLOCK, BEARING | 1.0 EA |
| 827 8106 001 | SHAFT, TUNING | 1.0 EA |
| 827 8111 001 | B + CHOKE | 1.0 EA |
| 827 8113 001 | INSULATOR, BLOCKER | 1.0 EA |
| 827 8130 001 | SHIELD, RF | 1.0 EA |
| 827 8134 001 | INSERT, DRV SPROCKET | 1.0 EA |
| 827 8144 001 | COOLER LID | 1.0 EA |
| 827 8149 001 | SHAFT, IDLER GEAR | 1.0 EA |
| 827 8153 001 | AIR CHAMBER | 1.0 EA |
| 827 8157 001 | BLOCK, PIVOT | 1.0 EA |
| 828 0665 001 | SHIELD, RF CAVITY | 1.0 EA |
| 828 0665 002 | SHIELD, RF | 1.0 EA |
| 828 0769 001 | RING, FINGERSTOCK | 1.0 EA |
| 828 7611 001 | INSTR. INSTR. RF INP | 0.0 EA |
| 828 7964 001 | TEST FIXTURE | 0.0 EA |
| 828 7965 001 | TEST FIXTURE | 0.0 EA |
| 828 7966 001 | TEST FIXTURE | 0.0 EA |
| 828 7967 001 | TEST FIXTURE | 0.0 EA |
| 829 3802 001 | SPACER | 1.0 EA |
| 829 7213 001 | SCHEMATIC | 0.0 EA |
| 829 7452 001 | CAP, INPUT | 1.0 EA |
| 829 7557 001 | INSULATOR, CURRENT CONT | 1.0 EA |
| 829 9589 001 | SHAFT, DRIVE | 2.0 EA |
| 829 9589 002 | SHAFT, INPUT | 1.0 EA |
| 829 9589 003 | SHAFT, INPUT | 1.0 EA |
| 838 4148 001 | COOLER LID-7 ON | 1.0 EA |
| 838 4149 001 | AIR DUCT | 1.0 EA |
| 838 5391 001 | PLATE, BOT. SUPT. | 1.0 EA |
| 838 5392 001 | PLATE, TOP SUPT. | 1.0 EA |
| 838 5408 001 | AIR CHAMBER | 1.0 EA |
| 838 5409 001 | AIR CHAMBER | 1.0 EA |
| 839 4876 001 | BOTTOM VIEW 8807 CAVITY | 0.0 EA |
| 839 4878 001 | INPUT DRIVE VIEW, CAVITY | 0.0 EA |
| 839 6420 003 | BRACKET-AIR INTAKE | 1.0 EA |
| 839 6695 003 | CAVITY INPUT DRIVE | 0.0 EA |

| | | |
|--------------|--------------------------|---------|
| 842 5843 001 | OUTPUT AIR CHAMBER | 1.0 EA |
| 842 5862 001 | RETAINER, PLATE CONT | 1.0 EA |
| 842 5864 001 | OUTPUT AIR CHAMBER | 1.0 EA |
| 843 2618 001 | PLATE, FRONT | 1.0 EA |
| 843 2619 001 | SIDE PLATE | 1.0 EA |
| 843 2619 002 | SIDE PLATE | 1.0 EA |
| 843 2620 001 | PLATE, SUPPORT | 1.0 EA |
| 843 2625 001 | PLATE, MAIN SUPPORT | 1.0 EA |
| 852 8650 001 | 8807 PRIMARY CAVITY ASSY | 0.0 EA |
| 915 2750 003 | GRID CONTACT ASSY | 1.0 EA |
| 915 2751 003 | SCREEN CONTACT ASSY | 1.0 EA |
| 915 3053 001 | BEVEL GEAR, MOD. | 1.0 EA |
| 915 3053 002 | BEVEL GEAR, MOD. | 1.0 EA |
| 915 3083 001 | UNDER CUT SCREW | 4.0 EA |
| 915 3109 001 | WIRE LEAD, 5-1/2 LG. | 1.0 EA |
| 915 3109 002 | WIRE LEAD, 4"LG. | 1.0 EA |
| 915 3116 001 | SHORTING ARM ASSY | 1.0 EA |
| 915 5566 001 | RING, SUPPRESSOR | 1.0 EA |
| 916 2646 001 | CONNECTOR | 1.0 EA |
| 916 6193 001 | CHAIN MODF | 1.0 EA |
| 916 9973 001 | WIRE TUBE ASSY | 1.0 EA |
| 922 0834 001 | ASSY, COOLER/HEATER | 1.0 EA |
| 927 7879 001 | SCREW, 4-40, MOD. | 12.0 EA |
| 927 8122 001 | HEATER CONTACT ASSY | 1.0 EA |
| 927 8416 002 | CONNECTOR, RF INPUT | 1.0 EA |
| 928 0605 001 | INSULATOR | 1.0 EA |
| 928 8045 001 | TEST FIXTURE | 0.0 EA |
| 929 3839 001 | LINE ASSY | 1.0 EA |
| 929 3853 001 | PLUNGER PLATE ASSY | 1.0 EA |
| 929 3858 001 | CYL ASSY OUTER TUNING | 1.0 EA |
| 929 3860 001 | SCREEN BLOCKER ASSY | 1.0 EA |
| 929 7158 001 | CABLE ASSY | 1.0 EA |
| 929 7201 001 | WIRE ASSY, SCREEN | 1.0 EA |
| 929 7202 001 | WIRE ASSY, GRID | 1.0 EA |
| 929 8409 001 | ADAPTER | 1.0 EA |
| 938 4168 001 | COOLER LIP ASSY. | 0.0 EA |
| 938 5279 001 | GRID SCREEN SUPPORT | 1.0 EA |
| 938 5398 003 | PLATE CONTACT ASSY | 1.0 EA |
| 939 4074 001 | OUTER COND. ASSY | 1.0 EA |
| 939 4128 001 | CATHODE LINE ASSY | 1.0 EA |
| 939 4154 001 | GRID BLOCKER ASSY | 1.0 EA |
| 939 6695 002 | HOUSING ASSEMBLY | 2.0 EA |
| 943 2676 001 | BRACKET UPPER MTG | 1.0 EA |

Table 1-740. STUD BRS 8-32 X 9/16 - 813 5605 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 020 | BRS, THD STK 8-32 | 0.049035 FT | |

Table 1-741. SPACER - 814 9584 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 008 | AL, RD .375 DIA | 0.007214 LB | |

Table 1-742. HANDLE - 814 9585 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 019 | AL, RECT .375 X .625 | 0.11970 LB | |

Table 1-743. SUPPORT, TUNING PNL - 815 2955 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 001 7060 007 | AL, ANGLE .125 X .5 X .5 | 0.005775 LB | |

Table 1-744. INSULATOR, HEATER - 815 2973 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 070 | TFL, RD 1.00 DIA | 0.01890 FT | |

Table 1-745. SPACER, ROD - 815 3006 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 010 | TFL, RD .250 DIA | 0.1890 FT | |

Table 1-746. SPACER, ROD - 815 3006 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 020 | TFL, RD .313 DIA | 0.1890 FT | |

Table 1-747. SLEEVE, GEAR - 815 3052 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 021 | BRS, RD .375 FCB | 0.020580 LB | |

Table 1-748. INSL., HEAT CONTACT - 815 3068 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 296 0292 000 | TUBING TEFLON 2 AWG | 0.9540 FT | |

Table 1-749. HEAT CONTACT - 815 3068 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 296 0292 000 | TUBING TEFLON 2 AWG | 0.02650 FT | |

Table 1-750. PLATE - 815 3113 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.014094 LB | |

Table 1-751. SPACER, BEARING - 815 4024 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 010 | AL, RD .437 DIA | 0.007875 LB | |

Table 1-752. SPACER - 815 5332 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 004 | BRS, TBG .375 OD | 0.007476 LB | |

Table 1-753. LEAD, FIL CONN - 815 5333 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 064 | BRS, RECT FCB .375 X .750 | 0.36960 LB | |

Table 1-754. RING, COMPRESSION - 815 5567 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 071 | BRS, TBG 3.250 OD | 0.016170 LB | |

Table 1-755. RING, COMPRESSION - 815 5567 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 071 | BRS, TBG 3.250 OD | 0.040425 LB | |

Table 1-756. FINGERSTOCK 97-438 - 815 5721 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4060 060 | BRZ, FGR STK 97-438S | 1.890 FT | |

Table 1-757. FINGERSTOCK 97-438 - 815 5721 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4060 060 | BRZ, FGR STK 97-438S | 0.91140 FT | |

Table 1-758. CATHODE AIR DAM - 816 9897 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 092 | TFL, RD 2.625 DIA | 0.058065 FT | |

Table 1-759. INSULATOR, PLATE - 816 9939 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 075 | TFL RD 1.250 DIA | 0.206850 FT | |

Table 1-760. PLATE STANDOFF INSERT - 816 9974 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 010 | BRS, TBG .500 OD | 0.035385 LB | |

Table 1-761. STUD - 817 0389 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 010 | BRS HEX .250 | 0.010920 LB | |

Table 1-762. SUPPORT, INPUT DRIVE - 817 1533 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1310 005 | SST, RECT .25 X .5 | 0.06930 LB | |

Table 1-763. INSERT, DRIVEN SPRK - 827 5313 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 061 | SST, RD .4989 DIA | 0.082320 LB | |

Table 1-764. ROD, INPUT TUNING - 827 5404 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 043 1010 005 | ROD, NORYL, 1/4" DIA | 0.904050 FT | |

Table 1-765. ROD, PLT TUNING - 827 5421 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1020 050 | BRS, THD STK 1/4-20 | 0.675150 FT | |

Table 1-766. ROD, PLT TUNING - 827 5421 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1020 050 | BRS, THD STK 1/4-20 | 0.82740 FT | |

Table 1-767. STUD 1/4-20 X 8 - 827 5421 006

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1020 050 | BRS, THD STK 1/4-20 | 0.670950 FT | |

Table 1-768. SUPPORT - 827 5505 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 021 | AL, SQ .375 | 0.020160 LB | |

Table 1-769. NUT, INPUT DRIVE - 827 7873 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 2010 055 | SST, SQ .625 | 0.152250 LB | |

Table 1-770. NUT, INPUT DRIVE - 827 7873 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 2010 055 | SST, SQ .625 | 0.152250 LB | |

Table 1-771. BRACKET, INPUT DRIVE - 827 7875 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 031 | AL, RECT .500 X 1.25 | 0.410550 LB | |

Table 1-772. BLOCK, BEARING - 827 8104 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 076 | AL, RECT 1.0 X 1.50 | 0.269850 | LB |

Table 1-773. SHAFT, TUNING - 827 8106 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 041 | SST, SFT .2497 DIA | 0.13860 | EA |

Table 1-774. B + CHOKE - 827 8111 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0005 000 | WIRE, BUS CU 14AWG | 0.009960 | FT |

Table 1-775. INSULATOR, BLOCKER - 827 8113 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 033 5030 020 | MYLAR SHEET .010 | 0.83750 | SF |

Table 1-776. SHIELD, RF - 827 8130 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 0.33390 | SF |

Table 1-777. INSERT, DRV SPROCKET - 827 8134 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 061 | SST, RD .4989 DIA | 0.169050 | LB |

Table 1-778. COOLER LID - 827 8144 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 031 | AL, PL .500 THK | 4.0 | LB |

Table 1-779. SHAFT, IDLER GEAR - 827 8149 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 061 | SST, RD .4989 DIA | 0.047040 | LB |

Table 1-780. AIR CHAMBER - 827 8153 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 012 | AL, SH .125 THK | 2.2910 | LB |

Table 1-781. BLOCK, PIVOT - 827 8157 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 079 | AL, RECT .75 X 1.00 | 0.1470 | LB |

Table 1-782. SHIELD, RF CAVITY - 828 0665 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 0.057750 | SF |

Table 1-783. SHIELD, RF - 828 0665 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 0.160650 | SF |

Table 1-784. RING, FINGERSTOCK - 828 0769 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 008 | AL, RECT .1875 X .5 | 0.35910 | LB |

Table 1-785. SPACER - 829 3802 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 083 | AL, RECT 1.50 X 2.50 | 2.4150 | LB |

Table 1-786. CAP, INPUT - 829 7452 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 045 | BRS, LEADED SH .25 | 2.4940 | LB |

Table 1-787. INSULATOR, CURRENT CONT - 829 7557 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 070 | TFL, RD 1.00 DIA | 0.065310 | FT |

Table 1-788. SHAFT, DRIVE - 829 9589 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 013 | BRS, RD .250 FCB | 0.097965 | LB |

Table 1-789. SHAFT, INPUT - 829 9589 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 041 | SST, SFT .2497 DIA | 0.17850 | EA |

Table 1-790. SHAFT, INPUT - 829 9589 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 041 | SST, SFT .2497 DIA | 0.196350 | EA |

Table 1-791. COOLER LID-7 ON - 838 4148 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 031 | AL, PL .500 THK | 3.9250 | LB |

Table 1-792. AIR DUCT - 838 4149 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 8010 050 | GL TBG 7.250 OD | 0.337050 FT | |

Table 1-793. PLATE, BOT. SUPT. - 838 5391 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 001 | AL, SH .250 THK | 2.40 LB | |

Table 1-794. PLATE, TOP SUPT. - 838 5392 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 001 | AL, SH .250 THK | 1.3250 LB | |

Table 1-795. AIR CHAMBER - 838 5408 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 2010 060 | BRS, SQ 1.0 X 1.0 | 2.11050 LB | |

Table 1-796. AIR CHAMBER - 838 5409 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 2010 060 | BRS, SQ 1.0 X 1.0 | 2.11050 LB | |

Table 1-797. BRACKET-AIR INTAKE - 839 6420 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 083 | AL, SQ BAR 2.5 | 3.85350 LB | |

Table 1-798. OUTPUT AIR CHAMBER - 842 5843 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 020 | AL, SH .190 THK | 7.0760 LB | |

Table 1-799. RETAINER, PLATE CONT - 842 5862 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 043 5020 050 | PLASTIC SH. 1/2 THK | 1.04250 SF | |

Table 1-800. OUTPUT AIR CHAMBER - 842 5864 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 012 | AL, SH .125 THK | 2.74050 LB | |

Table 1-801. PLATE, FRONT - 843 2618 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 2.9870 LB | |

Table 1-802. SIDE PLATE - 843 2619 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 2.6680 LB | |

Table 1-803. SIDE PLATE - 843 2619 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 2.6680 LB | |

Table 1-804. PLATE, SUPPORT - 843 2620 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 001 5058 062 | TOOLING PLT, MIC-6 ALUM | 5.150 LB | |

Table 1-805. PLATE, MAIN SUPPORT - 843 2625 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 020 | AL, SH .190 THK | 11.3970 LB | |

Table 1-806. GRID CONTACT ASSY - 915 2750 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 2749 002 | GRID CONTACT | 1.0 EA | |
| 816 5622 003 | FINGER STOCK | 1.0 EA | |

Table 1-807. GRID CONTACT - 815 2749 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 083 | BRS, RD 3.125 FCB | 0.37170 LB | |

Table 1-808. FINGER STOCK - 816 5622 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4030 010 | BRZ, FGR STK | 0.53340 EA | |

Table 1-809. SCREEN CONTACT ASSY - 915 2751 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 2748 002 | SCREEN CONTACT | 1.0 EA | |
| 816 5622 002 | FINGER STOCK | 1.0 EA | |

Table 1-810. SCREEN CONTACT - 815 2748 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 085 | BRS, RD 4.000 FCB | 0.607950 LB | |

Table 1-811. FINGER STOCK - 816 5622 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4030 010 | BRZ, FGR STK | 0.68250 EA | |

Table 1-812. BEVEL GEAR, MOD. - 915 3053 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 452 0071 000 | GEAR, BEVEL 24 TEETH | 1.0 EA | |

Table 1-813. BEVEL GEAR, MOD. - 915 3053 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 452 0029 000 | GEAR, BEVEL 12 TEETH | 1.0 EA | |

Table 1-814. UNDER CUT SCREW - 915 3083 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 302 0147 000 | SCR, 10-32 X 1 | 1.0 EA | |

Table 1-815. WIRE LEAD, 5-1/2 LG. - 915 3109 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 255 0005 000 | WIRE, HV 18AWG 20KV | 0.50 FT | |
| 296 0287 000 | TUBG SHRINKABLE 3/16 | 0.10 FT | |

Table 1-816. WIRE LEAD, 4"LG. - 915 3109 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 255 0005 000 | WIRE, HV 18AWG 20KV | 0.40 FT | |
| 296 0289 000 | TUBG SHRINKABLE 3/16 | 0.10 FT | |

Table 1-817. SHORTING ARM ASSY - 915 3116 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 3112 001 | PIN-PIVOT | 1.0 EA | |
| 815 3114 001 | ROD-GND. | 1.0 EA | |
| 815 3115 001 | ROD-PIVOT | 1.0 EA | |

Table 1-818. PIN-PIVOT - 815 3112 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 013 | BRS, RD .250 FCB | 0.016695 LB | |

Table 1-819. ROD-GND. - 815 3114 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 001 | BRS, RD .125 FCB | 0.021840 LB | |

Table 1-820. ROD-PIVOT - 815 3115 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 001 | BRS, RD .125 FCB | 0.017535 LB | |

Table 1-821. RING, SUPPRESSOR - 915 5566 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 064 1020 032 | * CASTABLE RESIN | 0.50 LB | |

| | | |
|--------------|-----------------------------|--------|
| 088 0001 065 | TAPE, TEF 1 IN WIDE | 0.0 RL |
| 815 2972 001 | RING, OSC SUPP. | 0.0 EA |
| 815 5566 001 | ASSY INSR, RING, SUPPRESSOR | 0.0 EA |

Table 1-822. CONNECTOR - 916 2646 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 827 8567 003 | INPUT CONNECTOR | 1.0 EA | |
| 927 5544 001 | CONNECTOR, RF INPUT | 1.0 EA | |

Table 1-823. INPUT CONNECTOR - 827 8567 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 040 | BRS, THD STK 10-32 | 0.016275 FT | |

Table 1-824. CONNECTOR, RF INPUT - 927 5544 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0188 000 | COAX CABLE RG213, 50 OHM | 6.10 FT | |
| 620 0606 000 | RECP, PNL HN UG560/U | 1.0 EA | |

Table 1-825. CHAIN MODF - 916 6193 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 454 0001 000 | CHAIN ROLLERLESS NO. 25 | 2.0 FT | |

Table 1-826. WIRE TUBE ASSY - 916 9973 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 816 9975 001 | WIRE TUBE | 1.0 EA | |
| 816 9976 001 | BASE | 1.0 EA | |

Table 1-827. WIRE TUBE - 816 9975 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 010 | BRS, TBG .500 OD | 0.3150 LB | |

Table 1-828. BASE - 816 9976 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 016 | BRS, RECT FCB .125 X .750 | 0.045675 LB | |

Table 1-829. ASSY, COOLER/HEATER - 922 0834 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 088 0001 063 | TAPE TEF 3/4 WIDE | 0.0 RL | |
| 358 1081 000 | RING, RETAINING | 1.0 EA | |
| 358 3083 000 | RING, RETAINING 1.000 NOM | 1.0 EA | |
| 816 9899 001 | LOUVERED FIN | 1.0 EA | |
| 816 9900 002 | SCREW | 1.0 EA | |
| 817 0453 001 | RING HEATER, CONT | 1.0 EA | |
| 822 0834 001 | ASSY INSTR, COOLER/HEATER | 0.0 EA | |

839 7825 001

HEATER CONTACT

1.0 EA

Table 1-830. LOUVERED FIN - 816 9899 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4510 009 | CU, FIN STOCK STRIP | 0.21840 FT | |

Table 1-831. SCREW - 816 9900 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 037 | BRS, RD .750 FCB | 0.169050 LB | |

Table 1-832. RING HEATER, CONT - 817 0453 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 005 8010 057 | BRS TBG 1 3/4ODX.051 | 0.069090 LB | |

Table 1-833. HEATER CONTACT - 839 7825 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 053 | BRS, RD 1.250 FCB | 0.61740 LB | |

Table 1-834. SCREW, 4-40, MOD. - 927 7879 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 302 0056 000 | SCR, 4-40 X 1/2 | 1.0 EA | |

Table 1-835. HEATER CONTACT ASSY - 927 8122 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 827 5502 002 | HEATER ROD | 1.0 EA | |
| 827 5531 001 | CURRENT CONTACT | 1.0 EA | |

Table 1-836. HEATER ROD - 827 5502 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 1010 010 | CU, RD .250 DIA | 0.21420 LB | |

Table 1-837. CURRENT CONTACT - 827 5531 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 007 1010 020 | BRZ, PH RD .875 DIA | 0.16380 LB | |

Table 1-838. CONNECTOR, RF INPUT - 927 8416 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 3485 001 | R.F. INPUT CON. | 1.0 EA | |
| 815 3486 001 | FINGERSTOCK | 2.0 EA | |
| 827 8417 002 | INPUT CONNECTOR | 1.0 EA | |

Table 1-839. R.F. INPUT CON. - 815 3485 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 006 | BRS, SH FLAT .020 | 0.006192 LB | |

Table 1-840. FINGERSTOCK - 815 3486 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4060 061 | BRZ, FGR STK | 0.072450 EA | |

Table 1-841. INPUT CONNECTOR - 827 8417 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 013 | BRS, RD .250 FCB | 0.004232 LB | |

Table 1-842. INSULATOR - 928 0605 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 086 0001 016 | *SEALANT,ADHESIVE RTV-736 | 0.0 EA | |
| 815 5335 001 | INSULATOR | 1.0 EA | |
| 828 0605 001 | ASSY. INSTR, INSULATOR | 0.0 EA | |
| 917 2428 003 | ABSORBING TILE, MODIFIED | 5.0 EA | |

Table 1-843. INSULATOR - 815 5335 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 033 5060 011 | MICA SHEET .005 | 0.30 SF | |

Table 1-844. ABSORBING TILE, MODIFIED - 917 2428 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 1964 000 | TILE, RF ABSORBING | 0.170 EA | |
| 817 2428 003 | MOD INSTR, RF TILE | 0.0 EA | |

Table 1-845. LINE ASSY - 929 3839 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 2997 001 | FINGERSTOCK | 2.0 EA | |
| 827 5487 001 | INPUT LINE | 1.0 EA | |
| 829 3838 001 | CAP, INPUT LINE | 2.0 EA | |

Table 1-846. FINGERSTOCK - 815 2997 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 007 4060 050 | BRZ, FGR STK 0097-0134-04 | 0.21420 EA | |

Table 1-847. INPUT LINE - 827 5487 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 058 | BRS, TBG 1.750 OD | 0.5040 LB | |

Table 1-848. CAP, INPUT LINE - 829 3838 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 066 | BRS, RD 1.750 FCB | 0.28770 LB | |

Table 1-849. PLUNGER PLATE ASSY - 929 3853 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 827 8115 001 | FINGER STOCK | 1.0 EA | |
| 827 8115 002 | FINGER STOCK | 1.0 EA | |
| 829 3852 001 | PLATE | 1.0 EA | |

Table 1-850. FINGER STOCK - 827 8115 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4035 010 | BRZ, FGR STK CONTACT | 1.4910 EA | |

Table 1-851. FINGER STOCK - 827 8115 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4035 010 | BRZ, FGR STK CONTACT | 0.767550 EA | |

Table 1-852. PLATE - 829 3852 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 045 | BRS, LEADED SH .25 | 5.80 LB | |

Table 1-853. CYL ASSY OUTER TUNING - 929 3858 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 2997 002 | FINGER STOCK | 2.0 EA | |
| 827 5405 002 | INPUT LINE SEC. | 1.0 EA | |
| 829 3837 001 | LINE CAPS | 2.0 EA | |

Table 1-854. FINGER STOCK - 815 2997 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 007 4060 050 | BRZ, FGR STK 0097-0134-04 | 0.475650 EA | |

Table 1-855. INPUT LINE SEC. - 827 5405 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 062 | BRS, TBG 1.875 OD | 0.28350 LB | |

Table 1-856. LINE CAPS - 829 3837 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 077 | BRS, RD 2.500 FCB | 0.63420 LB | |

Table 1-857. SCREEN BLOCKER ASSY - 929 3860 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 088 0001 071 | *TAPE, FEP TEFLON 5"W | 0.010 RL | |

| | | |
|--------------|-------------------|--------|
| 829 3859 001 | LOWER SCREEN LINE | 1.0 EA |
| 829 3860 001 | SCREEN LINE INSTR | 0.0 EA |
| 927 8072 001 | SCREEN, LINE | 1.0 EA |

Table 1-858. LOWER SCREEN LINE - 829 3859 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 074 | BRS, TBG 3.500 OD | 2.0370 LB | |

Table 1-859. SCREEN, LINE - 927 8072 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 827 5403 001 | UPPER SCREEN LINE | 1.0 EA | |
| 827 5465 001 | SCREEN CONTACT SUPPO | 1.0 EA | |

Table 1-860. UPPER SCREEN LINE - 827 5403 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 074 | BRS, TBG 3.500 OD | 0.981750 LB | |

Table 1-861. SCREEN CONTACT SUPPO - 827 5465 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 085 | BRS, RD 4.000 FCB | 2.2260 LB | |

Table 1-862. CABLE ASSY - 929 7158 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 255 0001 000 | WIRE, TURBO 18AWG RED | 3.0 FT | |
| 354 0019 000 | TERM LUG RING 8 | 1.0 EA | |

Table 1-863. WIRE ASSY, SCREEN - 929 7201 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 255 0005 000 | WIRE, HV 18AWG 20KV | 1.70 FT | |
| 296 0287 000 | TUBG SHRINKABLE 3/16 | 0.30 FT | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 1.0 EA | |

Table 1-864. WIRE ASSY, GRID - 929 7202 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 255 0005 000 | WIRE, HV 18AWG 20KV | 1.70 FT | |
| 296 0289 000 | TUBG SHRINKABLE 3/16 | 0.30 FT | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 1.0 EA | |

Table 1-865. ADAPTER - 929 8409 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 620 0498 000 | ADAPTOR 3-1/8 301-014 | 1.0 EA | |

Table 1-866. GRID SCREEN SUPPORT - 938 5279 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 827 7881 001 | GRID SCREEN SUPPORT | 1.0 EA | |
| 827 7882 001 | GRID LINE EXTENSION | 1.0 EA | |
| 827 7883 001 | INPUT FLANGE | 1.0 EA | |
| 827 7884 001 | CHASSIS, PANEL ASSY. | 1.0 EA | |
| 827 7885 001 | INPUT AIR CHUTE | 1.0 EA | |

Table 1-867. GRID SCREEN SUPPORT - 827 7881 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 090 | BRS, RD 4.500 FCB | 3.8430 LB | |

Table 1-868. GRID LINE EXTENSION - 827 7882 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 066 | BRS, TBG 2.500 OD | 0.733950 LB | |

Table 1-869. INPUT FLANGE - 827 7883 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 083 | BRS, RD 3.125 FCB | 0.433650 LB | |

Table 1-870. CHASSIS, PANEL ASSY. - 827 7884 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 070 | BRS, RECT FCB .375 X 1.25 | 0.1890 LB | |

Table 1-871. INPUT AIR CHUTE - 827 7885 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 050 | BRS, TBG 1.500 OD | 0.122850 LB | |

Table 1-872. PLATE CONTACT ASSY - 938 5398 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 3071 001 | PIN CONTACT PLATE | 2.0 EA | |
| 816 5622 001 | FINGER STOCK | 1.0 EA | |
| 828 0601 001 | PLATE CONTACT | 1.0 EA | |

Table 1-873. PIN CONTACT PLATE - 815 3071 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 001 | BRS, RD .125 FCB | 0.003150 LB | |

Table 1-874. FINGER STOCK - 816 5622 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4030 010 | BRZ, FGR STK | 0.72240 EA | |

Table 1-875. PLATE CONTACT - 828 0601 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 005 1320 069 | BRS, RECT .375 X 12" | 3.2550 LB | |

Table 1-876. OUTER COND. ASSY - 939 4074 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 939 4074 002 | OUTER COND. | 1.0 EA | |

Table 1-877. OUTER COND. - 939 4074 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 827 5489 001 | OUTER CONDUCTOR | 1.0 EA | |
| 839 4073 001 | PLATE LINE | 1.0 EA | |
| 842 5863 001 | OUTPUT BYPASS FLANGE | 1.0 EA | |

Table 1-878. OUTER CONDUCTOR - 827 5489 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 071 | BRS, TBG 3.250 OD | 1.01010 LB | |

Table 1-879. PLATE LINE - 839 4073 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 005 8010 092 | BRS, TBG 7.750 OD +/- .008 | 10.1850 LB | |

Table 1-880. OUTPUT BYPASS FLANGE - 842 5863 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 005 1320 086 | BRS, RECT FCB .500 X 12" | 15.25650 LB | |

Table 1-881. CATHODE LINE ASSY - 939 4128 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 064 1010 006 | * ENCAPSULATING RESIN | 0.0 EA | |
| 815 2982 001 | INPUT CAP INSERT | 1.0 EA | |
| 815 2983 001 | CATHODE LINE | 1.0 EA | |
| 815 2984 001 | HEATER CHOKE | 1.0 EA | |
| 816 5840 001 | SPEC, SEI-140 | 0.0 EA | |
| 829 3826 001 | FLANGE SUPPORT | 1.0 EA | |
| 829 3827 001 | CATHODE CONTACT | 1.0 EA | |
| 839 4128 001 | ASSY INSTR, CATHODE LINE | 0.0 EA | |

Table 1-882. INPUT CAP INSERT - 815 2982 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 0.094815 LB | |

Table 1-883. CATHODE LINE - 815 2983 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 036 | BRS, TBG 1.000 OD | 0.56070 LB | |

Table 1-884. HEATER CHOKE - 815 2984 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 003 8020 011 | CU, TBG .500 OD X .065 WL | 0.94710 FT | |

Table 1-885. FLANGE SUPPORT - 829 3826 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 073 | BRS, RD 2.375 | 1.58550 LB | |

Table 1-886. CATHODE CONTACT - 829 3827 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 1010 033 | CU, RD 2.125 DIA | 2.44650 LB | |

Table 1-887. GRID BLOCKER ASSY - 939 4154 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 088 0001 071 | *TAPE, FEP TEFLON 5"W | 0.010 RL | |
| 827 5358 001 | GRID LINE, LOWER | 1.0 EA | |
| 915 3026 001 | SCREEN, OUTER BYPASS | 1.0 EA | |
| 929 3887 001 | GRID INNER BYPASS ASSY | 1.0 EA | |

Table 1-888. GRID LINE, LOWER - 827 5358 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 066 | BRS, TBG 2.500 OD | 1.4280 LB | |

Table 1-889. SCREEN, OUTER BYPASS - 915 3026 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 354 0033 000 | SOLDER LUG 4 MTG HOLE | 1.0 EA | |
| 815 2986 001 | FINGER STOCK #97-134 | 1.0 EA | |
| 827 5357 001 | SCREEN OUTER BYPASS | 1.0 EA | |
| 827 7886 001 | GRID - SCREEN CONTACT | 1.0 EA | |

Table 1-890. FINGER STOCK #97-134 - 815 2986 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 007 4060 050 | BRZ, FGR STK 0097-0134-04 | 0.67620 EA | |

Table 1-891. SCREEN OUTER BYPASS - 827 5357 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 069 | BRS, TBG 3.000 OD | 0.639450 LB | |

Table 1-892. GRID - SCREEN CONTACT - 827 7886 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 088 | BRS, RD 3.500 FCB | 0.38640 LB | |

Table 1-893. GRID INNER BYPASS ASSY - 929 3887 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 354 0033 000 | SOLDER LUG 4 MTG HOLE | 1.0 EA | |
| 827 5341 001 | UPPER GRID LINE | 1.0 EA | |
| 827 5359 001 | GRID INNER BYPASS | 1.0 EA | |
| 829 3871 001 | GRID CONTACT SUPPORT | 1.0 EA | |

Table 1-894. UPPER GRID LINE - 827 5341 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 066 | BRS, TBG 2.500 OD | 0.626850 LB | |

Table 1-895. GRID INNER BYPASS - 827 5359 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 069 | BRS, TBG 3.000 OD | 0.69930 LB | |

Table 1-896. GRID CONTACT SUPPORT - 829 3871 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 083 | BRS, RD 3.125 FCB | 1.1130 LB | |

Table 1-897. HOUSING ASSEMBLY - 939 6695 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 358 1162 000 | BUSHING, DRILL | 1.0 EA | |
| 450 0160 000 | BEARING, FLANGED .254 ID | 2.0 EA | |
| 829 2306 002 | INPUT DRIVER HOUSING | 1.0 EA | |
| 839 6695 002 | ASSEMBLY INSTRUCTIONS | 0.0 EA | |

Table 1-898. INPUT DRIVER HOUSING - 829 2306 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 005 1320 097 | BRS, RECT FCB 1.25 X 1.5 | 1.16550 LB | |

Table 1-899. BRACKET UPPER MTG - 943 2676 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 843 1115 001 | BRACKET, CAST | 1.0 EA | |

Table 1-900. WIRE LIST - 999 1887 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 026 6010 001 | NYLON, PROFILE .500 WIDE | 0.36750 FT | |
| 026 6010 003 | EXTRUDED GROMMETING | 0.78750 FT | |
| 252 0002 000 | WIRE, STRD 22AWG GRN | 1.810 FT | |
| 252 0003 000 | WIRE, STRD 20AWG WHT | 6.50 FT | |
| 252 0004 000 | WIRE, STRD 18AWG WHT/YEL | 1.350 FT | |
| 252 0005 000 | WIRE, STRD 16AWG GREY | 0.50 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 0.3330 FT | |
| 252 0152 000 | WIRE, THHN STRD 4AWG BLK | 6.940 FT | |
| 253 0008 000 | BRAID, .25 WIDE | 0.1670 FT | |

| | | |
|--------------|---------------------------|-----------|
| 253 0059 000 | CABLE, 2C 22AWG AUDIO | 1.080 FT |
| 254 0002 000 | WIRE, BUS CU 20AWG | 2.50 FT |
| 254 0003 000 | WIRE, BUS CU 18AWG | 0.0830 FT |
| 254 0017 000 | WIRE, ROPE 10AWG | 10.10 FT |
| 255 0001 000 | WIRE, TURBO 18AWG RED | 14.60 FT |
| 255 0002 000 | WIRE, TURBO 12AWG BRN | 6.80 FT |
| 255 0008 000 | WIRE, HV 18AWG 7.5VAC | 4.330 FT |
| 296 0018 000 | PLASTIC TUBE 5AWG CLEAR | 9.330 FT |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1040 FT |
| 296 0259 000 | TUBING TEFLON 18 AWG | 1.040 FT |
| 296 0261 000 | TUBING, SHRINK 1/8 WHITE | 0.5830 FT |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.50 FT |
| 296 0265 000 | TUBING, SHRINK 1/16 WHITE | 0.1460 FT |
| 296 0267 000 | TUBING TEFLON 14 AWG | 1.50 FT |
| 296 0277 000 | TUBING NYLON .25 OD | 1.670 FT |
| 354 0001 000 | LUG #6 RING RED 22-18 AWG | 8.0 EA |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 2.0 EA |
| 354 0005 000 | TERM LUG RED SPADE 6 | 15.0 EA |
| 354 0006 000 | TERM LUG RED SPADE 8 | 1.0 EA |
| 354 0008 000 | LUG #6 RING BLUE 16-14AWG | 6.0 EA |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 3.0 EA |
| 354 0015 000 | LUG BLUE SPADE 6 | 4.0 EA |
| 354 0016 000 | LUG BLUE SPADE 8 | 4.0 EA |
| 354 0019 000 | TERM LUG RING 8 | 16.0 EA |
| 354 0020 000 | *LUG, RING #10 18/16 AWG | 9.0 EA |
| 354 0245 000 | TERM LUG YEL RING 10 | 5.0 EA |
| 354 0254 000 | LUG .25 RING YEL | 1.0 EA |
| 354 0255 000 | LUG 6 RING YEL | 2.0 EA |
| 354 0261 000 | LUG .25 RING | 4.0 EA |
| 354 0262 000 | LUG 8 RING | 2.0 EA |
| 354 0287 000 | LUG #10 RING N/INS 7-9AWG | 10.0 EA |
| 354 0289 000 | LUG .25 RING N/INS 7-9AWG | 6.0 EA |
| 354 0295 000 | LUG 10 RING F26 | 3.0 EA |
| 354 0324 000 | LUG #10 RING YEL 12-10AWG | 1.0 EA |
| 354 0335 000 | * CONNECTOR CONTACT | 12.0 EA |
| 354 0365 000 | * CONTACT 61061-5 | 4.0 EA |
| 424 0115 000 | HOSE 2 IN ID | 0.1150 EA |

Table 1-901. HARDWARE LIST - 999 1939 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 300 1538 000 | SCR, 6-32 X 3/8 | 7.0 EA | |
| 300 1540 000 | SCR, 6-32 X 1/2 | 1.0 EA | |
| 300 1541 000 | SCR, 6-32 X 5/8 | 2.0 EA | |
| 300 1561 000 | SCR, 8-32 X 1/4 | 2.0 EA | |
| 300 1563 000 | SCR, 8-32 X 3/8 | 2.0 EA | |
| 300 1575 000 | SCR, 10-32 X 3/8 | 6.0 EA | |
| 300 1577 000 | SCR, 10-32 X 1/2 | 1.0 EA | |
| 300 1578 000 | SCR, 10-32 X 5/8 | 4.0 EA | |
| 300 1580 000 | SCR, 10-32 X 7/8 | 4.0 EA | |
| 300 1583 000 | SCR, 10-32 X 1-1/4 | 5.0 EA | |
| 300 1648 000 | SCR, 1/4-20 X 5/8 | 5.0 EA | |
| 300 1651 000 | SCR, 1/4-20 X 1 | 4.0 EA | |
| 300 2106 000 | SCR, 6-32 X 3/4 | 2.0 EA | |
| 302 0056 000 | SCR, 4-40 X 1/2 | 3.0 EA | |

| | | |
|--------------|----------------------|----------|
| 302 0104 000 | SCR, 6-32 X 1/4 | 26.0 EA |
| 302 0106 000 | SCR, 6-32 X 3/8 | 37.0 EA |
| 302 0108 000 | SCR, 6-32 X 1/2 | 10.0 EA |
| 302 0109 000 | SCR, 6-32 X 5/8 | 4.0 EA |
| 302 0110 000 | SCR, 6-32 X 3/4 | 2.0 EA |
| 302 0111 000 | SCR, 6-32 X 7/8 | 3.0 EA |
| 302 0130 000 | SCR, 8-32 X 3/8 | 38.0 EA |
| 302 0132 000 | SCR, 8-32 X 5/8 | 49.0 EA |
| 302 0133 000 | SCR, 8-32 X 3/4 | 8.0 EA |
| 302 0141 000 | SCR, 10-32 X 3/8 | 12.0 EA |
| 302 0143 000 | SCR, 10-32 X 1/2 | 124.0 EA |
| 302 0144 000 | SCR, 10-32 X 5/8 | 69.0 EA |
| 302 0145 000 | SCR, 10-32 X 3/4 | 8.0 EA |
| 302 0146 000 | SCR, 10-32 X 7/8 | 2.0 EA |
| 302 0213 000 | SCR, 1/4-20 X 1/2 | 4.0 EA |
| 302 0214 000 | SCR, 1/4-20 X 5/8 | 42.0 EA |
| 302 0215 000 | SCR, 1/4-20 X 3/4 | 79.0 EA |
| 302 0216 000 | SCR, 1/4-20 X 7/8 | 28.0 EA |
| 302 0217 000 | SCR, 1/4-20 X 1 | 34.0 EA |
| 302 0219 000 | SCR, 1/4-20 X 1-1/4 | 9.0 EA |
| 302 0220 000 | SCR, 1/4-20 X 1-1/2 | 1.0 EA |
| 302 0285 000 | SCR, 8-32 X 1/2 | 16.0 EA |
| 302 0286 000 | SCR, 6-32 X 1-1/2 | 4.0 EA |
| 302 0318 000 | SCR, 3/8-16 X 1.0 | 12.0 EA |
| 302 0320 000 | SCR, 3/8-16 X 1-1/2 | 10.0 EA |
| 302 0325 000 | SCR, 3/8-16 X 3.0 | 4.0 EA |
| 302 0335 000 | SCR, 1/2-13 X 3/4 | 2.0 EA |
| 302 0350 000 | SCR, 4-40 X 5/16 | 8.0 EA |
| 302 0352 000 | SCR, 6-32 X 1/4 | 2.0 EA |
| 302 0360 000 | SCR, 1/4-20 X 3/4 | 27.0 EA |
| 302 0364 000 | SCR, 4-40 X 3/16 | 28.0 EA |
| 302 0374 000 | SCR, 6-32 X 3/8 | 21.0 EA |
| 302 0380 000 | SCR, 6-32 X 5/16 | 25.0 EA |
| 302 0381 000 | SCR, 1/4-20 X 1/2 | 6.0 EA |
| 302 0384 000 | SCR, 8-32 X 3/8 | 4.0 EA |
| 302 0389 000 | SCR, 10-32 X 1/2 | 11.0 EA |
| 304 0009 000 | NUT, HEX 1/4-20 | 30.0 EA |
| 304 0011 000 | NUT, HEX JAM 3/8-16 | 7.0 EA |
| 304 0013 000 | NUT, HEX 1/2-13 | 4.0 EA |
| 304 0075 000 | NUT, HEX THIN 3/8-32 | 1.0 EA |
| 304 0087 000 | NUT, HEX 4-40 | 8.0 EA |
| 304 0089 000 | NUT, HEX 6-32 | 18.0 EA |
| 304 0090 000 | NUT, HEX 8-32 | 34.0 EA |
| 304 0098 000 | NUT, HEX 10-32 | 15.0 EA |
| 306 0003 000 | NUT, HEX 4-40 | 6.0 EA |
| 306 0004 000 | NUT, HEX 6-32 | 47.0 EA |
| 306 0005 000 | NUT, HEX 8-32 | 64.0 EA |
| 306 0006 000 | NUT, HEX 10-32 | 108.0 EA |
| 306 0007 000 | NUT, HEX 1/4-20 | 68.0 EA |
| 306 0012 000 | NUT, STOP 8-32 | 4.0 EA |
| 306 0013 000 | NUT, STOP 10-32 | 10.0 EA |
| 306 0016 000 | NUT, HEX KEP 6-32 | 43.0 EA |
| 306 0018 000 | NUT, HEX KEP 10-32 | 50.0 EA |
| 306 0021 000 | NUT, HEX 3/8-16 | 12.0 EA |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 8.0 EA |

| | | |
|--------------|---------------------------|----------|
| 308 0005 000 | NO 6 FLAT WASHER BRS | 13.0 EA |
| 308 0006 000 | NO 8 FLAT WASHER BRS | 7.0 EA |
| 308 0007 000 | 10 FLAT WASHER BRASS | 15.0 EA |
| 308 0009 000 | .25 FLAT WASHER BRS | 12.0 EA |
| 308 0010 000 | .312 FLAT WASHER BRS | 4.0 EA |
| 308 0011 000 | .375 FLAT WASHER BRS | 3.0 EA |
| 310 0009 000 | WASHER, FLAT 1/4 | 98.0 EA |
| 310 0011 000 | WASHER, FLAT 3/8 | 18.0 EA |
| 310 0037 000 | WASHER, FLAT #4 | 6.0 EA |
| 310 0038 000 | WASHER, FLAT #6 | 76.0 EA |
| 310 0039 000 | WASHER, FLAT #8 | 96.0 EA |
| 310 0040 000 | WASHER, FLAT #10 | 207.0 EA |
| 312 0005 000 | WASHER, INT LOCK 6 | 29.0 EA |
| 312 0006 000 | WASHER, INT LOCK 8 | 10.0 EA |
| 312 0007 000 | WASHER, INT LOCK 10 | 19.0 EA |
| 312 0009 000 | WASHER, INT LOCK 1/4 | 6.0 EA |
| 312 0011 000 | WASHER, INT LOCK 3/8 | 2.0 EA |
| 312 0028 000 | NO 10 EXT SHAKE BRZ | 1.0 EA |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 8.0 EA |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 15.0 EA |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 47.0 EA |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 53.0 EA |
| 312 0051 000 | WASHER, SPLIT-LOCK 1/4 | 29.0 EA |
| 312 0053 000 | WASHER, SPLIT-LOCK 3/8 | 7.0 EA |
| 312 0068 000 | WASHER, INT-EXT LOCK 1/4 | 7.0 EA |
| 312 0070 000 | WASHER, INT-EXT LOCK 3/8 | 5.0 EA |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 6.0 EA |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 96.0 EA |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 117.0 EA |
| 314 0007 000 | WASHER, SPLIT-LOCK 10 | 210.0 EA |
| 314 0009 000 | WASHER, SPLIT-LOCK 1/4 | 192.0 EA |
| 314 0011 000 | WASHER, SPLIT-LOCK 3/8 | 34.0 EA |
| 314 0013 000 | WASHER, INT LOCK 3/8 | 7.0 EA |
| 314 0015 000 | WASHER, SPLIT-LOCK 1/2 | 103.0 EA |
| 328 0033 000 | WASHER FLAT STEEL | 7.0 EA |
| 335 0001 000 | WASHER NYLON .149 ID | 6.0 EA |
| 335 0007 000 | WASHER NYLON .175 ID | 4.0 EA |
| 335 0009 000 | WASHER, NYLON .195 ID | 14.0 EA |
| 335 0010 000 | WASHER NYLON .195 ID | 62.0 EA |
| 335 0011 000 | WASHER NYLON .195 ID | 16.0 EA |
| 335 0012 000 | WASHER NYLON .195 ID | 24.0 EA |
| 335 0016 000 | WASHER NYLON .261 ID | 3.0 EA |
| 335 0017 000 | WASHER NYLON .261 ID | 11.0 EA |
| 335 0041 000 | WASHER NYLON .75 ID | 8.0 EA |
| 335 0104 000 | WASHER PLAIN .156 ID | 10.0 EA |
| 335 0106 000 | WASHER PLAIN .187 ID | 4.0 EA |
| 336 1129 000 | PIN, SPRING | 8.0 EA |
| 350 0038 000 | RIVET POP .125X.294 | 16.0 EA |
| 350 0047 000 | RIVET, POP .125 X .390L | 16.0 EA |
| 350 0050 000 | RIVET POP .093X.212 | 8.0 EA |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 3.0 EA |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 7.0 EA |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 9.0 EA |
| 354 0020 000 | *LUG, RING #10 18/16 AWG | 1.0 EA |
| 354 0140 000 | LUG SLDR .25 HOLE | 1.0 EA |

| | | |
|--------------|-----------------------|---------|
| 354 0141 000 | LUG SHAKE .123 MTG | 1.0 EA |
| 354 0142 000 | LUG SHAKE .150 MTG | 1.0 EA |
| 354 0146 000 | LUG SHAKE .176 MTG | 1.0 EA |
| 354 0154 000 | SOLDER LUG .375 MTG | 1.0 EA |
| 356 0003 000 | CABLE CLAMP 3/16 D | 1.0 EA |
| 356 0005 000 | CABLE CLAMP 5/16 D | 3.0 EA |
| 356 0082 000 | CABLE TIE TY RAP | 1.0 EA |
| 356 0084 000 | CABLE TY RAP | 2.0 EA |
| 356 0087 000 | CABLE TIE TY RAP | 54.0 EA |
| 356 0089 000 | CABLE TIE TY RAP | 41.0 EA |
| 356 0104 000 | CABLE CLAMP 3/8 D | 3.0 EA |
| 356 0110 000 | CABLE CLAMP 3/4 D | 1.0 EA |
| 358 1024 000 | CABLE STRIP MOUNT | 35.0 EA |
| 424 0007 000 | GROMMET 13/16 MTG DI | 2.0 EA |
| 424 0009 000 | GROMMET 1-3/8 MTG DI | 1.0 EA |
| 424 0013 000 | GROMMET .381 MTG DIA | 2.0 EA |
| 424 0016 000 | GROMMET 1-1/8 MTG D. | 2.0 EA |
| 424 0024 000 | GROMMET 3/4 MTG DIA | 1.0 EA |
| 424 0030 000 | BUMPER RUBBER | 2.0 EA |
| 424 0033 000 | GROMMET 1-1/16 MTG D | 1.0 EA |
| 424 0360 000 | GROMMET 1-3/4 MTG DIA | 1.0 EA |
| 424 0410 000 | GROMMET 1.38 MTG DIA | 2.0 EA |

Table 1-902. TUBE PULLER - 992 5372 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 308 0017 000 | WASHER, FLAT 3/4 | 1.0 EA | |
| 915 5442 001 | SPIDER NUT | 1.0 EA | |
| 928 0602 002 | TUBE PULLER | 1.0 EA | |
| 929 7342 001 | BRACE ASSY, PULLER | 1.0 EA | |
| 929 8797 001 | TUBE PUSHER | 1.0 EA | |

Table 1-903. TUBE PULLER - 928 0602 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 1218 002 | THREADED ROD | 1.0 EA | |
| 828 0602 002 | TUBE PULLER | 0.0 EA | |
| 829 7340 001 | YOKE, TUBE PULLER | 1.0 EA | |

Table 1-904. THREADED ROD - 817 1218 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 011 1030 090 | STL, RD THD .750-10 | 0.391650 FT | |

Table 1-905. YOKE, TUBE PULLER - 829 7340 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 035 | STL, SH 13GA CR | 1.31950 LB | |

Table 1-906. BRACE ASSY, PULLER - 929 7342 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0470 001 | BLOCK | 1.0 EA | |

| | | |
|--------------|-------------------|--------|
| 817 0470 002 | BLOCK | 1.0 EA |
| 829 7341 001 | BRACE | 1.0 EA |
| 829 7342 001 | ASSY BRACE PULLER | 0.0 EA |

Table 1-907. BLOCK - 817 0470 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 031 | AL, PL .500 THK | 0.12250 LB | |

Table 1-908. BLOCK - 817 0470 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 031 | AL, PL .500 THK | 0.40250 LB | |

Table 1-909. BRACE - 829 7341 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 8060 020 | AL, TBG SQ 2X2X.125 | 0.80850 LB | |

Table 1-910. TUBE PUSHER - 929 8797 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 817 1194 001 | BLOCK | 1.0 EA | |
| 817 1195 001 | BLOCK | 2.0 EA | |
| 829 8797 001 | ASSY INSTR, TUBE PUSHER | 0.0 EA | |
| 829 8815 001 | PLATE PUSHER | 1.0 EA | |

Table 1-911. BLOCK - 817 1194 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 004 | AL, RECT .250 X 1.0 | 0.039375 LB | |

Table 1-912. BLOCK - 817 1195 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 079 | AL, RECT .75 X 1.00 | 0.07350 LB | |

Table 1-913. PLATE PUSHER - 829 8815 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 085 | AL, RECT .375 X 1.50 | 0.49350 LB | |

Table 1-914. TV ACCESSORY TRAY BT-10H3 - 992 5587 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 253 0059 000 | CABLE, 2C 22AWG AUDIO | 25.0 FT | |
| 354 0055 000 | SOLDER LUG 6 MTG HOLE | 4.0 EA | |
| 354 0335 000 | * CONNECTOR CONTACT | 6.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 10.0 EA | |
| 414 0087 000 | BEAD FERRITE SHIELD | 6.0 EA | E001 E002 E003 E001A E002A E003A |
| 494 0239 000 | CHOKE WIDE BAND | 8.0 EA | |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 8.0 EA | |

| | | |
|--------------|-------------------------|--------|
| 516 0085 000 | CAP DISC .03UF 600V | 8.0 EA |
| 548 0466 000 | *RES 74 OHM 3/4W 0.5% | 2.0 EA |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 2.0 EA |
| 612 0490 000 | CONN PC EDGE 12 CONT | 2.0 EA |
| 614 0438 000 | TERM, STANDOFF | 8.0 EA |
| 620 0410 000 | JACK, BULKHEAD UG-657/U | 6.0 EA |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA |
| 815 5782 001 | BRKT, ACCESSORY TRAY | 2.0 EA |
| 828 7557 001 | INSTALLATION INSTR. | 0.0 EA |
| 829 7730 001 | BACK MOUNTING TRAY | 2.0 EA |
| 842 6670 001 | SCHEMATIC | 0.0 EA |
| 880 7155 001 | TEST PROCEDURE | 0.0 EA |
| 929 3660 001 | PANEL ASSY | 1.0 EA |
| 938 5801 001 | MTG TRAY ASSY | 1.0 EA |
| 938 5957 001 | TOP, MTG TRAY | 1.0 EA |
| 992 3342 001 | EXTENDER BOARD | 1.0 EA |
| 992 3952 001 | REAR PANEL ASSY | 1.0 EA |
| 999 1926 001 | WIRE LIST | 1.0 EA |
| 999 1927 001 | HARDWARE LIST | 1.0 EA |

Table 1-915. BRKT, ACCESSORY TRAY - 815 5782 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.090480 LB | |

Table 1-916. BACK MOUNTING TRAY - 829 7730 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.245050 LB | |

Table 1-917. PANEL ASSY - 929 3660 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4554 001 | PANEL | 1.0 EA | |
| 929 7072 001 | BRACKET ASSY | 1.0 EA | |

Table 1-918. PANEL - 829 4554 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 2.2620 LB | |

Table 1-919. BRACKET ASSY - 929 7072 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 0944 000 | STUD 8-32 X 3/8 | 4.0 EA | |
| 829 7071 001 | BRACKET | 1.0 EA | |

Table 1-920. BRACKET - 829 7071 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.839550 LB | |

Table 1-921. MTG TRAY ASSY - 938 5801 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 324 0177 000 | NUT, FLOATING 2-56 | 32.0 EA | |
| 838 5801 001 | ASSY INSTR, MOUNTING TRAY | 0.0 EA | |
| 938 5801 002 | SPOTWELD ASSY | 1.0 EA | |

Table 1-922. SPOTWELD ASSY - 938 5801 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 827 8814 001 | CONN. PLATE | 3.0 EA | |
| 838 5791 001 | MOUNTING TRAY | 3.0 EA | |

Table 1-923. CONN. PLATE - 827 8814 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.259550 LB | |

Table 1-924. MOUNTING TRAY - 838 5791 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 1.08750 LB | |

Table 1-925. TOP, MTG TRAY - 938 5957 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 815 4089 001 | STRIP | 3.0 EA | |
| 815 4090 003 | STRIP | 4.0 EA | |
| 838 5792 001 | TOP | 1.0 EA | |
| 838 5957 001 | ASSY INSTR, TOP MTG TRAY | 0.0 EA | |

Table 1-926. STRIP - 815 4089 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.007250 LB | |

Table 1-927. STRIP - 815 4090 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.0870 LB | |

Table 1-928. TOP - 838 5792 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 1.7980 LB | |

Table 1-929. EXTENDER BOARD - 992 3342 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 324 0075 000 | NUT J TYPE 6-32 STL | 4.0 EA | |
| 358 1109 000 | SPACER/STANDOFF/BUSHING | 3.0 EA | |
| 612 0508 000 | CONN 12 CONTACT POS | 1.0 EA | |
| 813 5084 002 | SPACER, 1/4D X 3/16L | 10.0 EA | |

| | | |
|--------------|------------------|--------|
| 827 8835 001 | SUPPORT | 1.0 EA |
| 827 9252 001 | SUPPORT, CHASSIS | 1.0 EA |
| 842 6822 001 | PRINTED BOARD | 1.0 EA |
| 938 5800 001 | CHASSIS ASSY | 1.0 EA |

Table 1-930. SPACER, 1/4D X 3/16L - 813 5084 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 006 | AL, RD .250 DIA | 0.000982 LB | |

Table 1-931. SUPPORT - 827 8835 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.76270 LB | |

Table 1-932. SUPPORT, CHASSIS - 827 9252 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.306450 LB | |

Table 1-933. CHASSIS ASSY - 938 5800 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 1.14550 LB | |
| 324 0143 000 | NUT, PEM 6-32 | 4.0 EA | |
| 358 1014 000 | STUD 4-40 X 1/2 | 10.0 EA | |
| 838 5799 001 | EXT. BD. CHASSIS | 0.0 EA | |
| 838 5800 001 | ASSY INSTRUCTIONS | 0.0 EA | |

Table 1-934. REAR PANEL ASSY - 992 3952 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|---|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 1.0 FT | |
| 254 0001 000 | WIRE, BUS CU 22AWG | 0.20 FT | |
| 296 0258 000 | TUBING TEFLON 19AWG | 1.0 FT | |
| 300 1544 000 | SCR, 6-32 X 1 | 1.0 EA | |
| 302 0108 000 | SCR, 6-32 X 1/2 | 1.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 2.0 EA | |
| 306 0011 000 | NUT, STOP 6-32 | 1.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 3.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 2.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 2.0 EA | |
| 354 0015 000 | LUG BLUE SPADE 6 | 2.0 EA | |
| 354 0145 000 | LUG SHAKE .150 MTG | 2.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 3.0 EA | |
| 494 0239 000 | CHOKE WIDE BAND | 8.0 EA | L003 L004 L005 L006 L007 L008 L009 L010 |
| 516 0043 000 | CAP, DISC 470PF 1KV 10% | 5.0 EA | C016 C017 C019 C020 C021 |
| 516 0067 000 | CAP DISC .003UF 1KV 20% | 3.0 EA | C018 C022 C023 |
| 610 0515 000 | PLUG HSG 7 CIRCUIT | 1.0 EA | J001 |
| 612 0490 000 | CONN PC EDGE 12 CONT | 1.0 EA | J002 |
| 614 0029 000 | TERM BD 7 TERM | 1.0 EA | TB001 |
| 828 6974 001 | REAR PANEL | 1.0 EA | |

| | | |
|--------------|------------------------|--------|
| 839 0020 001 | ASSY INSTR, REAR PANEL | 0.0 EA |
| 843 0050 001 | SCHEMATIC | 0.0 EA |

Table 1-935. REAR PANEL - 828 6974 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.207350 LB | |

Table 1-936. WIRE LIST - 999 1926 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0235 000 | WIRE, STRD 22AWG GRN | 4.20 FT | |
| 254 0002 000 | WIRE, BUS CU 20AWG | 0.670 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.10 FT | |
| 296 0259 000 | TUBING TEFLON 18 AWG | 4.520 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 1.0 FT | |
| 354 0001 000 | LUG #6 RING RED 22-18 AWG | 1.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 11.0 EA | |

Table 1-937. HARDWARE LIST - 999 1927 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 300 1542 000 | SCR, 6-32 X 3/4 | 1.0 EA | |
| 300 2127 000 | SCR, 8-32 X 3/8 | 6.0 EA | |
| 302 0012 000 | SCR, 2-56 X 1/4 | 23.0 EA | |
| 302 0014 000 | SCR, 2-56 X 3/8 | 9.0 EA | |
| 302 0056 000 | SCR, 4-40 X 1/2 | 6.0 EA | |
| 302 0108 000 | SCR, 6-32 X 1/2 | 1.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 6.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 2.0 EA | |
| 304 0090 000 | NUT, HEX 8-32 | 6.0 EA | |
| 306 0010 000 | NUT, STOP 4-40 | 6.0 EA | |
| 306 0011 000 | NUT, STOP 6-32 | 1.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 2.0 EA | |
| 310 0001 000 | WASHER, FLAT #2 | 9.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 4.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 1.0 EA | |
| 312 0026 000 | NO 6 EXT SHAKE BRZ | 2.0 EA | |
| 312 0027 000 | WASHER, EXT SHAKE NO. 8 | 6.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 1.0 EA | |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 32.0 EA | |
| 354 0229 000 | LUG SHAKE .176 MTG | 6.0 EA | |

Table 1-938. KIT, TOOL - 992 5630 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 296 0344 000 | TUBG, POLYETHYLENE 1/4 OD | 9.0 FT | |
| 359 0881 000 | TEE, PLASTIC 3/16 | 1.0 EA | |
| 442 0067 000 | TEMPILAQ 226 DEG C 2 OZ | 1.0 EA | |
| 464 0045 000 | TOOL, PIN INSERT | 1.0 EA | |
| 464 0130 000 | STARTER, PHILLIPS SCREW | 1.0 EA | |
| 464 0147 000 | SCREWDRIVER RATCHET | 1.0 EA | |
| 464 0150 000 | BIT, NO 1 PHILLIPS DRIVE | 1.0 EA | |
| 464 0151 000 | BIT, NO 2 PHILLIPS DRIVE | 1.0 EA | |

| | | |
|--------------|--------------------------|--------|
| 464 0169 000 | TOOL, TRIMMER ADJUSTMENT | 1.0 EA |
| 464 0243 000 | TOOL, CONT EXTRACTION | 1.0 EA |
| 620 1803 000 | MANOMETER MODEL 1211-16 | 1.0 EA |
| 915 1553 001 | TUNING TOOL | 1.0 EA |
| 929 7983 001 | SCREWDRIVER, MOD | 1.0 EA |

Table 1-939. TUNING TOOL - 915 1553 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 464 0023 000 | TOOL, TUNING NON-METALLIC | 1.0 EA | |

Table 1-940. SCREWDRIVER, MOD - 929 7983 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 099 0006 237 | *DURO SUPER GLUE #SUP-2B | 0.0 BT | |
| 464 0149 000 | HOLDER, HEX TIP | 1.0 EA | |

Table 1-941. KIT, INSTL HDW - 992 5669 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 003 4010 045 | CU, STRAP .020 X 2" | 78.750 FT | |
| 007 4060 063 | BERY CU, CONT SPR 14" LG | 4.20 EA | |
| 080 0201 032 | PAINT KIT TOUCH-UP | 1.0 EA | |
| 252 0003 000 | WIRE, STRD 20AWG WHT | 200.0 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 150.0 FT | |
| 252 0008 000 | WIRE, STRD 10AWG GRY | 60.0 FT | |
| 254 0004 000 | WIRE, BUS CU 16AWG | 10.0 FT | |
| 255 0006 000 | WIRE HV 8AWG 100KVDC | 60.0 FT | |
| 300 1541 000 | SCR, 6-32 X 5/8 | 50.0 EA | |
| 300 1566 000 | SCR, 8-32 X 5/8 | 50.0 EA | |
| 300 1578 000 | SCR, 10-32 X 5/8 | 25.0 EA | |
| 300 1648 000 | SCR, 1/4-20 X 5/8 | 25.0 EA | |
| 302 0109 000 | SCR, 6-32 X 5/8 | 25.0 EA | |
| 302 0132 000 | SCR, 8-32 X 5/8 | 25.0 EA | |
| 302 0144 000 | SCR, 10-32 X 5/8 | 25.0 EA | |
| 302 0214 000 | SCR, 1/4-20 X 5/8 | 25.0 EA | |
| 304 0009 000 | NUT, HEX 1/4-20 | 25.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 50.0 EA | |
| 304 0090 000 | NUT, HEX 8-32 | 50.0 EA | |
| 304 0098 000 | NUT, HEX 10-32 | 25.0 EA | |
| 306 0004 000 | NUT, HEX 6-32 | 25.0 EA | |
| 306 0005 000 | NUT, HEX 8-32 | 25.0 EA | |
| 306 0006 000 | NUT, HEX 10-32 | 25.0 EA | |
| 306 0007 000 | NUT, HEX 1/4-20 | 25.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 50.0 EA | |
| 308 0006 000 | NO 8 FLAT WASHER BRS | 50.0 EA | |
| 308 0007 000 | 10 FLAT WASHER BRASS | 25.0 EA | |
| 308 0009 000 | .25 FLAT WASHER BRS | 25.0 EA | |
| 310 0006 000 | WASHER FLAT 8 | 25.0 EA | |
| 310 0009 000 | WASHER, FLAT 1/4 | 25.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 25.0 EA | |
| 310 0013 000 | WASHER FLAT 10 | 25.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 50.0 EA | |
| 312 0048 000 | WASHER, SPLIT-LOCK 8 | 50.0 EA | |

| | | |
|--------------|---------------------------|----------|
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 25.0 EA |
| 312 0051 000 | WASHER, SPLIT-LOCK 1/4 | 25.0 EA |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 25.0 EA |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 25.0 EA |
| 314 0007 000 | WASHER, SPLIT-LOCK 10 | 25.0 EA |
| 314 0009 000 | WASHER, SPLIT-LOCK 1/4 | 25.0 EA |
| 336 0482 000 | SCREW 6 X 1/2 | 6.0 EA |
| 336 0636 000 | SCREW 10 X 5/8 | 15.0 EA |
| 354 0004 000 | LUG .25 RING RED 22-18AWG | 5.0 EA |
| 354 0005 000 | TERM LUG RED SPADE 6 | 25.0 EA |
| 354 0006 000 | TERM LUG RED SPADE 8 | 25.0 EA |
| 354 0007 000 | LUG RED SPADE 10 | 25.0 EA |
| 354 0011 000 | LUG BLUE RING .25 | 5.0 EA |
| 354 0015 000 | LUG BLUE SPADE 6 | 25.0 EA |
| 354 0016 000 | LUG BLUE SPADE 8 | 25.0 EA |
| 354 0017 000 | LUG BLUE SPADE 10 | 25.0 EA |
| 354 0024 000 | TERM LUG YEL RING 10 | 4.0 EA |
| 354 0025 000 | LUG YEL RING .25 | 4.0 EA |
| 354 0325 000 | LUG,.25 RING YEL 12-10AWG | 10.0 EA |
| 354 0335 000 | * CONNECTOR CONTACT | 20.0 EA |
| 354 0365 000 | * CONTACT 61061-5 | 2.0 EA |
| 354 0578 000 | TERMINAL 1/4 RING | 4.0 EA |
| 354 0657 000 | CONTACT CONN SIZE 20DF | 60.0 EA |
| 356 0089 000 | CABLE TIE TY RAP | 50.0 EA |
| 398 0020 000 | FUSE, FAST CART 3A 250V | 5.0 EA |
| 398 0021 000 | FUSE, FAST CART 4A 250V | 5.0 EA |
| 398 0031 000 | FUSE, FAST CART 10A 32V | 5.0 EA |
| 398 0032 000 | FUSE, FAST CART 15A 32V | 5.0 EA |
| 398 0058 000 | FUSE, SLOW CART 2A 250V | 5.0 EA |
| 398 0326 000 | FUSE, 1A | 5.0 EA |
| 408 0218 000 | SHIELD 37 POSITION | 2.0 EA |
| 408 0225 000 | SHIELD 25 POSITION | 2.0 EA |
| 610 0357 000 | PLUG, BNC, UG-260/U | 3.0 EA |
| 610 0451 000 | CAP CONN HSG 15 CKT | 2.0 EA |
| 610 0539 000 | PLUG 25 POS | 2.0 EA |
| 610 0762 000 | PLUG 37 PIN | 2.0 EA |
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 100.0 FT |
| 618 0188 000 | COAX CABLE RG213, 50 OHM | 60.0 FT |
| 620 0502 000 | PLUG BNC UG-88/U | 12.0 EA |
| 620 0593 000 | PLUG, N, UG536B/U | 5.0 EA |
| 827 8012 002 | ROD, CAP DRIVE | 1.0 EA |
| 827 8022 002 | SCREW, CAP. ADJ. | 1.0 EA |
| 839 4224 001 | PLATE, BLOCKER | 2.0 EA |
| 839 5086 001 | BLOCKER, GRID | 1.0 EA |
| 839 5087 001 | BLOCKER, LOWER SCREEN | 1.0 EA |
| 839 5088 001 | BLOCKER, UPPER SCREEN | 1.0 EA |

Table 1-942. PLATE, BLOCKER - 839 4224 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 033 5030 020 | MYLAR SHEET .010 | 3.0750 SF | |

Table 1-943. HIGH BAND DRIVER KIT - 992 5895 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|-------------------------------------|
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 2.0 EA | |
| 402 0107 000 | CLIP, FUSE 9/16 | 2.0 EA | #CAVITY |
| 410 0017 000 | INSULATOR ROUND NS5W 0310 | 4.0 EA | |
| 516 0402 000 | CAP 4800 PF 20KV | 1.0 EA | 1C007 |
| 522 0398 000 | CAP 60 UF 350V | 1.0 EA | 1C006 |
| 540 0569 000 | * RES 18 OHM 2W 5% | 1.0 EA | 1R011 |
| 540 0572 000 | * RES 24 OHM 2W 5% | 1.0 EA | 1R010 |
| 604 0893 000 | SW, INTLK DPDT | 2.0 EA | 1S003 1S005 RETURN TO STOCK604-1044 |
| 620 0305 000 | ADAPTOR,RT ANGLE UG-27B/U | 2.0 EA | #1DC002 #1DC003 |
| 620 0516 000 | ADPT, HN, UG212C/U | 1.0 EA | |
| 620 0592 000 | ADAPTER HN TO N | 1.0 EA | |
| 620 1574 000 | DIRECTIONAL COUPLER | 1.0 EA | 1DC003 |
| 813 5006 049 | STDOFF 6-32X1.31 1/4 HEX | 7.0 EA | |
| 813 5606 013 | STUD BRS 10-32 X 1-1/8 | 4.0 EA | |
| 829 4351 002 | BRACKET, SWITCH | 2.0 EA | #1S003 #1S005 |
| 839 4653 001 | COVER, AGC CARD | 1.0 EA | |
| 927 8138 008 | CABLE COAX | 1.0 EA | |
| 929 4903 016 | CABLE, FILAMENT #110 | 1.0 EA | |
| 929 4903 017 | CABLE, FILAMENT #119 | 1.0 EA | |
| 929 4903 019 | CABLE RF | 1.0 EA | |
| 929 7173 019 | COAX CABLE, 1A4W11 | 1.0 EA | 1A4W11 |
| 929 7173 020 | COAX CABLE, 1A4W12 | 1.0 EA | 1A4W12 |
| 929 7173 021 | COAX CABLE, 1A4W13 | 1.0 EA | 1A4W13 |
| 929 7173 022 | COAX CABLE, 1A4W14 | 1.0 EA | 1A4W14 |
| 929 7173 041 | CABLE COAX | 1.0 EA | #1DC002 |
| 929 7173 046 | CABLE COAX | 1.0 EA | |
| 929 7173 047 | CABLE COAX | 1.0 EA | |
| 929 8440 161 | BRKT | 1.0 EA | #1DC002 #1DC003 |
| 938 4203 014 | GRND HOOK ASSY | 1.0 EA | |
| 992 5497 004 | METER PANEL, OUTER | 1.0 EA | |

Table 1-944. STDOFF 6-32X1.31 1/4 HEX - 813 5006 049

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.006878 LB | |

Table 1-945. STUD BRS 10-32 X 1-1/8 - 813 5606 013

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 040 | BRS, THD STK 10-32 | 0.097965 FT | |

Table 1-946. BRACKET, SWITCH - 829 4351 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 080 | AL, SH .100 THK | 0.1160 LB | |

Table 1-947. COVER, AGC CARD - 839 4653 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 1.158550 LB | |

Table 1-948. CABLE COAX - 927 8138 008

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0221 000 | CABLE, COAX, 1/2", FSJ450B | 2.0 FT | |
| 620 0574 000 | PLUG, MALE TYPE N, F4NM | 2.0 EA | |
| 827 8138 008 | CABLE ASSY | 0.0 EA | |
| 829 8642 002 | MARKER 1A2J1TO 1DC3 | 2.0 EA | |

Table 1-949. MARKER 1A2J1TO 1DC3 - 829 8642 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0271 000 | TUBING, SHRINK 3/4 WHITE | 0.10 FT | |

Table 1-950. CABLE, FILAMENT #110 - 929 4903 016

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 250 0468 000 | CABLE, 1AWG 600V WELDING | 1.50 FT | |
| 354 0356 000 | LUG 1/4 HOLE CODE PINK | 2.0 EA | |
| 829 4903 016 | CABLE COAX | 0.0 EA | |
| 829 7974 016 | MARKER (110) | 2.0 EA | |

Table 1-951. MARKER (110) - 829 7974 016

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0271 000 | TUBING, SHRINK 3/4 WHITE | 0.10 FT | |

Table 1-952. CABLE, FILAMENT #119 - 929 4903 017

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 250 0468 000 | CABLE, 1AWG 600V WELDING | 1.30 FT | |
| 354 0356 000 | LUG 1/4 HOLE CODE PINK | 1.0 EA | |
| 354 0592 000 | LUG 1/2 HOLE | 1.0 EA | |
| 829 4903 017 | CABLE COAX | 0.0 EA | |
| 829 7974 017 | MARKER (119) | 2.0 EA | |

Table 1-953. MARKER (119) - 829 7974 017

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0271 000 | TUBING, SHRINK 3/4 WHITE | 0.10 FT | |

Table 1-954. CABLE RF - 929 4903 019

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0704 000 | COAX CABLE RG393, 50 OHM | 2.50 FT | |
| 620 1947 000 | PLUG, STRAIGHT TYPE N | 2.0 EA | |
| 829 4903 019 | CABLE COAX | 0.0 EA | |
| 829 8642 006 | MARKER VDRIN | 2.0 EA | |

Table 1-955. MARKER VDRIN - 829 8642 006

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.10 FT | |

Table 1-956. COAX CABLE, 1A4W11 - 929 7173 019

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 0.50 FT | DIM A = 6.0 |
| 620 0502 000 | PLUG BNC UG-88/U | 2.0 EA | |
| 817 2446 004 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 023 | MARKER, CABLE | 1.0 EA | |
| 829 7624 024 | MARKER, CABLE | 1.0 EA | |

Table 1-957. MARKER, CABLE - 829 7624 023

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-958. MARKER, CABLE - 829 7624 024

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-959. COAX CABLE, 1A4W12 - 929 7173 020

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 1.60 FT | DIM A = 19.0 |
| 620 0502 000 | PLUG BNC UG-88/U | 1.0 EA | |
| 620 0593 000 | PLUG, N, UG536B/U | 1.0 EA | |
| 817 2446 004 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 025 | MARKER, CABLE | 1.0 EA | |
| 829 7624 026 | MARKER, CABLE | 1.0 EA | |

Table 1-960. MARKER, CABLE - 829 7624 025

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-961. MARKER, CABLE - 829 7624 026

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-962. COAX CABLE, 1A4W13 - 929 7173 021

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 0.50 FT | DIM A = 6.0 |
| 620 0502 000 | PLUG BNC UG-88/U | 2.0 EA | |
| 817 2446 004 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 027 | MARKER, CABLE | 1.0 EA | |
| 829 7624 028 | MARKER, CABLE | 1.0 EA | |

Table 1-963. MARKER, CABLE - 829 7624 027

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-964. MARKER, CABLE - 829 7624 028

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-965. COAX CABLE, 1A4W14 - 929 7173 022

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 2.70 FT | DIM A = 32.0 |
| 620 0502 000 | PLUG BNC UG-88/U | 1.0 EA | |
| 620 0593 000 | PLUG, N, UG536B/U | 1.0 EA | |
| 817 2446 004 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 029 | MARKER, CABLE | 1.0 EA | |
| 829 7624 030 | MARKER, CABLE | 1.0 EA | |

Table 1-966. MARKER, CABLE - 829 7624 029

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-967. MARKER, CABLE - 829 7624 030

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.20 FT | |

Table 1-968. CABLE COAX - 929 7173 041

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0704 000 | COAX CABLE RG393, 50 OHM | 1.30 FT | |
| 620 1947 000 | PLUG, STRAIGHT TYPE N | 2.0 EA | |
| 829 7173 041 | CABLE COAX JUMPER | 0.0 EA | |
| 829 8642 004 | MARKER VIPOUT | 2.0 EA | |

Table 1-969. MARKER VIPOUT - 829 8642 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.10 FT | |

Table 1-970. CABLE COAX - 929 7173 046

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 1.0 FT | |
| 620 1951 000 | STRAIGHT PLUG BNC CRIMP | 2.0 EA | |
| 829 7173 046 | CABLE COAX JUMPER | 0.0 EA | |
| 829 7624 057 | MARKER 1J10 TO 1DC3 | 2.0 EA | |

Table 1-971. MARKER 1J10 TO 1DC3 - 829 7624 057

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.10 FT | |

Table 1-972. CABLE COAX - 929 7173 047

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 1.0 FT | |
| 620 1951 000 | STRAIGHT PLUG BNC CRIMP | 2.0 EA | |
| 829 7173 047 | CABLE COAX JUMPER | 0.0 EA | |
| 829 7624 058 | MARKER 1J11 RO 1D33 | 2.0 EA | |

Table 1-973. MARKER 1J11 RO 1D33 - 829 7624 058

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.10 FT | |

Table 1-974. BRKT - 929 8440 161

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.290 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 2.0 EA | |
| 829 8440 161 | 1DC2 BRKT ASSY INST | 0.0 EA | |

Table 1-975. GRND HOOK ASSY - 938 4203 014

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 254 0017 000 | WIRE, ROPE 10AWG | 4.20 FT | |
| 296 0019 000 | PLASTIC TUBE 4AWG CLEAR | 4.40 FT | |
| 306 0006 000 | NUT, HEX 10-32 | 2.0 EA | |
| 308 0007 000 | 10 FLAT WASHER BRASS | 1.0 EA | |
| 312 0007 000 | WASHER, INT LOCK 10 | 1.0 EA | |
| 312 0049 000 | WASHER, SPLIT-LOCK 10 | 1.0 EA | |
| 354 0287 000 | LUG #10 RING N/INS 7-9AWG | 2.0 EA | |
| 814 7796 004 | HANDLE | 1.0 EA | |
| 814 7917 001 | HOOK, 1/2IN RADIUS | 1.0 EA | |
| 838 4203 001 | ASSY INSTR, GROUND HOOK | 0.0 EA | |

Table 1-976. HANDLE - 814 7796 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 037 1010 033 | PHENOLIC RD 1/2 DIA | 0.805350 FT | |

Table 1-977. METER PANEL, OUTER - 992 5497 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 324 0239 000 | PUSHNUT FASTENER | 2.0 EA | |
| 358 0059 000 | STUD 85 OVAL HEAD | 2.0 EA | |
| 358 0410 000 | RETAINER 85 ALL HDS | 2.0 EA | |
| 358 0801 000 | WASHER WEAR 85 NYLON | 2.0 EA | |
| 384 0669 000 | LED, T1-3/4, RED PANEL MT ESD | 1.0 EA | DS004 |
| 396 0183 000 | LAMP, 14V .08A 382 | 3.0 EA | DS001 DS002 DS003 |
| 406 0441 000 | LIGHT, INDICATOR BASE | 1.0 EA | XDS002 |
| 598 0169 000 | SWITCH CAP, PB, RED | 2.0 EA | S002 S004 |
| 598 0170 000 | SWITCH CAP, PB, GR | 2.0 EA | S001 S003 |
| 598 0188 000 | SW BASE 513-0410-001 | 4.0 EA | S001 S002 S003 S004 |
| 598 0195 000 | SWITCH CAP, PB, YELL | 1.0 EA | |
| 646 0993 000 | NAMEPLATE HARRIS | 1.0 EA | |

| | | | |
|--------------|--------------------------|--------|------|
| 650 0028 000 | KNOB RD SKIRT 1.135" DIA | 2.0 EA | |
| 815 2998 001 | SPACER | 1.0 EA | |
| 815 3000 002 | BLOCK, SUPPORT | 1.0 EA | |
| 815 3001 001 | STRIP, TRIM SIDE | 2.0 EA | |
| 816 8641 001 | LINK, METER PANEL | 1.0 EA | |
| 829 4060 003 | WINDOW | 1.0 EA | |
| 839 4253 001 | HINGE | 1.0 EA | |
| 839 4257 003 | TRIM STRIP | 2.0 EA | |
| 843 2748 001 | PLATE, BACK | 1.0 EA | |
| 843 2820 001 | PANEL, CONTROL | 1.0 EA | |
| 843 2902 001 | WIRING DIAGRAM | 0.0 EA | |
| 843 4607 001 | TRIM CONTROL PANEL | 1.0 EA | |
| 852 8760 001 | DIAGRAM, MAIN WIRING | 0.0 EA | |
| 915 0754 001 | SWITCH, MOD | 1.0 EA | S006 |
| 915 0754 003 | SW, MOD. | 1.0 EA | S005 |

Table 1-978. PANEL, CONTROL - 843 2820 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 060 | STL, SH 18GA CR | 7.250 LB | |

Table 1-979. TRIM CONTROL PANEL - 843 4607 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 001 5010 030 | AL, SH .032 THK | 0.7250 LB | |
| 843 4609 001 | SILKSCREEN MTR PNL TRIM | 0.0 EA | |

Table 1-980. SWITCH, MOD - 915 0754 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 600 0459 000 | SW. ROTARY 1P 6 POS | 1.0 EA | |

Table 1-981. TV35H POWER SUPPLY - 992 5987 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 055 0121 020 | NIPPLE, CLOSE 2 IN. | 6.0 EA | |
| 055 0121 021 | CONDUIT LOCKNUT 2 IN | 12.0 EA | |
| 055 0121 022 | BUSHING, INSULATED 2 IN. | 12.0 EA | |
| 250 0086 000 | PLUG/CORD MOLDED BLACK | 1.0 EA | |
| 302 0338 000 | SCR, 1/2-13 X 1-1/2 | 12.0 EA | |
| 306 0056 000 | NUT, CAP 1/4-20 | 4.0 EA | |
| 324 0170 000 | NUT, U TYPE SPEED GR | 112.0 EA | |
| 354 0353 000 | LUG 3/8 HOLE | 10.0 EA | |
| 354 0600 000 | LUG 3/8 RING | 3.0 EA | |
| 354 0603 000 | LUG, CONE SCREW | 3.0 EA | |
| 354 0658 000 | TERMINAL PRESSURE | 5.0 EA | |
| 354 0700 000 | LUG 3/8 RING FOR 18-14AWG | 3.0 EA | |
| 384 0673 000 | RECTIFIER 32KVDC PIV 8ADC ESD | 6.0 EA | CR1 CR2 CR3 CR4 CR5 CR6 |
| 402 0107 000 | CLIP, FUSE 9/16 | 4.0 EA | |
| 410 0019 000 | INSULATOR ROUND NS5W 0316 | 2.0 EA | |
| 410 0020 000 | INSULATOR ROUND NS5W 0320 | 14.0 EA | |
| 410 0025 000 | INSULATOR ROUND NS5W 0416 | 6.0 EA | |
| 410 0034 000 | INSULATOR ROUND NS5W 0524 | 2.0 EA | |
| 424 0001 000 | GROMMET 3/8 MTG DIA | 1.0 EA | |

| | | | |
|--------------|---------------------------|---------|---------------------|
| 424 0005 000 | GROMMET 3/4 MTG DIA | 2.0 EA | |
| 424 0031 000 | GROMMET 2.5 MTG DIA | 2.0 EA | |
| 424 0086 000 | GROMMET 2-13/64 MTG | 1.0 EA | |
| 430 0089 000 | FAN CARAVEL CL2T2 | 1.0 EA | B1 |
| 442 0123 000 | THERMOSTAT 155 DEG F N.C. | 1.0 EA | S6 |
| 472 1089 000 | XFMR, STPDN, 816-6641-001 | 1.0 EA | T2 |
| 472 1261 000 | XFMR, PLT, 817-0901-001 | 1.0 EA | T1 |
| 476 0404 000 | REACTOR 816-9902-001 | 1.0 EA | L1 |
| 476 0405 000 | REACTOR, FILTER | 1.0 EA | L2 |
| 508 0534 000 | CAP 0.02 UF 30KVDC 10% | 3.0 EA | C4 C5 C6 |
| 510 0408 000 | CAP 5.8UF 7.5KV | 3.0 EA | C7 C8 C9 |
| 510 0716 000 | CAP 11 UF 15KV | 2.0 EA | C1 C2 |
| 510 0723 000 | CAP. 30MFD 660V AC | 3.0 EA | C11 C12 C13 |
| 542 0222 000 | RES 7.5K OHM 5% 50W | 3.0 EA | R4 R5 R6 |
| 542 1000 000 | RES 1.3 OHM 1093W 29A | 3.0 EA | R1 R2 R3 |
| 570 0249 000 | CONTACTOR 3 POLE 300A | 1.0 EA | #K1A |
| 570 0262 000 | STARTER 120V COIL 60HZ | 1.0 EA | K002 |
| 574 0395 000 | RELAY 120VAC 30A DPST-NO | 1.0 EA | #K1 |
| 582 0031 000 | RELAY MAGNETIC OVERL | 3.0 EA | |
| 582 0034 000 | RELAY MAG OVERLOAD | 2.0 EA | K3 K4 |
| 584 0282 000 | HEATER B53 | 3.0 EA | K2HR1 K2HR2 K2HR3 |
| 604 0246 000 | *SW, PB | 1.0 EA | S1 |
| 604 0893 000 | SW, INTLK DPDT | 4.0 EA | S002 S003 S004 S005 |
| 614 0002 000 | TERM BD 2 TERM | 1.0 EA | |
| 614 0505 000 | TERM BD 12 TERM | 1.0 EA | TB1 |
| 614 0514 000 | TERM BD 2 TERM | 1.0 EA | TB2 |
| 646 0852 000 | OBS SEE 646-1250-000 | 6.0 EA | |
| 646 0853 000 | REP'D SEE 646-1254-402 | 2.0 EA | |
| 813 5001 049 | STDOFF 8-32X1 3/8 HEX | 4.0 EA | |
| 813 5606 017 | STUD BRS 10-32 X 1-3/8 | 4.0 EA | |
| 813 5616 035 | STUD | 4.0 EA | |
| 813 5619 029 | STUD | 3.0 EA | |
| 817 0460 001 | FILTER | 1.0 EA | |
| 817 0475 001 | CLAMP, CAP | 1.0 EA | |
| 817 0476 001 | CLAMP, CAP | 1.0 EA | |
| 817 0561 001 | RUNNING SHEETS | 0.0 EA | |
| 817 1059 001 | SPACER, LOCKNUT | 12.0 EA | |
| 817 1257 001 | RUNNING SHEETS (TV-35) | 0.0 EA | |
| 829 2289 001 | BRKT., CAP. SURGE SU | 1.0 EA | |
| 829 2290 001 | CLIP, MTG SURGE SUP. | 3.0 EA | |
| 829 7092 001 | CHANNEL | 1.0 EA | |
| 829 7093 001 | CHANNEL | 1.0 EA | |
| 829 7241 001 | BRKT SWITCH | 2.0 EA | |
| 829 7362 001 | SUPPORT RECT | 3.0 EA | |
| 829 7363 001 | ANGLE | 1.0 EA | |
| 829 7365 001 | SUPPORT | 1.0 EA | |
| 829 7366 001 | ANGLE | 4.0 EA | |
| 829 7373 001 | ANGLE | 2.0 EA | |
| 829 7526 001 | BAR, TAPPING | 2.0 EA | |
| 829 7526 002 | BAR TAPPING | 2.0 EA | |
| 829 7554 001 | STRAP, RECT CONN | 2.0 EA | |
| 829 7579 001 | BRACKET, MTG | 1.0 EA | |
| 829 7580 001 | STRAP, GND | 1.0 EA | |
| 829 7581 001 | STRAP, GND | 1.0 EA | |
| 829 7582 001 | STRAP | 1.0 EA | |

| | | | |
|--------------|---------------------------|--------|----------|
| 829 7583 001 | STRAP | 1.0 EA | |
| 829 7584 001 | STRAP | 1.0 EA | |
| 829 7585 001 | STRAP, GND | 1.0 EA | |
| 829 7586 001 | STRAP, GND | 1.0 EA | |
| 829 7592 001 | STRAP | 1.0 EA | |
| 829 7939 001 | ANGLE, SPARK | 2.0 EA | |
| 829 7940 001 | ANGLE, SPARK | 2.0 EA | |
| 829 8788 001 | MODIFICATION INSTRUCTIONS | 0.0 EA | |
| 829 9360 001 | BRACKET, GND HOOK | 2.0 EA | |
| 839 3098 001 | PLATE, MTG SURGE SUP | 1.0 EA | |
| 839 4869 001 | CHANNEL | 1.0 EA | |
| 839 4999 001 | SCHEMATIC | 0.0 EA | |
| 839 5014 001 | CHANNEL | 1.0 EA | |
| 852 8884 001 | SCHEMATIC | 0.0 EA | |
| 917 0446 001 | WASHER MODIFIED | 8.0 EA | |
| 929 7372 001 | PANEL ASSY, SIDE | 1.0 EA | |
| 929 7566 001 | BLEEDER RES. ASSY | 3.0 EA | A2 A3 A4 |
| 938 4203 004 | GROUND STICK ASSY | 2.0 EA | |
| 939 4936 001 | CHANNEL ASSY | 2.0 EA | |
| 939 5007 002 | PNL, CONTACTOR | 1.0 EA | |
| 939 5013 001 | SHELF ASSY, CAP | 1.0 EA | |
| 939 5015 001 | COVER ASSY | 1.0 EA | |
| 939 5019 001 | PANEL SIDE | 1.0 EA | |
| 943 3125 001 | PANEL FAN ASSY | 1.0 EA | |
| 943 3128 004 | PANEL ASSY | 3.0 EA | |
| 943 3128 005 | PANEL ASSY | 1.0 EA | |
| 952 8722 001 | BASIC CABINET | 1.0 EA | |
| 992 5579 001 | CONTROL RELAY PANEL ASSY | 1.0 EA | A1 |
| 999 2074 001 | WIRE KIT | 1.0 EA | |

Table 1-982. STDOFF 8-32X1 3/8 HEX - 813 5001 049

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 020 | AL, HEX .375 | 0.01260 LB | |

Table 1-983. STUD BRS 10-32 X 1-3/8 - 813 5606 017

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 040 | BRS, THD STK 10-32 | 0.11970 FT | |

Table 1-984. STUD - 813 5616 035

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 040 | SST, ROD .250 DIA | 0.099225 LB | |

Table 1-985. STUD - 813 5619 029

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 053 | SST, RD .375 DIA | 0.471450 LB | |

Table 1-986. FILTER - 817 0460 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 033 9010 010 | INDUSTRIAL FOAM 1 IN | 1.93750 SF | |

Table 1-987. CLAMP, CAP - 817 0475 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1309 030 | AL RECT .250 X 2.0 | 0.668850 LB | |

Table 1-988. CLAMP, CAP - 817 0476 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 004 | AL, RECT .250 X 1.0 | 0.404250 LB | |

Table 1-989. SPACER, LOCKNUT - 817 1059 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.2030 LB | |

Table 1-990. BRKT., CAP. SURGE SU - 829 2289 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.22910 LB | |

Table 1-991. CLIP, MTG SURGE SUP. - 829 2290 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.030595 LB | |

Table 1-992. CHANNEL - 829 7092 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 6010 006 | STL, CHAN | 6.66750 LB | |

Table 1-993. CHANNEL - 829 7093 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 6010 006 | STL, CHAN | 6.66750 LB | |

Table 1-994. BRKT SWITCH - 829 7241 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.178350 LB | |

Table 1-995. SUPPORT RECT - 829 7362 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 054 | GL, EPOXY .250 | 2.51250 LB | |

Table 1-996. ANGLE - 829 7363 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 020 | AL, SH .190 THK | 4.53850 LB | |

Table 1-997. SUPPORT - 829 7365 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 054 | GL, EPOXY .250 | 1.4750 LB | |

Table 1-998. ANGLE - 829 7366 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.02610 LB | |

Table 1-999. ANGLE - 829 7373 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 0.24070 LB | |

Table 1-1000. BAR, TAPPING - 829 7526 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1320 010 | AL, RECT .250 X .500 | 0.271950 LB | |

Table 1-1001. BAR TAPPING - 829 7526 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1320 010 | AL, RECT .250 X .500 | 0.725550 LB | |

Table 1-1002. STRAP, RECT CONN - 829 7554 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 010 | BRS, RECT FCB .125 X .500 | 0.353850 LB | |

Table 1-1003. BRACKET, MTG - 829 7579 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.038860 LB | |

Table 1-1004. STRAP, GND - 829 7580 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 4010 055 | CU, STRAP .020 X 1 | 6.01650 FT | |

Table 1-1005. STRAP, GND - 829 7581 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 4010 055 | CU, STRAP .020 X 1 | 3.4440 FT | |

Table 1-1006. STRAP - 829 7582 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.112665 LB | |

Table 1-1007. STRAP - 829 7583 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 4010 055 | CU, STRAP .020 X 1 | 0.70140 FT | |

Table 1-1008. STRAP - 829 7584 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 4010 055 | CU, STRAP .020 X 1 | 1.6590 FT | |

Table 1-1009. STRAP, GND - 829 7585 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4010 045 | CU, STRAP .020 X 2" | 5.02950 FT | |

Table 1-1010. STRAP, GND - 829 7586 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4010 045 | CU, STRAP .020 X 2" | 4.37850 FT | |

Table 1-1011. STRAP - 829 7592 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.075255 LB | |

Table 1-1012. ANGLE, SPARK - 829 7939 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 005 1320 019 | BRS, RECT FCB .125 X 1 | 0.23940 LB | |

Table 1-1013. ANGLE, SPARK - 829 7940 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 005 1320 019 | BRS, RECT FCB .125 X 1 | 0.19950 LB | |

Table 1-1014. BRACKET, GND HOOK - 829 9360 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.456750 LB | |
| 001 5010 080 | AL, SH .100 THK | 0.50750 LB | |

Table 1-1015. PLATE, MTG SURGE SUP - 839 3098 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 1.30 LB | |

Table 1-1016. CHANNEL - 839 4869 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 6010 006 | STL, CHAN | 13.7550 LB | |

Table 1-1017. CHANNEL - 839 5014 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 030 | STL, SH 12GA CR | 7.00350 LB | |

Table 1-1018. WASHER MODIFIED - 917 0446 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 0787 000 | WASHER BEVEL .5 IN | 1.0 EA | |

Table 1-1019. PANEL ASSY, SIDE - 929 7372 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 17.5450 LB | |
| 646 1254 000 | LABEL DANGER HI VOLTAGE | 1.0 EA | |
| 829 7372 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 5021 001 | PANEL, SIDE | 0.0 EA | |

Table 1-1020. BLEEDER RES. ASSY - 929 7566 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 354 0146 000 | LUG SHAKE .176 MTG | 2.0 EA | |
| 548 0346 000 | RES 40K OHM 7W 1% | 20.0 EA | |
| 829 7566 001 | ASSY DWG | 0.0 EA | |
| 938 4709 001 | BOARD, RESISTOR MTG. | 1.0 EA | |

Table 1-1021. BOARD, RESISTOR MTG. - 938 4709 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 0.4630 LB | |
| 354 0314 000 | TERM, TUR SLDR | 25.0 EA | |
| 838 4709 001 | ASSY INSTR, BD, RESISTOR MTG. | 0.0 EA | |

Table 1-1022. CHANNEL ASSY - 939 4936 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0435 001 | SUPPORT | 2.0 EA | |
| 817 0436 001 | SPACER | 4.0 EA | |
| 839 4868 001 | CHANNEL | 1.0 EA | |

Table 1-1023. SUPPORT - 817 0435 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 1020 055 | STL, RD 1.00 DIA | 0.68880 LB | |

Table 1-1024. SPACER - 817 0436 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 1020 055 | STL, RD 1.00 DIA | 0.139650 LB | |

Table 1-1025. CHANNEL - 839 4868 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 6010 006 | STL, CHAN | 13.860 LB | |

Table 1-1026. PNL, CONTACTOR - 939 5007 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 324 0168 000 | NUT, PEM 10-32 | 11.0 EA | |
| 324 0174 000 | NUT, PEM 8-32 | 7.0 EA | |
| 358 1728 000 | STUD 1/4-20 X 1/2 | 6.0 EA | |
| 829 7360 001 | BASE | 1.0 EA | |
| 839 5007 002 | PNL, CONTACTOR ASSY INST | 0.0 EA | |
| 843 3198 002 | PNL, CONTACTOR | 1.0 EA | |

Table 1-1027. BASE - 829 7360 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 030 | STL, SH 12GA CR | 11.75950 LB | |

Table 1-1028. PNL, CONTACTOR - 843 3198 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 030 | STL, SH 12GA CR | 30.8850 LB | |

Table 1-1029. SHELF ASSY, CAP - 939 5013 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 306 0065 000 | NUT, WELD 1/4-20 | 6.0 EA | |
| 306 0067 000 | NUT, WELD 3/8-16 | 4.0 EA | |
| 839 5013 001 | ASSY INSTR, CAP SHELF | 0.0 EA | |
| 852 8751 001 | SHELF | 1.0 EA | |

Table 1-1030. SHELF - 852 8751 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 030 | STL, SH 12GA CR | 39.730 LB | |

Table 1-1031. COVER ASSY - 939 5015 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 7370 001 | ANGLE | 2.0 EA | |
| 829 7370 002 | ANGLE | 1.0 EA | |
| 843 3200 001 | COVER | 1.0 EA | |

Table 1-1032. ANGLE - 829 7370 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 1.22670 LB | |

Table 1-1033. ANGLE - 829 7370 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 0.124990 LB | |

Table 1-1034. COVER - 843 3200 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 23.20 LB | |

Table 1-1035. PANEL SIDE - 939 5019 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 8.70 LB | |
| 646 1254 000 | LABEL DANGER HI VOLTAGE | 1.0 EA | |

Table 1-1036. PANEL FAN ASSY - 943 3125 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 646 1254 000 | LABEL DANGER HI VOLTAGE | 1.0 EA | |
| 843 3125 001 | ASSY INSTR, PANEL FAN | 0.0 EA | |
| 843 3126 001 | PANEL SIDE | 1.0 EA | |
| 843 3127 001 | DUCT INTAKE | 1.0 EA | |

Table 1-1037. PANEL SIDE - 843 3126 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 21.8950 LB | |

Table 1-1038. DUCT INTAKE - 843 3127 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 050 | STL, SH 16GA CR | 9.23650 LB | |

Table 1-1039. PANEL ASSY - 943 3128 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 22.620 LB | |
| 646 1254 000 | LABEL DANGER HI VOLTAGE | 1.0 EA | |
| 843 3205 001 | PANEL | 0.0 EA | |

Table 1-1040. PANEL ASSY - 943 3128 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 011 5020 070 | STL, SH 20GA CR | 22.620 LB | |
| 646 1250 000 | LABEL SAFETY INSTR. | 1.0 EA | |
| 843 3204 001 | PANEL | 0.0 EA | |

Table 1-1041. BASIC CABINET - 952 8722 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0376 001 | FILLER BASE | 2.0 EA | |
| 817 0472 001 | BRACE, CORNER | 4.0 EA | |
| 817 0473 001 | BRACE, CTR POST | 2.0 EA | |
| 817 0495 002 | SPACER, CHANNEL | 2.0 EA | |
| 829 7481 001 | STIFFENER, TOP | 2.0 EA | |
| 829 7482 001 | STIFFENER, TOP | 2.0 EA | |
| 839 4866 001 | CHANNEL, BASE | 1.0 EA | |
| 839 4867 001 | CHANNEL, BASE | 1.0 EA | |
| 839 4941 001 | H BEAM, BASE | 1.0 EA | |
| 843 3073 001 | POST CORNER | 2.0 EA | |
| 843 3073 002 | POST CORNER | 2.0 EA | |
| 843 3079 001 | TOP, CABINET | 1.0 EA | |
| 843 3080 001 | BASE | 1.0 EA | |
| 843 3083 001 | POST, CENTER | 2.0 EA | |
| 843 3187 001 | CHANNEL, SUPPORT | 1.0 EA | |
| 843 3187 002 | CHANNEL, SUPPORT | 1.0 EA | |

Table 1-1042. FILLER BASE - 817 0376 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 0.436450 LB | |

Table 1-1043. BRACE, CORNER - 817 0472 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 0.648150 LB | |

Table 1-1044. BRACE, CTR POST - 817 0473 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 0.9570 LB | |

Table 1-1045. SPACER, CHANNEL - 817 0495 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 4.53850 LB | |

Table 1-1046. STIFFENER, TOP - 829 7481 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 050 | STL, SH 16GA CR | 2.01550 LB | |

Table 1-1047. STIFFENER, TOP - 829 7482 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 050 | STL, SH 16GA CR | 0.78880 LB | |

Table 1-1048. CHANNEL, BASE - 839 4866 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 6010 011 | STL, CHAN | 44.2050 LB | |

Table 1-1049. CHANNEL, BASE - 839 4867 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 6010 011 | STL, CHAN | 44.2050 LB | |

Table 1-1050. H BEAM, BASE - 839 4941 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 6090 001 | STL, H BEAM | 79.380 LB | |

Table 1-1051. POST CORNER - 843 3073 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 13.12250 LB | |

Table 1-1052. POST CORNER - 843 3073 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 13.12250 LB | |

Table 1-1053. TOP, CABINET - 843 3079 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 050 | STL, SH 16GA CR | 78.590 LB | |

Table 1-1054. BASE - 843 3080 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 127.60 LB | |

Table 1-1055. POST, CENTER - 843 3083 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 13.340 LB | |

Table 1-1056. CHANNEL, SUPPORT - 843 3187 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 15.446850 LB | |

Table 1-1057. CHANNEL, SUPPORT - 843 3187 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 040 | STL, SH 14GA CR | 15.446850 LB | |

Table 1-1058. CONTROL RELAY PANEL ASSY - 992 5579 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------------|---------------|----------------------------------|
| 540 0621 000 | * RES 2.7K OHM 2W 5% | 1.0 EA | R007 |
| 574 0062 000 | RELAY LATCHING 4 PDT | 1.0 EA | K7 |
| 574 0466 000 | RELAY DPDT 120V 10A 50/60HZ | 2.0 EA | K8 K9 |
| 576 0049 000 | RLY PNEUMATIC TIMING | 1.0 EA | K6 |
| 614 0505 000 | TERM BD 12 TERM | 1.0 EA | TB2 |
| 829 7261 001 | SCHEMATIC | 0.0 EA | |
| 929 7257 001 | CABLE ASSY | 1.0 EA | |
| 929 7264 001 | PANEL ASSY | 1.0 EA | |

Table 1-1059. CABLE ASSY - 929 7257 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0005 000 | WIRE, STRD 16AWG GREY | 23.70 FT | |
| 354 0008 000 | LUG #6 RING BLUE 16-14AWG | 18.0 EA | |
| 829 7257 001 | CABLE ASS'Y DATA SHTS | 0.0 EA | |
| 839 4960 001 | CABLE LAYOUT | 0.0 EA | |

Table 1-1060. PANEL ASSY - 929 7264 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 011 5020 050 | STL, SH 16GA CR | 2.4650 LB | |
| 302 0679 000 | SCR, WELD 6-32 X 1/2 | 6.0 EA | |
| 302 0680 000 | SCR, WELD 8-32 X 1/2 | 4.0 EA | |
| 324 0101 000 | SPOTWELD NUT 6 32 | 2.0 EA | |
| 816 7280 001 | STENCIL, CONT RELAY PANEL | 0.0 EA | |
| 829 7263 001 | STENCIL, CONTACTOR PNL | 0.0 EA | |
| 829 7264 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 4963 001 | FAB INSTR, PANEL | 0.0 EA | |

Table 1-1061. WIRE KIT - 999 2074 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 250 0468 000 | CABLE, 1AWG 600V WELDING | 13.60 FT | |
| 252 0005 000 | WIRE, STRD 16AWG GREY | 76.60 FT | |
| 252 0006 000 | WIRE, STRD 14AWG BLU | 23.60 FT | |
| 252 0210 000 | WIRE, STRD 8AWG BLK | 21.50 FT | |
| 255 0002 000 | WIRE, TURBO 12AWG BRN | 10.30 FT | |
| 255 0007 000 | WIRE, HV 10AWG STRD | 35.20 FT | |
| 296 0263 000 | TUBING, SHRINK 3/8 WHITE | 3.330 FT | |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.830 FT | |
| 354 0008 000 | LUG #6 RING BLUE 16-14AWG | 3.0 EA | |
| 354 0009 000 | LUG #8 RING BLUE 16-14AWG | 4.0 EA | |
| 354 0010 000 | LUG #10 RING BLU 16-14AWG | 4.0 EA | |
| 354 0011 000 | LUG BLUE RING .25 | 2.0 EA | |
| 354 0015 000 | LUG BLUE SPADE 6 | 39.0 EA | |
| 354 0245 000 | TERM LUG YEL RING 10 | 8.0 EA | |
| 354 0252 000 | TERM 250 FEM BLU 16-14 | 16.0 EA | |
| 354 0261 000 | LUG .25 RING | 1.0 EA | |
| 354 0311 000 | LUG, #10 RING RED 7-9AWG | 33.0 EA | |
| 354 0312 000 | LUG .25 RING RED 7-9AWG | 4.0 EA | |

Table 1-1062. DUCT, AIR - 829 3326 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 8015 075 | GL, TBG 4.937 OD | 0.15960 FT | |

Table 1-1063. A.C. CORD ASSY - 927 4935 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 250 0075 000 | CORD, 6 FT 3C 18AWG | 1.0 EA | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.30 FT | |
| 302 0057 000 | SCR, 4-40 X 5/8 | 1.0 EA | |
| 306 0015 000 | NUT, HEX KEP 4-40 | 1.0 EA | |
| 354 0335 000 | * CONNECTOR CONTACT | 3.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 1.0 EA | |
| 356 0087 000 | CABLE TIE TY RAP | 1.0 EA | |
| 610 0451 000 | CAP CONN HSG 15 CKT | 1.0 EA | |
| 827 4935 001 | ASSY INSTR | 0.0 EA | |
| 827 7848 001 | CABLE CLAMP | 1.0 EA | |

Table 1-1064. CABLE CLAMP - 827 7848 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 030 | AL, SH .032 THK | 0.094685 LB | |

Table 1-1065. A.C. CORD ASSY - 927 4935 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 250 0075 000 | CORD, 6 FT 3C 18AWG | 1.0 EA | |
| 252 0003 000 | WIRE, STRD 20AWG WHT | 0.20 FT | |
| 296 0262 000 | TUBING, SHRINK 1/4 WHITE | 0.30 FT | |
| 302 0057 000 | SCR, 4-40 X 5/8 | 1.0 EA | |
| 306 0015 000 | NUT, HEX KEP 4-40 | 1.0 EA | |
| 354 0335 000 | * CONNECTOR CONTACT | 5.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 2.0 EA | |
| 356 0087 000 | CABLE TIE TY RAP | 1.0 EA | |
| 610 0451 000 | CAP CONN HSG 15 CKT | 1.0 EA | |
| 827 4935 002 | ASSY INSTR | 0.0 EA | |
| 827 7848 001 | CABLE CLAMP | 1.0 EA | |

Table 1-1066. TUBE, CHIMNEY - 929 8331 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1537 000 | SCR, 6-32 X 5/16 | 3.0 EA | |
| 300 1540 000 | SCR, 6-32 X 1/2 | 12.0 EA | |
| 304 0034 000 | NUT CAP 6-32 BRASS | 15.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 30.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 15.0 EA | |
| 829 8328 001 | CHIMNEY | 1.0 EA | |
| 829 8329 001 | STRAP, CHIMNEY | 1.0 EA | |

Table 1-1067. CHIMNEY - 829 8328 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 025 5000 030 | TFL, SH .125 +/- .010 | 3.6750 LB | |

Table 1-1068. STRAP, CHIMNEY - 829 8329 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 025 5000 030 | TFL, SH .125 +/- .010 | 0.4750 LB | |

Table 1-1069. FRONT DOOR ASSY - 938 6058 006

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0132 000 | SCR, 8-32 X 5/8 | 2.0 EA | |
| 302 0285 000 | SCR, 8-32 X 1/2 | 6.0 EA | |
| 306 0005 000 | NUT, HEX 8-32 | 8.0 EA | |
| 310 0006 000 | WASHER FLAT 8 | 16.0 EA | |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 8.0 EA | |
| 350 0044 000 | RIVET POP .156X.379 | 24.0 EA | |
| 448 0319 000 | CATCH MAGNETIC | 1.0 EA | |
| 827 9390 001 | BRACKET, LATCH | 1.0 EA | |
| 829 4435 001 | INSULATION, DOOR | 1.0 EA | |
| 838 6058 006 | DOOR ASSY, FRONT | 0.0 EA | |
| 839 4487 001 | BACK PLATE | 1.0 EA | |
| 939 4504 001 | HANDLE, MODIFIED | 1.0 EA | |
| 939 4512 001 | FRONT DOOR, WELDMENT | 1.0 EA | |

Table 1-1070. BRACKET, LATCH - 827 9390 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 050 | STL, SH 16GA CR | 0.775750 LB | |

Table 1-1071. INSULATION, DOOR - 829 4435 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 043 5050 010 | POLYSTYRENE SHEET, 1" THK | 12.30 SF | |

Table 1-1072. BACK PLATE - 839 4487 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 11.38250 LB | |

Table 1-1073. FRONT DOOR, WELDMENT - 939 4512 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 448 0323 000 | HINGE LATCH RELEASE | 1.0 EA | |
| 448 0324 000 | HINGE LATCH RELEASE | 1.0 EA | |
| 815 4268 001 | SPACER, DOOR | 2.0 EA | |
| 839 4512 001 | WELDMENT, FRONT DOOR | 0.0 EA | |
| 843 2885 001 | DOOR | 1.0 EA | |

Table 1-1074. DOOR - 843 2885 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 20.1550 LB | |

Table 1-1075. BLANK PANEL - 994 6976 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 302 0052 000 | SCR, 4-40 X 1/4 | 2.0 EA | |
| 306 0015 000 | NUT, HEX KEP 4-40 | 2.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 2.0 EA | |
| 358 1109 000 | SPACER/STANDOFF/BUSHING | 3.0 EA | |
| 448 0333 000 | HANDLE, BLACK FINISH | 1.0 EA | |
| 938 5796 003 | DIPLEXER, NOTCH | 1.0 EA | |

Table 1-1076. DIPLEXER, NOTCH - 938 5796 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 827 8819 002 | FACE PLATE | 1.0 EA | |
| 838 5796 003 | ASSY INSTR, NOTCH DIPLXR | 0.0 EA | |
| 838 5806 002 | BLANK CHASSIS | 1.0 EA | |

Table 1-1077. FACE PLATE - 827 8819 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.166750 LB | |

Table 1-1078. BLANK CHASSIS - 838 5806 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 1.69650 LB | |

Table 1-1079. IPA EXTENDER MODULE - 994 8470 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 088 0020 015 | TAPE, SCOTCH FOAM | 0.0 RL | |
| 358 2104 000 | CARD GUIDE | 4.0 EA | |
| 817 0428 001 | STANDOFF | 12.0 EA | |
| 817 0804 001 | RUNNING SHEETS | 0.0 EA | |
| 829 8086 001 | SIDE, AIR DUCT | 1.0 EA | |
| 829 8099 001 | HANDLE | 2.0 EA | |
| 839 5563 001 | SIDE, AIR DUCT | 1.0 EA | |
| 839 5565 001 | BRKT, SIDE | 2.0 EA | |
| 929 8083 001 | CABLE ASSY EXT. MOD. | 1.0 EA | |
| 929 8085 001 | PC. BD EXT. MOD. | 2.0 EA | |
| 929 8592 001 | EXTENDER SIDE ASSY | 2.0 EA | |
| 999 1975 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1080. SIDE, AIR DUCT - 829 8086 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.189950 LB | |

Table 1-1081. HANDLE - 829 8099 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 016 | BRS, RECT FCB .125 X .750 | 0.27720 LB | |

Table 1-1082. SIDE, AIR DUCT - 839 5563 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.340750 LB | |

Table 1-1083. BRKT, SIDE - 839 5565 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.50170 LB | |

Table 1-1084. CABLE ASSY EXT. MOD. - 929 8083 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 62.50 FT | |
| 296 0260 000 | TUBING, SHRINK 3/32 WHITE | 2.30 FT | |
| 296 0264 000 | TUBING, SHRINK 1/2 WHITE | 0.10 FT | |
| 612 0796 000 | CONN, PC 44 CONT | 2.0 EA | |
| 817 0804 001 | RUNNING SHEETS | 0.0 EA | |
| 839 5562 001 | CABLE LAYOUT | 0.0 EA | |

Table 1-1085. PC. BD EXT. MOD. - 929 8085 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 354 0310 000 | TERM, TUR SLDR | 22.0 EA | |
| 829 8084 001 | BOTTOM WIRING | 0.0 EA | |
| 829 8085 001 | ASSY INSTR, PC BOARD | 0.0 EA | |
| 839 5566 001 | PC BD | 1.0 EA | |

Table 1-1086. EXTENDER SIDE ASSY - 929 8592 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 8591 001 | KEY, EXTENDER | 1.0 EA | |
| 839 5564 001 | SHIELD, SIDE | 1.0 EA | |

Table 1-1087. KEY, EXTENDER - 829 8591 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 005 1320 004 | BRS, RECT FCB .091 X 24" | 0.014490 LB | |

Table 1-1088. SHIELD, SIDE - 839 5564 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 010 | BRS, SH .0403 | 4.27750 LB | |

Table 1-1089. HARDWARE LIST - 999 1975 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 302 0054 000 | SCR, 4-40 X 3/8 | 18.0 EA | |
| 302 0056 000 | SCR, 4-40 X 1/2 | 11.0 EA | |
| 302 0108 000 | SCR, 6-32 X 1/2 | 4.0 EA | |
| 306 0016 000 | NUT, HEX KEP 6-32 | 12.0 EA | |
| 310 0006 000 | WASHER FLAT 8 | 2.0 EA | |
| 310 0017 000 | WASHER FLAT #6 | 2.0 EA | |

Table 1-1090. NOTCH DIPLEXER EQLR - 994 6915 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 358 1109 000 | SPACER/STANDOFF/BUSHING | 3.0 EA | |
| 380 0188 000 | XSTR, TIP30 ESD | 2.0 EA | Q15 Q16 |
| 384 0730 000 | LED, RED HLMP-3000 ESD | 2.0 EA | CR7 CR9 |
| 398 0334 000 | FUSE, .5A | 1.0 EA | F1 |
| 402 0120 000 | FUSE HOLDER, HWA W/AFKNOB | 1.0 EA | XF1 |
| 410 0335 000 | INSULATOR SCREW | 2.0 EA | #Q15 #Q16 |
| 410 0381 000 | INSULATOR .562 X .812 | 2.0 EA | #Q15 #Q16 |
| 448 0333 000 | HANDLE, BLACK FINISH | 1.0 EA | |
| 472 0723 000 | XFMR, PWR, 815-3521-001 | 1.0 EA | T1 |
| 522 0431 000 | CAP 1200UF 25V | 1.0 EA | C30 |
| 522 0433 000 | CAP 1500UF 20V | 1.0 EA | C26 |
| 604 0398 000 | SW, TGL SPDT | 2.0 EA | S1 S2 |
| 612 0312 000 | JACK TEST POINT,WH | 2.0 EA | TP1 TP6 |
| 620 0495 000 | TERM BNC 75 OHM | 1.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |
| 842 6671 001 | SCHEMATIC | 0.0 EA | |
| 938 5796 002 | CHASSIS ASSY | 1.0 EA | |
| 988 1150 002 | DOC PKG - NOTCH EQUALIZER | 2.0 EA | |
| 992 3343 001 | PC BOARD ASSY | 1.0 EA | |
| 999 1790 001 | WIRE/TUBING LIST | 1.0 EA | |
| 999 1791 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1091. CHASSIS ASSY - 938 5796 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 358 1169 000 | STANDOFF 4-40 X 3/16 | 7.0 EA | |
| 358 2909 000 | STANDOFF 10-32 X 5/16 | 4.0 EA | |
| 815 3766 001 | SILKSCREEN | 0.0 EA | |
| 827 8819 001 | FACE PLATE | 1.0 EA | |
| 838 5796 002 | ASSY INSTR, NOTCH DIPLXR | 0.0 EA | |
| 838 5806 001 | NOTCH DIPLEXER | 1.0 EA | |

Table 1-1092. FACE PLATE - 827 8819 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.334950 LB | |

Table 1-1093. NOTCH DIPLEXER - 838 5806 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.84970 LB | |

Table 1-1094. DOC PKG - NOTCH EQUALIZER - 988 1150 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 988 1150 001 | DOC PKG- NOTCH EQUALIZER | 1.0 EA | |

Table 1-1095. PC BOARD ASSY - 992 3343 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|---|
| 380 0114 000 | XSTR, 2N5109 ESD | 5.0 EA | Q13 Q2 Q4 Q6 Q8 |
| 380 0125 000 | XSTR, NPN 2N4401 ESD | 7.0 EA | Q1 Q12 Q14 Q3 Q5 Q7 Q9 |
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 1.0 EA | Q11 |
| 380 0190 000 | XSTR, PNP 2N3906 ESD | 1.0 EA | Q10 |
| 382 0068 000 | IC, CA3018A ESD | 4.0 EA | U1 U2 U3 U4 |
| 382 0135 000 | IC, 304 ESD | 1.0 EA | U6 |
| 382 0136 000 | IC, LM305H ESD | 1.0 EA | U5 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 4.0 EA | CR1 CR2 CR3 CR4 |
| 384 0284 000 | DIODE 10D4/1N2070 ESD | 2.0 EA | CR5 CR6 |
| 384 0663 000 | RECT BRIDGE 1A 200V DIP ESD | 2.0 EA | U007 U008 |
| 386 0124 000 | ZENER, 1N4736A 6.8V ESD | 1.0 EA | CR8 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 5.0 EA | |
| 404 0264 000 | HEAT SINK FOR TO-5 CASE | 1.0 EA | |
| 494 0204 000 | CHOKE RF 100UH | 4.0 EA | L1 L3 L5 L7 |
| 494 0386 000 | CHOKE RF 1.50UH | 4.0 EA | L002 L004 L006 L008 |
| 494 0390 000 | CHOKE RF 3.30UH | 1.0 EA | L009 |
| 500 0804 000 | CAP, MICA, 10PF 500V +/- .5PF | 1.0 EA | C15 |
| 500 0809 000 | CAP, MICA, 22PF 500V 5% | 1.0 EA | C11 |
| 500 0813 000 | CAP, MICA, 33PF 500V 5% | 4.0 EA | C07 C08 C12 C16 |
| 500 0817 000 | CAP, MICA, 47PF 500V 5% | 1.0 EA | C28 |
| 500 0821 000 | CAP, MICA, 68PF 500V 5% | 1.0 EA | C4 |
| 500 0822 000 | CAP, MICA, 75PF 500V 5% | 8.0 EA | C18 C19 C20 C21 C22 C23 C24 C25 |
| 500 0827 000 | CAP, MICA, 130PF 500V 5% | 1.0 EA | C03 |
| 518 0054 000 | CAP VAR 15-60PF 200V | 1.0 EA | C6 |
| 518 0056 000 | CAP VAR 11-110PF 200V | 4.0 EA | C13 C2 C5 C9 |
| 518 0104 000 | CAP, VAR 5.5-18PF | 2.0 EA | C10 C14 |
| 522 0531 000 | CAP 1UF 50V 20% | 1.0 EA | C44 |
| 522 0550 000 | CAP 100UF 25V 20% | 11.0 EA | C029 C032 C034 C035 C036 C037 C038 C039 C040 C041 C042 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C031 C033 |
| 526 0045 000 | CAP 330UF 6V 10% | 2.0 EA | C1 C17 |
| 526 0048 000 | CAP 10UF 20V 20% | 2.0 EA | C27 C43 |
| 540 0306 000 | * RES 82 OHM 1W 5% | 1.0 EA | R100 |
| 540 0320 000 | * RES 330 OHM 1W 5% | 1.0 EA | R88 |
| 548 2400 001 | RES 1 OHM 1/2W 1% | 1.0 EA | R102 |
| 548 2400 034 | RES 2.21 OHM 1/2W 1% | 2.0 EA | R092 R096 |
| 548 2400 137 | RES 23.7 OHM 1/2W 1% | 4.0 EA | R30 R48 R66 R9 |
| 548 2400 173 | RES 56.2 OHM 1/2W 1% | 1.0 EA | R91 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 9.0 EA | R006 R023 R027 R041 R045 R062 R063 R077 R087 |
| 548 2400 212 | RES 130 OHM 1/2W 1% | 6.0 EA | R34 R35 R52 R53 R70 R71 |
| 548 2400 218 | RES 150 OHM 1/2W 1% | 2.0 EA | R042 R059 |
| 548 2400 226 | RES 182 OHM 1/2W 1% | 6.0 EA | R24 R26 R3 R44 R5 R61 |
| 548 2400 230 | RES 200 OHM 1/2W 1% | 1.0 EA | R16 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 6.0 EA | R14 R17 R25 R4 R43 R60 |
| 548 2400 247 | RES 301 OHM 1/2W 1% | 1.0 EA | R81 |
| 548 2400 251 | RES 332 OHM 1/2W 1% | 1.0 EA | R101 |
| 548 2400 262 | RES 432 OHM 1/2W 1% | 4.0 EA | R022 R040 R058 R076 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 2.0 EA | R79 R80 |
| 548 2400 273 | RES 562 OHM 1/2W 1% | 1.0 EA | R78 |
| 548 2400 281 | RES 681 OHM 1/2W 1% | 4.0 EA | R11 R32 R50 R68 |

| | | | |
|--------------|-----------------------|--------|---------------------------------|
| 548 2400 289 | RES 825 OHM 1/2W 1% | 1.0 EA | R83 |
| 548 2400 293 | RES 909 OHM 1/2W 1% | 4.0 EA | R28 R46 R64 R7 |
| 548 2400 312 | RES 1.3K OHM 1/2W 1% | 8.0 EA | R18 R19 R36 R37 R54 R55 R72 R73 |
| 548 2400 321 | RES 1.62K OHM 1/2W 1% | 1.0 EA | R85 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 1.0 EA | R90 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 2.0 EA | R094 R097 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 1.0 EA | R86 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R12 |
| 548 2400 373 | RES 5.62K OHM 1/2W 1% | 5.0 EA | R020 R038 R056 R074 R098 |
| 548 2400 381 | RES 6.81K OHM 1/2W 1% | 3.0 EA | R33 R51 R69 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R084 R093 |
| 548 2400 405 | RES 11K OHM 1/2W 1% | 4.0 EA | R021 R039 R057 R075 |
| 548 2400 418 | RES 15K OHM 1/2W 1% | 1.0 EA | R2 |
| 548 2400 421 | RES 16.2K OHM 1/2W 1% | 1.0 EA | R1 |
| 550 0298 000 | POT TRIM 5K OHM 30% | 1.0 EA | R13 |
| 550 0310 000 | POT 1000 OHM 1/2W | 1.0 EA | R15 |
| 550 0311 000 | POT 100 OHM 1/2W 10% | 1.0 EA | R82 |
| 550 0353 000 | POT 2K OHM 1/2W 10% | 2.0 EA | R067 R099 |
| 550 0397 000 | POT 50 OHM 1/2W 10% | 4.0 EA | R29 R47 R65 R8 |
| 550 0401 000 | POT 500 OHM 1/2W 10% | 1.0 EA | R95 |
| 550 0407 000 | POT 1K OHM 1/2W 10% | 3.0 EA | R010 R031 R049 |
| 574 0213 000 | RELAY, REED SPDT 12V | 1.0 EA | K1 |
| 610 0536 000 | ADAPTER | 7.0 EA | TP2 TP3 TP4 TP5 TP7 TP8 TP9 |
| 842 6671 001 | SCHEMATIC | 0.0 EA | |
| 927 8843 001 | PC BOARD | 1.0 EA | |

Table 1-1096. PC BOARD - 927 8843 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 12.0 EA | |
| 354 0320 000 | TERM, SOLDER, SLOTTED | 10.0 EA | |
| 838 5821 001 | PRTD. BD. | 1.0 EA | |

Table 1-1097. WIRE/TUBING LIST - 999 1790 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 5.080 FT | |
| 252 0027 000 | WIRE, SOLID 20 AWG WHT | 0.170 FT | |
| 254 0001 000 | WIRE, BUS CU 22AWG | 0.250 FT | |
| 296 0259 000 | TUBING TEFLON 18 AWG | 0.170 FT | |

Table 1-1098. HARDWARE LIST - 999 1791 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1485 000 | SCR, 4-40 X 5/16 | 7.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 2.0 EA | |
| 302 0146 000 | SCR, 10-32 X 7/8 | 4.0 EA | |
| 302 0347 000 | SCR, 3-56 X 3/8 | 2.0 EA | |
| 306 0002 000 | NUT, HEX 3-56 | 2.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 7.0 EA | |
| 310 0002 000 | WASHER FLAT 3 | 2.0 EA | |
| 312 0003 000 | WASHER, INT LOCK 4 | 2.0 EA | |
| 312 0007 000 | WASHER, INT LOCK 10 | 4.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 7.0 EA | |

| | | |
|--------------|------------------------|--------|
| 314 0002 000 | WASHER SPLIT 3 | 2.0 EA |
| 314 0012 000 | WASHER, INT LOCK 1/4 | 2.0 EA |
| 354 0386 000 | TERM, LOCKING #10 RING | 1.0 EA |
| 356 0087 000 | CABLE TIE TY RAP | 7.0 EA |

Table 1-1099. EXC AURAL VHF TV STEREO - 994 8013 012

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 335 0010 000 | WASHER NYLON .195 ID | 4.0 EA | |
| 354 0146 000 | LUG SHAKE .176 MTG | 2.0 EA | #C007 #M001 |
| 354 0265 000 | SPLICE WIRE 22 TO 18 | 1.0 EA | |
| 357 0041 000 | SCREW 6-32 X .375 BHMS | 4.0 EA | |
| 358 0908 000 | POLARIZATION KEY | 5.0 EA | |
| 358 0949 000 | GUIDE. CARD 2.5 IN L | 12.0 EA | |
| 358 1021 000 | SLIDE, DRAWER | 2.0 EA | |
| 358 2040 000 | S HOOK | 1.0 EA | |
| 380 0041 000 | XSTR, 2N3054 ESD | 1.0 EA | Q001 |
| 380 0043 000 | XSTR, 2N3055 ESD | 1.0 EA | Q002 |
| 382 0026 000 | MIXER, 10514 ESD | 1.0 EA | Z001 |
| 384 0669 000 | LED, T1-3/4, RED PANEL MT ESD | 1.0 EA | DS004 |
| 384 0702 000 | RECT FW BRIDGE 600V 35A ESD | 1.0 EA | CR003 |
| 384 0730 000 | LED, RED HLMP-3000 ESD | 3.0 EA | DS001 DS002 DS003 |
| 402 0107 000 | CLIP, FUSE 9/16 | 1.0 EA | |
| 448 0326 000 | *LATCH, DOOR | 18.0 EA | |
| 472 1150 000 | XFMR, FIL, 816-9861-001 | 1.0 EA | T001 |
| 506 0238 000 | CAP .015UF 100V 5% | 0.0 EA | |
| 506 0239 000 | CAP .022UF 100V 5% | 0.0 EA | |
| 506 0240 000 | CAP .033UF 100/63V 5% | 0.0 EA | |
| 506 0262 000 | CAP .047UF 100V 5% | 0.0 EA | |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 1.0 EA | C011 |
| 516 0411 000 | CAP .1UF 50V DISC | 1.0 EA | C007 |
| 524 0145 000 | CAP 800 UF 50V | 3.0 EA | C001 C002 C003 |
| 530 0094 000 | BRACKET, CAP, 1.375"ID | 3.0 EA | #C001 #C002 #C003 |
| 548 0327 000 | RES 2 OHM 10W 1% | 1.0 EA | R001 |
| 548 0328 000 | RES 85 OHM 10W 1% | 1.0 EA | R005 |
| 550 1041 000 | *POT, MOTORIZED 1K OHM 5W | 1.0 EA | AT001 |
| 550 1044 000 | POT, REPLACEMENT 1K OHM | 0.0 EA | #AT1R1 |
| 556 0048 000 | PAD, FXD 50 OHM 5DB | 1.0 EA | |
| 598 0104 000 | ADAPTOR SW BEZEL | 1.0 EA | #S004 |
| 598 0105 000 | * PLUNGER SW GREEN | 1.0 EA | #S004 |
| 604 0395 000 | SW, TGL DPDT | 1.0 EA | |
| 610 0182 000 | CONN, XLR TYPE 3-C A3M | 1.0 EA | P001 |
| 612 0200 000 | RECEPTACLE 3 CONTACT | 1.0 EA | J002 |
| 620 0124 000 | ADAPTER BNC UG306U | 3.0 EA | |
| 632 1094 000 | MTR MULTI, 2-1/2", B | 1.0 EA | M001 |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |
| 650 0028 000 | KNOB RD SKIRT 1.135" DIA | 3.0 EA | |
| 650 0108 000 | KNOB LOCK | 1.0 EA | |
| 650 0117 000 | KNOB RD WHT DOT .708" DIA | 1.0 EA | |
| 813 5007 026 | STDOFF 6-32X1/2 1/4 DIA | 4.0 EA | |
| 813 5007 028 | STDOFF 6-32X3/4 1/4 DIA | 8.0 EA | |
| 813 5606 020 | STUD BRS 10-32 X 1-5/8 | 4.0 EA | |
| 814 8765 001 | END, PWR AMP | 1.0 EA | |
| 814 8771 001 | SHIELD, RFI | 2.0 EA | |
| 814 8771 002 | SHIELD, RFI | 2.0 EA | |

| | | | |
|--------------|---------------------------|--------|-------|
| 814 8778 001 | BRKT, XTAL | 1.0 EA | |
| 814 8778 002 | OVEN BRACKET | 1.0 EA | |
| 814 8788 001 | BRACKET | 1.0 EA | #S001 |
| 814 8789 001 | MIXER CLAMP | 1.0 EA | |
| 814 8994 001 | SPACER | 2.0 EA | |
| 814 8995 001 | SPACER | 2.0 EA | |
| 814 9584 001 | SPACER | 4.0 EA | |
| 814 9585 003 | HANDLE, DRAWER | 2.0 EA | |
| 815 2545 001 | OVEN SPACER | 2.0 EA | |
| 816 9178 004 | RUNNING SHEET | 0.0 EA | |
| 822 0372 001 | SPACER, 2 X 8-32 | 1.0 EA | |
| 822 0372 002 | ANGLE, CLIP | 1.0 EA | |
| 827 4692 001 | COVER | 1.0 EA | |
| 827 5101 001 | CLAMP, XTAL | 2.0 EA | |
| 829 2364 002 | BLOCK DIAGRAM | 0.0 EA | |
| 829 2365 002 | BLOCK DIAGRAM | 0.0 EA | |
| 829 7918 001 | GUARD TRANSISTOR | 1.0 EA | |
| 838 3730 001 | CHASSIS | 1.0 EA | |
| 838 3731 001 | COVER | 1.0 EA | |
| 838 3979 001 | COVER | 1.0 EA | |
| 843 1777 003 | PANEL FRONT | 1.0 EA | |
| 843 1930 003 | SCHEM,LOW BAND TV AUR EXC | 0.0 EA | |
| 843 1937 003 | SCHEM, HIGH BAND AUR EXC | 0.0 EA | |
| 914 5311 001 | BRACKET | 2.0 EA | |
| 914 8744 001 | LOW PASS FILTER | 1.0 EA | |
| 914 8756 001 | EXTENDER BOARD ASSY | 1.0 EA | |
| 914 9258 002 | CHASSIS ASSY | 1.0 EA | |
| 914 9494 003 | POTENTIOMETER, MOD | 1.0 EA | R003 |
| 914 9494 004 | POT., 100 OHM (MOD) | 1.0 EA | R013 |
| 915 1915 006 | STOP CORD AURAL EXC. | 1.0 EA | |
| 927 4694 001 | INPUT CABLE | 1.0 EA | |
| 927 4695 001 | INTER-CONNECTING COA | 1.0 EA | |
| 927 4695 002 | INTER-CONNECTING COA | 2.0 EA | |
| 927 4698 001 | HEAT SINK - R1 & R5 | 1.0 EA | |
| 927 4699 001 | HEAT SINK - Q1 & Q2 | 1.0 EA | |
| 927 4935 002 | A.C. CORD ASSY | 1.0 EA | |
| 929 2357 002 | CABLE ASSY | 1.0 EA | |
| 929 9932 001 | CABLE, COMP/SCA | 1.0 EA | |
| 992 2486 001 | DIRECTIONAL COUPLER | 1.0 EA | |
| 992 2487 001 | 3DB PAD & SAMPLER | 1.0 EA | |
| 992 2488 002 | AUDIO BOARD | 1.0 EA | |
| 992 2489 003 | PWR SPLY, AURAL EXCTR | 1.0 EA | |
| 992 2491 003 | MODULE, PH DETECTOR | 1.0 EA | |
| 992 2557 001 | REF XTAL OSC & OVEN | 1.0 EA | |
| 992 2558 002 | MOD. OSC & OVEN ASSY | 1.0 EA | |
| 992 5055 002 | DET. MODULE, OFF-FREQ | 1.0 EA | |
| 992 5056 001 | PC BOARD, PWR DIST. | 1.0 EA | |
| 992 5766 001 | FREQ. DIV. MODULE | 1.0 EA | |
| 992 6532 001 | PWB, MOTOR DRIVER AUR EXC | 1.0 EA | |
| 999 1985 012 | WIRE TUBING LIST | 1.0 EA | |
| 999 1986 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1100. STDOFF 6-32X1/2 1/4 DIA - 813 5007 026

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 006 | AL, RD .250 DIA | 0.002625 LB | |

Table 1-1101. STDOFF 6-32X3/4 1/4 DIA - 813 5007 028

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 006 | AL, RD .250 DIA | 0.003938 LB | |

Table 1-1102. STUD BRS 10-32 X 1-5/8 - 813 5606 020

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 040 | BRS, THD STK 10-32 | 0.14070 FT | |

Table 1-1103. END, PWR AMP - 814 8765 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.349450 LB | |

Table 1-1104. SHIELD, RFI - 814 8771 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4060 060 | BRZ, FGR STK 97-438S | 0.94710 FT | |

Table 1-1105. SHIELD, RFI - 814 8771 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4060 060 | BRZ, FGR STK 97-438S | 0.42420 FT | |

Table 1-1106. BRKT, XTAL - 814 8778 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.31610 LB | |

Table 1-1107. OVEN BRACKET - 814 8778 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.31610 LB | |

Table 1-1108. BRACKET - 814 8788 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.032190 LB | |

Table 1-1109. MIXER CLAMP - 814 8789 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 030 | AL, SH .032 THK | 0.120930 LB | |

Table 1-1110. SPACER - 814 8994 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 5020 020 | SST, SH .063 | 0.115130 LB | |

Table 1-1111. SPACER - 814 8995 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 5020 020 | SST, SH .063 | 0.274050 LB | |

Table 1-1112. HANDLE, DRAWER - 814 9585 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 019 | AL, RECT .375 X .625 | 0.07770 LB | |

Table 1-1113. OVEN SPACER - 815 2545 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 299 0014 000 | TAPE, PVC VINYL CLOSED | 0.0030 RL | |

Table 1-1114. SPACER, 2 X 8-32 - 822 0372 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.01050 LB | |

Table 1-1115. ANGLE, CLIP - 822 0372 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.01160 LB | |

Table 1-1116. COVER - 827 4692 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 030 | AL, SH .032 THK | 0.20880 LB | |

Table 1-1117. CLAMP, XTAL - 827 5101 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.07960 LB | |

Table 1-1118. GUARD TRANSISTOR - 829 7918 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.30450 LB | |

Table 1-1119. CHASSIS - 838 3730 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.60950 LB | |

Table 1-1120. COVER - 838 3731 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.341250 LB | |

Table 1-1121. COVER - 838 3979 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 4.16150 LB | |

Table 1-1122. PANEL FRONT - 843 1777 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 2.6970 LB | |
| 839 2982 002 | SILKSCREEN | 0.0 EA | |

Table 1-1123. BRACKET - 914 5311 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 011 5020 060 | STL, SH 18GA CR | 0.16530 LB | |
| 324 0101 000 | SPOTWELD NUT 6 32 | 2.0 EA | |
| 814 5311 001 | ASSY INSTR, BRKT, MTG | 0.0 EA | |
| 814 5312 001 | MTG. BRKT. | 0.0 EA | |

Table 1-1124. LOW PASS FILTER - 914 8744 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 302 0012 000 | SCR, 2-56 X 1/4 | 2.0 EA | |
| 306 0001 000 | NUT, HEX 2-56 | 2.0 EA | |
| 310 0001 000 | WASHER, FLAT #2 | 2.0 EA | |
| 354 0033 000 | SOLDER LUG 4 MTG HOLE | 2.0 EA | |
| 500 0811 000 | CAP, MICA, 27PF 500V 5% | 2.0 EA | C1 C4 |
| 500 0825 000 | CAP, MICA, 110PF 500V 5% | 2.0 EA | C2 C3 |
| 620 0355 000 | JACK, BULKHEAD, SMB | 2.0 EA | |
| 814 8745 001 | COIL | 1.0 EA | L3 |
| 814 8746 001 | COIL | 2.0 EA | L2 L4 |
| 814 8747 001 | COIL | 2.0 EA | L1 L5 |
| 827 4690 001 | BOX, LOW PASS FLTR | 1.0 EA | |
| 827 5731 001 | SCHEMATIC | 0.0 EA | |
| 915 2768 001 | PLATE, LOW PASS FLT | 1.0 EA | |

Table 1-1125. COIL - 814 8745 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0003 000 | WIRE, BUS CU 18AWG | 0.06640 FT | |

Table 1-1126. COIL - 814 8746 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0003 000 | WIRE, BUS CU 18AWG | 0.80 FT | |

Table 1-1127. COIL - 814 8747 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 254 0003 000 | WIRE, BUS CU 18AWG | 0.670 FT | |

Table 1-1128. PLATE, LOW PASS FLT - 915 2768 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 614 0498 000 | TERM, STANDOFF | 4.0 EA | |
| 814 8750 001 | PLATE. LO PASS FLTR | 1.0 EA | |

Table 1-1129. EXTENDER BOARD ASSY - 914 8756 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 1.50 FT | |
| 302 0104 000 | SCR, 6-32 X 1/4 | 2.0 EA | |
| 302 0105 000 | SCR, 6-32 X 5/16 | 2.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 4.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 4.0 EA | |
| 354 0303 000 | FLAG CONTACT | 14.0 EA | |
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 612 0432 000 | CONN HOUSING 14 POS | 1.0 EA | |
| 814 8756 001 | ASSY INSTR, EXTENDER BD | 0.0 EA | |
| 814 8833 001 | BRKT, CONN MTG | 2.0 EA | |
| 827 4703 001 | P. C. BOARD | 1.0 EA | |
| 999 0794 001 | WIRE LIST | 1.0 EA | |

Table 1-1130. BRKT, CONN MTG - 814 8833 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.002233 LB | |

Table 1-1131. WIRE LIST - 999 0794 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 2.50 FT | |
| 354 0322 000 | FLAG CONTACT | 14.0 EA | |

Table 1-1132. CHASSIS ASSY - 914 9258 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 7.11950 LB | |
| 324 0143 000 | NUT, PEM 6-32 | 4.0 EA | |
| 814 9258 002 | ASSY CHASSIS & PEM NUTS | 0.0 EA | |
| 815 2631 001 | STENCIL | 0.0 EA | |
| 815 2644 001 | STENCIL | 0.0 EA | |
| 827 7791 001 | STENCIL | 0.0 EA | |
| 827 7792 002 | STENCIL | 0.0 EA | |
| 827 7793 002 | STENCIL | 0.0 EA | |
| 842 5655 002 | CHASSIS, AURAL EXCITER | 0.0 EA | |

Table 1-1133. POTENTIOMETER, MOD - 914 9494 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 550 0029 000 | POT, 10K OHM 2W | 1.0 EA | |

Table 1-1134. POT., 100 OHM (MOD) - 914 9494 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 550 0017 000 | POT, 100 OHM 2W | 1.0 EA | |

Table 1-1135. STOP CORD AURAL EXC. - 915 1915 006

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 299 0012 000 | NYLON ROPE 1/8 IN D | 0.40 FT | |
| 354 0260 000 | LUG #6 RECT YEL 12-10AWG | 2.0 EA | |

Table 1-1136. INPUT CABLE - 927 4694 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 610 0238 000 | PLUG BNC 50 OHM | 1.0 EA | |
| 612 0418 000 | JACK PANEL BNC UG-291/U | 1.0 EA | |
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 0.70 FT | |

Table 1-1137. INTER-CONNECTING COA - 927 4695 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 610 0238 000 | PLUG BNC 50 OHM | 2.0 EA | |
| 618 0051 000 | COAX CABLE RG58C, 50 OHM | 1.10 FT | |

Table 1-1138. HEAT SINK - R1 & R5 - 927 4698 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 404 0245 000 | HEAT SINK 413K | 1.0 EA | |

Table 1-1139. HEAT SINK - Q1 & Q2 - 927 4699 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 404 0245 000 | HEAT SINK 413K | 1.0 EA | |

Table 1-1140. CABLE ASSY - 929 2357 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 191.50 FT | |
| 252 0057 000 | WIRE, NYLON 24AWG WHT | 3.10 FT | |
| 253 0059 000 | CABLE, 2C 22AWG AUDIO | 3.20 FT | |
| 254 0001 000 | WIRE, BUS CU 22AWG | 1.50 FT | |
| 296 0020 000 | PLASTIC TUBE 3AWG CLEAR | 0.20 FT | |
| 296 0025 000 | PLSTC TUBE 3/8 ID CLEAR | 0.20 FT | |
| 296 0027 000 | PLSTC TUBE 1/2 ID CLEAR | 0.20 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.20 FT | |
| 296 0259 000 | TUBING TEFLON 18 AWG | 0.50 FT | |
| 296 0260 000 | TUBING, SHRINK 3/32 WHITE | 0.70 FT | |
| 296 0261 000 | TUBING, SHRINK 1/8 WHITE | 0.90 FT | |

| | | |
|--------------|---------------------------|---------|
| 296 0265 000 | TUBING, SHRINK 1/16 WHITE | 0.20 FT |
| 354 0322 000 | FLAG CONTACT | 54.0 EA |
| 354 0365 000 | * CONTACT 61061-5 | 7.0 EA |
| 354 0669 000 | TERM 250 FEM RED 22-18 | 4.0 EA |
| 404 0068 000 | SOCKET TUBE 8 PIN | 2.0 EA |
| 506 0087 000 | CAP 1 UF 200V 20% | 2.0 EA |
| 526 0359 000 | CAP 47UF 25V 10% | 1.0 EA |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA |
| 600 0490 000 | SWITCH ROTARY 2P 12 POS | 1.0 EA |
| 604 0395 000 | SW, TGL DPDT | 1.0 EA |
| 604 0396 000 | *SW, PB DPDT MOM | 1.0 EA |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA |
| 612 0432 000 | CONN HOUSING 14 POS | 5.0 EA |
| 618 0206 000 | COAX CABLE RG196, 50 OHM | 20.0 FT |
| 620 0379 000 | PLUG 50 OHM 27 1 | 7.0 EA |
| 620 0464 000 | PLUG ANG BNC 331185 | 1.0 EA |
| 829 2357 002 | CABLE ASSY | 0.0 EA |
| 852 8328 002 | CABLE LAYOUT (*) | 0.0 EA |

Table 1-1141. CABLE, COMP/SCA - 929 9932 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 0.240 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 1.10 FT | |
| 296 0263 000 | TUBING, SHRINK 3/8 WHITE | 0.20 FT | |
| 354 0322 000 | FLAG CONTACT | 2.0 EA | |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 10.20 FT | |
| 620 0699 000 | PLUG, RT ANG, SMB | 2.0 EA | |
| 620 1510 000 | JACK, BULKHEAD, BNC | 3.0 EA | |
| 817 1677 001 | RUNNING SHEETS, TV STEREO | 0.0 EA | |
| 829 9932 001 | CADS, COMP/SCA | 0.0 EA | |
| 839 7052 001 | CABLE LAYOUT (*),COMP/SCA | 0.0 EA | |

Table 1-1142. DIRECTIONAL COUPLER - 992 2486 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 448 0297 000 | BOX SHIELDED MDL E10759 | 1.0 EA | |
| 612 0237 000 | RECEPTACLE BNC UG-290A/U | 0.0 EA | |
| 814 8718 001 | SCHEMATIC | 0.0 EA | |
| 816 3466 001 | COIL | 1.0 EA | L3 |
| 828 6006 001 | SHLD BOX & COIL ASSY | 0.0 EA | |
| 992 2623 001 | PC BOARD ASSY | 1.0 EA | |

Table 1-1143. COIL - 816 3466 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 020 | BRS, HEX .313 | 0.047775 LB | |

Table 1-1144. PC BOARD ASSY - 992 2623 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR1 CR2 |
| 516 0444 000 | CAP 1000PF 500V GMV | 2.0 EA | C1 C3 |
| 516 0446 000 | CAP 1000PF 300V GMV | 2.0 EA | C2 C4 |

| | | | |
|--------------|---------------------|--------|-------|
| 548 2400 218 | RES 150 OHM 1/2W 1% | 2.0 EA | R2 R3 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 2.0 EA | R1 R4 |
| 814 8718 001 | SCHEMATIC | 0.0 EA | |
| 814 9558 001 | COIL | 2.0 EA | L1 L2 |
| 914 9629 001 | PRINTED BOARD ASS'Y | 1.0 EA | |

Table 1-1145. COIL - 814 9558 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|--------------------|------------|---------------------------|
| 254 0003 000 | WIRE, BUS CU 18AWG | 0.00830 FT | |

Table 1-1146. PRINTED BOARD ASS'Y - 914 9629 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-----------------------|--------|---------------------------|
| 354 0309 000 | TERM SOLDER | 1.0 EA | |
| 814 9628 001 | PWB, DIR COUPLER, AUR | 1.0 EA | |
| 814 9629 001 | ASSY INSTR, PC BD | 0.0 EA | |

Table 1-1147. 3DB PAD & SAMPLER - 992 2487 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|------------------------------|---------|------------------------------------|
| 380 0116 000 | XSTR, 2N3866 ESD | 1.0 EA | Q2 |
| 380 0118 000 | XSTR, 3N128 ESD | 1.0 EA | Q1 |
| 380 0125 000 | XSTR, NPN 2N4401 ESD | 1.0 EA | Q3 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 2.0 EA | CR1 CR2 |
| 404 0197 000 | TRANSIPAD 10194 DAP | 1.0 EA | |
| 404 0237 000 | TRANSIPAD 10201 | 1.0 EA | |
| 494 0225 000 | CHOKE RF 1UH | 1.0 EA | L1 |
| 500 0803 000 | CAP, MICA, 5PF 500V +/- .5PF | 1.0 EA | C13 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 11.0 EA | C1 C10 C11 C2 C3 C4 C5 C6 C7 C8 C9 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 1.0 EA | C14 |
| 518 0047 000 | CAP VAR 2.5 11PF 350V | 1.0 EA | C12 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 2.0 EA | R1 R2 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 2.0 EA | R003 R004 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R16 |
| 548 2400 237 | RES 237 OHM 1/2W 1% | 1.0 EA | R10 |
| 548 2400 242 | RES 267 OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 258 | RES 392 OHM 1/2W 1% | 1.0 EA | R11 |
| 548 2400 266 | RES 475 OHM 1/2W 1% | 1.0 EA | R13 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 1.0 EA | R15 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 2.0 EA | R7 R8 |
| 548 2400 389 | RES 8.25K OHM 1/2W 1% | 1.0 EA | R9 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R14 R17 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 1.0 EA | R12 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 1.0 EA | R5 |
| 620 0355 000 | JACK, BULKHEAD, SMB | 3.0 EA | J1 J2 J3 |
| 827 4571 001 | SCHEMATIC | 0.0 EA | |
| 914 8958 001 | PWB, ASSY | 1.0 EA | |
| 999 0615 001 | WIRE LIST | 1.0 EA | |

Table 1-1148. PWB, ASSY - 914 8958 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|----------------------|--------|---------------------------|
| 316 0025 000 | EYELET. FUNNEL FLANG | 3.0 EA | |

| | | |
|--------------|---------------------------|--------|
| 354 0309 000 | TERM SOLDER | 3.0 EA |
| 814 8957 001 | PWB, 3DB PAD/REF SAMPLING | 1.0 EA |
| 814 8958 001 | ASSY INSTR, 3 DB PAD | 0.0 EA |

Table 1-1149. WIRE LIST - 999 0615 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|--------------------|---------|---------------------------|
| 254 0013 000 | WIRE, BUS CU 24AWG | 0.30 FT | |

Table 1-1150. AUDIO BOARD - 992 2488 002

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|----------------------------|--------|-------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 382 0443 000 | IC, CD4053BE ESD | 1.0 EA | U004 |
| 382 0594 000 | IC TL074ACN ESD | 3.0 EA | U001 U002 U003 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 3.0 EA | |
| 404 0675 000 | SOCKET IC 16 CONT | 1.0 EA | |
| 500 0755 000 | CAP, MICA, 270PF 500V 5% | 2.0 EA | C005 C006 |
| 500 0806 000 | CAP, MICA, 15PF 500V 5% | 2.0 EA | C004 C009 |
| 500 0834 000 | CAP, MICA, 430PF 500V 5% | 1.0 EA | C011 |
| 506 0233 000 | CAP .1UF 63V 5% | 1.0 EA | C018 |
| 508 0547 000 | CAP .01UF 160V 1% | 1.0 EA | C010 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 6.0 EA | C012 C013 C014 C015 C016 C017 |
| 522 0573 000 | CAP 47UF 50V 20% | 2.0 EA | C001 C002 |
| 526 0050 000 | CAP 1UF 35V 20% | 2.0 EA | C007 C008 |
| 526 0315 000 | CAP 150UF 16V 20% | 2.0 EA | C003 C019 |
| 540 1356 000 | RES NETWORK 10K OHM 2% | 3.0 EA | R008 R009 R010 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 3.0 EA | R002 R003 R027 |
| 548 2400 218 | RES 150 OHM 1/2W 1% | 2.0 EA | R020 R021 |
| 548 2400 247 | RES 301 OHM 1/2W 1% | 1.0 EA | R022 |
| 548 2400 273 | RES 562 OHM 1/2W 1% | 1.0 EA | R028 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 4.0 EA | R011 R012 R013 R014 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 1.0 EA | R015 |
| 548 2400 369 | RES 5.11K OHM 1/2W 1% | 2.0 EA | R025 R026 |
| 548 2400 386 | RES 7.68K OHM 1/2W 1% | 2.0 EA | R023 R024 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 5.0 EA | R001 R016 R017 R018 R019 |
| 550 0970 000 | POT 1K OHM 1/2W 10% | 4.0 EA | R004 R005 R006 R007 |
| 604 0537 000 | SW, SL SPDT | 1.0 EA | S002 |
| 604 0859 000 | SW, TGL DPDT | 1.0 EA | S001 |
| 610 0900 000 | HEADER 3 CKT STRAIGHT | 1.0 EA | J003 |
| 612 1184 000 | SHUNT JUMPER 0.1" CENTERS | 1.0 EA | |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J001 J002 |
| 839 6890 001 | SCHEM, AUDIO BD | 0.0 EA | |
| 939 6889 001 | ASSY, PCB AUDIO BOARD | 1.0 EA | |

Table 1-1151. ASSY, PCB AUDIO BOARD - 939 6889 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|------------------|--------|---------------------------|
| 354 0310 000 | TERM, TUR SLDR | 5.0 EA | |
| 839 6889 001 | PCB, AUDIO BOARD | 1.0 EA | |

Table 1-1152. PWR SPLY, AURAL EXCTR - 992 2489 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|-------------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0042 000 | XSTR, 2N697 ESD | 1.0 EA | Q002 |
| 380 0044 000 | XSTR, PNP 40319 ESD | 1.0 EA | Q001 |
| 380 0246 000 | XSTR, 2N2219A ESD | 2.0 EA | Q003 Q004 |
| 382 0359 000 | IC, 7815 ESD | 1.0 EA | U002 |
| 382 0360 000 | IC, 7915 ESD | 1.0 EA | U003 |
| 382 0739 000 | IC 555 CMOS ESD | 1.0 EA | U001 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 6.0 EA | CR007 CR008 CR009 CR010 CR011 CR012 |
| 386 0083 000 | ZENER, 1N4742A 12V ESD | 1.0 EA | CR006 |
| 386 0124 000 | ZENER, 1N4736A 6.8V ESD | 1.0 EA | CR013 |
| 386 0154 000 | ZENER, 1N4751A 30V ESD | 1.0 EA | CR005 |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 1.0 EA | XU001 |
| 506 0233 000 | CAP .1UF 63V 5% | 3.0 EA | C007 C008 C011 |
| 506 0234 000 | CAP .0022UF 100V 5% | 1.0 EA | C012 |
| 506 0238 000 | CAP .015UF 100V 5% | 1.0 EA | C009 |
| 508 0551 000 | CAP .001 UF 400V 1% FILM | 1.0 EA | C010 |
| 522 0531 000 | CAP 1UF 50V 20% | 1.0 EA | C013 |
| 522 0548 000 | CAP 10UF 50V 20% | 1.0 EA | C006 |
| 522 0573 000 | CAP 47UF 50V 20% | 4.0 EA | C002 C003 C004 C005 |
| 526 0311 000 | CAP 2.2UF 35V 10% | 1.0 EA | C001 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R007 |
| 548 2400 292 | RES 887 OHM 1/2W 1% | 1.0 EA | R010 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 5.0 EA | R001 R003 R005 R008 R009 |
| 548 2400 321 | RES 1.62K OHM 1/2W 1% | 1.0 EA | R002 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 1.0 EA | R012 |
| 548 2400 373 | RES 5.62K OHM 1/2W 1% | 1.0 EA | |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 3.0 EA | R013 R014 R015 |
| 548 2400 426 | RES 18.2K OHM 1/2W 1% | 1.0 EA | R006 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 1.0 EA | R004 |
| 839 6888 001 | SCHEM, PWR SUPPLY | 0.0 EA | |
| 939 6887 001 | PCB POWER SUPPLY | 1.0 EA | |

Table 1-1153. PCB POWER SUPPLY - 939 6887 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0310 000 | TERM, TUR SLDR | 3.0 EA | |
| 839 6887 001 | PCB, PWR SUPPLY | 1.0 EA | |

Table 1-1154. MODULE, PH DETECTOR - 992 2491 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0050 000 | XSTR, NPN 40317 ESD | 2.0 EA | Q001 Q002 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 2.0 EA | CR001 CR002 |
| 478 0282 000 | XFMR MINIATURE INPUT | 2.0 EA | T001 T002 |
| 506 0239 000 | CAP .022UF 100V 5% | 2.0 EA | C003 C004 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 1.0 EA | C010 |
| 526 0093 000 | CAP 15UF 35V 20% | 2.0 EA | C001 C002 |
| 526 0342 000 | CAP 2.7UF 35V 10% | 2.0 EA | C009 C012 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 2.0 EA | R001 R002 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 5.0 EA | R003 R004 R012 R013 R014 |
| 548 2400 485 | RES 75K OHM 1/2W 1% | 1.0 EA | R006 |

| | | | |
|--------------|-----------------------|--------|-------------------|
| 548 2400 558 | RES 392K OHM 1/2W 1% | 1.0 EA | R010 |
| 548 2400 566 | RES 475K OHM 1/2W 1% | 1.0 EA | R011 |
| 604 0537 000 | SW, SL SPDT | 1.0 EA | S001 |
| 612 0448 000 | TEST JACK WHITE | 3.0 EA | TJ001 TJ002 TJ003 |
| 839 7447 001 | SCHEM, PHASE DETECTOR | 0.0 EA | |
| 839 7448 001 | PWB, PHASE DETECTOR | 1.0 EA | |

Table 1-1155. REF XTAL OSC & OVEN - 992 2557 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 0907 000 | POLARIZATION KEY | 1.0 EA | |
| 915 2655 001 | MODIFIED OVEN | 1.0 EA | HR2 |
| 992 2493 001 | REF CRYSTAL OSC | 1.0 EA | |

Table 1-1156. MODIFIED OVEN - 915 2655 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 558 0040 000 | OVEN, PROPORTIONAL | 1.0 EA | |

Table 1-1157. REF CRYSTAL OSC - 992 2493 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|----------------------------------|
| 380 0073 000 | XSTR, 2N918 ESD | 1.0 EA | Q2 |
| 380 0160 000 | XSTR, 2N5397 ESD | 1.0 EA | Q1 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 1.0 EA | CR2 |
| 386 0058 000 | OBS, USE FFF 386-0082-000 ESD | 1.0 EA | CR3 |
| 404 0267 000 | SOCKET, CRYSTAL HC-13/U | 1.0 EA | XY1 |
| 444 1544 000 | XTAL 507.8125 KHZ | 1.0 EA | Y1 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 6.0 EA | C1 C2 C3 C5 C6 C9 |
| 516 0411 000 | CAP .1UF 50V DISC | 3.0 EA | C4 C7 C8 |
| 528 0007 000 | VARICAP 1N4808 | 1.0 EA | CR1 |
| 528 0011 000 | VARICAP 1N4814 | 1.0 EA | CR4 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R8 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 1.0 EA | R9 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 2.0 EA | R4 R5 |
| 548 2400 337 | RES 2.37K OHM 1/2W 1% | 1.0 EA | R003 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 1.0 EA | R7 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R10 R11 |
| 548 2400 434 | RES 22.1K OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 566 | RES 475K OHM 1/2W 1% | 2.0 EA | R1 R12 |
| 548 2400 634 | RES 2.21MEG OHM 1/2W 1% | 1.0 EA | R2 |
| 827 4763 001 | PWB, CRYSTAL OSC | 1.0 EA | |
| 838 4407 001 | SCHEMATIC | 0.0 EA | |
| 915 2655 001 | MODIFIED OVEN | 0.0 EA | HR002 |
| 999 0660 001 | HARDWARE LIST | 1.0 EA | |
| 999 0719 001 | WIRE LIST | 1.0 EA | |

Table 1-1158. HARDWARE LIST - 999 0660 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0011 000 | SCR, 2-56 X 3/16 | 1.0 EA | |
| 306 0001 000 | NUT, HEX 2-56 | 1.0 EA | |
| 310 0001 000 | WASHER, FLAT #2 | 1.0 EA | |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 1.0 EA | |

Table 1-1159. WIRE LIST - 999 0719 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 296 0019 000 | PLASTIC TUBE 4AWG CLEAR | 0.10 FT | |

Table 1-1160. MOD. OSC & OVEN ASSY - 992 2558 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 0907 000 | POLARIZATION KEY | 1.0 EA | |
| 938 4691 001 | OVEN, MODF. BT55U | 1.0 EA | HR1 |
| 992 4275 001 | MOD OSC | 1.0 EA | |

Table 1-1161. OVEN, MODF. BT55U - 938 4691 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 558 0040 000 | OVEN, PROPORTIONAL | 1.0 EA | |
| 815 2643 001 | STENCIL, MOD OSC | 0.0 EA | |
| 838 4691 001 | MOD DWG, MOD OSC OVEN | 0.0 EA | |

Table 1-1162. MOD OSC - 992 4275 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|----------------------------------|
| 380 0114 000 | XSTR, 2N5109 ESD | 2.0 EA | Q2 Q3 |
| 380 0160 000 | XSTR, 2N5397 ESD | 1.0 EA | Q1 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 2.0 EA | CR3 CR4 |
| 386 0050 000 | ZENER, 1N961B 10V ESD | 1.0 EA | CR2 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 2.0 EA | |
| 492 0355 000 | INDUCTOR VAR 1.3-2.5UH | 1.0 EA | L1 |
| 494 0398 000 | CHOKE RF 10.0UH | 3.0 EA | L002 L003 L004 |
| 500 0759 000 | CAP, MICA, 100PF 500V 5% | 1.0 EA | C8 |
| 500 0817 000 | CAP, MICA, 47PF 500V 5% | 3.0 EA | C2 C4 C5 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 7.0 EA | C1 C10 C11 C12 C6 C7 C9 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 1.0 EA | C3 |
| 528 0012 000 | VARICAP 1N4811A | 1.0 EA | CR1 |
| 540 0317 000 | * RES 240 OHM 1W 5% | 1.0 EA | R13 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 1.0 EA | R14 |
| 548 2400 130 | RES 20 OHM 1/2W 1% | 1.0 EA | R9 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 2.0 EA | R10 R11 |
| 548 2400 209 | RES 121 OHM 1/2W 1% | 1.0 EA | R12 |
| 548 2400 285 | RES 750 OHM 1/2W 1% | 1.0 EA | R8 |
| 548 2400 289 | RES 825 OHM 1/2W 1% | 1.0 EA | R3 |
| 548 2400 305 | RES 1.1K OHM 1/2W 1% | 1.0 EA | R7 |
| 548 2400 354 | RES 3.57K OHM 1/2W 1% | 1.0 EA | R4 |
| 548 2400 377 | RES 6.19K OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R1 |
| 548 2400 409 | RES 12.1K OHM 1/2W 1% | 1.0 EA | R5 |
| 548 2400 501 | RES 100K OHM 1/2W 1% | 1.0 EA | R2 |
| 828 8108 001 | PRINTED BOARD | 1.0 EA | |
| 839 0717 001 | SCHEMATIC | 0.0 EA | |

Table 1-1163. DET. MODULE, OFF-FREQ - 992 5055 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 382 0415 000 | IC, 324 ESD | 1.0 EA | U001 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 2.0 EA | CR001 CR002 |
| 384 0431 000 | RECT. 1N4001 ESD | 1.0 EA | CR003 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 1.0 EA | XU001 |
| 506 0231 000 | CAP .0015UF 63V 5% | 1.0 EA | C001 |
| 506 0233 000 | CAP .1UF 63V 5% | 1.0 EA | C004 |
| 522 0531 000 | CAP 1UF 50V 20% | 1.0 EA | C006 |
| 526 0057 000 | CAP 100UF 20V 20% | 1.0 EA | C002 |
| 526 0358 000 | CAP 22UF 35V 10% | 3.0 EA | C003 C005 C007 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 1.0 EA | R009 |
| 548 2400 273 | RES 562 OHM 1/2W 1% | 1.0 EA | R013 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 1.0 EA | R006 |
| 548 2400 309 | RES 1.21K OHM 1/2W 1% | 1.0 EA | R018 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 1.0 EA | R015 |
| 548 2400 342 | RES 2.67K OHM 1/2W 1% | 1.0 EA | R005 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R010 |
| 548 2400 369 | RES 5.11K OHM 1/2W 1% | 1.0 EA | R011 |
| 548 2400 381 | RES 6.81K OHM 1/2W 1% | 1.0 EA | R003 |
| 548 2400 393 | RES 9.09K OHM 1/2W 1% | 1.0 EA | R016 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 1.0 EA | R008 |
| 548 2400 434 | RES 22.1K OHM 1/2W 1% | 1.0 EA | R017 |
| 548 2400 469 | RES 51.1K OHM 1/2W 1% | 1.0 EA | R007 |
| 548 2400 505 | RES 110K OHM 1/2W 1% | 2.0 EA | R001 R004 |
| 548 2400 569 | RES 511K OHM 1/2W 1% | 1.0 EA | R002 |
| 548 2400 581 | RES 681K OHM 1/2W 1% | 2.0 EA | R012 R014 |
| 578 0026 000 | RELAY DPDT 12VDC 2 AMP | 1.0 EA | K001 |
| 839 3141 002 | SCHEM, DET MODULE | 0.0 EA | |
| 839 7449 001 | PWB, OFF-FREQ DETECTOR | 1.0 EA | |

Table 1-1164. PC BOARD, PWR DIST. - 992 5056 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 386 0135 000 | ZENER, 1N4733A 5.1V ESD | 1.0 EA | CR1 |
| 398 0021 000 | FUSE, FAST CART 4A 250V | 2.0 EA | |
| 398 0058 000 | FUSE, SLOW CART 2A 250V | 2.0 EA | |
| 402 0020 000 | CLIP, FUSE | 8.0 EA | |
| 522 0574 000 | CAP 22UF 50V 20% | 1.0 EA | C004 |
| 526 0358 000 | CAP 22UF 35V 10% | 1.0 EA | C005 |
| 540 0563 000 | * RES 10 OHM 2W 5% | 1.0 EA | R9 |
| 540 0604 000 | * RES 510 OHM 2W 5% | 1.0 EA | R2 |
| 540 0613 000 | * RES 1.2K OHM 2W 5% | 2.0 EA | R6 R7 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 1.0 EA | R4 |
| 548 2400 405 | RES 11K OHM 1/2W 1% | 1.0 EA | R11 |
| 548 2400 412 | RES 13K OHM 1/2W 1% | 1.0 EA | R10 |
| 815 3283 001 | FUSE INSULATOR | 4.0 EA | |
| 829 2351 002 | SCHEM PWR DIST BD | 0.0 EA | |
| 929 2359 001 | PC BOARD, PWR DIST. | 1.0 EA | |

Table 1-1165. FUSE INSULATOR - 815 3283 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 033 5010 009 | FISH PAPER .010 THK | 0.004313 SF | |

Table 1-1166. PC BOARD, PWR DIST. - 929 2359 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 62.0 EA | |
| 829 2359 001 | ASSY, PWB | 0.0 EA | |
| 829 7911 001 | PC BOARD | 1.0 EA | |

Table 1-1167. FREQ. DIV. MODULE - 992 5766 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0421 000 | * XSTR, PNP 2N4258 ESD | 1.0 EA | Q1 |
| 382 0541 000 | IC MC10178L ESD | 1.0 EA | U1 |
| 382 0653 000 | IC, 74LS393 ESD | 1.0 EA | U2 |
| 382 0665 000 | IC, 74LS293 ESD | 1.0 EA | U3 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 2.0 EA | XU2 XU3 |
| 404 0675 000 | SOCKET IC 16 CONT | 1.0 EA | XU1 |
| 500 0755 000 | CAP, MICA, 270PF 500V 5% | 1.0 EA | C3 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 5.0 EA | C1 C2 C4 C5 C6 |
| 548 2400 158 | RES 39.2 OHM 1/2W 1% | 1.0 EA | R5 |
| 548 2400 177 | RES 61.9 OHM 1/2W 1% | 1.0 EA | R1 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 273 | RES 562 OHM 1/2W 1% | 1.0 EA | R4 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 4.0 EA | R10 R12 R13 R14 |
| 548 2400 326 | RES 1.82K OHM 1/2W 1% | 1.0 EA | R8 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 1.0 EA | R2 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R3 |
| 548 2400 389 | RES 8.25K OHM 1/2W 1% | 1.0 EA | R7 |
| 548 2400 426 | RES 18.2K OHM 1/2W 1% | 2.0 EA | R11 R9 |
| 612 0448 000 | TEST JACK WHITE | 4.0 EA | TJ1 TJ2 TJ3 TJ4 |
| 839 5743 001 | PC. BD. | 1.0 EA | |
| 839 5768 001 | SCHEMATIC | 0.0 EA | |

Table 1-1168. PWB, MOTOR DRIVER AUR EXC - 992 6532 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 380 0190 000 | XSTR, PNP 2N3906 ESD | 2.0 EA | Q001 Q002 |
| 384 0431 000 | RECT. 1N4001 ESD | 2.0 EA | CR001 CR002 |
| 540 0587 000 | * RES 100 OHM 2W 5% | 1.0 EA | R001 |
| 540 0589 000 | * RES 120 OHM 2W 5% | 1.0 EA | R004 |
| 548 2400 369 | RES 5.11K OHM 1/2W 1% | 2.0 EA | R002 R003 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R005 R006 |
| 839 6796 001 | SCHEM MOT POT DRIVER | 0.0 EA | |
| 939 6797 001 | ASSY PWB MOT POT DRIVER | 1.0 EA | |

Table 1-1169. ASSY PWB MOT POT DRIVER - 939 6797 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 10.0 EA | |
| 839 6797 001 | DRVR BD ASSY INST | 1.0 EA | |

Table 1-1170. WIRE TUBING LIST - 999 1985 012

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 0.9790 FT | |
| 254 0001 000 | WIRE, BUS CU 22AWG | 0.1250 FT | |
| 296 0258 000 | TUBING TEFLON 19AWG | 0.0830 FT | |
| 296 0261 000 | TUBING, SHRINK 1/8 WHITE | 0.9170 FT | |
| 296 0268 000 | TUBING TEFLON 12 AWG | 0.670 FT | |
| 299 0012 000 | NYLON ROPE 1/8 IN D | 0.2920 FT | |
| 354 0260 000 | LUG #6 RECT YEL 12-10AWG | 2.0 EA | |

Table 1-1171. HARDWARE LIST - 999 1986 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1540 000 | SCR, 6-32 X 1/2 | 4.0 EA | |
| 302 0011 000 | SCR, 2-56 X 3/16 | 10.0 EA | |
| 302 0012 000 | SCR, 2-56 X 1/4 | 31.0 EA | |
| 302 0016 000 | SCR, 2-56 X 1/2 | 4.0 EA | |
| 302 0017 000 | SCR, 2-56 X 5/8 | 4.0 EA | |
| 302 0021 000 | SCR, 3-56 X 1/4 | 2.0 EA | |
| 302 0052 000 | SCR, 4-40 X 1/4 | 8.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 4.0 EA | |
| 302 0103 000 | SCR, 6-32 X 3/16 | 16.0 EA | |
| 302 0104 000 | SCR, 6-32 X 1/4 | 6.0 EA | |
| 302 0106 000 | SCR, 6-32 X 3/8 | 53.0 EA | |
| 302 0108 000 | SCR, 6-32 X 1/2 | 10.0 EA | |
| 302 0109 000 | SCR, 6-32 X 5/8 | 3.0 EA | |
| 302 0110 000 | SCR, 6-32 X 3/4 | 2.0 EA | |
| 302 0130 000 | SCR, 8-32 X 3/8 | 7.0 EA | |
| 302 0139 000 | SCR, 10-32 X 1/4 | 6.0 EA | |
| 302 0141 000 | SCR, 10-32 X 3/8 | 8.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 6.0 EA | |
| 304 0075 000 | NUT, HEX THIN 3/8-32 | 3.0 EA | |
| 304 0089 000 | NUT, HEX 6-32 | 6.0 EA | |
| 306 0001 000 | NUT, HEX 2-56 | 6.0 EA | |
| 306 0003 000 | NUT, HEX 4-40 | 3.0 EA | |
| 306 0004 000 | NUT, HEX 6-32 | 3.0 EA | |
| 306 0005 000 | NUT, HEX 8-32 | 1.0 EA | |
| 306 0011 000 | NUT, STOP 6-32 | 10.0 EA | |
| 306 0015 000 | NUT, HEX KEP 4-40 | 5.0 EA | |
| 306 0016 000 | NUT, HEX KEP 6-32 | 32.0 EA | |
| 306 0017 000 | NUT, HEX KEP 8-32 | 4.0 EA | |
| 306 0018 000 | NUT, HEX KEP 10-32 | 12.0 EA | |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 8.0 EA | |
| 310 0001 000 | WASHER, FLAT #2 | 6.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 6.0 EA | |
| 310 0006 000 | WASHER FLAT 8 | 2.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 31.0 EA | |
| 310 0017 000 | WASHER FLAT #6 | 25.0 EA | |

| | | |
|--------------|------------------------|---------|
| 312 0002 000 | WASHER, INT LOCK 3 | 2.0 EA |
| 312 0003 000 | WASHER, INT LOCK 4 | 8.0 EA |
| 312 0005 000 | WASHER, INT LOCK 6 | 30.0 EA |
| 312 0006 000 | WASHER, INT LOCK 8 | 2.0 EA |
| 312 0007 000 | WASHER, INT LOCK 10 | 6.0 EA |
| 312 0011 000 | WASHER, INT LOCK 3/8 | 5.0 EA |
| 312 0013 000 | WASHER, INT LOCK 1/2 | 3.0 EA |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 6.0 EA |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 6.0 EA |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 6.0 EA |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 13.0 EA |
| 314 0006 000 | WASHER, SPLIT-LOCK 8 | 3.0 EA |
| 314 0013 000 | WASHER, INT LOCK 3/8 | 1.0 EA |
| 314 0017 000 | WASHER, INT-EXT LOCK 6 | 1.0 EA |
| 324 0176 000 | NUT HEX STL 15/32-32 | 3.0 EA |
| 328 0033 000 | WASHER FLAT STEEL | 4.0 EA |
| 328 0059 000 | WASHER FLAT .484 ID | 2.0 EA |
| 335 0001 000 | WASHER NYLON .149 ID | 4.0 EA |
| 335 0010 000 | WASHER NYLON .195 ID | 4.0 EA |
| 335 0089 000 | WASHER, SHLD .156 ID | 4.0 EA |
| 354 0141 000 | LUG SHAKE .123 MTG | 1.0 EA |
| 354 0146 000 | LUG SHAKE .176 MTG | 6.0 EA |
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 5.0 EA |
| 354 0319 000 | TERM LUG .375 HOLE | 1.0 EA |
| 356 0087 000 | CABLE TIE TY RAP | 3.0 EA |
| 410 0379 000 | INSULATOR T066 | 1.0 EA |
| 424 0004 000 | GROMMET 5/8 MTG DIA | 1.0 EA |

Table 1-1172. *DISCONTINUED - 994 8267 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 829 7185 001 | SCHEMATIC | 0.0 EA | |
| 952 8652 001 | BASIC PRIMARY CAVITY | 1.0 EA | |

Table 1-1173. BASIC PRIMARY CAVITY - 952 8652 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 055 0110 008 | *ADHESIVE EPOXY | 1.0 EA | |
| 099 0003 563 | ROLL PIN 1/8X1/2 | 2.0 EA | |
| 252 0003 000 | WIRE, STRD 20AWG WHT | 1.0 FT | |
| 300 1486 000 | SCR, 4-40 X 3/8 | 8.0 EA | |
| 300 1537 000 | SCR, 6-32 X 5/16 | 6.0 EA | |
| 300 1542 000 | SCR, 6-32 X 3/4 | 6.0 EA | |
| 300 1653 000 | SCR, 1/4-20 X 1-1/4 | 2.0 EA | |
| 300 1654 000 | SCR, 1/4-20 X 1-1/2 | 1.0 EA | |
| 302 0106 000 | SCR, 6-32 X 3/8 | 29.0 EA | |
| 304 0009 000 | NUT, HEX 1/4-20 | 23.0 EA | |
| 306 0004 000 | NUT, HEX 6-32 | 5.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 6.0 EA | |
| 308 0009 000 | .25 FLAT WASHER BRS | 10.0 EA | |
| 310 0012 000 | WASHER FLAT 6 | 7.0 EA | |
| 310 0013 000 | WASHER FLAT 10 | 5.0 EA | |
| 312 0009 000 | WASHER, INT LOCK 1/4 | 12.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 32.0 EA | |

| | | | |
|--------------|-------------------------------|---------|-------|
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 7.0 EA | |
| 312 0051 000 | WASHER, SPLIT-LOCK 1/4 | 10.0 EA | |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 12.0 EA | |
| 335 0129 000 | WASHER, SHLD .265 ID | 2.0 EA | |
| 336 0279 000 | PIN, SPRING | 2.0 EA | |
| 344 0003 000 | SCREW, SET 6-32 X 1/8 | 16.0 EA | |
| 344 0006 000 | SCREW, SET 6-32 X 3/8 | 3.0 EA | |
| 344 0008 000 | SCREW, SET 8-32 X 1/8 | 2.0 EA | |
| 344 0017 000 | SCREW, SET 10-32 X 3/16 | 7.0 EA | |
| 344 0033 000 | SCREW, SET 4-40 X 1/8 | 3.0 EA | |
| 344 0079 000 | SCREW, SET 4-40 X 3/8 | 12.0 EA | |
| 354 0001 000 | LUG #6 RING RED 22-18 AWG | 2.0 EA | |
| 354 0142 000 | LUG SHAKE .150 MTG | 2.0 EA | |
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 1.0 EA | |
| 354 0624 000 | TERMINAL, MALE | 2.0 EA | |
| 356 0227 000 | CABLE TIE, HI TEMP 1-7/8 | 1.0 EA | |
| 358 0411 000 | RING RETAINING .250 | 2.0 EA | |
| 358 0414 000 | RING RETAINING .500 | 11.0 EA | |
| 358 1165 000 | COLLAR 1/4 HOLE | 6.0 EA | |
| 358 1166 000 | SPACER .012 LG | 4.0 EA | |
| 414 0239 000 | CORE FERRITE TUMBLED | 1.0 EA | |
| 414 0250 000 | BEAD FERRITE Q3/M3 MATERIAL | 4.0 EA | |
| 450 0077 000 | BEARING, ROLLER | 2.0 EA | |
| 450 0078 000 | BEARING, GRD RADIAL | 4.0 EA | |
| 452 0025 000 | GEAR, MITER 16 TEETH | 3.0 EA | |
| 452 0026 000 | GEAR, MITER 16 TEETH | 3.0 EA | |
| 452 0074 000 | GEAR, HELICAL AC1-30 | 2.0 EA | |
| 452 0075 000 | GEAR, HELICAL AD1-30 | 2.0 EA | |
| 454 0002 000 | LINK CONNECTING | 2.0 EA | |
| 454 0003 000 | LINK OFFSET | 1.0 EA | |
| 454 0074 000 | SPROCKET 17 TEETH | 5.0 EA | |
| 514 0300 000 | CAP 3-30PF 15KV | 2.0 EA | |
| 516 0206 000 | CAP HV 1000 UUF 5000 | 1.0 EA | C2 |
| 516 0491 000 | CAP .01 UF 3KV | 2.0 EA | C3 C4 |
| 604 0061 000 | SW SPDT 15A 125/250 VAC | 1.0 EA | S1 |
| 610 0738 000 | PLUG HOUSING | 1.0 EA | P1 |
| 614 0539 000 | TERM, STANDOFF | 2.0 EA | |
| 620 2548 000 | RECP, FEMALE N PANEL | 1.0 EA | J2 |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |
| 646 0811 000 | REP'D WITH 646-1251-402 | 1.0 EA | |
| 646 0857 000 | DISCONTIN. NOT FOR NEW DESIGN | 1.0 EA | |
| 646 1301 000 | LABEL, DANGER HI VOLTAGE | 1.0 EA | |
| 648 0061 000 | COUNTER CCW | 3.0 EA | |
| 648 0071 000 | DIAL, TURNS COUNTING | 2.0 EA | |
| 650 0093 000 | KNOB, CRANK 2.272" DIA | 1.0 EA | |
| 650 0104 000 | KNOB CRANK 1.772" DIA | 2.0 EA | |
| 814 9584 001 | SPACER | 2.0 EA | |
| 814 9585 001 | HANDLE | 1.0 EA | |
| 815 2955 001 | SUPPORT, TUNING PNL | 5.0 EA | |
| 815 2973 001 | INSULATOR, HEATER | 1.0 EA | |
| 815 3006 001 | SPACER, ROD | 3.0 EA | |
| 815 3006 003 | SPACER, ROD | 3.0 EA | |
| 815 3052 001 | SLEEVE, GEAR | 1.0 EA | |
| 815 3068 001 | INSL., HEAT CONTACT | 1.0 EA | |
| 815 3068 003 | HEAT CONTACT | 1.0 EA | |

| | | |
|--------------|--------------------------|--------|
| 815 4024 001 | SPACER, BEARING | 1.0 EA |
| 815 5332 001 | SPACER | 1.0 EA |
| 815 5333 001 | LEAD, FIL CONN | 1.0 EA |
| 815 5567 001 | RING, COMPRESSION | 1.0 EA |
| 815 5567 002 | RING, COMPRESSION | 1.0 EA |
| 816 6882 001 | INSTALLATION | 0.0 EA |
| 816 9897 001 | CATHODE AIR DAM | 1.0 EA |
| 816 9939 002 | INSULATOR, PLATE SUPPORT | 1.0 EA |
| 817 1533 001 | SUPPORT, INPUT DRIVE | 2.0 EA |
| 827 5313 001 | INSERT, DRIVEN SPRK | 3.0 EA |
| 827 5333 001 | STRAP, OUTPUT | 1.0 EA |
| 827 5404 001 | ROD, INPUT TUNING | 4.0 EA |
| 827 5421 001 | ROD, PLT TUNING | 3.0 EA |
| 827 5421 002 | ROD, PLT TUNING | 1.0 EA |
| 827 5421 006 | STUD 1/4-20 X 8 | 4.0 EA |
| 827 7873 001 | NUT, INPUT DRIVE | 1.0 EA |
| 827 7873 002 | NUT, INPUT DRIVE | 1.0 EA |
| 827 7875 001 | BRACKET, INPUT DRIVE | 2.0 EA |
| 827 8104 001 | BLOCK, BEARING | 1.0 EA |
| 827 8111 001 | B + CHOKE | 1.0 EA |
| 827 8134 001 | INSERT, DRV SPROCKET | 1.0 EA |
| 827 8149 001 | SHAFT, IDLER GEAR | 1.0 EA |
| 827 8354 001 | INSULATOR, BLOCKER | 1.0 EA |
| 827 8616 002 | SPACER, OUTPUT | 2.0 EA |
| 827 8616 003 | SPACER, OUTPUT | 4.0 EA |
| 828 0665 001 | SHIELD, RF CAVITY | 2.0 EA |
| 828 7611 001 | INSTR. INSTR. RF INP | 0.0 EA |
| 828 7964 001 | TEST FIXTURE | 0.0 EA |
| 828 7965 001 | TEST FIXTURE | 0.0 EA |
| 828 7966 001 | TEST FIXTURE | 0.0 EA |
| 828 7967 001 | TEST FIXTURE | 0.0 EA |
| 829 3288 001 | PLATE BYPASS BRKT | 2.0 EA |
| 829 3323 001 | SHIELD, RF | 1.0 EA |
| 829 3325 001 | RING AIR DUCT | 1.0 EA |
| 829 3325 002 | RING AIR DUCT | 1.0 EA |
| 829 3326 001 | DUCT, AIR | 1.0 EA |
| 829 3993 001 | SHAFT, TUNING | 1.0 EA |
| 829 7185 001 | SCHEMATIC | 0.0 EA |
| 829 7272 001 | BLOCK, BYPASS PLATE | 3.0 EA |
| 829 7440 001 | SAFETY SHIELD | 1.0 EA |
| 829 7452 001 | CAP, INPUT | 1.0 EA |
| 829 7557 002 | INSULATOR | 1.0 EA |
| 829 7627 001 | STRAP OUTPUT | 1.0 EA |
| 829 9589 001 | SHAFT, DRIVE | 2.0 EA |
| 829 9589 004 | SHAFT, INPUT DRIVE | 1.0 EA |
| 829 9589 005 | SHAFT, INPUT DRIVE | 1.0 EA |
| 838 5392 001 | PLATE, TOP SUPT. | 1.0 EA |
| 838 5536 001 | RETAINER, PLT CONTAC | 1.0 EA |
| 839 4393 001 | PLATE, BOTTOM | 1.0 EA |
| 839 4877 001 | BOTTOM VIEW 8988 CAVITY | 0.0 EA |
| 839 4878 001 | INPUT DRIVE VIEW, CAVITY | 0.0 EA |
| 839 4891 001 | RING, BYPASS BRKT | 1.0 EA |
| 839 6420 001 | BRACKET-AIR INTAKE | 1.0 EA |
| 839 6420 002 | BRACKET-AIR INTAKE | 1.0 EA |
| 839 6695 003 | CAVITY INPUT DRIVE | 0.0 EA |

| | | |
|--------------|-----------------------|---------|
| 843 2616 001 | PLATE, SUPPORT | 1.0 EA |
| 843 2617 001 | PLATE, FRONT | 1.0 EA |
| 843 2619 001 | SIDE PLATE | 1.0 EA |
| 843 2619 002 | SIDE PLATE | 1.0 EA |
| 843 2624 001 | PLATE, MAIN SUPPORT | 1.0 EA |
| 843 3176 001 | AIR CHAMBER | 1.0 EA |
| 852 8652 001 | 8988 CAVITY ASSY | 0.0 EA |
| 915 2750 003 | GRID CONTACT ASSY | 1.0 EA |
| 915 2751 003 | SCREEN CONTACT ASSY | 1.0 EA |
| 915 3053 001 | BEVEL GEAR, MOD. | 1.0 EA |
| 915 3053 002 | BEVEL GEAR, MOD. | 1.0 EA |
| 915 3109 001 | WIRE LEAD, 5-1/2 LG. | 1.0 EA |
| 915 3109 002 | WIRE LEAD, 4"LG. | 1.0 EA |
| 915 3345 001 | RING ASSY. | 2.0 EA |
| 915 3347 001 | CAP, OUTPUT CAP. | 2.0 EA |
| 915 5190 001 | OUTPUT STRAP | 1.0 EA |
| 915 5566 001 | RING, SUPPRESSOR | 1.0 EA |
| 916 2646 001 | CONNECTOR | 1.0 EA |
| 916 6193 001 | CHAIN MODF | 1.0 EA |
| 916 9973 002 | WIRE TUBE ASSY | 1.0 EA |
| 922 0834 001 | ASSY, COOLER/HEATER | 1.0 EA |
| 927 7879 001 | SCREW, 4-40, MOD. | 12.0 EA |
| 927 8122 001 | HEATER CONTACT ASSY | 1.0 EA |
| 927 8133 001 | PLUNGER, PLT TUNING | 1.0 EA |
| 927 8416 002 | CONNECTOR, RF INPUT | 1.0 EA |
| 928 0605 001 | INSULATOR | 1.0 EA |
| 928 8045 001 | TEST FIXTURE | 0.0 EA |
| 929 3839 001 | LINE ASSY | 1.0 EA |
| 929 3853 001 | PLUNGER PLATE ASSY | 1.0 EA |
| 929 3858 001 | CYL ASSY OUTER TUNING | 1.0 EA |
| 929 3860 001 | SCREEN BLOCKER ASSY | 1.0 EA |
| 929 7115 001 | TOP PLATE ASSY | 1.0 EA |
| 929 7158 001 | CABLE ASSY | 1.0 EA |
| 929 7201 001 | WIRE ASSY, SCREEN | 1.0 EA |
| 929 7202 001 | WIRE ASSY, GRID | 1.0 EA |
| 938 5279 001 | GRID SCREEN SUPPORT | 1.0 EA |
| 939 3717 002 | OUTER CONDUCTOR ASSY | 1.0 EA |
| 939 4128 001 | CATHODE LINE ASSY | 1.0 EA |
| 939 4154 001 | GRID BLOCKER ASSY | 1.0 EA |
| 939 4700 001 | OUTPUT CAP CUP ASSY | 1.0 EA |
| 939 5533 001 | PLATE CONTACT ASSY | 1.0 EA |
| 939 6695 002 | HOUSING ASSEMBLY | 2.0 EA |

Table 1-1174. INSULATOR, PLATE SUPPORT - 816 9939 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 075 | TFL RD 1.250 DIA | 0.206850 | FT |

Table 1-1175. STRAP, OUTPUT - 827 5333 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 003 5010 007 | CU, SH .032 X 36 X 96 | 0.016250 | LB |

Table 1-1176. INSULATOR, BLOCKER - 827 8354 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 033 5030 015 | MYLAR SH .0075 | 0.4850 SF | |

Table 1-1177. SPACER, OUTPUT - 827 8616 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 025 | BRS, RD .500 FCB | 0.02520 LB | |

Table 1-1178. SPACER, OUTPUT - 827 8616 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 025 | BRS, RD .500 FCB | 0.01260 LB | |

Table 1-1179. PLATE BYPASS BRKT - 829 3288 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 001 1310 020 | AL, RECT .375 X 1.000 | 0.11130 LB | |

Table 1-1180. SHIELD, RF - 829 3323 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 9510 010 | AL, HEX CELL | 0.1890 SF | |

Table 1-1181. RING AIR DUCT - 829 3325 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 055 | GL, .062 THK | 0.310 LB | |

Table 1-1182. RING AIR DUCT - 829 3325 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 5010 055 | GL, .062 THK | 0.310 LB | |

Table 1-1183. SHAFT, TUNING - 829 3993 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 041 | SST, SFT .2497 DIA | 0.185850 EA | |

Table 1-1184. BLOCK, BYPASS PLATE - 829 7272 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 042 | AL, PL .750 THK | 0.2750 LB | |

Table 1-1185. SAFETY SHIELD - 829 7440 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.024375 SF | |

Table 1-1186. INSULATOR - 829 7557 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 070 | TFL, RD 1.00 DIA | 0.065310 FT | |

Table 1-1187. STRAP OUTPUT - 829 7627 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 003 5010 007 | CU, SH .032 X 36 X 96 | 0.00250 LB | |

Table 1-1188. SHAFT, INPUT DRIVE - 829 9589 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 041 | SST, SFT .2497 DIA | 0.24360 EA | |

Table 1-1189. SHAFT, INPUT DRIVE - 829 9589 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 041 | SST, SFT .2497 DIA | 0.225750 EA | |

Table 1-1190. RETAINER, PLT CONTAC - 838 5536 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 043 5020 050 | PLASTIC SH. 1/2 THK | 0.51750 SF | |

Table 1-1191. PLATE, BOTTOM - 839 4393 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 001 | AL, SH .250 THK | 2.40 LB | |

Table 1-1192. RING, BYPASS BRKT - 839 4891 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 005 1320 006 | BRS, FCB .050 X 12 X 96 | 0.813750 LB | |

Table 1-1193. BRACKET-AIR INTAKE - 839 6420 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 083 | AL, SQ BAR 2.5 | 3.85350 LB | |

Table 1-1194. BRACKET-AIR INTAKE - 839 6420 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 083 | AL, SQ BAR 2.5 | 3.85350 LB | |

Table 1-1195. PLATE, SUPPORT - 843 2616 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 001 5058 062 | TOOLING PLT, MIC-6 ALUM | 4.850 LB | |

Table 1-1196. PLATE, FRONT - 843 2617 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 2.74050 LB | |

Table 1-1197. PLATE, MAIN SUPPORT - 843 2624 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 020 | AL, SH .190 THK | 6.33650 LB | |

Table 1-1198. AIR CHAMBER - 843 3176 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 8010 092 | BRS, TBG 7.750 OD +/-0.08 | 4.06350 LB | |

Table 1-1199. RING ASSY. - 915 3345 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 815 3343 001 | FINGERSTOCK OUTSIDE | 1.0 EA | |
| 815 3343 002 | FINGERSTOCK INSIDE | 1.0 EA | |
| 827 8413 001 | OUTPUT CAP. | 1.0 EA | |

Table 1-1200. FINGERSTOCK OUTSIDE - 815 3343 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4060 061 | BRZ, FGR STK | 0.25410 EA | |

Table 1-1201. FINGERSTOCK INSIDE - 815 3343 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4060 061 | BRZ, FGR STK | 0.244650 EA | |

Table 1-1202. OUTPUT CAP. - 827 8413 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 042 | BRS, TBG 1.250 OD | 0.03150 LB | |

Table 1-1203. CAP, OUTPUT CAP. - 915 3347 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 815 3346 001 | FINGER STOCK OUTPUT | 1.0 EA | |
| 827 8404 001 | OUTPUT UPPER CAP. | 1.0 EA | |

Table 1-1204. FINGER STOCK OUTPUT - 815 3346 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4060 061 | BRZ, FGR STK | 0.244650 EA | |

Table 1-1205. OUTPUT UPPER CAP. - 827 8404 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 061 | BRS, RD 1.500 FCB | 0.41160 LB | |

Table 1-1206. OUTPUT STRAP - 915 5190 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 254 0008 000 | WIRE, BUS CU 8AWG | 0.30 FT | |
| 354 0075 000 | TERMINAL LUG RING 8 | 2.0 EA | |
| 815 5190 001 | OUTPUT STRAP | 0.0 EA | |

Table 1-1207. WIRE TUBE ASSY - 916 9973 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 816 9975 002 | WIRE TUBE | 1.0 EA | |
| 816 9976 001 | BASE | 1.0 EA | |

Table 1-1208. WIRE TUBE - 816 9975 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 010 | BRS, TBG .500 OD | 0.358050 LB | |

Table 1-1209. PLUNGER, PLT TUNING - 927 8133 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 815 3077 001 | FINGER STOCK | 1.0 EA | |
| 815 3077 002 | FINGER STOCK | 1.0 EA | |
| 838 4151 001 | PLATE TUNING PLUNGER | 1.0 EA | |

Table 1-1210. FINGER STOCK - 815 3077 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4035 010 | BRZ, FGR STK CONTACT | 1.050 EA | |

Table 1-1211. FINGER STOCK - 815 3077 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4035 010 | BRZ, FGR STK CONTACT | 0.44310 EA | |

Table 1-1212. PLATE TUNING PLUNGER - 838 4151 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 005 1320 086 | BRS, RECT FCB .500 X 12" | 9.030 LB | |

Table 1-1213. TOP PLATE ASSY - 929 7115 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 7112 001 | TUBE, UPPER | 1.0 EA | |
| 829 7113 001 | TUBE, LOWER | 1.0 EA | |
| 839 3741 001 | TOP | 1.0 EA | |
| 843 3176 002 | AIR CHAMBER | 1.0 EA | |

Table 1-1214. TUBE, UPPER - 829 7112 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 081 | BRS, TBG 6.000 OD | 0.616350 LB | |

Table 1-1215. TUBE, LOWER - 829 7113 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 005 1320 006 | BRS, FCB .050 X 12 X 96 | 0.12390 LB | |

Table 1-1216. TOP - 839 3741 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 041 | BRS, SH .1285 X 24 | 4.42250 LB | |

Table 1-1217. AIR CHAMBER - 843 3176 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 005 8010 092 | BRS, TBG 7.750 OD +/- .008 | 2.5620 LB | |

Table 1-1218. OUTER CONDUCTOR ASSY - 939 3717 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 939 3717 001 | OUTER CONDUCTOR | 1.0 EA | |

Table 1-1219. OUTER CONDUCTOR - 939 3717 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0415 000 | SCR, 10-32 X 1-1/4 | 2.0 EA | |
| 838 4159 001 | FLANGE OUTPUT BYPASS | 1.0 EA | |
| 838 4161 001 | FLANGE PLATE LINE | 1.0 EA | |
| 839 3718 001 | PLATE LINE | 1.0 EA | |

Table 1-1220. FLANGE OUTPUT BYPASS - 838 4159 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 005 1320 086 | BRS, RECT FCB .500 X 12" | 10.27950 LB | |

Table 1-1221. FLANGE PLATE LINE - 838 4161 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 096 | BRS, RD 6.000 FCB | 15.4770 LB | |

Table 1-1222. PLATE LINE - 839 3718 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 005 8010 092 | BRS, TBG 7.750 OD +/- .008 | 10.3530 LB | |

Table 1-1223. OUTPUT CAP CUP ASSY - 939 4700 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 827 7884 002 | ADAPTER | 1.0 EA | |
| 829 4830 001 | OUTPUT CAP CUP | 2.0 EA | |
| 838 5538 001 | FLANGE, MTG. | 1.0 EA | |
| 929 4829 001 | OUTPUT CAP CUP | 1.0 EA | |

Table 1-1224. ADAPTER - 827 7884 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 070 | BRS, RECT FCB .375 X 1.25 | 0.1890 LB | |

Table 1-1225. OUTPUT CAP CUP - 829 4830 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 069 | BRS, RD 2.000 FCB | 1.31250 LB | |

Table 1-1226. FLANGE, MTG. - 838 5538 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 045 | BRS, LEADED SH .25 | 3.6540 LB | |

Table 1-1227. OUTPUT CAP CUP - 929 4829 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 725 0139 000 | CASE, BRASS 4.625 OD | 1.0 EA | |

Table 1-1228. PLATE CONTACT ASSY - 939 5533 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 815 3072 001 | FINGER STOCK | 1.0 EA | |
| 827 8409 001 | PIN CONTACT PLATE | 1.0 EA | |
| 839 5532 001 | PLATE | 1.0 EA | |

Table 1-1229. FINGER STOCK - 815 3072 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4030 020 | BRZ, FGR STK | 11.2350 IN | |

Table 1-1230. PIN CONTACT PLATE - 827 8409 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 001 | BRS, RD .125 FCB | 0.00420 LB | |

Table 1-1231. PLATE - 839 5532 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 005 1320 069 | BRS, RECT .375 X 12" | 2.520 LB | |

Table 1-1232. *DISCONTINUED - 994 8268 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 852 8682 001 | TECH MANUAL DWG | 0.0 EA | |
| 952 8680 001 | VISUAL CAVITY ASSY | 1.0 EA | |

Table 1-1233. VISUAL CAVITY ASSY - 952 8680 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 059 0001 012 | *THER-O-BOND 1600 SERIES | 0.0 EA | |
| 088 0001 088 | TAPE, ELEC 1/2 IN. W | 0.330 RL | |

| | | | |
|--------------|------------------------------|---------|----------------------|
| 088 0001 090 | TAPE, ELEC 1" W | 0.0 RL | |
| 252 0240 000 | WIRE, STRD 20AWG WHT | 3.0 FT | |
| 254 0004 000 | WIRE, BUS CU 16AWG | 16.0 FT | |
| 300 2105 000 | SCR, 6-32 X 5/8 | 64.0 EA | |
| 358 0411 000 | RING RETAINING .250 | 2.0 EA | |
| 358 0414 000 | RING RETAINING .500 | 5.0 EA | |
| 358 0437 000 | BUSHING PANEL .252 ID | 2.0 EA | |
| 358 0473 000 | CLAMP, HOSE | 2.0 EA | |
| 358 1514 000 | SPACER, SHAFT | 9.0 EA | |
| 358 2074 000 | ECCOSORB SHEET .030 | 1.0 EA | |
| 384 0713 000 | RECT 1000V 12A 1N3990 ESD | 1.0 EA | CR1 |
| 402 0113 000 | CLIP, FUSE 13/32 | 2.0 EA | |
| 410 0001 000 | INSULATOR ROUND NS5W 0104 | 1.0 EA | |
| 410 0230 000 | INSULATOR SCREW NYLON | 1.0 EA | |
| 414 0138 000 | TOROID FERRITE | 2.0 EA | |
| 414 0250 000 | BEAD FERRITE Q3/M3 MATERIAL | 8.0 EA | |
| 424 0013 000 | GROMMET .381 MTG DIA | 1.0 EA | |
| 450 0074 000 | WASHER, THRUST | 2.0 EA | |
| 450 0123 000 | CAM FOLLOWER 1/2 IN | 4.0 EA | |
| 452 0025 000 | GEAR, MITER 16 TEETH | 1.0 EA | |
| 452 0026 000 | GEAR, MITER 16 TEETH | 1.0 EA | |
| 454 0002 000 | LINK CONNECTING | 2.0 EA | |
| 454 0003 000 | LINK OFFSET | 1.0 EA | |
| 454 0074 000 | SPROCKET 17 TEETH | 5.0 EA | |
| 510 0703 000 | * CAP 25 UF 370VAC | 1.0 EA | C13 |
| 516 0084 000 | CAP DISC .02UF 600V | 6.0 EA | C10 C11 C12 C7 C8 C9 |
| 516 0336 000 | CAP 5PF 5000V 10% | 1.0 EA | C3 |
| 516 0402 000 | CAP 4800 PF 20KV | 1.0 EA | C6 |
| 516 0718 000 | *NLA CAP FEEDTHRU 3000PF 3KV | 2.0 EA | C4 C5 |
| 540 0563 000 | * RES 10 OHM 2W 5% | 2.0 EA | R1 R2 |
| 560 0008 000 | SPARK GAP 2KVDC | 1.0 EA | E1 |
| 610 0291 000 | PLUG, NYLON BANANA RED | 1.0 EA | |
| 620 0122 000 | ADPTR ANGLE N UG27CU | 1.0 EA | |
| 620 0208 000 | ADPT, STRAIGHT N UG-30/U | 1.0 EA | J2 |
| 646 1254 402 | LABEL,DANGER HIGH VOLTAGE | 2.0 EA | |
| 648 0072 000 | COUNTER, CCW 5 DIGIT | 1.0 EA | |
| 650 0092 000 | KNOB RD SKIRT | 2.0 EA | |
| 650 0104 000 | KNOB CRANK 1.772" DIA | 1.0 EA | |
| 813 5000 007 | STDOFF 6-32X1/2 5/16 HEX | 1.0 EA | |
| 813 5605 005 | STUD BRS 8-32 X 5/8 | 1.0 EA | #C006 |
| 813 5606 024 | STUD BRS 10-32 X 2-1/4 | 3.0 EA | |
| 813 5606 040 | STUD,.190D,2-7/16L,10-32 | 1.0 EA | |
| 816 7504 001 | CAPACITOR CLAMP | 1.0 EA | C13 |
| 816 9978 001 | INSULATOR, FILAMENT | 1.0 EA | |
| 816 9979 001 | WASHER, CAPACITOR | 2.0 EA | |
| 816 9980 001 | WASHER, FILAMENT INS | 1.0 EA | |
| 816 9981 001 | INSULATOR, GRID | 4.0 EA | |
| 816 9992 001 | POST FIL | 1.0 EA | |
| 817 0009 001 | SHAFT, IDLER | 1.0 EA | |
| 817 0011 002 | SHAFT, DRIVING | 4.0 EA | |
| 817 0044 001 | CLAMP, SCREEN | 4.0 EA | |
| 817 0099 001 | SHAFT, PRI CRANK | 1.0 EA | |
| 817 0125 001 | NUT, HEX | 2.0 EA | |
| 817 0126 001 | ROD TUNING SHORT DRIVE | 4.0 EA | |
| 817 0222 001 | SPRING, CONTACT | 1.0 EA | |

| | | | |
|--------------|--------------------------|--------|---|
| 817 0222 002 | SPRING, CONTACT | 1.0 EA | |
| 817 0222 003 | SPRING, CONTACT | 2.0 EA | |
| 817 0222 004 | SPRING, CONTACT | 2.0 EA | |
| 817 0222 005 | SPRING, CONTACT | 2.0 EA | |
| 817 0222 007 | SPRING, CONTACT | 4.0 EA | |
| 817 0222 008 | SPRING, CONTACT | 4.0 EA | |
| 817 0230 001 | GASKET, RFI HOOD | 2.0 EA | |
| 817 0230 002 | GASKET, RFI HOOD | 2.0 EA | |
| 817 0249 001 | WASHER | 4.0 EA | |
| 817 0504 001 | POST, HOOD CATCH | 2.0 EA | |
| 817 0647 001 | STANDOFF | 1.0 EA | |
| 817 0735 001 | WRAP, CABLE | 1.0 EA | |
| 817 0810 001 | FINGER, SPARK GAP | 1.0 EA | |
| 817 0833 001 | WASHER, COUPLING | 1.0 EA | |
| 817 0834 001 | WASHER, COUPLING | 1.0 EA | |
| 829 4001 001 | INSULATOR, CONTACT PLATE | 4.0 EA | |
| 829 4008 001 | BRACKET | 1.0 EA | |
| 829 4019 001 | PLATE, GRID GROUND | 1.0 EA | |
| 829 4150 001 | LEG, LT REAR INNER CAV | 1.0 EA | |
| 829 4150 002 | LEG, RT REAR INNER CAV | 1.0 EA | |
| 829 4151 001 | FOOT, CENTER ENCLOSURE | 2.0 EA | |
| 829 4159 001 | CLAMP, PRI TO SEC | 1.0 EA | |
| 829 4211 001 | BRKT, SEC SUPPORT | 2.0 EA | |
| 829 4239 001 | LEG, VIS CAVITY | 2.0 EA | |
| 829 4239 002 | LEG VIS CAVITY | 2.0 EA | |
| 829 4492 001 | ANGLE, HOOD GASKET | 1.0 EA | |
| 829 4492 002 | ANGLE, HOOD GASKET | 1.0 EA | |
| 829 4493 002 | ANGLE, HOOD GASKET | 1.0 EA | |
| 829 4498 001 | ANGLE, CAVITY HOOD | 2.0 EA | |
| 829 4766 001 | LEG, LT FRT INNER CAV | 1.0 EA | |
| 829 4766 002 | LEG RT FRT INNER CAV | 1.0 EA | |
| 829 7453 001 | DEFLECTOR, AIR | 1.0 EA | |
| 829 7469 001 | STIFFENER LEG | 2.0 EA | |
| 829 7472 001 | BAR, WAVEGUIDE SIDE | 8.0 EA | |
| 829 7484 001 | SCOOP, AIR | 1.0 EA | |
| 829 7497 001 | BAR, WAVEGUIDE BTM | 4.0 EA | |
| 839 4222 001 | PLANE | 1.0 EA | |
| 839 4224 001 | PLATE, BLOCKER | 1.0 EA | |
| 839 4228 001 | PLATE, CONTACT | 1.0 EA | |
| 839 4316 001 | PANEL, INNER CAV | 2.0 EA | #REPAIR PART 939-4316-101 OR 943-4316-103 |
| 839 4316 002 | PANEL | 2.0 EA | #REPAIR PART 939-4316-102 |
| 839 4343 001 | COVER, ACCESS | 1.0 EA | |
| 839 4345 001 | PLATE, PRIMARY TOP | 1.0 EA | #REPAIR PART 939-4345-101 |
| 839 4392 001 | COVER, PRIMARY CONTROL | 1.0 EA | |
| 839 4476 001 | COVER | 1.0 EA | |
| 839 5060 001 | PLATE, UPPER SCREEN | 1.0 EA | #REPAIR PART 939-5060-101 |
| 839 5086 001 | BLOCKER, GRID | 1.0 EA | |
| 839 5087 001 | BLOCKER, LOWER SCREEN | 1.0 EA | |
| 839 5088 001 | BLOCKER, UPPER SCREEN | 1.0 EA | |
| 843 3446 001 | ASSY GAUGE TUBE | 0.0 EA | |
| 852 8680 001 | ASSY INSTR, VIS CAVITY | 0.0 EA | |
| 917 0071 001 | BEARING HOUSING ASSY | 4.0 EA | |
| 917 0212 001 | SPROCKET | 1.0 EA | |
| 917 0220 005 | CHAIN | 1.0 EA | |

| | | | |
|--------------|---------------------------|---------|---|
| 917 0837 001 | CABLE, PLATE CONNECT | 1.0 EA | |
| 917 1875 001 | MODIFICATION, BELLMOUTH | 1.0 EA | |
| 917 2428 004 | ABSORBING TILE, MODIFIED | 4.0 EA | |
| 917 2428 005 | ABSORBING TILE, MODIFIED | 13.0 EA | |
| 917 2428 006 | ABSORBING TILE, MODIFIED | 4.0 EA | |
| 917 2428 007 | ABSORBING TILE, MODIFIED | 44.0 EA | |
| 929 4048 001 | GRID ASSY | 1.0 EA | |
| 929 4148 001 | SOCKET, FILAMENT RADIATOR | 1.0 EA | |
| 929 4167 001 | LINE, CATHODE FILAMENT | 1.0 EA | |
| 929 4174 001 | FLANGE, ATTACHMENT | 1.0 EA | |
| 929 4199 001 | PANEL, SIDE | 1.0 EA | |
| 929 4199 002 | PANEL, SIDE | 1.0 EA | |
| 929 4199 003 | PANEL, SIDE | 1.0 EA | |
| 929 4207 001 | COVER, ACCESS | 1.0 EA | |
| 929 4258 001 | HOUSING, CRANK BEARING | 1.0 EA | |
| 929 4272 001 | PLATE, PRIMARY, BASE | 1.0 EA | |
| 929 4469 001 | ANGLE | 1.0 EA | |
| 929 4494 001 | ANGLE ASSY | 1.0 EA | |
| 929 4500 001 | ASSY, FASTENER ANGLE | 1.0 EA | |
| 929 4500 002 | ASSY, FASTENER ANGLE | 1.0 EA | |
| 929 7449 001 | PLATE, SCREEN ASSY | 1.0 EA | |
| 929 7498 001 | PLATE, WAVE GUIDE | 4.0 EA | #REPAIR PART 929-7498-102 OR 929-7498-103 |
| 929 7498 102 | PLATE, TILE ASSY | 0.0 EA | 3 REQ'D PER CAVITY |
| 929 7498 103 | PLATE, TILE ASSY | 0.0 EA | 1 REQ'D PER CAVITY |
| 929 7686 001 | HOOD ASSY, CAVITY | 1.0 EA | |
| 929 7840 001 | FLANGE ASSY | 1.0 EA | |
| 929 7936 001 | CABLE, COAX JUMPER | 1.0 EA | |
| 929 8331 001 | TUBE, CHIMNEY | 1.0 EA | |
| 939 4316 101 | INNER CAVITY | 0.0 EA | 1 REQ'D PER CAVITY |
| 939 4316 102 | INNER CAVITY | 0.0 EA | 2 REQ'D PER CAVITY |
| 939 4316 103 | INNER CAVITY | 0.0 EA | 1 REQ'D PER CAVITY |
| 939 4345 101 | PLATE, PRIMARY TOP | 0.0 EA | 1 REQ'D PER CAVITY |
| 939 4403 001 | SHORT TUNING | 1.0 EA | |
| 939 5060 101 | PLATE, UPPER SCREEN GND | 0.0 EA | 1 REQ'D PER CAVITY |
| 939 5163 001 | INPUT MATCHING NETWORK | 1.0 EA | |
| 943 2874 001 | PANEL, SIDE | 1.0 EA | |

Table 1-1234. STDOFF 6-32X1/2 5/16 HEX - 813 5000 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 015 | AL, HEX .313 | 0.00420 LB | |

Table 1-1235. STUD BRS 8-32 X 5/8 - 813 5605 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 020 | BRS, THD STK 8-32 | 0.054390 FT | |

Table 1-1236. STUD BRS 10-32 X 2-1/4 - 813 5606 024

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 040 | BRS, THD STK 10-32 | 0.19530 FT | |

Table 1-1237. STUD,.190D,2-7/16L,10-32 - 813 5606 040

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1020 040 | BRS, THD STK 10-32 | 0.213150 FT | |

Table 1-1238. CAPACITOR CLAMP - 816 7504 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.031030 LB | |

Table 1-1239. INSULATOR, FILAMENT - 816 9978 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 037 1010 060 | BKLT RD RAG 1 DIA | 0.065310 FT | |

Table 1-1240. WASHER, CAPACITOR - 816 9979 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 005 1320 005 | BRS, FCB .032 X 12 X 96 | 0.03780 LB | |

Table 1-1241. WASHER, FILAMENT INS - 816 9980 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 037 1010 063 | BAKELITE RD 1.50 DIA | 0.021735 FT | |

Table 1-1242. INSULATOR, GRID - 816 9981 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 043 1010 031 | ROD, DELRIN 1" DIA | 0.026145 FT | |

Table 1-1243. POST FIL - 816 9992 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 8020 016 | CU, PIPE .540 OD | 1.12350 FT | |

Table 1-1244. SHAFT, IDLER - 817 0009 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 080 | SST RD .750 DIA | 0.131250 LB | |

Table 1-1245. SHAFT, DRIVING - 817 0011 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 061 | SST, RD .4989 DIA | 0.11760 LB | |

Table 1-1246. CLAMP, SCREEN - 817 0044 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 060 | TFL, RD .750 DIA | 0.008715 FT | |

Table 1-1247. SHAFT, PRI CRANK - 817 0099 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 041 | SST, SFT .2497 DIA | 0.16380 EA | |

Table 1-1248. NUT, HEX - 817 0125 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 060 | BRS, HEX .750 | 0.020475 LB | |

Table 1-1249. ROD TUNING SHORT DRIVE - 817 0126 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 013 1020 050 | SST, THD STK .25-20 | 1.1760 FT | |

Table 1-1250. SPRING, CONTACT - 817 0222 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4060 063 | BERY CU, CONT SPR 14" LG | 0.3990 EA | |

Table 1-1251. SPRING, CONTACT - 817 0222 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4060 063 | BERY CU, CONT SPR 14" LG | 0.6930 EA | |

Table 1-1252. SPRING, CONTACT - 817 0222 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4060 063 | BERY CU, CONT SPR 14" LG | 0.4620 EA | |

Table 1-1253. SPRING, CONTACT - 817 0222 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4060 063 | BERY CU, CONT SPR 14" LG | 0.5880 EA | |

Table 1-1254. SPRING, CONTACT - 817 0222 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4060 063 | BERY CU, CONT SPR 14" LG | 0.70350 EA | |

Table 1-1255. SPRING, CONTACT - 817 0222 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4060 063 | BERY CU, CONT SPR 14" LG | 1.0 EA | |

Table 1-1256. SPRING, CONTACT - 817 0222 008

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4060 063 | BERY CU, CONT SPR 14" LG | 1.0 EA | |

Table 1-1257. GASKET, RFI HOOD - 817 0230 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 031 1710 016 | STRIP, COMBO | 1.4910 FT | |

Table 1-1258. GASKET, RFI HOOD - 817 0230 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 031 1710 016 | STRIP, COMBO | 1.81650 FT | |

Table 1-1259. WASHER - 817 0249 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 041 | BRS, SH .1285 X 24 | 0.22620 LB | |

Table 1-1260. POST, HOOD CATCH - 817 0504 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 3010 009 | SST, HEX .500 | 0.076860 LB | |

Table 1-1261. STANDOFF - 817 0647 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 040 | BRS, HEX .500 | 0.034650 LB | |

Table 1-1262. WRAP, CABLE - 817 0735 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 025 5000 020 | TFL, SH .063 +/- .005 | 0.0640 LB | |

Table 1-1263. FINGER, SPARK GAP - 817 0810 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 5020 020 | SST, SH .063 | 0.013877 LB | |

Table 1-1264. WASHER, COUPLING - 817 0833 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 0.02530 LB | |

Table 1-1265. WASHER, COUPLING - 817 0834 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 0.03790 LB | |

Table 1-1266. INSULATOR, CONTACT PLATE - 829 4001 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 043 1010 080 | ROD, DELRIN 2-1/2" DIA | 0.118650 FT | |

Table 1-1267. BRACKET - 829 4008 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.046835 LB | |

Table 1-1268. PLATE, GRID GROUND - 829 4019 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 001 | AL, SH .250 THK | 1.96250 LB | |

Table 1-1269. LEG, LT REAR INNER CAV - 829 4150 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.43680 LB | |

Table 1-1270. LEG, RT REAR INNER CAV - 829 4150 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.43680 LB | |

Table 1-1271. FOOT, CENTER ENCLOSURE - 829 4151 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.24570 LB | |

Table 1-1272. CLAMP, PRI TO SEC - 829 4159 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 061 | BRS, TBG 2.125 OD | 0.33810 LB | |

Table 1-1273. BRKT, SEC SUPPORT - 829 4211 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 0.97150 LB | |

Table 1-1274. LEG, VIS CAVITY - 829 4239 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1310 057 | AL, RECT 1.0 X 2.0 | 0.81480 LB | |

Table 1-1275. LEG VIS CAVITY - 829 4239 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1310 057 | AL, RECT 1.0 X 2.0 | 0.81480 LB | |

Table 1-1276. ANGLE, HOOD GASKET - 829 4492 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 7060 016 | AL, ANGLE .188 X 2 X 3 | 1.77450 LB | |

Table 1-1277. ANGLE, HOOD GASKET - 829 4492 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 7060 016 | AL, ANGLE .188 X 2 X 3 | 1.77450 LB | |

Table 1-1278. ANGLE, HOOD GASKET - 829 4493 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 7060 016 | AL, ANGLE .188 X 2 X 3 | 1.8060 LB | |

Table 1-1279. ANGLE, CAVITY HOOD - 829 4498 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 7060 009 | AL, ANGLE .125 X 1 X 1 | 0.40740 LB | |

Table 1-1280. LEG, LT FRT INNER CAV - 829 4766 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.43680 LB | |

Table 1-1281. LEG RT FRT INNER CAV - 829 4766 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.43680 LB | |

Table 1-1282. DEFLECTOR, AIR - 829 7453 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.320 SF | |

Table 1-1283. STIFFENER LEG - 829 7469 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 029 | AL, RD 1.25 DIA | 0.872550 LB | |

Table 1-1284. BAR, WAVEGUIDE SIDE - 829 7472 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1310 006 | AL, RECT .25 X .75 | 0.11130 LB | |

Table 1-1285. SCOOP, AIR - 829 7484 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 043 5030 030 | POLYCARBONATE, 0.060 THK | 0.311250 SF | |

Table 1-1286. BAR, WAVEGUIDE BTM - 829 7497 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 021 | AL, SQ .375 | 0.10290 LB | |

Table 1-1287. PLANE - 839 4222 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 1310 045 | CU, RECT .375 X 10 | 9.9960 LB | |

Table 1-1288. PLATE, CONTACT - 839 4228 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 036 | AL, PL .500 THK | 16.8750 LB | |

Table 1-1289. PANEL, INNER CAV - 839 4316 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1320 001 | BRS, RECT .064 X 24 | 1.83750 LB | |

Table 1-1290. PANEL - 839 4316 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1320 001 | BRS, RECT .064 X 24 | 1.54350 LB | |

Table 1-1291. COVER, ACCESS - 839 4343 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.740 LB | |

Table 1-1292. PLATE, PRIMARY TOP - 839 4345 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 036 | AL, PL .500 THK | 22.6250 LB | |

Table 1-1293. COVER, PRIMARY CONTROL - 839 4392 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 2.39250 LB | |
| 829 4475 001 | SILKSCREEN | 0.0 EA | |

Table 1-1294. COVER - 839 4476 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.89950 LB | |

Table 1-1295. PLATE, UPPER SCREEN - 839 5060 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 1310 035 | CU, RECT .25 X 10 | 6.510 LB | |

Table 1-1296. BEARING HOUSING ASSY - 917 0071 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 061 | BRS, RD 1.500 FCB | 0.71190 LB | |
| 450 0076 000 | BEARING, ROLLER | 2.0 EA | |
| 817 0010 001 | HOUSING, BEARING | 0.0 EA | |

Table 1-1297. SPROCKET - 917 0212 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 454 0096 000 | SPROCKET 9 TEETH | 1.0 EA | |

Table 1-1298. CHAIN - 917 0220 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 454 0001 000 | CHAIN ROLLERLESS NO. 25 | 4.20 FT | |

Table 1-1299. CABLE, PLATE CONNECT - 917 0837 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------------|---------------|----------------------------------|
| 254 0035 000 | COND, FLEX .105 OD | 0.40 FT | |
| 354 0262 000 | LUG 8 RING | 2.0 EA | |
| 414 0250 000 | BEAD FERRITE Q3/M3 MATERIAL | 4.0 EA | |

Table 1-1300. MODIFICATION, BELLMOUTH - 917 1875 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 358 2247 000 | FITTING, BELLMOUTH CONN | 1.0 EA | |
| 817 1875 001 | MOD INSTRUCTIONS, FITTING | 0.0 EA | |

Table 1-1301. ABSORBING TILE, MODIFIED - 917 2428 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 1964 000 | TILE, RF ABSORBING | 0.50 EA | |
| 817 2428 004 | MOD INSTR, RF TILE | 0.0 EA | |

Table 1-1302. ABSORBING TILE, MODIFIED - 917 2428 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 1964 000 | TILE, RF ABSORBING | 0.360 EA | |
| 817 2428 005 | MOD INSTR, RF TILE | 0.0 EA | |

Table 1-1303. ABSORBING TILE, MODIFIED - 917 2428 006

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 1964 000 | TILE, RF ABSORBING | 0.250 EA | |
| 817 2428 006 | MOD INSTR, RF TILE | 0.0 EA | |

Table 1-1304. ABSORBING TILE, MODIFIED - 917 2428 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 1964 000 | TILE, RF ABSORBING | 1.0 EA | |
| 817 2428 007 | MOD INSTR, RF TILE | 0.0 EA | |

Table 1-1305. GRID ASSY - 929 4048 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0142 000 | LUG SHAKE .150 MTG | 1.0 EA | |
| 829 4004 001 | CONTACT | 1.0 EA | |
| 929 8376 001 | LINE, GRID | 1.0 EA | |

Table 1-1306. CONTACT - 829 4004 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 096 | BRS, RD 6.000 FCB | 6.8250 LB | |

Table 1-1307. LINE, GRID - 929 8376 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4009 001 | PLATE | 1.0 EA | |
| 829 4032 001 | LINE, GRID | 1.0 EA | |

Table 1-1308. PLATE - 829 4009 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 045 | BRS, LEADED SH .25 | 4.79950 LB | |

Table 1-1309. LINE, GRID - 829 4032 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 080 | BRS TBG 5.000 OD | 1.92150 LB | |

Table 1-1310. SOCKET, FILAMENT RADIATOR - 929 4148 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 088 0001 063 | TAPE TEF 3/4 WIDE | 0.0 RL | |
| 929 4143 001 | SOCKET ASSY | 1.0 EA | |

Table 1-1311. SOCKET ASSY - 929 4143 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4002 001 | SOCKET | 1.0 EA | |
| 829 4003 001 | CONNECTOR | 1.0 EA | |
| 829 4141 001 | RING | 1.0 EA | |
| 829 4142 001 | RADIATOR | 1.0 EA | |

Table 1-1312. SOCKET - 829 4002 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 073 | BRS, RD 2.375 | 3.360 LB | |

Table 1-1313. CONNECTOR - 829 4003 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 088 | BRS, RD 3.500 FCB | 3.09750 LB | |

Table 1-1314. RING - 829 4141 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 085 | BRS, RD 4.000 FCB | 2.55150 LB | |

Table 1-1315. RADIATOR - 829 4142 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 003 4510 012 | CU, FIN STOCK RADIATOR | 1.16550 FT | |

Table 1-1316. LINE, CATHODE FILAMENT - 929 4167 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4005 001 | CONTACT | 1.0 EA | |
| 929 8377 001 | LINE, CATHODE | 1.0 EA | |

Table 1-1317. CONTACT - 829 4005 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 090 | BRS, RD 4.500 FCB | 3.8430 LB | |

Table 1-1318. LINE, CATHODE - 929 8377 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4007 001 | FLANGE | 1.0 EA | |
| 829 4031 001 | LINE | 1.0 EA | |

Table 1-1319. FLANGE - 829 4007 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 045 | BRS, LEADED SH .25 | 2.90 LB | |

Table 1-1320. LINE - 829 4031 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 079 | BRS, TBG 4.000 OD | 3.2760 LB | |

Table 1-1321. FLANGE, ATTACHMENT - 929 4174 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4174 001 | ASSY INSTR, FLANGE | 0.0 EA | |
| 839 4326 001 | ANGLE | 4.0 EA | |

Table 1-1322. ANGLE - 839 4326 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 041 | BRS, SH .1285 X 24 | 3.5380 LB | |

Table 1-1323. PANEL, SIDE - 929 4199 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 041 | BRS, SH .1285 X 24 | 16.0370 LB | |
| 358 0957 000 | STUD 8-32 X 1/2 | 14.0 EA | |
| 829 4199 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 2788 001 | PANEL | 0.0 EA | |

Table 1-1324. PANEL, SIDE - 929 4199 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 041 | BRS, SH .1285 X 24 | 16.0370 LB | |
| 358 0957 000 | STUD 8-32 X 1/2 | 14.0 EA | |
| 829 4199 002 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 2788 002 | PANEL, SIDE | 0.0 EA | |

Table 1-1325. PANEL, SIDE - 929 4199 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 041 | BRS, SH .1285 X 24 | 16.0370 LB | |
| 358 0957 000 | STUD 8-32 X 1/2 | 14.0 EA | |
| 829 4199 003 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 2788 003 | PANEL | 0.0 EA | |

Table 1-1326. COVER, ACCESS - 929 4207 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 1.6820 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 4.0 EA | |
| 829 4207 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 4351 001 | COVER | 0.0 EA | |

Table 1-1327. HOUSING, CRANK BEARING - 929 4258 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 450 0026 000 | BEARING, FLANGE TYPE | 2.0 EA | |
| 829 4257 001 | HOUSING | 1.0 EA | |

Table 1-1328. HOUSING - 829 4257 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 038 | AL, RD 1.75 DIA | 0.630 LB | |

Table 1-1329. PLATE, PRIMARY, BASE - 929 4272 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 358 1793 000 | PIN, HARDENED DOWEL | 4.0 EA | |
| 843 2825 001 | PLATE | 1.0 EA | |

Table 1-1330. PLATE - 843 2825 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 001 | AL, SH .250 THK | 8.31250 LB | |

Table 1-1331. ANGLE - 929 4469 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.22330 LB | |
| 324 0165 000 | NUT, PEM 8-32 | 3.0 EA | |
| 829 4469 001 | ASSY INSTRUCTIONS | 0.0 EA | |
| 839 4526 001 | ANGLE | 0.0 EA | |

Table 1-1332. ANGLE ASSY - 929 4494 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 7060 016 | AL, ANGLE .188 X 2 X 3 | 1.811250 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 2.0 EA | |
| 829 4493 001 | ANGLE, HOOD GASKET | 0.0 EA | |
| 829 4494 001 | ASSY INSTRUCTIONS | 0.0 EA | |

Table 1-1333. ASSY, FASTENER ANGLE - 929 4500 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0194 000 | SCREW PANEL | 1.0 EA | |
| 829 4499 001 | ANGLE, CAVITY HOOD | 1.0 EA | |

Table 1-1334. ANGLE, CAVITY HOOD - 829 4499 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 7060 009 | AL, ANGLE .125 X 1 X 1 | 0.50190 LB | |

Table 1-1335. ASSY, FASTENER ANGLE - 929 4500 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 448 0194 000 | SCREW PANEL | 1.0 EA | |
| 829 4499 002 | ANGLE, CAVITY HOOD | 1.0 EA | |

Table 1-1336. ANGLE, CAVITY HOOD - 829 4499 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 7060 009 | AL, ANGLE .125 X 1 X 1 | 0.50190 LB | |

Table 1-1337. PLATE, SCREEN ASSY - 929 7449 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0500 001 | JACK | 1.0 EA | |
| 843 2809 001 | PLATE | 1.0 EA | |

Table 1-1338. JACK - 817 0500 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 021 | BRS, RD .375 FCB | 0.024990 LB | |

Table 1-1339. PLATE - 843 2809 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 1310 055 | CU, RECT .50 X 10 | 9.50250 LB | |

Table 1-1340. PLATE, WAVE GUIDE - 929 7498 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 324 0163 000 | NUT, PEM 6-32 | 16.0 EA | |
| 817 0516 001 | CONTACT | 1.0 EA | |

829 7499 001

PLATE

1.0 EA

Table 1-1341. CONTACT - 817 0516 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4020 010 | BRZ, PH FGR STK 97-11004 | 5.89050 IN | |

Table 1-1342. PLATE - 829 7499 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1320 001 | BRS, RECT .064 X 24 | 1.14450 LB | |

Table 1-1343. PLATE, TILE ASSY - 929 7498 102

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 059 0001 012 | *THER-O-BOND 1600 SERIES | 0.0 EA | |
| 829 7498 102 | ASSY INSTR, PLATE | 0.0 EA | |
| 917 2428 007 | ABSORBING TILE, MODIFIED | 8.0 EA | |
| 929 7498 001 | PLATE, WAVE GUIDE | 1.0 EA | |

Table 1-1344. PLATE, TILE ASSY - 929 7498 103

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 059 0001 012 | *THER-O-BOND 1600 SERIES | 0.0 EA | |
| 829 7498 103 | ASSY INSTR, PLATE | 0.0 EA | |
| 917 2428 004 | ABSORBING TILE, MODIFIED | 6.0 EA | |
| 917 2428 007 | ABSORBING TILE, MODIFIED | 2.0 EA | |
| 929 7498 001 | PLATE, WAVE GUIDE | 1.0 EA | |

Table 1-1345. HOOD ASSY, CAVITY - 929 7686 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 829 7685 001 | PLATE, SIDE | 2.0 EA | |
| 829 7686 001 | HOOD CAV, ASSY INSTR | 0.0 EA | |
| 839 5189 001 | ENCLOSURE | 1.0 EA | |

Table 1-1346. PLATE, SIDE - 829 7685 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.5370 LB | |

Table 1-1347. ENCLOSURE - 839 5189 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 6.9310 LB | |

Table 1-1348. FLANGE ASSY - 929 7840 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0047 001 | TUBE, CONNECTING | 1.0 EA | |
| 829 7837 001 | FLANGE | 1.0 EA | |

Table 1-1349. TUBE, CONNECTING - 817 0047 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 060 | BRS, TBG 2.000 OD | 0.204750 LB | |

Table 1-1350. FLANGE - 829 7837 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 083 | BRS, RD 3.125 FCB | 0.61950 LB | |

Table 1-1351. CABLE, COAX JUMPER - 929 7936 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0221 000 | CABLE, COAX, 1/2", FSJ450B | 1.0 FT | |
| 620 0574 000 | PLUG, MALE TYPE N, F4NM | 2.0 EA | |
| 829 7936 001 | ASSY INSTR. COAX CABLE | 0.0 EA | |

Table 1-1352. INNER CAVITY - 939 4316 101

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 059 0001 012 | *THER-O-BOND 1600 SERIES | 0.0 EA | |
| 839 4316 001 | PANEL, INNER CAV | 1.0 EA | |
| 839 4316 101 | ASSY INSTR, INNER CAVITY | 0.0 EA | |
| 917 2428 007 | ABSORBING TILE, MODIFIED | 4.0 EA | |

Table 1-1353. INNER CAVITY - 939 4316 102

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 059 0001 012 | *THER-O-BOND 1600 SERIES | 0.0 EA | |
| 839 4316 002 | PANEL | 1.0 EA | |
| 839 4316 102 | ASSY INSTR, INNER CAVITY | 0.0 EA | |
| 917 2428 007 | ABSORBING TILE, MODIFIED | 4.0 EA | |

Table 1-1354. INNER CAVITY - 939 4316 103

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 059 0001 012 | *THER-O-BOND 1600 SERIES | 0.0 EA | |
| 839 4316 001 | PANEL, INNER CAV | 1.0 EA | |
| 839 4316 103 | ASSY INSTR, INNER CAVITY | 0.0 EA | |
| 917 2428 004 | ABSORBING TILE, MODIFIED | 2.0 EA | |
| 917 2428 007 | ABSORBING TILE, MODIFIED | 2.0 EA | |

Table 1-1355. PLATE, PRIMARY TOP - 939 4345 101

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 059 0001 012 | *THER-O-BOND 1600 SERIES | 0.0 EA | |
| 839 4345 001 | PLATE, PRIMARY TOP | 1.0 EA | |
| 839 4345 101 | ASSY INSTR, PLATE | 0.0 EA | |
| 917 2428 006 | ABSORBING TILE, MODIFIED | 4.0 EA | |

Table 1-1356. SHORT TUNING - 939 4403 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 300 1486 000 | SCR, 4-40 X 3/8 | 16.0 EA | |
| 829 4219 001 | RAIL | 4.0 EA | |
| 829 4220 001 | RAIL | 4.0 EA | |
| 829 4223 001 | HONEY COMP | 4.0 EA | |
| 829 4224 001 | GUSSET | 4.0 EA | |

Table 1-1357. RAIL - 829 4219 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 9510 050 | BRS, RAIL | 1.050 FT | |

Table 1-1358. RAIL - 829 4220 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 9510 050 | BRS, RAIL | 0.761250 FT | |

Table 1-1359. HONEY COMP - 829 4223 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 9510 010 | BRS, HEX CELL | 0.11550 SF | |

Table 1-1360. GUSSET - 829 4224 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 031 | BRS, RECT FCB .187 X .625 | 0.11550 LB | |

Table 1-1361. PLATE, UPPER SCREEN GND - 939 5060 101

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 059 0001 012 | *THER-O-BOND 1600 SERIES | 0.0 EA | |
| 839 5060 001 | PLATE, UPPER SCREEN | 1.0 EA | |
| 839 5060 101 | ASSY INSTR, PLATE | 0.0 EA | |
| 917 2428 005 | ABSORBING TILE, MODIFIED | 13.0 EA | |

Table 1-1362. INPUT MATCHING NETWORK - 939 5163 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 300 1485 000 | SCR, 4-40 X 5/16 | 9.0 EA | |
| 300 1536 000 | SCR, 6-32 X 1/4 | 1.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 2.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 9.0 EA | |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 1.0 EA | |
| 344 0017 000 | SCREW, SET 10-32 X 3/16 | 8.0 EA | |
| 520 0021 000 | CAP, VAR 3.7-25PF | 1.0 EA | C1 |
| 620 0578 000 | RECP, N, UG997A/U | 1.0 EA | J1 |
| 817 0620 001 | SHAFT, CAP | 1.0 EA | C2 |
| 817 0620 002 | SHAFT, CAP | 1.0 EA | C1 |
| 817 0621 001 | COUPLING, SHAFT | 2.0 EA | C1 C2 |
| 817 0622 001 | CONTACT FINGER | 1.0 EA | |
| 817 0657 001 | STRAP | 1.0 EA | |
| 817 0658 001 | STRAP | 1.0 EA | |

| | | | |
|--------------|-------------------------|--------|----|
| 829 7678 001 | PANEL FRONT | 1.0 EA | |
| 829 7680 001 | PLATE | 1.0 EA | |
| 829 7736 001 | SCHEMATIC | 0.0 EA | |
| 839 5163 001 | ASSY INST INPUT NETWORK | 0.0 EA | |
| 917 0656 001 | CAPACITOR MODIF | 1.0 EA | C2 |
| 917 1527 020 | ASSY BAR CONTACT | 1.0 EA | |

Table 1-1363. SHAFT, CAP - 817 0620 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 1010 005 | GL, EPOXY RD .250 | 0.250950 FT | |

Table 1-1364. SHAFT, CAP - 817 0620 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 1010 005 | GL, EPOXY RD .250 | 0.23940 FT | |

Table 1-1365. COUPLING, SHAFT - 817 0621 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 026 1010 005 | ROD, NYLON .625 DIA | 0.074025 FT | |

Table 1-1366. CONTACT FINGER - 817 0622 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4030 021 | BRZ, FGR STK 97-500S | 0.145950 EA | |

Table 1-1367. STRAP - 817 0657 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 003 4010 053 | CU, STRAP .020 X .5 | 0.020475 LB | |

Table 1-1368. STRAP - 817 0658 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 4010 055 | CU, STRAP .020 X 1 | 0.065310 FT | |

Table 1-1369. PANEL FRONT - 829 7678 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 027 5010 053 | GL, EPOXY .125 +/- .012 | 0.251250 LB | |

Table 1-1370. PLATE - 829 7680 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 047 | BRS, RECT FCB .250 X 1.25 | 0.35280 LB | |

Table 1-1371. CAPACITOR MODIF - 917 0656 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 520 0136 000 | CAP, VAR 10-140PF | 1.0 EA | |
| 817 0656 001 | ASSY INSTR, CAP. MODIF | 0.0 EA | |

Table 1-1372. ASSY BAR CONTACT - 917 1527 020

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 817 1527 020 | ASSEMBLY INSTRUCTIONS | 0.0 EA | |
| 817 1527 023 | FINGER, CONTACT BAR | 2.0 EA | |
| 829 9583 055 | BAR, CONTACT | 1.0 EA | |

Table 1-1373. FINGER, CONTACT BAR - 817 1527 023

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4020 010 | BRZ, PH FGR STK 97-11004 | 1.3650 IN | |

Table 1-1374. BAR, CONTACT - 829 9583 055

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 005 1320 049 | BRS, RECT FCB .250 X 1.50 | 0.2520 LB | |

Table 1-1375. PANEL, SIDE - 943 2874 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 041 | BRS, SH .1285 X 24 | 16.0370 LB | |
| 358 0961 000 | STUD 10-32 X 5/8 | 9.0 EA | |
| 843 2863 001 | PANEL | 0.0 EA | |
| 843 2874 001 | ASSY INSTRUCTIONS | 0.0 EA | |

Table 1-1376. *DISCONTINUED - 994 8277 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 852 8683 001 | TECH MANUAL DWG | 0.0 EA | |
| 952 8681 001 | VISUAL CAVITY ASSY | 1.0 EA | |

Table 1-1377. VISUAL CAVITY ASSY - 952 8681 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 302 0482 000 | SCR, 8-32 X 7/8 | 2.0 EA | |
| 358 0411 000 | RING RETAINING .250 | 6.0 EA | |
| 358 0414 000 | RING RETAINING .500 | 12.0 EA | |
| 358 1514 000 | SPACER, SHAFT | 20.0 EA | |
| 358 2167 000 | RING, RETAINING | 2.0 EA | |
| 450 0011 000 | BUSHING, BALL | 1.0 EA | |
| 450 0074 000 | WASHER, THRUST | 6.0 EA | |
| 452 0025 000 | GEAR, MITER 16 TEETH | 3.0 EA | |
| 452 0026 000 | GEAR, MITER 16 TEETH | 3.0 EA | |
| 454 0002 000 | LINK CONNECTING | 5.0 EA | |
| 454 0003 000 | LINK OFFSET | 1.0 EA | |
| 454 0074 000 | SPROCKET 17 TEETH | 13.0 EA | |
| 620 0017 000 | ADAPTER, INNER 3.125 | 1.0 EA | |
| 620 0498 000 | ADAPTOR 3-1/8 301-014 | 1.0 EA | |
| 648 0072 000 | COUNTER, CCW 5 DIGIT | 3.0 EA | |
| 650 0104 000 | KNOB CRANK 1.772" DIA | 1.0 EA | |
| 650 0147 000 | KNOB CRANK 1.25" DIA | 2.0 EA | |
| 813 5001 049 | STDOFF 8-32X1 3/8 HEX | 3.0 EA | |

| | | |
|--------------|----------------------|--------|
| 813 5608 032 | STUD | 1.0 EA |
| 813 5613 011 | STUD | 3.0 EA |
| 816 9966 001 | WASHER | 1.0 EA |
| 816 9967 001 | ROD | 2.0 EA |
| 816 9968 001 | ROD, DRIVE | 3.0 EA |
| 816 9969 001 | ROD, DRIVE | 4.0 EA |
| 817 0009 001 | SHAFT, IDLER | 2.0 EA |
| 817 0009 002 | SHAFT, IDLER | 2.0 EA |
| 817 0011 001 | SHAFT, DRIVING | 2.0 EA |
| 817 0011 002 | SHAFT, DRIVING | 6.0 EA |
| 817 0015 001 | ROD, DRIVE | 1.0 EA |
| 817 0098 001 | SHAFT | 3.0 EA |
| 817 0210 001 | STRIP, RFI SHIELDING | 4.0 EA |
| 829 3974 001 | PLATE | 1.0 EA |
| 829 3979 001 | SPACER, PLUG | 3.0 EA |
| 829 3983 001 | CONDUCTOR | 1.0 EA |
| 829 4008 001 | BRACKET | 3.0 EA |
| 829 4065 001 | BAR TUNING DRIVE | 1.0 EA |
| 829 4067 001 | SIDE, SEC RIGHT | 1.0 EA |
| 839 4276 001 | SIDE, SEC FRONT | 1.0 EA |
| 839 4314 001 | SIDE, SEC REAR | 1.0 EA |
| 839 4354 001 | SIDE, LEFT | 1.0 EA |
| 839 4375 001 | COVER | 1.0 EA |
| 917 0071 001 | BEARING HOUSING ASSY | 7.0 EA |
| 917 0072 001 | HOUSING, CTR BEARING | 1.0 EA |
| 917 0212 001 | SPROCKET | 3.0 EA |
| 917 0220 001 | CHAIN | 1.0 EA |
| 917 0220 002 | CHAIN | 1.0 EA |
| 917 0220 003 | CHAIN | 1.0 EA |
| 917 0220 004 | CHAIN | 1.0 EA |
| 929 4108 001 | RING ASSY, TUBING | 1.0 EA |
| 929 4110 001 | LINE ASSY TUBING | 1.0 EA |
| 929 4111 001 | LINE CENTER | 1.0 EA |
| 929 4118 001 | SHORT LOADING ASSY | 1.0 EA |
| 929 4122 001 | SHORT, COUPLING ASSY | 1.0 EA |
| 929 4206 001 | ANGLE SUPPORT ASSY | 2.0 EA |
| 929 4251 001 | PLATE SEC BASE | 1.0 EA |
| 929 7840 001 | FLANGE ASSY | 1.0 EA |
| 939 4309 001 | PLATE SEC, TOP | 1.0 EA |

Table 1-1378. STUD - 813 5608 032

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1020 050 | BRS, THD STK 1/4-20 | 0.087150 FT | |

Table 1-1379. STUD - 813 5613 011

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1020 020 | SST, THD STK 8-32 | 0.087150 FT | |

Table 1-1380. WASHER - 816 9966 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 0.032865 LB | |

Table 1-1381. ROD - 816 9967 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 027 1010 005 | GL, EPOXY RD .250 | 1.35450 FT | |

Table 1-1382. ROD, DRIVE - 816 9968 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 013 1020 050 | SST, THD STK .25-20 | 1.00170 FT | |

Table 1-1383. ROD, DRIVE - 816 9969 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 013 1020 050 | SST, THD STK .25-20 | 0.87150 FT | |

Table 1-1384. SHAFT, IDLER - 817 0009 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 080 | SST RD .750 DIA | 0.196350 LB | |

Table 1-1385. SHAFT, DRIVING - 817 0011 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 061 | SST, RD .4989 DIA | 0.158550 LB | |

Table 1-1386. ROD, DRIVE - 817 0015 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 013 1020 050 | SST, THD STK .25-20 | 0.52290 FT | |

Table 1-1387. SHAFT - 817 0098 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 013 1010 041 | SST, SFT .2497 DIA | 0.116550 EA | |

Table 1-1388. STRIP, RFI SHIELDING - 817 0210 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 031 1710 017 | GSKT, RF | 1.92150 FT | |

Table 1-1389. PLATE - 829 3974 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 030 | AL, RECT .375 X 2.0 | 0.6720 LB | |

Table 1-1390. SPACER, PLUG - 829 3979 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 025 1000 040 | TFL, RD .500 DIA | 0.019110 FT | |

Table 1-1391. CONDUCTOR - 829 3983 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 1.10250 LB | |

Table 1-1392. BAR TUNING DRIVE - 829 4065 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 001 1310 028 | AL, RECT .500 X 1.0 | 0.3150 LB | |

Table 1-1393. SIDE, SEC RIGHT - 829 4067 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1320 001 | BRS, RECT .064 X 24 | 4.2840 LB | |

Table 1-1394. SIDE, SEC FRONT - 839 4276 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1320 001 | BRS, RECT .064 X 24 | 4.75650 LB | |

Table 1-1395. SIDE, SEC REAR - 839 4314 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1320 001 | BRS, RECT .064 X 24 | 4.73550 LB | |

Table 1-1396. SIDE, LEFT - 839 4354 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1320 001 | BRS, RECT .064 X 24 | 5.5020 LB | |

Table 1-1397. COVER - 839 4375 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 3.90050 LB | |

Table 1-1398. HOUSING, CTR BEARING - 917 0072 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 450 0076 000 | BEARING, ROLLER | 2.0 EA | |
| 817 0012 001 | BEARING HOUSING | 1.0 EA | |

Table 1-1399. BEARING HOUSING - 817 0012 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 3010 090 | BRS, HEX 1.250 | 0.78540 LB | |

Table 1-1400. CHAIN - 917 0220 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 454 0001 000 | CHAIN ROLLERLESS NO. 25 | 1.90 FT | |

Table 1-1401. CHAIN - 917 0220 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 454 0001 000 | CHAIN ROLLERLESS NO. 25 | 1.40 FT | |

Table 1-1402. CHAIN - 917 0220 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 454 0001 000 | CHAIN ROLLERLESS NO. 25 | 2.80 FT | |

Table 1-1403. CHAIN - 917 0220 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 454 0001 000 | CHAIN ROLLERLESS NO. 25 | 1.20 FT | |

Table 1-1404. RING ASSY, TUBING - 929 4108 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0016 001 | BUSHING | 2.0 EA | |
| 839 4201 001 | RING, CORONA | 1.0 EA | |
| 839 4205 001 | 0016001EC TUBING | 1.0 EA | |

Table 1-1405. BUSHING - 817 0016 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 021 | BRS, RD .375 FCB | 0.124950 LB | |

Table 1-1406. RING, CORONA - 839 4201 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 080 | BRS, SH .75 X 12 | 2.1170 LB | |

Table 1-1407. 0016001EC TUBING - 839 4205 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 8010 088 | BRS, TBG 5.750 OD | 2.730 LB | |

Table 1-1408. LINE ASSY TUBING - 929 4110 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0694 001 | SPACER | 3.0 EA | |
| 829 3982 001 | LINE, TUNING | 1.0 EA | |
| 829 4014 001 | PLATE, BASE | 1.0 EA | |
| 829 4119 001 | CONTACT | 2.0 EA | |

Table 1-1409. SPACER - 817 0694 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 045 | BRS, RD 1.000 FCB | 0.106050 LB | |

Table 1-1410. LINE, TUNING - 829 3982 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 1260 060 | CU, TUBG 6.125 OD | 1.48050 FT | |

Table 1-1411. PLATE, BASE - 829 4014 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 045 | BRS, LEADED SH .25 | 5.3940 LB | |

Table 1-1412. CONTACT - 829 4119 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4030 010 | BRZ, FGR STK | 0.61530 EA | |

Table 1-1413. LINE CENTER - 929 4111 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 300 2794 000 | SCR, 1/2-13 X 3/4 | 1.0 EA | |
| 829 3978 001 | LINE, SECTION | 1.0 EA | |
| 829 3980 001 | LINE SECTION | 1.0 EA | |
| 829 3984 001 | CAP, END | 1.0 EA | |
| 829 3987 001 | TRANSITION, SEC | 1.0 EA | |

Table 1-1414. LINE, SECTION - 829 3978 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 1260 061 | CU, TBG 2.600 OD | 1.35450 FT | |

Table 1-1415. LINE SECTION - 829 3980 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 003 1220 020 | CU, TBG 1.315 OD 1.231 ID | 0.34860 FT | |

Table 1-1416. CAP, END - 829 3984 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 081 | BRS, RD 2.750 FCB | 0.9660 LB | |

Table 1-1417. TRANSITION, SEC - 829 3987 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 1010 081 | BRS, RD 2.750 FCB | 1.24950 LB | |

Table 1-1418. SHORT LOADING ASSY - 929 4118 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4117 001 | CONTACT | 2.0 EA | |
| 829 4117 002 | CONTACT | 1.0 EA | |
| 839 4202 001 | SHORT, LOADING | 1.0 EA | |

Table 1-1419. CONTACT - 829 4117 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4035 010 | BRZ, FGR STK CONTACT | 0.58590 EA | |

Table 1-1420. CONTACT - 829 4117 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4035 010 | BRZ, FGR STK CONTACT | 0.580650 EA | |

Table 1-1421. SHORT, LOADING - 839 4202 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 045 | BRS, LEADED SH .25 | 3.69750 LB | |

Table 1-1422. SHORT, COUPLING ASSY - 929 4122 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 829 4121 001 | CONTACTS | 4.0 EA | |
| 829 4121 002 | CONTACTS | 2.0 EA | |
| 839 4200 001 | SHORT, COUPLING | 1.0 EA | |

Table 1-1423. CONTACTS - 829 4121 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 007 4060 075 | BRZ, PH FGR STK 97-310-21 | 0.47880 EA | |

Table 1-1424. CONTACTS - 829 4121 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 007 4060 075 | BRZ, PH FGR STK 97-310-21 | 0.630 EA | |

Table 1-1425. SHORT, COUPLING - 839 4200 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 005 5010 045 | BRS, LEADED SH .25 | 6.19150 LB | |

Table 1-1426. ANGLE SUPPORT ASSY - 929 4206 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 001 7060 005 | AL, ANGLE SQ EDGE | 0.204750 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 3.0 EA | |
| 829 4205 001 | ANGLE | 0.0 EA | |
| 829 4206 001 | ASSY INSTR, ANGLE SUPPORT | 0.0 EA | |

Table 1-1427. PLATE SEC BASE - 929 4251 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 358 1793 000 | PIN, HARDENED DOWEL | 4.0 EA | |
| 450 0149 000 | BEARING, FLANGED | 3.0 EA | |
| 817 0217 001 | SHAFT, DOWEL | 1.0 EA | |
| 843 2772 001 | PLATE | 1.0 EA | |

Table 1-1428. SHAFT, DOWEL - 817 0217 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 013 1010 056 | SST, SFT .3740/.3735 DIA | 0.435750 FT | |

Table 1-1429. PLATE - 843 2772 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5058 031 | AL, PL .500 THK | 6.50 LB | |

Table 1-1430. PLATE SEC, TOP - 939 4309 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 817 0037 001 | STUD | 6.0 EA | |
| 839 4203 001 | PLATE, TOP | 1.0 EA | |

Table 1-1431. STUD - 817 0037 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1020 070 | BRS, THD STK 3/8-16 | 0.1260 FT | |

Table 1-1432. PLATE, TOP - 839 4203 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 005 1320 069 | BRS, RECT .375 X 12" | 7.33950 LB | |

Table 1-1433. HI BAND MULTIPLEX OPTION - 994 8604 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 358 2104 000 | CARD GUIDE | 1.0 EA | |
| 358 2105 000 | CARD GUIDE | 1.0 EA | |
| 384 0431 000 | RECT. 1N4001 ESD | 1.0 EA | CR050 |
| 410 0018 000 | INSULATOR ROUND NS5W 0312 | 1.0 EA | |
| 410 0024 000 | INSULATOR ROUND NS5W 0412 | 1.0 EA | |
| 580 0007 000 | RELAY, VACUUM SPDT 12VDC | 1.0 EA | K004 |
| 620 0455 000 | ADPT BNC UG492A/U | 2.0 EA | |
| 813 5001 053 | STDOFF 8-32X2 3/8 HEX | 4.0 EA | |
| 813 5003 057 | STDOFF 10-32X3 5/8 HEX | 1.0 EA | |
| 813 5608 020 | *NON STANDARD | 1.0 EA | |
| 817 0990 105 | POWER LEVEL RESISTOR CHAR | 0.0 EA | |
| 829 8440 165 | AIR DAM | 1.0 EA | |
| 829 9034 001 | STRAP, CAPACITOR | 1.0 EA | |
| 839 5800 216 | SCHEMATIC | 0.0 EA | |
| 929 7173 051 | CABLE COAX | 1.0 EA | W25 |
| 929 7173 052 | COAX CABLE | 1.0 EA | W26 |
| 929 7173 053 | COAX CABLE | 1.0 EA | W23 |
| 929 7173 054 | COAX CABLE | 1.0 EA | W24 |
| 929 9035 001 | CABLE, MULTIPLEX OPTION | 1.0 EA | |
| 929 9220 001 | SAMPLER KIT | 1.0 EA | |
| 939 6231 001 | MUX MTG PLATE | 1.0 EA | |
| 992 5811 002 | MULTI PLEX MODULE | 1.0 EA | |
| 992 5957 001 | HV DIVIDER BD | 1.0 EA | |

Table 1-1434. STDOFF 8-32X2 3/8 HEX - 813 5001 053

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 020 | AL, HEX .375 | 0.02520 LB | |

Table 1-1435. STDOFF 10-32X3 5/8 HEX - 813 5003 057

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 030 | AL, HEX .625 | 0.10710 LB | |

Table 1-1436. *NON STANDARD - 813 5608 020

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 005 1020 050 | BRS, THD STK 1/4-20 | 0.1470 FT | |

Table 1-1437. STRAP, CAPACITOR - 829 9034 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 003 4010 055 | CU, STRAP .020 X 1 | 2.42550 FT | |

Table 1-1438. CABLE COAX - 929 7173 051

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.160 FT | |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.80 FT | |
| 620 0617 000 | PLUG BNC 69475 | 1.0 EA | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 829 7173 051 | ASSY INSTR, COAX CABLE | 0.0 EA | |
| 829 7624 063 | CABLE MARKER | 0.0 EA | |
| 829 7624 064 | CABLE MARKER | 0.0 EA | |

Table 1-1439. COAX CABLE - 929 7173 052

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 2.0 FT | |
| 620 0617 000 | PLUG BNC 69475 | 1.0 EA | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 829 7624 065 | CABLE MARKER | 0.0 EA | |
| 829 7624 066 | CABLE MARKER | 0.0 EA | |

Table 1-1440. COAX CABLE - 929 7173 053

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 2.0 FT | |
| 620 0617 000 | PLUG BNC 69475 | 1.0 EA | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 829 7624 059 | CABLE MARKER | 1.0 EA | |
| 829 7624 060 | CABLE MARKER | 0.0 EA | |

Table 1-1441. COAX CABLE - 929 7173 054

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.0 FT | |

| | | |
|--------------|-------------------|--------|
| 620 0617 000 | PLUG BNC 69475 | 1.0 EA |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA |
| 829 7624 061 | CABLE MARKER | 0.0 EA |
| 829 7624 062 | CABLE MARKER | 0.0 EA |

Table 1-1442. CABLE, MULTIPLEX OPTION - 929 9035 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 15.0 FT | |
| 354 0625 000 | TERMINAL, FEMALE | 3.0 EA | |
| 612 0885 000 | RECEPTACLE HOUSING | 1.0 EA | |

Table 1-1443. SAMPLER KIT - 929 9220 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0003 000 | WIRE, STRD 20AWG WHT | 7.0 FT | |
| 255 0002 000 | WIRE, TURBO 12AWG BRN | 22.0 FT | |
| 354 0002 000 | LUG, #8 RING RED 22-18AWG | 1.0 EA | |
| 354 0003 000 | LUG #10 RING RED 22-18AWG | 1.0 EA | |
| 354 0245 000 | TERM LUG YEL RING 10 | 1.0 EA | |
| 354 0259 000 | LUG 6 RING | 2.0 EA | |
| 354 0261 000 | LUG .25 RING | 3.0 EA | |

Table 1-1444. MUX MTG PLATE - 939 6231 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 22.330 LB | |
| 358 0944 000 | STUD 8-32 X 3/8 | 4.0 EA | |
| 358 0945 000 | STUD 10-32 X 1/2 | 3.0 EA | |
| 358 1728 000 | STUD 1/4-20 X 1/2 | 1.0 EA | |
| 839 6231 001 | MUX MTG. PANEL | 0.0 EA | |

Table 1-1445. MULTI PLEX MODULE - 992 5811 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 350 0048 000 | RIVET POP .093X.337 | 2.0 EA | |
| 358 2037 000 | BALL STUD 6-32X 3/16 | 1.0 EA | |
| 448 0623 000 | SPRING CATCH | 1.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |
| 813 5611 017 | STUD 4-40 X .62 | 6.0 EA | |
| 816 9849 001 | SPACER | 1.0 EA | |
| 816 9862 001 | SPACER, SPRING CATCH | 2.0 EA | |
| 817 0428 001 | STANDOFF | 6.0 EA | |
| 817 0428 002 | SPACER | 6.0 EA | |
| 839 3797 001 | SHIELD | 2.0 EA | |
| 839 5800 216 | SCHEMATIC | 0.0 EA | |
| 929 3391 001 | EXTRACTOR IPA MODULE | 1.0 EA | |
| 939 5800 092 | FRONT PANEL ASSY | 1.0 EA | |
| 992 5802 002 | PC BD MULTIPLEX ASSY | 1.0 EA | |
| 999 2065 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1446. SPACER - 817 0428 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 3045 010 | AL, HEX .250 | 0.011865 LB | |

Table 1-1447. FRONT PANEL ASSY - 939 5800 092

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 0.290 LB | |
| 324 0152 000 | NUT, PEM 4-40 | 4.0 EA | |
| 358 1013 000 | STUD 4-40 X 3/8 | 1.0 EA | |

Table 1-1448. PC BD MULTIPLEX ASSY - 992 5802 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------------|---------------|---|
| 380 0244 000 | XSTR, 2N2905 ESD | 5.0 EA | Q002 Q003 Q004 Q005 Q008 |
| 380 0246 000 | XSTR, 2N2219A ESD | 3.0 EA | Q001 Q006 Q007 |
| 382 0159 000 | IC, 7407 ESD | 2.0 EA | U006 U007 |
| 382 0184 000 | IC, 340T-5/7805 +5V REG ESD | 1.0 EA | U008 |
| 382 0288 000 | IC, 4011/14011 ESD | 1.0 EA | U002 |
| 382 0302 000 | IC, 4023/14023 ESD | 1.0 EA | U001 |
| 382 0367 000 | IC, 4049/14049 ESD | 1.0 EA | U005 |
| 382 0419 000 | IC, 74C14 ESD | 1.0 EA | U003 |
| 382 0619 000 | IC, CD4050/MC14050 ESD | 1.0 EA | U004 |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 1.0 EA | CR012 |
| 384 0431 000 | RECT. 1N4001 ESD | 24.0 EA | CR001 CR002 CR004 CR005 CR010 CR011 CR013 CR014 CR015 CR016 CR017 CR018 CR020 CR021 CR022 CR023 CR024 CR026 CR027 CR028 CR030 CR031 CR035 CR036 |
| 384 0662 000 | LED RED ESD | 1.0 EA | DS001 |
| 384 0668 000 | PIN DIODE MA-47111 ESD | 7.0 EA | CR032 CR033 CR034 CR037 CR038 CR039 CR040 |
| 386 0083 000 | ZENER, 1N4742A 12V ESD | 5.0 EA | CR003 CR006 CR007 CR008 CR009 |
| 386 0092 000 | ZENER, 1N4744A 15V ESD | 1.0 EA | CR045 |
| 386 0138 000 | ZENER, 1N4750A 27V ESD | 4.0 EA | CR019 CR025 CR029 CR041 |
| 398 0054 000 | FUSE, SLOW CART 1A 250V | 2.0 EA | F001 F002 |
| 402 0129 000 | CLIP, 1/4 DIA FUSE | 4.0 EA | |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 8.0 EA | XQ001 XQ002 XQ003 XQ004 XQ005 XQ006 XQ007 XQ008 |
| 404 0655 000 | HEAT SINK | 1.0 EA | XU008 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 5.0 EA | XU001 XU002 XU003 XU004 XU005 |
| 404 0675 000 | SOCKET IC 16 CONT | 2.0 EA | XU004 XU005 |
| 494 0384 000 | CHOKE RF 1.00UH | 2.0 EA | L001 L006 |
| 494 0394 000 | CHOKE 6.80UH | 9.0 EA | L002 L003 L004 L005 L007 L008 L009 L010 L011 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 27.0 EA | C009 C010 C013 C015 C017 C019 C021 C022 C023 C024 C025 C026 C027 C028 C029 C030 C031 C032 C033 C034 C037 C038 C039 C040 C041 C042 C043 |
| 516 0740 000 | CAP 1000PF 50V 10% | 5.0 EA | C008 C011 C014 C018 C020 |
| 526 0050 000 | CAP 1UF 35V 20% | 1.0 EA | C036 |
| 526 0057 000 | CAP 100UF 20V 20% | 7.0 EA | C001 C002 C003 C004 C005 C044 |
| 526 0097 000 | CAP 47UF 35V 20% | 1.0 EA | C006 |

| | | | |
|--------------|---------------------------|---------|---|
| 526 0318 000 | CAP 10UF 35V 20% | 1.0 EA | C035 |
| 540 0285 000 | * RES 11 OHM 1W 5% | 1.0 EA | R053 |
| 540 0292 000 | * RES 22 OHM 1W 5% | 1.0 EA | R034 |
| 540 0317 000 | * RES 240 OHM 1W 5% | 9.0 EA | R030 R037 R038 R039 R040 R041 R042 R045 R046 |
| 540 0319 000 | * RES 300 OHM 1W 5% | 2.0 EA | R031 R036 |
| 540 0323 000 | * RES 430 OHM 1W 5% | 2.0 EA | R052 R054 |
| 540 0563 000 | * RES 10 OHM 2W 5% | 2.0 EA | R049 R050 |
| 540 0592 000 | * RES 160 OHM 2W 5% | 2.0 EA | R043 R044 |
| 540 0598 000 | * RES 300 OHM 2W 5% | 1.0 EA | R051 |
| 540 0606 000 | * RES 620 OHM 2W 5% | 2.0 EA | R047 R048 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 5.0 EA | R063 R064 R065 R066 R067 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 3.0 EA | R017 R028 R029 |
| 548 2400 266 | RES 475 OHM 1/2W 1% | 7.0 EA | R001 R003 R005 R007 R009 R012 R062 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 5.0 EA | R019 R021 R023 R025 R027 |
| 548 2400 326 | RES 1.82K OHM 1/2W 1% | 1.0 EA | R055 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 4.0 EA | R002 R004 R008 R010 |
| 548 2400 369 | RES 5.11K OHM 1/2W 1% | 10.0 EA | R018 R020 R022 R024 R026 R057 R058 R059 R060 R061 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 6.0 EA | R011 R013 R014 R015 R016 R070 |
| 548 2400 554 | RES 357K OHM 1/2W 1% | 1.0 EA | R056 |
| 604 0947 000 | SW, PB 2P | 2.0 EA | S001 S002 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 1.0 EA | P001 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 4.0 EA | J001 J002 J003 J004 |
| 620 1888 000 | COUPLER, DIRECTIONAL | 1.0 EA | |
| 839 5800 216 | SCHEMATIC | 0.0 EA | |
| 943 3730 069 | BD, MULTIPLEX | 1.0 EA | |

Table 1-1449. BD, MULTIPLEX - 943 3730 069

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 16.0 EA | |
| 612 0904 000 | JACK, PC MT GOLD PLATED | 3.0 EA | |
| 843 3730 068 | PWB, MULTIPLEX | 1.0 EA | |
| 843 3730 069 | ASSY INSTR, MULTIPLEX | 0.0 EA | |

Table 1-1450. HARDWARE LIST - 999 2065 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 300 1485 000 | SCR, 4-40 X 5/16 | 12.0 EA | |
| 302 0350 000 | SCR, 4-40 X 5/16 | 2.0 EA | |
| 302 0354 000 | SCR, 6-32 X 3/4 | 2.0 EA | |
| 312 0005 000 | WASHER, INT LOCK 6 | 1.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 12.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 2.0 EA | |
| 350 0048 000 | RIVET POP .093X.337 | 4.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |

Table 1-1451. HV DIVIDER BD - 992 5957 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 386 0083 000 | ZENER, 1N4742A 12V ESD | 1.0 EA | CR1 |
| 540 0387 000 | RES 200.0K OHM 1W 5% | 2.0 EA | R003 R004 |

| | | | |
|--------------|---------------------|--------|-------|
| 548 1539 000 | RES 5 MEGOHM 10W 1% | 2.0 EA | R1 R2 |
| 829 9929 001 | SCHEMATIC, HV BD | 0.0 EA | |
| 839 5800 111 | PC BD | 1.0 EA | |

Table 1-1452. TOP REMOTE AIR INTAKE KIT - 994 8703 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 302 0141 000 | SCR, 10-32 X 3/8 | 12.0 EA | |
| 310 0013 000 | WASHER FLAT 10 | 12.0 EA | |
| 314 0007 000 | WASHER, SPLIT-LOCK 10 | 12.0 EA | |
| 350 0039 000 | RIVET POP .125X.375 | 31.0 EA | |
| 646 1250 000 | LABEL SAFETY INSTR. | 1.0 EA | |
| 829 8910 001 | BTM, PLENUM | 1.0 EA | |
| 839 6104 001 | INSTRUCTIONS, ATTACHMENT | 0.0 EA | |
| 839 6104 003 | COVER, FILTER ACCESS | 1.0 EA | |
| 939 6104 002 | PLENUM, DOOR | 1.0 EA | |

Table 1-1453. BTM, PLENUM - 829 8910 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 1.81250 LB | |

Table 1-1454. COVER, FILTER ACCESS - 839 6104 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 4.42250 LB | |

Table 1-1455. PLENUM, DOOR - 939 6104 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 050 | AL, SH .050 THK | 27.550 LB | |
| 324 0168 000 | NUT, PEM 10-32 | 12.0 EA | |

Table 1-1456. BASIC VHF VIS EXC MCP2V - 994 8713 010

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 302 0420 000 | SCR, 6-32 X 3/16 | 2.0 EA | |
| 335 0089 000 | WASHER, SHLD .156 ID | 4.0 EA | |
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 2.0 EA | #Q1 #Q2 |
| 358 1021 000 | SLIDE, DRAWER | 2.0 EA | |
| 358 2040 000 | S HOOK | 1.0 EA | |
| 380 0187 000 | XSTR NPN DARL 2N6055 ESD | 2.0 EA | Q001 Q002 |
| 382 0026 000 | MIXER, 10514 ESD | 1.0 EA | A4 |
| 382 0475 000 | IC, 317 ESD | 1.0 EA | U001 |
| 384 0431 000 | RECT. 1N4001 ESD | 2.0 EA | CR001 CR002 |
| 384 0730 000 | LED, RED HLMP-3000 ESD | 2.0 EA | DS001 DS002 |
| 404 0661 000 | SOCKET, TRANSISTOR TO-3 | 1.0 EA | XU001 |
| 410 0232 000 | INSULATOR TO-3 MICA | 2.0 EA | #Q1 #Q2 |
| 424 0001 000 | GROMMET 3/8 MTG DIA | 2.0 EA | #Q1 #Q2 |
| 424 0003 000 | GROMMET 1/2 MTG DIA | 3.0 EA | |
| 472 1118 000 | XFMR, PWR | 1.0 EA | T001 |
| 484 0063 000 | FILTER RFI 12 SECTION | 1.0 EA | FL001 |
| 516 0411 000 | CAP .1UF 50V DISC | 1.0 EA | C004 |

| | | | |
|--------------|----------------------------|--------|--------------|
| 522 0572 000 | CAP 3.3UF 50V 20% | 1.0 EA | C005 |
| 524 0150 000 | CAP 6000 UF 50V | 1.0 EA | C001 |
| 524 0332 000 | CAP 5500 UF 40VVDC | 2.0 EA | C002 C003 |
| 530 0088 000 | BRACKET, CAP, 2" ID | 1.0 EA | #C1 |
| 530 0094 000 | BRACKET, CAP, 1.375"ID | 2.0 EA | #C2 #C3 |
| 548 2400 237 | RES 237 OHM 1/2W 1% | 1.0 EA | R003 |
| 550 1040 000 | *POT, MOTORIZED 500 OHM 5W | 1.0 EA | R002 |
| 550 1041 000 | *POT, MOTORIZED 1K OHM 5W | 1.0 EA | R001 |
| 550 1043 000 | POT, REPLACEMENT 500 OHM | 0.0 EA | \$R2R1 #R2R1 |
| 550 1044 000 | POT, REPLACEMENT 1K OHM | 0.0 EA | #R1R1 |
| 600 0490 000 | SWITCH ROTARY 2P 12 POS | 1.0 EA | S001 |
| 606 0591 000 | CB 2A 250AC/65DC 50/60HZ | 1.0 EA | CB001 |
| 620 0569 000 | COUPLER 50 OHM 2W | 1.0 EA | DC001 |
| 620 1783 000 | CAP RES TERMINATED BNC | 1.0 EA | |
| 632 1095 000 | MTR MULTI, 2-1/2", B | 1.0 EA | M001 |
| 646 0569 000 | REPLACE WITH 646-1301-201 | 1.0 EA | |
| 646 0704 000 | NOT FOR NEW DESIGN | 1.0 EA | |
| 650 0028 000 | KNOB RD SKIRT 1.135" DIA | 3.0 EA | |
| 813 5007 034 | STDOFF 6-32X2 1/4 DIA | 4.0 EA | |
| 813 5010 100 | STDOFF 6-32X4.53 1/2 RD | 1.0 EA | |
| 814 8789 001 | MIXER CLAMP | 1.0 EA | |
| 814 9584 001 | SPACER | 4.0 EA | |
| 814 9585 001 | HANDLE | 2.0 EA | |
| 828 0654 001 | TRANSISTOR GUARD | 2.0 EA | #Q1 #Q2 |
| 843 1679 002 | BLOCK DIAGRAM | 0.0 EA | |
| 843 1684 002 | SCHEM PWR DIST | 0.0 EA | |
| 852 8256 002 | SCHEMATIC | 0.0 EA | |
| 852 8258 003 | INTERCONNECT DIAGRAM | 0.0 EA | |
| 915 1915 007 | STOP CORD VIS. EXC. | 1.0 EA | |
| 916 8951 001 | HEAT SINK, REAR | 1.0 EA | #U1 |
| 916 8952 001 | HEAT SINK, REAR | 2.0 EA | #Q1 #Q2 |
| 927 4935 001 | A.C. CORD ASSY | 1.0 EA | |
| 929 1774 001 | ANGLE, MOUNTING | 1.0 EA | |
| 929 1855 003 | CABLE ASSY | 1.0 EA | |
| 929 1903 001 | CABLE ASSY, INPUT | 1.0 EA | |
| 929 1939 001 | SHIELD, CAPACITOR | 1.0 EA | |
| 939 2656 002 | CHASSIS ASSY | 1.0 EA | |
| 939 2704 001 | COVER, PWR DIST. | 1.0 EA | |
| 939 2705 001 | BRACKET, CKT BRKR | 1.0 EA | |
| 939 2859 002 | CABLE, COAX 17.5LG | 1.0 EA | |
| 939 2859 005 | CABLE, COAX 17.5LG | 1.0 EA | |
| 939 2859 009 | CABLE, COAX 17-7LG | 1.0 EA | |
| 939 2859 010 | CABLE, COAX 17.5LG | 1.0 EA | |
| 939 2859 011 | CABLE, COAX 9.2LG | 4.0 EA | |
| 939 2859 012 | CABLE, COAX 18.0LG | 1.0 EA | #J4 |
| 939 2859 021 | CABLE COAX | 2.0 EA | |
| 992 4814 001 | DETECTOR ASSY. | 1.0 EA | A5 |
| 992 4831 001 | EXTENDER CARD | 1.0 EA | |
| 992 4840 002 | VIDEO/I.F. ASSY | 1.0 EA | A1 |
| 992 4841 001 | OSCILLATOR ASSY | 1.0 EA | A2 |
| 992 6531 001 | AC DISTRIBUTION BOARD VIS | 1.0 EA | A003 |
| 999 1680 001 | WIRE & TUBING LIST | 1.0 EA | |
| 999 1681 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1457. STDOFF 6-32X2 1/4 DIA - 813 5007 034

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 006 | AL, RD .250 DIA | 0.01050 LB | |

Table 1-1458. STDOFF 6-32X4.53 1/2 RD - 813 5010 100

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1025 012 | AL, RD .500 DIA | 0.095130 LB | |

Table 1-1459. TRANSISTOR GUARD - 828 0654 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.198650 LB | |

Table 1-1460. STOP CORD VIS. EXC. - 915 1915 007

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 299 0012 000 | NYLON ROPE 1/8 IN D | 0.30 FT | |
| 354 0260 000 | LUG #6 RECT YEL 12-10AWG | 2.0 EA | |

Table 1-1461. HEAT SINK, REAR - 916 8951 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 404 0665 000 | HEAT SINK | 1.0 EA | |

Table 1-1462. HEAT SINK, REAR - 916 8952 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------|---------------|----------------------------------|
| 404 0270 000 | HEAT SINK FOR CASE TO-3 | 1.0 EA | |

Table 1-1463. ANGLE, MOUNTING - 929 1774 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.046110 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 2.0 EA | |

Table 1-1464. CABLE ASSY - 929 1855 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 174.0 FT | |
| 254 0002 000 | WIRE, BUS CU 20AWG | 0.50 FT | |
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.40 FT | |
| 296 0261 000 | TUBING, SHRINK 1/8 WHITE | 0.20 FT | |
| 354 0033 000 | SOLDER LUG 4 MTG HOLE | 1.0 EA | |
| 354 0146 000 | LUG SHAKE .176 MTG | 6.0 EA | |
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 4.0 EA | |
| 354 0386 000 | TERM, LOCKING #10 RING | 2.0 EA | |
| 354 0406 000 | TERM, SQ WIRE | 2.0 EA | |
| 354 0584 000 | TERM, SQ WIRE | 42.0 EA | |
| 354 0669 000 | TERM 250 FEM RED 22-18 | 2.0 EA | |
| 612 0526 000 | HSG, 8 CKT, SGL ROW | 1.0 EA | |
| 612 0571 000 | CONN | 1.0 EA | P011 |

| | | | |
|--------------|-----------------------------|---------|-----------|
| 612 0816 000 | HSG, 12 CKT, SGL ROW | 4.0 EA | |
| 618 0081 000 | COAX CABLE RG187A, 75 OHM | 6.0 FT | |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 3.50 FT | |
| 620 0545 000 | JACK, BULKHEAD, BNC | 1.0 EA | J003 |
| 620 0566 000 | PLUG, RT ANGLE UG1466/U SMC | 1.0 EA | |
| 620 0597 000 | JACK, BULKHEAD BNC | 2.0 EA | J001 J002 |
| 829 1855 003 | CADS | 0.0 EA | |
| 852 8253 003 | CABLE LAYOUT | 0.0 EA | |

Table 1-1465. CABLE ASSY, INPUT - 929 1903 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 252 0002 000 | WIRE, STRD 22AWG GRN | 7.0 FT | |
| 354 0033 000 | SOLDER LUG 4 MTG HOLE | 2.0 EA | |
| 354 0335 000 | * CONNECTOR CONTACT | 1.0 EA | |
| 354 0365 000 | * CONTACT 61061-5 | 14.0 EA | |
| 610 0448 000 | PLUG CONN HSG 15 CKT | 1.0 EA | |
| 829 1904 001 | CABLE LAYOUT, INPUT | 0.0 EA | |

Table 1-1466. SHIELD, CAPACITOR - 929 1939 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.27550 LB | |
| 088 0001 071 | *TAPE, FEP TEFLON 5"W | 0.010 RL | |
| 324 0163 000 | NUT, PEM 6-32 | 2.0 EA | |

Table 1-1467. CHASSIS ASSY - 939 2656 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 839 2652 001 | STENCIL, CHASSIS REAR | 0.0 EA | |
| 839 2653 002 | STENCIL, CHASSIS BTM | 0.0 EA | |
| 839 2654 002 | STENCIL, FRONT PANEL | 0.0 EA | |
| 839 2656 002 | CHASSIS ASSY INST | 0.0 EA | |
| 839 6184 001 | SILKSCREEN | 0.0 EA | |
| 843 1558 001 | SILKSCREEN, REAR | 0.0 EA | |
| 843 1559 002 | PANEL, FRONT | 1.0 EA | |
| 852 8236 002 | CHASSIS | 1.0 EA | |

Table 1-1468. PANEL, FRONT - 843 1559 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 010 | AL, SH .125 THK | 2.59550 LB | |

Table 1-1469. CHASSIS - 852 8236 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 7.43850 LB | |

Table 1-1470. COVER, PWR DIST. - 939 2704 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.68150 LB | |
| 324 0147 000 | NUT, PEM 4-40 | 6.0 EA | |

| | | |
|--------------|-------------------|--------|
| 839 2704 001 | ASSY INSTRUCTIONS | 0.0 EA |
| 839 4069 001 | COVER | 0.0 EA |

Table 1-1471. BRACKET, CKT BRKR - 939 2705 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.33930 LB | |
| 324 0147 000 | NUT, PEM 4-40 | 4.0 EA | |

Table 1-1472. CABLE, COAX 17.5LG - 939 2859 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1670 FT | 2 PIECES 1.0" |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.50 FT | |
| 620 0699 000 | PLUG, RT ANG, SMB | 2.0 EA | |
| 839 2859 002 | CABLE COAX VIS. EXCITERS | 0.0 EA | |

Table 1-1473. CABLE, COAX 17.5LG - 939 2859 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1670 FT | 2 PIECES 1.0" |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.50 FT | |
| 620 0567 000 | PLUG, RT ANGLE BNC | 1.0 EA | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 839 2859 005 | CABLE COAX VIS. EXCITERS | 0.0 EA | |

Table 1-1474. CABLE, COAX 17-7LG - 939 2859 009

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1670 FT | 2 PIECES 1.0" |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.50 FT | |
| 620 0699 000 | PLUG, RT ANG, SMB | 1.0 EA | |
| 620 1894 000 | PLUG, RT ANGLE CRIMP-TYPE | 1.0 EA | |
| 839 2859 009 | CABLE COAX VIS. EXCITERS | 0.0 EA | |

Table 1-1475. CABLE, COAX 17.5LG - 939 2859 010

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1670 FT | 2 PIECES 1.0" |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.50 FT | |
| 620 0567 000 | PLUG, RT ANGLE BNC | 1.0 EA | |
| 620 1894 000 | PLUG, RT ANGLE CRIMP-TYPE | 1.0 EA | |
| 839 2859 010 | CABLE COAX VIS. EXCITERS | 0.0 EA | |

Table 1-1476. CABLE, COAX 9.2LG - 939 2859 011

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1670 FT | 2 PIECES 1.0" |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 0.70 FT | |
| 620 0567 000 | PLUG, RT ANGLE BNC | 2.0 EA | |
| 839 2859 011 | CABLE COAX VIS. EXCITERS | 0.0 EA | |

Table 1-1477. CABLE, COAX 18.0LG - 939 2859 012

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1670 FT | 2 PIECES 1.0" |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.60 FT | |
| 620 0545 000 | JACK, BULKHEAD, BNC | 1.0 EA | |
| 620 0567 000 | PLUG, RT ANGLE BNC | 1.0 EA | |
| 839 2859 012 | CABLE COAX VIS. EXCITERS | 0.0 EA | |

Table 1-1478. CABLE COAX - 939 2859 021

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1670 FT | 2 PIECES 1.0" |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 1.0 FT | |
| 620 0699 000 | PLUG, RT ANG, SMB | 2.0 EA | |
| 839 2859 021 | CABLE COAX | 0.0 EA | |

Table 1-1479. DETECTOR ASSY. - 992 4814 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 300 1536 000 | SCR, 6-32 X 1/4 | 1.0 EA | |
| 302 0012 000 | SCR, 2-56 X 1/4 | 8.0 EA | |
| 302 0354 000 | SCR, 6-32 X 3/4 | 4.0 EA | |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 8.0 EA | |
| 354 0055 000 | SOLDER LUG 6 MTG HOLE | 1.0 EA | |
| 354 0140 000 | LUG SLDR .25 HOLE | 1.0 EA | |
| 384 0321 000 | DIODE 5082-2800/1N5711 ESD | 1.0 EA | CR1 |
| 414 0087 000 | BEAD FERRITE SHIELD | 2.0 EA | E001 E002 |
| 516 0450 000 | CAP 1000PF 500V 20% | 1.0 EA | C1 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R1 |
| 620 0571 000 | RECEP. BNC UG535-U | 2.0 EA | J1 J2 |
| 816 7255 002 | CENTER CONDUCTOR | 1.0 EA | |
| 816 8659 001 | SCHEMATIC | 0.0 EA | |
| 816 9135 001 | TEST SPECIFICATION | 0.0 EA | |
| 839 2326 001 | RF DETECTOR INSTR. | 0.0 EA | |
| 916 8591 001 | DETECTOR BLOCK | 1.0 EA | |

Table 1-1480. CENTER CONDUCTOR - 816 7255 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 618 0188 000 | COAX CABLE RG213, 50 OHM | 0.1760 FT | |

Table 1-1481. DETECTOR BLOCK - 916 8591 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 302 0354 000 | SCR, 6-32 X 3/4 | 4.0 EA | |
| 829 1091 001 | DETECTOR, TOP | 1.0 EA | |
| 829 1102 001 | DETECTOR, BOTTOM | 1.0 EA | |

Table 1-1482. DETECTOR, TOP - 829 1091 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1310 053 | AL, RECT .75 X 2.0 | 0.40320 LB | |

Table 1-1483. DETECTOR, BOTTOM - 829 1102 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 1310 053 | AL, RECT .75 X 2.0 | 0.40320 LB | |

Table 1-1484. EXTENDER CARD - 992 4831 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 612 0868 000 | CONN, PC 22 CONT POS | 1.0 EA | |
| 816 8072 001 | SUPPORT, CONNECTOR | 2.0 EA | |
| 839 2409 001 | PRINTED BOARD | 1.0 EA | |

Table 1-1485. SUPPORT, CONNECTOR - 816 8072 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.001943 LB | |

Table 1-1486. VIDEO/I.F. ASSY - 992 4840 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 358 0949 000 | GUIDE, CARD 2.5 IN L | 26.0 EA | |
| 430 0051 000 | FAN 115V 50/60HZ | 1.0 EA | |
| 430 0093 000 | FAN SPRITE GUARD | 1.0 EA | |
| 829 1474 001 | SPACER BAR, ENCL | 1.0 EA | |
| 829 1474 002 | SPACER, BAR | 1.0 EA | |
| 829 1475 001 | SPACER BAR, ENCL | 1.0 EA | |
| 829 1733 001 | COVER, BLOWER | 1.0 EA | |
| 829 8732 001 | PLATE, COVER | 1.0 EA | |
| 839 6152 001 | BRACKET, CIRCUIT BD | 1.0 EA | |
| 843 1623 004 | COVER, ENCLOSURE | 1.0 EA | |
| 852 8256 002 | SCHEMATIC | 0.0 EA | |
| 929 1734 001 | BRACKET ASSY. | 1.0 EA | |
| 939 2466 001 | SHIELD ASSY | 7.0 EA | |
| 939 2466 002 | SHIELD ASSY | 1.0 EA | |
| 939 2695 001 | DUCT, VIDEO/IF | 1.0 EA | |
| 939 2696 001 | PLENUM, VIDEO/IF | 1.0 EA | |
| 939 2859 001 | CABLE, COAX 7.0LG | 4.0 EA | |
| 943 1462 002 | BRACKET ASSY | 1.0 EA | |
| 943 3141 003 | BRACKET ASSY | 1.0 EA | |
| 992 4715 001 | AMPLIFIER BOARD | 1.0 EA | |
| 992 4716 001 | GEN, CLAMP PULSE | 1.0 EA | |
| 992 4718 001 | GAIN CORRECTOR | 1.0 EA | |
| 992 4842 001 | MOTHER BOARD | 1.0 EA | |
| 992 4843 001 | MODULATOR MODULE | 1.0 EA | |
| 992 4844 001 | DELAY COMPENSATOR | 1.0 EA | |
| 992 4846 001 | IF ATTEN & AGC BD. | 1.0 EA | |
| 992 4847 001 | REGULATOR BD PWR SUP | 1.0 EA | |
| 992 6049 002 | PWB, QUAD CORR | 1.0 EA | |
| 992 6087 002 | PWB, LINEARITY CORRECTOR | 1.0 EA | |
| 992 7011 001 | DIFF. PHASE CORRECTOR | 1.0 EA | |
| 992 7023 001 | PWB, VSB FILTER | 1.0 EA | |

Table 1-1487. SPACER BAR, ENCL - 829 1474 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 016 | AL, RECT .375 X .500 | 0.299250 | LB |

Table 1-1488. SPACER, BAR - 829 1474 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 1310 016 | AL, RECT .375 X .500 | 0.248850 | LB |

Table 1-1489. SPACER BAR, ENCL - 829 1475 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 2045 041 | AL, SQ .500 | 0.169050 | LB |

Table 1-1490. COVER, BLOWER - 829 1733 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.233450 | LB |

Table 1-1491. PLATE, COVER - 829 8732 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 030 | AL, SH .032 THK | 0.037990 | LB |

Table 1-1492. BRACKET, CIRCUIT BD - 839 6152 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.016820 | LB |

Table 1-1493. COVER, ENCLOSURE - 843 1623 004

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 1.63850 | LB |
| 839 2763 002 | SILKSCREEN, COVER | 0.0 | EA |

Table 1-1494. BRACKET ASSY. - 929 1734 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.044950 | LB |
| 324 0167 000 | NUT, PEM 6-32 | 2.0 | EA |

Table 1-1495. SHIELD ASSY - 939 2466 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.33930 | LB |
| 324 0147 000 | NUT, PEM 4-40 | 6.0 | EA |
| 839 2466 001 | FAB/ASSY INSTR, SHIELD | 0.0 | EA |

Table 1-1496. SHIELD ASSY - 939 2466 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.28710 | LB |

| | | |
|--------------|------------------------|--------|
| 324 0147 000 | NUT, PEM 4-40 | 6.0 EA |
| 839 2466 002 | FAB/ASSY INSTR, SHIELD | 0.0 EA |

Table 1-1497. DUCT, VIDEO/IF - 939 2695 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.28420 LB | |
| 324 0147 000 | NUT, PEM 4-40 | 4.0 EA | |
| 324 0167 000 | NUT, PEM 6-32 | 2.0 EA | |
| 839 2695 001 | ASSY/FAB INSTR, DUCT | 0.0 EA | |

Table 1-1498. PLENUM, VIDEO/IF - 939 2696 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 040 | AL, SH .040 THK | 0.506050 LB | |
| 324 0147 000 | NUT, PEM 4-40 | 3.0 EA | |

Table 1-1499. CABLE, COAX 7.0LG - 939 2859 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 296 0253 000 | TUBING, SHRINK 3/16 WHITE | 0.1670 FT | 2 PIECES 1.0" |
| 618 0705 000 | COAX CABLE, RG316/U 50 OHM | 0.70 FT | |
| 620 0699 000 | PLUG, RT ANG, SMB | 2.0 EA | |
| 839 2859 001 | CABLE COAX VIS. EXCITERS | 0.0 EA | |

Table 1-1500. BRACKET ASSY - 943 1462 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.775750 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 8.0 EA | |
| 843 1462 002 | ASSY INSTRUCTIONS | 0.0 EA | |
| 843 3141 002 | BRKT | 0.0 EA | |

Table 1-1501. BRACKET ASSY - 943 3141 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.36250 LB | |
| 324 0163 000 | NUT, PEM 6-32 | 8.0 EA | |

Table 1-1502. AMPLIFIER BOARD - 992 4715 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0086 000 | XSTR, 2N4391 ESD | 1.0 EA | Q8 |
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 1.0 EA | Q9 |
| 380 0190 000 | XSTR, PNP 2N3906 ESD | 2.0 EA | Q1 Q4 |
| 380 0246 000 | XSTR, 2N2219A ESD | 4.0 EA | Q2 Q3 Q5 Q6 |
| 380 0558 000 | XSTR, 2N5566 ESD | 1.0 EA | Q7 |
| 382 0068 000 | IC, CA3018A ESD | 1.0 EA | U1 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 4.0 EA | XQ2 XQ3 XQ5 XQ6 |
| 404 0264 000 | HEAT SINK FOR TO-5 CASE | 2.0 EA | XQ2 XQ3 |
| 404 0660 000 | HEAT SINK | 1.0 EA | XQ7 |
| 494 0413 000 | CHOKE RF 330.0UH | 1.0 EA | L1 |

| | | | |
|--------------|--------------------------|--------|-------------------------------|
| 500 0813 000 | CAP, MICA, 33PF 500V 5% | 1.0 EA | C17 |
| 508 0412 000 | CAP .047UF 200V 5% | 1.0 EA | C11 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 2.0 EA | C019 C020 |
| 522 0550 000 | CAP 100UF 25V 20% | 6.0 EA | C002 C008 C013 C014 C015 C018 |
| 526 0047 000 | CAP 220UF 10V 20% | 2.0 EA | C5 C6 |
| 526 0048 000 | CAP 10UF 20V 20% | 2.0 EA | C16 C7 |
| 526 0057 000 | CAP 100UF 20V 20% | 6.0 EA | C001 C003 C004 C009 C010 C012 |
| 540 0326 000 | * RES 560 OHM 1W 5% | 2.0 EA | R11 R5 |
| 548 0466 000 | *RES 74 OHM 3/4W 0.5% | 2.0 EA | R12 R8 |
| 548 2400 130 | RES 20 OHM 1/2W 1% | 1.0 EA | R24 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 6.0 EA | R13 R18 R2 R22 R23 R9 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 2.0 EA | R36 R37 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 4.0 EA | R31 R34 R38 R40 |
| 548 2400 209 | RES 121 OHM 1/2W 1% | 3.0 EA | R10 R14 R30 |
| 548 2400 218 | RES 150 OHM 1/2W 1% | 1.0 EA | R29 |
| 548 2400 230 | RES 200 OHM 1/2W 1% | 2.0 EA | R17 R45 |
| 548 2400 262 | RES 432 OHM 1/2W 1% | 2.0 EA | R41 R42 |
| 548 2400 266 | RES 475 OHM 1/2W 1% | 1.0 EA | R35 |
| 548 2400 285 | RES 750 OHM 1/2W 1% | 1.0 EA | R4 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 5.0 EA | R020 R021 R028 R032 R033 |
| 548 2400 309 | RES 1.21K OHM 1/2W 1% | 1.0 EA | R44 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 3.0 EA | R003 R019 R025 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 1.0 EA | R27 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 5.0 EA | R1 R15 R16 R26 R39 |
| 816 9111 001 | TEST SPECIFICATION | 0.0 EA | |
| 843 1624 001 | SCHEMATIC | 0.0 EA | |
| 939 2110 001 | PRINTED BOARD | 1.0 EA | |

Table 1-1503. PRINTED BOARD - 939 2110 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 1.0 EA | |
| 839 2110 001 | PRINTED BOARD | 1.0 EA | |

Table 1-1504. GEN, CLAMP PULSE - 992 4716 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0190 000 | XSTR, PNP 2N3906 ESD | 3.0 EA | Q1 Q2 Q3 |
| 382 0219 000 | IC, NE531N ESD | 1.0 EA | U1 |
| 382 0366 000 | IC, MC14528BCP ESD | 1.0 EA | U3 |
| 382 0452 000 | IC, LM311/CA311 ESD | 1.0 EA | U2 |
| 382 0453 000 | IC, LM320H-12/UA79M12AHC ESD | 1.0 EA | U5 |
| 382 0454 000 | IC, 78L12A ESD | 1.0 EA | U4 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 6.0 EA | CR1 CR2 CR3 CR4 CR5 CR6 |
| 384 0431 000 | RECT. 1N4001 ESD | 2.0 EA | CR7 CR8 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 2.0 EA | XU4 XU5 |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 2.0 EA | XU1 XU2 |
| 404 0675 000 | SOCKET IC 16 CONT | 1.0 EA | XU3 |
| 500 0817 000 | CAP, MICA, 47PF 500V 5% | 2.0 EA | C18 C3 |
| 500 0842 000 | CAP, MICA, 820PF 300V 5% | 1.0 EA | C11 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 2.0 EA | C022 C023 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 7.0 EA | C1 C12 C13 C2 C21 C7 C9 |
| 522 0548 000 | CAP 10UF 50V 20% | 4.0 EA | C015 C016 C019 C020 |

| | | | |
|--------------|-----------------------|--------|-------------------------------|
| 522 0550 000 | CAP 100UF 25V 20% | 6.0 EA | C004 C006 C008 C010 C014 C017 |
| 526 0048 000 | CAP 10UF 20V 20% | 1.0 EA | C005 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 1.0 EA | R16 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 1.0 EA | R20 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R15 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 1.0 EA | R2 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 1.0 EA | R14 |
| 548 2400 342 | RES 2.67K OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 1.0 EA | R3 |
| 548 2400 354 | RES 3.57K OHM 1/2W 1% | 1.0 EA | R12 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R19 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 3.0 EA | R11 R17 R9 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 4.0 EA | R1 R4 R7 R8 |
| 548 2400 418 | RES 15K OHM 1/2W 1% | 1.0 EA | R10 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 1.0 EA | R18 |
| 548 2400 530 | RES 200K OHM 1/2W 1% | 1.0 EA | R5 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 1.0 EA | R13 |
| 816 9106 001 | TEST SPECIFICATION | 0.0 EA | |
| 843 1897 001 | SCHEMATIC | 0.0 EA | |
| 939 2111 001 | PRINTED BOARD | 1.0 EA | |

Table 1-1505. PRINTED BOARD - 939 2111 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 5.0 EA | |
| 839 2111 001 | ASSY, PWB | 0.0 EA | |
| 839 3532 001 | PWB, CLAMP PULSE GENERATOR | 1.0 EA | |

Table 1-1506. GAIN CORRECTOR - 992 4718 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|-----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0086 000 | XSTR, 2N4391 ESD | 1.0 EA | Q10 |
| 380 0116 000 | XSTR, 2N3866 ESD | 1.0 EA | Q2 |
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 2.0 EA | Q3 Q7 |
| 380 0190 000 | XSTR, PNP 2N3906 ESD | 5.0 EA | Q1 Q4 Q5 Q6 Q9 |
| 380 0244 000 | XSTR, 2N2905 ESD | 1.0 EA | Q8 |
| 380 0558 000 | XSTR, 2N5566 ESD | 1.0 EA | Q11 |
| 384 0659 000 | DIODE HP5082-2811/A2S811 ESD | 5.0 EA | CR1 CR2 CR3 CR4 CR5 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 2.0 EA | XQ2 XQ8 |
| 404 0660 000 | HEAT SINK | 1.0 EA | XQ11 |
| 494 0413 000 | CHOKER RF 330.0UH | 1.0 EA | L1 |
| 500 0806 000 | CAP, MICA, 15PF 500V 5% | 1.0 EA | C5 |
| 508 0412 000 | CAP .047UF 200V 5% | 1.0 EA | C12 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 2.0 EA | C003 C004 |
| 522 0550 000 | CAP 100UF 25V 20% | 6.0 EA | C002 C008 C009 C010 C011 C015 |
| 526 0057 000 | CAP 100UF 20V 20% | 3.0 EA | C001 C013 C014 |
| 540 0326 000 | * RES 560 OHM 1W 5% | 1.0 EA | R9 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 9.0 EA | R19 R2 R22 R25 R28 R31 R40 R42 R5 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 3.0 EA | R44 R51 R52 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 3.0 EA | R45 R47 R49 |
| 548 2400 230 | RES 200 OHM 1/2W 1% | 1.0 EA | R4 |
| 548 2400 251 | RES 332 OHM 1/2W 1% | 1.0 EA | R10 |
| 548 2400 254 | RES 357 OHM 1/2W 1% | 2.0 EA | R6 R8 |

| | | | |
|--------------|-----------------------|--------|----------------------------|
| 548 2400 266 | RES 475 OHM 1/2W 1% | 2.0 EA | R11 R50 |
| 548 2400 277 | RES 619 OHM 1/2W 1% | 1.0 EA | R39 |
| 548 2400 281 | RES 681 OHM 1/2W 1% | 1.0 EA | R41 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 4.0 EA | R12 R48 R57 R7 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 2.0 EA | R53 R54 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 2.0 EA | R3 R43 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 3.0 EA | R13 R15 R17 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R37 |
| 548 2400 362 | RES 4.32K OHM 1/2W 1% | 2.0 EA | R27 R30 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 6.0 EA | R33 R35 R36 R38 R55 R56 |
| 548 2400 377 | RES 6.19K OHM 1/2W 1% | 1.0 EA | R24 |
| 548 2400 385 | RES 7.5K OHM 1/2W 1% | 1.0 EA | R34 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R1 R46 |
| 548 2400 437 | RES 23.7K OHM 1/2W 1% | 1.0 EA | R21 |
| 550 0628 000 | POT 10K OHM .5W 10% | 3.0 EA | R14 R16 R18 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 5.0 EA | R20 R23 R26 R29 R32 |
| 604 0469 000 | SW TGL SPDT | 2.0 EA | S1 S2 |
| 816 9107 001 | TEST SPECIFICATION | 0.0 EA | |
| 843 1616 001 | SCHEMATIC | 0.0 EA | |
| 939 2113 001 | PRINTED BOARD | 1.0 EA | |

Table 1-1507. MOTHER BOARD - 992 4842 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|--|
| 252 0217 000 | WIRE, STRD 26AWG WHT | 0.130 FT | #JPR FOR PIN 5 J10 TO PIN E J11 |
| 358 0907 000 | POLARIZATION KEY | 12.0 EA | |
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 1.0 EA | Q001 |
| 384 0205 000 | DIODE SILICON 1N914/4148 ESD | 2.0 EA | CR1 CR2 |
| 404 0319 000 | SOCKET TRANSISTOR | 1.0 EA | |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 4.0 EA | C002 C003 C004 C005 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 1.0 EA | C1 |
| 548 0887 000 | RES 75.0 OHM 3/4W | 1.0 EA | R2 |
| 548 2400 193 | RES 90.9 OHM 1/2W 1% | 2.0 EA | R3 R4 |
| 548 2400 218 | RES 150 OHM 1/2W 1% | 1.0 EA | R1 |
| 548 2400 281 | RES 681 OHM 1/2W 1% | 1.0 EA | R5 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R006 |
| 578 0021 000 | RELAY DPDT 12V | 2.0 EA | K1 K2 |
| 604 0411 000 | SW, TGL, SPDT, ON-OFF-ON | 1.0 EA | S1 |
| 604 0849 000 | SW, TGL SPDT | 1.0 EA | S2 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 5.0 EA | P5 P6 P7 P8 P9 |
| 610 0704 000 | CONN 12 PIN | 4.0 EA | P1 P2 P3 P4 |
| 612 0775 000 | JACK, PC MT, .040 PINS | 15.0 EA | |
| 612 0872 000 | CONN, PC 44 CONT | 12.0 EA | J1 J10 J11 J12 J2 J3 J4 J5 J6 J7 J8 J9 |
| 816 9112 001 | TEST SPECIFICATIONS | 0.0 EA | |
| 843 1486 001 | PRINTED BOARD | 1.0 EA | |
| 852 8256 001 | SCHEMATIC | 0.0 EA | |
| 999 1694 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1508. HARDWARE LIST - 999 1694 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 302 0056 000 | SCR, 4-40 X 1/2 | 24.0 EA | |
| 306 0003 000 | NUT, HEX 4-40 | 24.0 EA | |

Table 1-1509. MODULATOR MODULE - 992 4843 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|--|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0114 000 | XSTR, 2N5109 ESD | 3.0 EA | Q1 Q3 Q4 |
| 380 0536 000 | XSTR, 2N5179 ESD | 1.0 EA | Q2 |
| 382 0036 000 | IC, 10514C ESD | 1.0 EA | U1 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 3.0 EA | XQ1 XQ3 XQ4 |
| 404 0264 000 | HEAT SINK FOR TO-5 CASE | 1.0 EA | XQ1 |
| 478 0392 000 | XFMR, RF MODEL T4-1 | 2.0 EA | T1 T2 |
| 494 0239 000 | CHOKE WIDE BAND | 1.0 EA | L1 |
| 494 0375 000 | CHOKE RF 0.18UH | 1.0 EA | L3 |
| 494 0383 000 | CHOKE RF 0.82UH | 1.0 EA | L4 |
| 494 0388 000 | CHOKE RF 2.20UH | 1.0 EA | L2 |
| 500 0801 000 | CAP, MICA, 2PF 500V +/- .5PF | 1.0 EA | C10 |
| 500 0807 000 | CAP, MICA, 18PF 500V 5% | 1.0 EA | C13 |
| 500 0808 000 | CAP, MICA, 20PF 500V 5% | 1.0 EA | C12 |
| 500 0840 000 | CAP, MICA, 680PF 300V 5% | 1.0 EA | C20 |
| 516 0059 000 | CAP, DISC .0015UF 1KV 10% | 12.0 EA | C1 C14 C15 C16 C18 C19 C2 C3 C5 C7 C8 C9 |
| 520 0446 000 | CAP, VAR .8-10PF | 1.0 EA | C11 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 3.0 EA | C17 C4 C6 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 1.0 EA | R5 |
| 548 2400 105 | RES 11 OHM 1/2W 1% | 1.0 EA | R22 |
| 548 2400 118 | RES 15 OHM 1/2W 1% | 1.0 EA | R19 |
| 548 2400 134 | RES 22.1 OHM 1/2W 1% | 2.0 EA | R33 R34 |
| 548 2400 158 | RES 39.2 OHM 1/2W 1% | 2.0 EA | R21 R29 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 1.0 EA | R16 |
| 548 2400 181 | RES 68.1 OHM 1/2W 1% | 1.0 EA | R6 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R18 R9 |
| 548 2400 205 | RES 110 OHM 1/2W 1% | 1.0 EA | R7 |
| 548 2400 230 | RES 200 OHM 1/2W 1% | 2.0 EA | R35 R36 |
| 548 2400 247 | RES 301 OHM 1/2W 1% | 3.0 EA | R11 R25 R4 |
| 548 2400 251 | RES 332 OHM 1/2W 1% | 2.0 EA | R27 R32 |
| 548 2400 266 | RES 475 OHM 1/2W 1% | 2.0 EA | R13 R8 |
| 548 2400 293 | RES 909 OHM 1/2W 1% | 1.0 EA | R30 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 1.0 EA | R17 |
| 548 2400 326 | RES 1.82K OHM 1/2W 1% | 2.0 EA | R3 R38 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 1.0 EA | R31 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 1.0 EA | R2 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 6.0 EA | R14 R15 R23 R24 R26 R28 |
| 550 0841 000 | POT 50 OHM 1/2W 10% | 1.0 EA | R1 |
| 550 0842 000 | POT 200 OHM 1/2W 10% | 2.0 EA | R20 R37 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 2.0 EA | R10 R12 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J1 J2 |
| 816 9110 001 | TEST SPECIFICATION | 0.0 EA | |
| 843 1682 001 | SCHEMATIC | 0.0 EA | |
| 939 2599 001 | PRINTED BOARD | 1.0 EA | |

Table 1-1510. PRINTED BOARD - 939 2599 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 027 5010 009 | GL, .059 +/- .005 THK | 0.4650 SF | |

| | | |
|--------------|-------------|--------|
| 354 0309 000 | TERM SOLDER | 1.0 EA |
| 839 2599 001 | ASSY, PWB | 0.0 EA |
| 839 4774 001 | PC BOARD | 1.0 EA |

Table 1-1511. DELAY COMPENSATOR - 992 4844 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|---|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0114 000 | XSTR, 2N5109 ESD | 4.0 EA | Q001 Q002 Q005 Q006 |
| 380 0536 000 | XSTR, 2N5179 ESD | 2.0 EA | Q003 Q004 |
| 384 0361 000 | DIODE HP5082-3077/A5S377 ESD | 4.0 EA | CR001 CR002 CR003 CR004 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 4.0 EA | XQ001 XQ002 XQ005 XQ006 |
| 478 0392 000 | XFMR, RF MODEL T4-1 | 2.0 EA | T001 T002 |
| 494 0239 000 | CHOKE WIDE BAND | 4.0 EA | L003 L004 L013 L014 |
| 494 0376 000 | CHOKE RF 0.22UH | 4.0 EA | L009 L010 L015 L016 |
| 494 0378 000 | CHOKE 0.33UH 10% 780MA | 2.0 EA | L001 L002 |
| 494 0384 000 | CHOKE RF 1.00UH | 4.0 EA | L005 L006 L011 L012 |
| 494 0398 000 | CHOKE RF 10.0UH | 2.0 EA | L007 L008 |
| 500 0804 000 | CAP, MICA, 10PF 500V +/- .5PF | 4.0 EA | C011 C012 C038 C039 |
| 500 0809 000 | CAP, MICA, 22PF 500V 5% | 4.0 EA | C003 C004 C007 C008 |
| 516 0059 000 | CAP, DISC .0015UF 1KV 10% | 26.0 EA | C001 C002 C005 C006 C013 C014 C015 C016 C017 C018 C019 C020 C023 C024 C025 C026 C027 C028 C029 C030 C031 C032 C033 C034 C036 C037 |
| 518 0045 000 | CAP VAR 9-35PF 200V | 2.0 EA | C021 C022 |
| 520 0448 000 | CAP, VAR .8-14PF | 2.0 EA | C009 C010 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 1.0 EA | C035 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 4.0 EA | R035 R036 R039 R040 |
| 548 2400 134 | RES 22.1 OHM 1/2W 1% | 2.0 EA | R053 R054 |
| 548 2400 147 | RES 30.1 OHM 1/2W 1% | 1.0 EA | R010 |
| 548 2400 158 | RES 39.2 OHM 1/2W 1% | 2.0 EA | R045 R046 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 3.0 EA | R009 R025 R026 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 2.0 EA | R023 R024 |
| 548 2400 181 | RES 68.1 OHM 1/2W 1% | 2.0 EA | R019 R020 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 4.0 EA | R021 R022 R047 R048 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R001 R002 |
| 548 2400 209 | RES 121 OHM 1/2W 1% | 2.0 EA | R033 R034 |
| 548 2400 218 | RES 150 OHM 1/2W 1% | 4.0 EA | R003 R004 R049 R050 |
| 548 2400 226 | RES 182 OHM 1/2W 1% | 2.0 EA | R017 R018 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 4.0 EA | R041 R042 R043 R044 |
| 548 2400 247 | RES 301 OHM 1/2W 1% | 2.0 EA | R051 R052 |
| 548 2400 258 | RES 392 OHM 1/2W 1% | 4.0 EA | R013 R014 R015 R016 |
| 548 2400 262 | RES 432 OHM 1/2W 1% | 2.0 EA | R037 R038 |
| 548 2400 277 | RES 619 OHM 1/2W 1% | 2.0 EA | R007 R008 |
| 548 2400 321 | RES 1.62K OHM 1/2W 1% | 4.0 EA | R011 R012 R029 R030 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 2.0 EA | R027 R028 |
| 548 2400 381 | RES 6.81K OHM 1/2W 1% | 2.0 EA | R031 R032 |
| 550 0841 000 | POT 50 OHM 1/2W 10% | 2.0 EA | R005 R006 |
| 600 0579 000 | SW, ROTARY 4PDT | 2.0 EA | S003 S004 |
| 604 0469 000 | SW TGL SPDT | 2.0 EA | S001 S002 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J1 J2 |
| 816 9103 001 | TEST SPECIFICATION | 0.0 EA | |

| | | |
|--------------|---------------|--------|
| 839 2631 001 | PRINTED BOARD | 1.0 EA |
| 843 1681 001 | SCHEMATIC | 0.0 EA |

Table 1-1512. IF ATTEN & AGC BD. - 992 4846 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|---|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0114 000 | XSTR, 2N5109 ESD | 2.0 EA | Q1 Q2 |
| 380 0125 000 | XSTR, NPN 2N4401 ESD | 1.0 EA | Q004 |
| 380 0126 000 | XSTR, PNP 2N4403 ESD | 1.0 EA | Q005 |
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 1.0 EA | Q3 |
| 382 0428 000 | IC, LM358 ESD | 2.0 EA | U001 U002 |
| 384 0252 000 | DIODE HP5082-2900/AHR2900 ESD | 3.0 EA | CR2 CR3 CR4 |
| 384 0355 000 | DIODE HP5082-3081/A5S139 ESD | 1.0 EA | CR1 |
| 384 0357 000 | RECTIFIER 1N4004 ESD | 2.0 EA | CR005 CR008 |
| 386 0083 000 | ZENER, 1N4742A 12V ESD | 2.0 EA | CR006 CR007 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 2.0 EA | XQ1 XQ2 |
| 404 0673 000 | SOCKET 8 PIN DIP (DL) | 2.0 EA | XU001 XU002 |
| 478 0392 000 | XFMR, RF MODEL T4-1 | 1.0 EA | T1 |
| 494 0239 000 | CHOKE WIDE BAND | 1.0 EA | RFC1 |
| 500 0826 000 | CAP, MICA, 120PF 500V 5% | 1.0 EA | C7 |
| 506 0245 000 | CAP.33UF 63V 5% | 1.0 EA | C15 |
| 516 0059 000 | CAP, DISC .0015UF 1KV 10% | 10.0 EA | C1 C10 C13 C14 C2 C3 C4 C6 C8 C9 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 1.0 EA | C12 |
| 522 0572 000 | CAP 3.3UF 50V 20% | 1.0 EA | C005 |
| 526 0053 000 | CAP 2.7UF 35V 20% | 1.0 EA | C011 |
| 526 0093 000 | CAP 15UF 35V 20% | 1.0 EA | C016 |
| 548 2400 042 | RES 2.67 OHM 1/2W 1% | 1.0 EA | R14 |
| 548 2400 118 | RES 15 OHM 1/2W 1% | 1.0 EA | R12 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 1.0 EA | R042 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 1.0 EA | R037 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 3.0 EA | R001 R007 R030 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 1.0 EA | R10 |
| 548 2400 247 | RES 301 OHM 1/2W 1% | 1.0 EA | R9 |
| 548 2400 258 | RES 392 OHM 1/2W 1% | 2.0 EA | R004 R006 |
| 548 2400 266 | RES 475 OHM 1/2W 1% | 1.0 EA | R5 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 1.0 EA | R13 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 5.0 EA | R018 R024 R032 R033 R041 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R25 |
| 548 2400 369 | RES 5.11K OHM 1/2W 1% | 1.0 EA | R039 |
| 548 2400 393 | RES 9.09K OHM 1/2W 1% | 1.0 EA | R028 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 8.0 EA | R002 R003 R008 R015 R021 R031 R034 R040 |
| 548 2400 409 | RES 12.1K OHM 1/2W 1% | 1.0 EA | R23 |
| 548 2400 466 | RES 47.5K OHM 1/2W 1% | 1.0 EA | R20 |
| 548 2400 493 | RES 90.9K OHM 1/2W 1% | 1.0 EA | R038 |
| 548 2400 547 | RES 301K OHM 1/2W 1% | 1.0 EA | R19 |
| 548 2400 601 | RES 1MEG OHM 1/2W 1% | 1.0 EA | R27 |
| 550 0870 000 | POT 5K OHM 1/2W 10% | 1.0 EA | R035 |
| 550 0918 000 | POT 1 MEGOHM 1/2W 20% | 1.0 EA | R036 |
| 550 0942 000 | POT 100K OHM 1/2 W | 2.0 EA | R016 R022 |
| 550 0964 000 | POT. 20K OHM .5W 10% | 1.0 EA | R011 |
| 559 0003 000 | THERMISTOR 1K OHM | 1.0 EA | RT26 |
| 578 0021 000 | RELAY DPDT 12V | 1.0 EA | K001 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 1.0 EA | P1 |
| 612 0775 000 | JACK, PC MT, .040 PINS | 3.0 EA | |

| | | | |
|--------------|---------------------------|--------|-------|
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J1 J2 |
| 816 9109 001 | TEST SPECIFICATION | 0.0 EA | |
| 839 2635 001 | PRINTED BOARD | 1.0 EA | |
| 839 2860 001 | SCHEMATIC | 0.0 EA | |

Table 1-1513. REGULATOR BD PWR SUP - 992 4847 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|----------------------------------|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 382 0379 000 | IC, 723C ESD | 2.0 EA | U1 U2 |
| 386 0062 000 | ZENER, 1N4753A 36V 1W 5% ESD | 1.0 EA | CR1 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 2.0 EA | XU1 XU2 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 1.0 EA | C4 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 1.0 EA | C2 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 2.0 EA | C1 C3 |
| 540 0334 000 | * RES 1.2K OHM 1W 5% | 1.0 EA | R26 |
| 542 0001 000 | RES 1 OHM 5% 8W | 1.0 EA | R5 |
| 542 0002 000 | RES 2 OHM 5% 8W | 1.0 EA | R15 |
| 548 0392 000 | RES .123 OHM 1W 1% | 1.0 EA | R8 |
| 548 0393 000 | RES .490 OHM 1W 1% | 1.0 EA | R7 |
| 548 2400 281 | RES 681 OHM 1/2W 1% | 1.0 EA | R1 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 3.0 EA | R23 R24 R25 |
| 548 2400 309 | RES 1.21K OHM 1/2W 1% | 1.0 EA | R4 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 3.0 EA | R17 R2 R21 |
| 548 2400 337 | RES 2.37K OHM 1/2W 1% | 1.0 EA | R12 |
| 548 2400 342 | RES 2.67K OHM 1/2W 1% | 1.0 EA | R11 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 1.0 EA | R18 |
| 548 2400 351 | RES 3.32K OHM 1/2W 1% | 1.0 EA | R16 |
| 548 2400 385 | RES 7.5K OHM 1/2W 1% | 1.0 EA | R9 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R19 |
| 548 2400 409 | RES 12.1K OHM 1/2W 1% | 1.0 EA | R3 |
| 548 2400 539 | RES 249K OHM 1/2W 1% | 3.0 EA | R13 R14 R6 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 3.0 EA | R10 R20 R22 |
| 816 9104 001 | TEST SPECIFICATION | 0.0 EA | |
| 839 2862 001 | SCHEMATIC | 0.0 EA | |
| 939 2530 001 | PRINTED BOARD | 1.0 EA | |

Table 1-1514. PRINTED BOARD - 939 2530 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 3.0 EA | |
| 839 2530 001 | PWB, REG | 1.0 EA | |

Table 1-1515. PWB, QUAD CORR - 992 6049 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-------------------------------|---------------|--|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0114 000 | XSTR, 2N5109 ESD | 3.0 EA | Q002 Q004 Q005 |
| 380 0536 000 | XSTR, 2N5179 ESD | 2.0 EA | Q001 Q003 |
| 380 0622 000 | XSTR, N-JFET U310 ESD | 1.0 EA | Q006 |
| 382 0415 000 | IC, 324 ESD | 2.0 EA | U001 U002 |
| 384 0252 000 | DIODE HP5082-2900/AHR2900 ESD | 9.0 EA | CR001 CR002 CR003 CR004 CR005 CR006 CR007 CR008 CR009 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 3.0 EA | XQ002 XQ004 XQ005 |

| | | | |
|--------------|----------------------------|---------|--|
| 404 0660 000 | HEAT SINK | 1.0 EA | XQ006 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 2.0 EA | XU001 XU002 |
| 404 0675 000 | SOCKET IC 16 CONT | 1.0 EA | XR057 |
| 404 0725 000 | HEAT SINK TO-5 CASE | 3.0 EA | #Q002 #Q004 #Q005 |
| 478 0412 000 | XFMR RF T9-1 | 1.0 EA | T001 |
| 494 0222 000 | *RPLD BY FFF 494-0376-000 | 1.0 EA | L009 |
| 494 0239 000 | CHOKE WIDE BAND | 1.0 EA | L010 |
| 494 0262 000 | CHOKE RF 10UH 10% | 8.0 EA | L001 L002 L003 L004 L005 L006 L007 L008 |
| 500 0753 000 | CAP, MICA, 56PF 500V 5% | 2.0 EA | C022 C023 |
| 500 0759 000 | CAP, MICA, 100PF 500V 5% | 1.0 EA | C024 |
| 500 0811 000 | CAP, MICA, 27PF 500V 5% | 1.0 EA | C012 |
| 500 0822 000 | CAP, MICA, 75PF 500V 5% | 1.0 EA | C011 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 2.0 EA | C032 C033 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 21.0 EA | C001 C002 C003 C004 C005 C010 C013 C014 C019 C020 C021 C044 C045 C046 C047 C048 C049 C050 C051 C052 C053 |
| 516 0484 000 | CAP 0.1UF 100V 10% | 8.0 EA | C006 C007 C008 C009 C015 C016 C017 C018 |
| 522 0531 000 | CAP 1UF 50V 20% | 2.0 EA | C029 C030 |
| 522 0570 000 | CAP 2.2UF 50V 20% | 2.0 EA | C038 C039 |
| 526 0049 000 | CAP 6.8UF 35V 20% | 8.0 EA | C025 C026 C027 C028 C034 C035 C036 C037 |
| 540 0320 000 | * RES 330 OHM 1W 5% | 1.0 EA | R017 |
| 540 0323 000 | * RES 430 OHM 1W 5% | 1.0 EA | R007 |
| 540 1334 000 | RES NETWORK 15K OHM | 1.0 EA | R057 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 3.0 EA | R063 R064 R065 |
| 548 2400 121 | RES 16.2 OHM 1/2W 1% | 1.0 EA | R062 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 1.0 EA | R028 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 1.0 EA | R001 |
| 548 2400 177 | RES 61.9 OHM 1/2W 1% | 1.0 EA | R005 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 1.0 EA | R058 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 2.0 EA | R059 R060 |
| 548 2400 218 | RES 150 OHM 1/2W 1% | 2.0 EA | R054 R061 |
| 548 2400 226 | RES 182 OHM 1/2W 1% | 1.0 EA | R008 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 1.0 EA | R026 |
| 548 2400 237 | RES 237 OHM 1/2W 1% | 2.0 EA | R009 R023 |
| 548 2400 247 | RES 301 OHM 1/2W 1% | 2.0 EA | R006 R015 |
| 548 2400 258 | RES 392 OHM 1/2W 1% | 1.0 EA | R027 |
| 548 2400 262 | RES 432 OHM 1/2W 1% | 2.0 EA | R019 R020 |
| 548 2400 285 | RES 750 OHM 1/2W 1% | 2.0 EA | R004 R014 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 3.0 EA | R041 R068 R069 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 8.0 EA | R029 R030 R031 R032 R033 R034 R035 R036 |
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 2.0 EA | R055 R056 |
| 548 2400 342 | RES 2.67K OHM 1/2W 1% | 1.0 EA | R003 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R013 |
| 548 2400 385 | RES 7.5K OHM 1/2W 1% | 4.0 EA | R044 R047 R050 R053 |
| 548 2400 393 | RES 9.09K OHM 1/2W 1% | 1.0 EA | R002 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R024 R025 |
| 548 2400 426 | RES 18.2K OHM 1/2W 1% | 1.0 EA | R012 |
| 550 0842 000 | POT 200 OHM 1/2W 10% | 1.0 EA | R011 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 7.0 EA | R010 R021 R022 R037 R038 R039 R040 |
| 604 0469 000 | SW TGL SPDT | 1.0 EA | S001 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 2.0 EA | P001 P002 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 3.0 EA | J001 J002 J003 |
| 839 7096 001 | SCHEMATIC, QUAD CORRECTOR | 0.0 EA | |

Table 1-1516. ASSY, PWB QUAD CORRECTOR - 939 7095 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-------------------------|--------|-------------------------------|
| 612 0904 000 | JACK, PC MT GOLD PLATED | 6.0 EA | P1-1 P1-2 P1-3 P2-4 P2-5 P2-6 |
| 839 7095 001 | PWB, QUAD CORP | 1.0 EA | |

Table 1-1517. PWB, LINEARITY CORRECTOR - 992 6087 002

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-------------------------------|---------|---|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0114 000 | XSTR, 2N5109 ESD | 3.0 EA | Q002 Q004 Q005 |
| 380 0536 000 | XSTR, 2N5179 ESD | 2.0 EA | Q001 Q003 |
| 382 0415 000 | IC, 324 ESD | 2.0 EA | U001 U002 |
| 384 0252 000 | DIODE HP5082-2900/AHR2900 ESD | 9.0 EA | CR001 CR002 CR003 CR004 CR005 CR006 CR007 CR008 CR009 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 3.0 EA | XQ002 XQ004 XQ005 |
| 404 0674 000 | SOCKET 14 PIN DIP (D-L) | 2.0 EA | XU001 XU002 |
| 404 0675 000 | SOCKET IC 16 CONT | 1.0 EA | XR057 |
| 404 0725 000 | HEAT SINK TO-5 CASE | 3.0 EA | XQ002 XQ004 XQ005 |
| 494 0222 000 | *RPLD BY FFF 494-0376-000 | 1.0 EA | L009 |
| 494 0239 000 | CHOKE WIDE BAND | 1.0 EA | L010 |
| 494 0262 000 | CHOKE RF 10UH 10% | 8.0 EA | L001 L002 L003 L004 L005 L006 L007 L008 |
| 500 0753 000 | CAP, MICA, 56PF 500V 5% | 2.0 EA | C022 C023 |
| 500 0761 000 | CAP, MICA, 150PF 500V 5% | 1.0 EA | C024 |
| 500 0811 000 | CAP, MICA, 27PF 500V 5% | 1.0 EA | C012 |
| 500 0822 000 | CAP, MICA, 75PF 500V 5% | 1.0 EA | C011 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 21.0 EA | C001 C002 C003 C004 C005 C010 C013 C014 C019 C020 C021 C044 C045 C046 C047 C048 C049 C050 C051 C052 C053 |
| 516 0484 000 | CAP 0.1UF 100V 10% | 8.0 EA | C006 C007 C008 C009 C015 C016 C017 C018 |
| 522 0531 000 | CAP 1UF 50V 20% | 2.0 EA | C029 C030 |
| 522 0570 000 | CAP 2.2UF 50V 20% | 2.0 EA | C038 C039 |
| 526 0049 000 | CAP 6.8UF 35V 20% | 8.0 EA | C025 C026 C027 C028 C034 C035 C036 C037 |
| 540 0320 000 | * RES 330 OHM 1W 5% | 1.0 EA | R017 |
| 540 0323 000 | * RES 430 OHM 1W 5% | 1.0 EA | R007 |
| 540 1334 000 | RES NETWORK 15K OHM | 1.0 EA | R057 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 3.0 EA | R064 R063 R065 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 1.0 EA | R028 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 2.0 EA | R001 R066 |
| 548 2400 177 | RES 61.9 OHM 1/2W 1% | 1.0 EA | R005 |
| 548 2400 218 | RES 150 OHM 1/2W 1% | 1.0 EA | R054 |
| 548 2400 226 | RES 182 OHM 1/2W 1% | 1.0 EA | R008 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 1.0 EA | R026 |
| 548 2400 237 | RES 237 OHM 1/2W 1% | 2.0 EA | R009 R023 |
| 548 2400 247 | RES 301 OHM 1/2W 1% | 2.0 EA | R006 R015 |
| 548 2400 258 | RES 392 OHM 1/2W 1% | 1.0 EA | R027 |
| 548 2400 262 | RES 432 OHM 1/2W 1% | 2.0 EA | R019 R020 |
| 548 2400 285 | RES 750 OHM 1/2W 1% | 2.0 EA | R004 R014 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 3.0 EA | R041 R068 R069 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 8.0 EA | R029 R030 R031 R032 R033 R034 R035 R036 |

| | | | |
|--------------|---------------------------|--------|------------------------------------|
| 548 2400 334 | RES 2.21K OHM 1/2W 1% | 2.0 EA | R055 R056 |
| 548 2400 342 | RES 2.67K OHM 1/2W 1% | 1.0 EA | R003 |
| 548 2400 358 | RES 3.92K OHM 1/2W 1% | 1.0 EA | R013 |
| 548 2400 385 | RES 7.5K OHM 1/2W 1% | 4.0 EA | R044 R047 R050 R053 |
| 548 2400 393 | RES 9.09K OHM 1/2W 1% | 1.0 EA | R002 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R024 R025 |
| 548 2400 426 | RES 18.2K OHM 1/2W 1% | 1.0 EA | R012 |
| 550 0842 000 | POT 200 OHM 1/2W 10% | 1.0 EA | R011 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 7.0 EA | R010 R021 R022 R037 R038 R039 R040 |
| 604 0469 000 | SW TGL SPDT | 1.0 EA | S001 |
| 610 0679 000 | PLUG, SHORTING, .25" CTRS | 4.0 EA | P001 P002 P003 P004 |
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 3.0 EA | J001 J002 J003 |
| 620 1955 000 | HYBRID, QUADRATURE | 1.0 EA | HY001 |
| 839 7109 001 | SCH, LINEARITY CORRECTOR | 0.0 EA | |
| 939 7108 001 | ASSY, PWB LINEARITY CORR | 1.0 EA | |

Table 1-1518. ASSY, PWB LINEARITY CORR - 939 7108 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|-------------------------|---------|--|
| 612 0904 000 | JACK, PC MT GOLD PLATED | 10.0 EA | E001 E002 E003 E004 P1-5 P1-6 P1-7 P2-10 P2-8 P2-9 |
| 839 7108 001 | PWB, LINEARITY COR | 1.0 EA | |

Table 1-1519. DIFF. PHASE CORRECTOR - 992 7011 001

| HARRIS P/N | DESCRIPTION | QTY/UM | REF. SYMBOLS/EXPLANATIONS |
|--------------|------------------------------|--------|--|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0086 000 | XSTR, 2N4391 ESD | 1.0 EA | Q005 |
| 380 0246 000 | XSTR, 2N2219A ESD | 3.0 EA | Q1 Q2 Q3 |
| 380 0558 000 | XSTR, 2N5566 ESD | 1.0 EA | Q004 |
| 382 0068 000 | IC, CA3018A ESD | 2.0 EA | U001 U002 |
| 384 0659 000 | DIODE HP5082-2811/A2S811 ESD | 4.0 EA | CR001 CR002 CR003 CR004 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 3.0 EA | XQ001 XQ002 XQ003 |
| 404 0264 000 | HEAT SINK FOR TO-5 CASE | 1.0 EA | XU002 |
| 404 0660 000 | HEAT SINK | 1.0 EA | XQ004 |
| 494 0398 000 | CHOKE RF 10.0UH | 1.0 EA | L002 |
| 494 0413 000 | CHOKE RF 330.0UH | 1.0 EA | L001 |
| 500 0803 000 | CAP, MICA, 5PF 500V +/- .5PF | 1.0 EA | C001 |
| 508 0412 000 | CAP .047UF 200V 5% | 1.0 EA | C014 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 2.0 EA | C015 C016 |
| 522 0550 000 | CAP 100UF 25V 20% | 9.0 EA | C003 C004 C005 C006 C007 C008 C009 C010 C013 |
| 526 0057 000 | CAP 100UF 20V 20% | 3.0 EA | C002 C011 C012 |
| 548 2400 047 | RES 3.01 OHM 1/2W 1% | 2.0 EA | R053 R054 |
| 548 2400 166 | RES 47.5 OHM 1/2W 1% | 4.0 EA | R002 R011 R012 R034 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 2.0 EA | R039 R040 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 5.0 EA | R008 R009 R037 R041 R043 |
| 548 2400 230 | RES 200 OHM 1/2W 1% | 1.0 EA | R035 |
| 548 2400 262 | RES 432 OHM 1/2W 1% | 2.0 EA | R006 R007 |
| 548 2400 266 | RES 475 OHM 1/2W 1% | 1.0 EA | R038 |
| 548 2400 269 | RES 511 OHM 1/2W 1% | 1.0 EA | R017 |
| 548 2400 273 | RES 562 OHM 1/2W 1% | 1.0 EA | R005 |
| 548 2400 285 | RES 750 OHM 1/2W 1% | 4.0 EA | R018 R019 R020 R052 |

| | | | |
|--------------|-------------------------|---------|---|
| 548 2400 301 | RES 1K OHM 1/2W 1% | 13.0 EA | R013 R014 R015 R016 R026 R027 R028 R029 R031 R032 R036 R047 R049 |
| 548 2400 309 | RES 1.21K OHM 1/2W 1% | 2.0 EA | R004 R033 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 4.0 EA | R024 R025 R030 R050 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 4.0 EA | R001 R003 R010 R042 |
| 550 0628 000 | POT 10K OHM .5W 10% | 4.0 EA | R021 R022 R023 R051 |
| 550 0899 000 | POT 2K OHM 1/2W | 4.0 EA | R044 R045 R046 R048 |
| 604 0469 000 | SW TGL SPDT | 1.0 EA | S001 |
| 610 0933 000 | JUMPER, PWB TEST POINT | 3.0 EA | TP001 TP002 TP003 |
| 839 7740 080 | PWB, DIFF PHASE CORR. | 1.0 EA | |
| 839 7740 081 | SCHEM, DIFF PHASE CORR. | 0.0 EA | |

Table 1-1520. PWB, VSB FILTER - 992 7023 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|------------------------------|---------------|---|
| 358 0958 000 | CARD EJECTOR, NYLON | 2.0 EA | |
| 380 0114 000 | XSTR, 2N5109 ESD | 3.0 EA | Q003 Q005 Q006 |
| 380 0152 000 | XSTR, D40C5 ESD | 1.0 EA | Q004 |
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 2.0 EA | Q001 Q002 |
| 384 0361 000 | DIODE HP5082-3077/A5S377 ESD | 6.0 EA | CR001 CR002 CR003 CR004 CR005 CR006 |
| 404 0198 000 | SPACER TO-5, TO-9, TO-11 | 3.0 EA | XQ003 XQ005 XQ006 |
| 404 0513 000 | HEAT SINK PA1-1CB | 1.0 EA | Q004 |
| 404 0725 000 | HEAT SINK TO-5 CASE | 3.0 EA | Q003 Q005 Q006 |
| 478 0392 000 | XFMR, RF MODEL T4-1 | 2.0 EA | T001 T002 |
| 484 0336 000 | SAW FILTER ESD | 1.0 EA | FL001 |
| 494 0398 000 | CHOKE RF 10.0UH | 2.0 EA | L001 L003 |
| 500 0801 000 | CAP, MICA, 2PF 500V +/- .5PF | 1.0 EA | C026 |
| 500 0837 000 | CAP, MICA, 510PF 500V 5% | 1.0 EA | C008 |
| 516 0059 000 | CAP, DISC .0015UF 1KV 10% | 13.0 EA | C001 C002 C006 C007 C011 C017 C021 C022 C027 C028 C029 C030 C031 |
| 516 0067 000 | CAP DISC .003UF 1KV 20% | 4.0 EA | C005 C010 C012 C018 |
| 516 0074 000 | CAP, DISC .005UF 1KV 20% | 1.0 EA | C016 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 4.0 EA | C019 C023 C024 C025 |
| 516 0453 000 | CAP .1UF 100V 20% X7R | 4.0 EA | C003 C004 C013 C014 |
| 526 0342 000 | CAP 2.7UF 35V 10% | 1.0 EA | C015 |
| 548 2400 109 | RES 12.1 OHM 1/2W 1% | 1.0 EA | R013 |
| 548 2400 130 | RES 20 OHM 1/2W 1% | 2.0 EA | R006 R008 |
| 548 2400 137 | RES 23.7 OHM 1/2W 1% | 1.0 EA | R031 |
| 548 2400 169 | RES 51.1 OHM 1/2W 1% | 3.0 EA | R001 R021 R023 |
| 548 2400 181 | RES 68.1 OHM 1/2W 1% | 1.0 EA | R032 |
| 548 2400 185 | RES 75 OHM 1/2W 1% | 1.0 EA | R025 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R026 |
| 548 2400 234 | RES 221 OHM 1/2W 1% | 2.0 EA | R022 R024 |
| 548 2400 273 | RES 562 OHM 1/2W 1% | 1.0 EA | R017 |
| 548 2400 285 | RES 750 OHM 1/2W 1% | 1.0 EA | R002 |
| 548 2400 301 | RES 1K OHM 1/2W 1% | 1.0 EA | R012 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 7.0 EA | R005 R009 R010 R011 R027 R028 R029 |
| 548 2400 330 | RES 2K OHM 1/2W 1% | 2.0 EA | R020 R030 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 4.0 EA | R003 R004 R015 R016 |
| 548 2400 430 | RES 20K OHM 1/2W 1% | 1.0 EA | R019 |
| 550 0841 000 | POT 50 OHM 1/2W 10% | 1.0 EA | R007 |
| 550 0865 000 | POT 1K OHM 1/2W 10% | 1.0 EA | R018 |
| 558 0045 000 | HTR, SAW FILTER 5W 24VDC | 1.0 EA | |
| 559 0047 000 | THERMISTOR 10K OHM | 1.0 EA | RT001 |

| | | | |
|--------------|---------------------------|--------|-----------|
| 620 0700 000 | *RECPT, MALE SMB,PC MOUNT | 2.0 EA | J001 J002 |
| 817 1240 001 | TEST SPEC | 0.0 EA | |
| 839 7740 125 | SCHEM, VSB/FLTR - SYS M | 0.0 EA | |
| 839 7740 126 | PWB, VSB FLTR - SYS M | 1.0 EA | |
| 917 1961 001 | CLIP, GROUND | 1.0 EA | |
| 999 2439 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1521. CLIP, GROUND - 917 1961 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 007 4060 070 | BRZ, CONT STRIP | 0.5250 IN | |
| 817 1961 001 | ASSY INSTR, CLIP, GROUND | 0.0 EA | |

Table 1-1522. HARDWARE LIST - 999 2439 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 254 0001 000 | WIRE, BUS CU 22AWG | 0.08330 FT | |
| 296 0309 000 | TUBING, TEFLON 24 AWG | 0.05210 FT | |
| 300 1485 000 | SCR, 4-40 X 5/16 | 1.0 EA | |
| 302 0053 000 | SCR, 4-40 X 5/16 | 1.0 EA | |
| 304 0087 000 | NUT, HEX 4-40 | 2.0 EA | |
| 308 0003 000 | NO 4 FLAT WASHER BRS | 2.0 EA | |
| 310 0003 000 | WASHER, FLAT NO. 4 | 1.0 EA | |
| 312 0045 000 | WASHER, SPLIT-LOCK 4 | 1.0 EA | |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 1.0 EA | |

Table 1-1523. OSCILLATOR ASSY - 992 4841 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 404 0068 000 | SOCKET TUBE 8 PIN | 2.0 EA | |
| 494 0398 000 | CHOKE RF 10.0UH | 2.0 EA | L1 L2 |
| 516 0054 000 | CAP, DISC .001UF 1KV 10% | 10.0 EA | C10 C11 C12 C3 C4 C5 C6 C7 C8 C9 |
| 516 0450 000 | CAP 1000PF 500V 20% | 2.0 EA | C1 C2 |
| 548 2400 409 | RES 12.1K OHM 1/2W 1% | 2.0 EA | R3 R4 |
| 552 0781 000 | POT 20K OHM 1.5W | 2.0 EA | R1 R2 |
| 814 8894 001 | CLAMP | 1.0 EA | |
| 829 1907 001 | SCHEMATIC | 0.0 EA | |
| 915 0587 003 | OVEN BRACKET ASSY. | 1.0 EA | |
| 992 2964 001 | 37MHZ OSCILLATOR ASS | 1.0 EA | A1 |
| 992 3130 001 | MASTER OSC ASSY UHF | 1.0 EA | A2 |

Table 1-1524. CLAMP - 814 8894 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.100485 LB | |

Table 1-1525. OVEN BRACKET ASSY. - 915 0587 003

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 302 0053 000 | SCR, 4-40 X 5/16 | 12.0 EA | |
| 306 0015 000 | NUT, HEX KEP 4-40 | 12.0 EA | |
| 815 0587 003 | ASSY INSTR, OVEN BRACKET | 0.0 EA | |
| 843 1505 001 | BRACKET, OVEN | 1.0 EA | |

| | | |
|--------------|-----------------|--------|
| 915 0587 002 | BRACKET ASSY | 2.0 EA |
| 915 4339 001 | BRKT-GRD SPRING | 1.0 EA |

Table 1-1526. BRACKET, OVEN - 843 1505 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 070 | AL, SH .090 THK | 0.99180 LB | |

Table 1-1527. BRACKET ASSY - 915 0587 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 350 0002 000 | RIVET 1/8 D X 5/32 L | 2.0 EA | |
| 815 0587 002 | ASSY INSTR, OVEN BRACKET | 0.0 EA | |
| 815 0588 001 | GRD SPRING | 1.0 EA | |
| 927 5751 001 | BRACKET. GND SPRING | 1.0 EA | |

Table 1-1528. GRD SPRING - 815 0588 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 007 4050 010 | BRZ, FGR STK | 2.7720 IN | |

Table 1-1529. BRACKET. GND SPRING - 927 5751 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.2610 LB | |
| 324 0143 000 | NUT, PEM 6-32 | 1.0 EA | |

Table 1-1530. BRKT-GRD SPRING - 915 4339 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 310 0017 000 | WASHER FLAT #6 | 2.0 EA | |
| 350 0002 000 | RIVET 1/8 D X 5/32 L | 2.0 EA | |
| 815 0588 001 | GRD SPRING | 2.0 EA | |
| 827 5750 001 | BRACKET | 1.0 EA | |

Table 1-1531. BRACKET - 827 5750 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 001 5010 060 | AL, SH .063 THK | 0.236350 LB | |

Table 1-1532. 37MHZ OSCILLATOR ASS - 992 2964 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------|---------------|----------------------------------|
| 043 8030 010 | PLASTIC CHAN NO 190 | 0.30 FT | |
| 358 0907 000 | POLARIZATION KEY | 1.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |
| 827 6839 002 | SCHEMATIC | 0.0 EA | |
| 928 9038 001 | OVEN ASSY | 1.0 EA | HR-2 |
| 992 2965 005 | PC BOARD ASSY | 1.0 EA | |

Table 1-1533. OVEN ASSY - 928 9038 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 558 0040 000 | OVEN, PROPORTIONAL | 1.0 EA | |
| 828 0371 023 | FINGER STOCK | 2.0 EA | |
| 828 9038 001 | ASSY INSTR, OVEN | 0.0 EA | |

Table 1-1534. FINGER STOCK - 828 0371 023

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 007 4030 021 | BRZ, FGR STK 97-500S | 0.064050 EA | |

Table 1-1535. PC BOARD ASSY - 992 2965 005

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 000 0000 008 | SELECT IN TEST COMPONENT | 0.0 EA | C006 C007 |
| 357 0033 000 | SCREW 4-40 X .375 BHMS | 1.0 EA | |
| 380 0536 000 | XSTR, 2N5179 ESD | 2.0 EA | Q001 Q002 |
| 386 0083 000 | ZENER, 1N4742A 12V ESD | 1.0 EA | CR001 |
| 404 0248 000 | SOCKET CRYSTAL | 1.0 EA | XY001 |
| 444 1888 000 | XTAL 37.000000 MHZ | 1.0 EA | Y001 |
| 494 0244 000 | *RPLD BY FFF 494-0384-000 | 1.0 EA | L001 |
| 508 0338 000 | CAP .01UF 50V 10% | 1.0 EA | C005 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 3.0 EA | C001 C002 C003 |
| 516 0755 000 | CAP 470PF 200V 10% | 1.0 EA | C004 |
| 517 0014 000 | CAP VAR 1-36 PF | 1.0 EA | C008 |
| 528 0010 000 | VARICAP MV1650 | 1.0 EA | CR002 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R009 |
| 548 2400 251 | RES 332 OHM 1/2W 1% | 1.0 EA | R003 |
| 548 2400 289 | RES 825 OHM 1/2W 1% | 1.0 EA | R004 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 2.0 EA | R002 R008 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 1.0 EA | R005 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 2.0 EA | R001 R007 |
| 548 2400 489 | RES 82.5K OHM 1/2W 1% | 1.0 EA | R006 |
| 827 4835 002 | PRINTED BOARD-MIXER | 1.0 EA | |
| 914 9150 001 | R F TRANSFORMER | 1.0 EA | T001 |
| 999 2201 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1536. R F TRANSFORMER - 914 9150 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------------|---------------|----------------------------------|
| 251 0107 000 | WIRE, MAGNET 30AWG CLEAR | 0.60 FT | |
| 251 0108 000 | WIRE, MAGNET 30AWG GRN | 1.70 FT | |
| 414 0128 000 | TOROID FERRITE | 1.0 EA | |
| 814 9150 001 | ASSY INSTR, XFMR, RF | 0.0 EA | |

Table 1-1537. HARDWARE LIST - 999 2201 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 086 0001 010 | *SEALANT GLYPTOL | 0.0 QT | |
| 302 0012 000 | SCR, 2-56 X 1/4 | 1.0 EA | |
| 304 0087 000 | NUT, HEX 4-40 | 1.0 EA | |
| 306 0001 000 | NUT, HEX 2-56 | 1.0 EA | |
| 310 0001 000 | WASHER, FLAT #2 | 1.0 EA | |

| | | |
|--------------|----------------------|--------|
| 310 0003 000 | WASHER, FLAT NO. 4 | 1.0 EA |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 1.0 EA |
| 335 0001 000 | WASHER NYLON .149 ID | 2.0 EA |

Table 1-1538. MASTER OSC ASSY UHF - 992 3130 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 358 0907 000 | POLARIZATION KEY | 1.0 EA | |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA | |
| 827 7400 002 | SCHEMATIC | 0.0 EA | |
| 928 9038 002 | OVEN ASSY | 1.0 EA | |
| 992 3131 002 | MASTER OSC. BD | 1.0 EA | |

Table 1-1539. OVEN ASSY - 928 9038 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 558 0040 000 | OVEN, PROPORTIONAL | 1.0 EA | |
| 828 0371 023 | FINGER STOCK | 2.0 EA | |
| 828 9038 002 | ASSY INSTR, OVEN | 0.0 EA | |

Table 1-1540. MASTER OSC. BD - 992 3131 002

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------------|---------------|----------------------------------|
| 000 0000 008 | SELECT IN TEST COMPONENT | 0.0 EA | C006 C007 |
| 357 0033 000 | SCREW 4-40 X .375 BHMS | 1.0 EA | |
| 380 0536 000 | XSTR, 2N5179 ESD | 2.0 EA | Q1 Q2 |
| 386 0083 000 | ZENER, 1N4742A 12V ESD | 1.0 EA | CR001 |
| 404 0248 000 | SOCKET CRYSTAL | 1.0 EA | XY1 |
| 494 0381 000 | CHOKE RF 0.56UH | 1.0 EA | L1 |
| 508 0338 000 | CAP .01UF 50V 10% | 1.0 EA | C5 |
| 516 0375 000 | CAP .01UF 50V -20/+80% Z5U | 3.0 EA | C1 C2 C3 |
| 517 0014 000 | CAP VAR 1-36 PF | 1.0 EA | C8 |
| 519 0074 000 | *CAP RF CHIP 1000PF 5% 50V | 1.0 EA | C4 |
| 528 0010 000 | VARICAP MV1650 | 1.0 EA | CR2 |
| 548 2400 201 | RES 100 OHM 1/2W 1% | 1.0 EA | R9 |
| 548 2400 251 | RES 332 OHM 1/2W 1% | 1.0 EA | R3 |
| 548 2400 285 | RES 750 OHM 1/2W 1% | 1.0 EA | R8 |
| 548 2400 289 | RES 825 OHM 1/2W 1% | 1.0 EA | R004 |
| 548 2400 318 | RES 1.5K OHM 1/2W 1% | 1.0 EA | R2 |
| 548 2400 347 | RES 3.01K OHM 1/2W 1% | 1.0 EA | R5 |
| 548 2400 366 | RES 4.75K OHM 1/2W 1% | 1.0 EA | R7 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 1.0 EA | R1 |
| 548 2400 489 | RES 82.5K OHM 1/2W 1% | 1.0 EA | R6 |
| 827 4835 002 | PRINTED BOARD-MIXER | 1.0 EA | |
| 914 9150 001 | R F TRANSFORMER | 1.0 EA | T1 |
| 999 2200 001 | HARDWARE LIST | 1.0 EA | |

Table 1-1541. HARDWARE LIST - 999 2200 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 086 0001 010 | *SEALANT GLYPTOL | 0.0 QT | |
| 302 0012 000 | SCR, 2-56 X 1/4 | 1.0 EA | |
| 304 0087 000 | NUT, HEX 4-40 | 1.0 EA | |
| 306 0001 000 | NUT, HEX 2-56 | 1.0 EA | |

| | | |
|--------------|----------------------|--------|
| 310 0001 000 | WASHER, FLAT #2 | 1.0 EA |
| 310 0003 000 | WASHER, FLAT NO. 4 | 1.0 EA |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 1.0 EA |
| 335 0001 000 | WASHER NYLON .149 ID | 2.0 EA |

Table 1-1542. AC DISTRIBUTION BOARD VIS - 992 6531 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|--|
| 380 0189 000 | XSTR, NPN 2N3904 ESD | 4.0 EA | Q001 Q002 Q003 Q004 |
| 384 0431 000 | RECT. 1N4001 ESD | 4.0 EA | CR013 CR014 CR015 CR016 |
| 384 0651 000 | RECTIFIER 1N5401 ESD | 12.0 EA | CR001 CR002 CR003 CR004 CR005 CR006 CR007 CR008 CR009 CR010 CR011 CR012 |
| 540 0589 000 | * RES 120 OHM 2W 5% | 2.0 EA | R004 R008 |
| 548 2400 101 | RES 10 OHM 1/2W 1% | 2.0 EA | R001 R005 |
| 548 2400 369 | RES 5.11K OHM 1/2W 1% | 4.0 EA | R002 R003 R006 R007 |
| 548 2400 401 | RES 10K OHM 1/2W 1% | 4.0 EA | R009 R010 R011 R012 |
| 610 0831 000 | HDR, STR, 8 PIN, RD | 1.0 EA | P005 |
| 839 6800 001 | SCHEM, A.C. DIST | 0.0 EA | |
| 939 6801 001 | ASSY, PWB A.C. DIST | 1.0 EA | |

Table 1-1543. ASSY, PWB A.C. DIST - 939 6801 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 354 0309 000 | TERM SOLDER | 26.0 EA | |
| 839 6801 001 | PWB, AC DIST. | 1.0 EA | |

Table 1-1544. WIRE & TUBING LIST - 999 1680 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|---------------------------|---------------|----------------------------------|
| 043 8030 010 | PLASTIC CHAN NO 190 | 0.50 FT | |
| 252 0235 000 | WIRE, STRD 22AWG GRN | 3.30 FT | |
| 254 0001 000 | WIRE, BUS CU 22AWG | 1.10 FT | |
| 296 0259 000 | TUBING TEFLON 18 AWG | 0.50 FT | |
| 296 0260 000 | TUBING, SHRINK 3/32 WHITE | 0.10 FT | |
| 296 0261 000 | TUBING, SHRINK 1/8 WHITE | 0.70 FT | |
| 299 0012 000 | NYLON ROPE 1/8 IN D | 0.30 FT | |
| 354 0033 000 | SOLDER LUG 4 MTG HOLE | 1.0 EA | |
| 354 0260 000 | LUG #6 RECT YEL 12-10AWG | 2.0 EA | |

Table 1-1545. HARDWARE LIST - 999 1681 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|-----------------------|---------------|----------------------------------|
| 300 1538 000 | SCR, 6-32 X 3/8 | 4.0 EA | |
| 300 1541 000 | SCR, 6-32 X 5/8 | 4.0 EA | |
| 300 2108 000 | SCR, 6-32 X 1 | 5.0 EA | |
| 300 2817 000 | SCR, THUMB 6-32 X 1/4 | 6.0 EA | |
| 302 0052 000 | SCR, 4-40 X 1/4 | 13.0 EA | |
| 302 0053 000 | SCR, 4-40 X 5/16 | 44.0 EA | |
| 302 0054 000 | SCR, 4-40 X 3/8 | 9.0 EA | |
| 302 0056 000 | SCR, 4-40 X 1/2 | 2.0 EA | |
| 302 0105 000 | SCR, 6-32 X 5/16 | 1.0 EA | |
| 302 0106 000 | SCR, 6-32 X 3/8 | 60.0 EA | |
| 302 0108 000 | SCR, 6-32 X 1/2 | 7.0 EA | |
| 302 0112 000 | SCR, 6-32 X 1 | 6.0 EA | |

| | | |
|--------------|---------------------------|---------|
| 302 0130 000 | SCR, 8-32 X 3/8 | 4.0 EA |
| 302 0139 000 | SCR, 10-32 X 1/4 | 6.0 EA |
| 302 0140 000 | SCR, 10-32 X 5/16 | 1.0 EA |
| 302 0141 000 | SCR, 10-32 X 3/8 | 6.0 EA |
| 302 0143 000 | SCR, 10-32 X 1/2 | 2.0 EA |
| 302 0149 000 | SCR, 10-32 X 1-1/4 | 4.0 EA |
| 302 0345 000 | SCR, 2-56 X 1/4 | 2.0 EA |
| 302 0350 000 | SCR, 4-40 X 5/16 | 2.0 EA |
| 302 0354 000 | SCR, 6-32 X 3/4 | 2.0 EA |
| 302 0361 000 | SCR, 6-32 X 2-1/4 | 4.0 EA |
| 304 0075 000 | NUT, HEX THIN 3/8-32 | 2.0 EA |
| 304 0087 000 | NUT, HEX 4-40 | 2.0 EA |
| 304 0089 000 | NUT, HEX 6-32 | 8.0 EA |
| 306 0001 000 | NUT, HEX 2-56 | 2.0 EA |
| 306 0004 000 | NUT, HEX 6-32 | 12.0 EA |
| 306 0005 000 | NUT, HEX 8-32 | 4.0 EA |
| 306 0015 000 | NUT, HEX KEP 4-40 | 16.0 EA |
| 306 0016 000 | NUT, HEX KEP 6-32 | 28.0 EA |
| 306 0017 000 | NUT, HEX KEP 8-32 | 4.0 EA |
| 306 0018 000 | NUT, HEX KEP 10-32 | 12.0 EA |
| 308 0005 000 | NO 6 FLAT WASHER BRS | 4.0 EA |
| 310 0003 000 | WASHER, FLAT NO. 4 | 37.0 EA |
| 310 0006 000 | WASHER FLAT 8 | 4.0 EA |
| 310 0012 000 | WASHER FLAT 6 | 42.0 EA |
| 310 0017 000 | WASHER FLAT #6 | 8.0 EA |
| 312 0007 000 | WASHER, INT LOCK 10 | 6.0 EA |
| 312 0047 000 | WASHER, SPLIT-LOCK 6 | 4.0 EA |
| 314 0001 000 | WASHER, SPLIT-LOCK 2 | 2.0 EA |
| 314 0003 000 | WASHER, SPLIT-LOCK 4 | 65.0 EA |
| 314 0005 000 | WASHER, SPLIT-LOCK 6 | 27.0 EA |
| 314 0007 000 | WASHER, SPLIT-LOCK 10 | 4.0 EA |
| 314 0012 000 | WASHER, INT LOCK 1/4 | 9.0 EA |
| 314 0013 000 | WASHER, INT LOCK 3/8 | 3.0 EA |
| 328 0033 000 | WASHER FLAT STEEL | 1.0 EA |
| 335 0007 000 | WASHER NYLON .175 ID | 4.0 EA |
| 335 0010 000 | WASHER NYLON .195 ID | 8.0 EA |
| 335 0089 000 | WASHER, SHLD .156 ID | 4.0 EA |
| 354 0147 000 | LUG, SHAKE #6 45 DEG | 3.0 EA |
| 356 0087 000 | CABLE TIE TY RAP | 8.0 EA |
| 424 0001 000 | GROMMET 3/8 MTG DIA | 2.0 EA |
| 424 0003 000 | GROMMET 1/2 MTG DIA | 3.0 EA |
| 646 0569 000 | REPLACE WITH 646-1301-201 | 1.0 EA |
| 646 0665 000 | INSPECTION LABEL | 1.0 EA |
| 646 0704 000 | NOT FOR NEW DESIGN | 1.0 EA |

Table 1-1546. KIT, FRONT DOOR - 994 9049 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0214 000 | SCR, 1/4-20 X 5/8 | 3.0 EA | |
| 302 0285 000 | SCR, 8-32 X 1/2 | 6.0 EA | |
| 302 0352 000 | SCR, 6-32 X 1/4 | 2.0 EA | |
| 302 0359 000 | SCR, 10-32 X 3/8 | 6.0 EA | |
| 302 0374 000 | SCR, 6-32 X 3/8 | 4.0 EA | |
| 304 0075 000 | NUT, HEX THIN 3/8-32 | 2.0 EA | |
| 310 0009 000 | WASHER, FLAT 1/4 | 3.0 EA | |

| | | | |
|--------------|------------------------|--------|---------------------|
| 312 0006 000 | WASHER, INT LOCK 8 | 6.0 EA | |
| 314 0009 000 | WASHER, SPLIT-LOCK 1/4 | 3.0 EA | |
| 314 0013 000 | WASHER, INT LOCK 3/8 | 6.0 EA | |
| 328 0033 000 | WASHER FLAT STEEL | 2.0 EA | |
| 358 0437 000 | BUSHING PANEL .252 ID | 3.0 EA | |
| 358 2257 000 | BUSHING, PANEL, BRASS | 3.0 EA | |
| 815 4365 001 | PLATE, STRIKER, DOOR | 3.0 EA | |
| 817 1951 001 | ASSY INSTR | 0.0 EA | |
| 829 4130 001 | HINGE, BOTTOM REAR | 1.0 EA | |
| 829 4133 001 | HINGE, LEFT BOTTOM | 2.0 EA | |
| 829 4134 001 | HINGE | 1.0 EA | |
| 829 4135 001 | HINGE | 2.0 EA | |
| 938 6058 009 | DOOR ASSY, FRONT | 3.0 EA | 1 #UNIT 1 2 #UNIT 2 |

Table 1-1547. PLATE, STRIKER, DOOR - 815 4365 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 010 | STL, SH 10GA CR | 0.010658 LB | |

Table 1-1548. HINGE - 829 4134 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 0.743850 LB | |

Table 1-1549. HINGE - 829 4135 001

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|--------------------|---------------|----------------------------------|
| 011 5020 020 | STL, SH 11GA CR | 0.488650 LB | |

Table 1-1550. DOOR ASSY, FRONT - 938 6058 009

| <i>HARRIS P/N</i> | <i>DESCRIPTION</i> | <i>QTY/UM</i> | <i>REF. SYMBOLS/EXPLANATIONS</i> |
|-------------------|----------------------|---------------|----------------------------------|
| 302 0143 000 | SCR, 10-32 X 1/2 | 6.0 EA | |
| 302 0144 000 | SCR, 10-32 X 5/8 | 2.0 EA | |
| 306 0018 000 | NUT, HEX KEP 10-32 | 8.0 EA | |
| 350 0044 000 | RIVET POP .156X.379 | 24.0 EA | |
| 448 0319 000 | CATCH MAGNETIC | 1.0 EA | |
| 827 9390 001 | BRACKET, LATCH | 1.0 EA | |
| 829 4435 001 | INSULATION, DOOR | 1.0 EA | |
| 838 6058 009 | DOOR ASSY, FRONT | 0.0 EA | |
| 839 4487 001 | BACK PLATE | 1.0 EA | |
| 939 4504 001 | HANDLE, MODIFIED | 1.0 EA | |
| 939 4512 001 | FRONT DOOR, WELDMENT | 1.0 EA | |