

Table 1-1. XMTR TV30H 30KW VHF SYS M - 994 8863 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
000 0000 009	PACKING CHECK LIST	0.0 EA	USE PACKING CHECK LIST 989-0017-001
358 0998 000	BRACKET TBP FILTER MTG	4.0 EA	#1A5FL2 #1A7FL1
374 0119 000	* TUBE, 8807	1.0 EA	2A14V01
374 0147 000	TUBE, 8988	1.0 EA	1A02V01
374 0152 000	* TUBE, 9007	1.0 EA	2A50V01
444 1550 000	XTAL 53.06250 MHZ	0.0 EA	1A5 A2A2Y1 CHAN 7 OPTION QTY 1
444 1551 000	XTAL 54.56250 MHZ	0.0 EA	1A5 A2A2Y1 CHAN 8 OPTION QTY 1
444 1552 000	XTAL 56.06250 MHZ	0.0 EA	1A5 A2A2Y1 CHAN 9 OPTION QTY 1
444 1553 000	XTAL 57.56250 MHZ	0.0 EA	1A5 A2A2Y1 CHAN 10 OPTION QTY 1
444 1554 000	XTAL 59.06250 MHZ	0.0 EA	1A5 A2A2Y1 CHAN 11 OPTION QTY 1
444 1555 000	XTAL 60.56250 MHZ	0.0 EA	1A5 A2A2Y1 CHAN 12 OPTION QTY 1
444 1556 000	XTAL 62.06250 MHZ	0.0 EA	1A5 A2A2Y1 CHAN 13 OPTION QTY 1
444 1562 000	XTAL 53.065000 MHZ	0.0 EA	1A5 A2A2Y1 +10KHZ CHAN 7 OPTION QTY 1
444 1563 000	XTAL 54.565000 MHZ	0.0 EA	1A5 A2A2Y1 +10KHZ CHAN 8 OPTION QTY 1
444 1564 000	XTAL 56.065000 MHZ	0.0 EA	1A5 A2A2Y1 +10KHZ CHAN 9 OPTION QTY 1
444 1565 000	XTAL 57.565000 MHZ	0.0 EA	1A5 A2A2Y1 +10KHZ CHAN 10 OPTION QTY 1
444 1566 000	XTAL 59.065000 MHZ	0.0 EA	1A5 A2A2Y1 +10KHZ CHAN 11 OPTION QTY 1
444 1567 000	XTAL 60.565000 MHZ	0.0 EA	1A5 A2A2Y1 +10KHZ CHAN 12 OPTION QTY 1
444 1568 000	XTAL 62.065000 MHZ	0.0 EA	1A5 A2A2Y1 +10KHZ CHAN 13 OPTION QTY 1
444 1574 000	XTAL 53.060000 MHZ	0.0 EA	1A5 A2A2Y1 -10KHZ CHAN 7 OPTION QTY 1
444 1575 000	XTAL 54.560000 MHZ	0.0 EA	1A5 A2A2Y1 -10KHZ CHAN 8 OPTION QTY 1
444 1576 000	XTAL 56.060000 MHZ	0.0 EA	1A5 A2A2Y1 -10KHZ CHAN 9 OPTION QTY 1
444 1577 000	XTAL 57.560000 MHZ	0.0 EA	1A5 A2A2Y1 -10KHZ CHAN 10 OPTION QTY 1
444 1578 000	XTAL 59.060000 MHZ	0.0 EA	1A5 A2A2Y1 -10KHZ CHAN 11 OPTION QTY 1
444 1579 000	XTAL 60.560000 MHZ	0.0 EA	1A5 A2A2Y1 -10KHZ CHAN 12 OPTION QTY 1
444 1580 000	XTAL 62.060000 MHZ	0.0 EA	1A5 A2A2Y1 -10KHZ CHAN 13 OPTION QTY 1
484 0070 000	FILTER LOW PASS 3-1/8"	1.0 EA	FL002
484 0072 000	FLTR BANDPASS CH-7,E5,A6	0.0 EA	1A5FL2 1A7FL1 CHAN 7 OPTION QTY 2
484 0073 000	FLTR BANDPASS CH-8,E6, A7	0.0 EA	1A5FL2 1A7FL1 CHAN 8 OPTION QTY 2
484 0074 000	FILTER BANDPASS CH-9	0.0 EA	1A5FL2 1A7FL1 CHAN 9 OPTION QTY 2
484 0075 000	FLTR BANDPASS CH-10,E7,A8	0.0 EA	1A5FL2 1A7FL1 CHAN 10 OPTION QTY 2
484 0076 000	FLTR BANDPASS CH-11,E8,A9	0.0 EA	1A5FL2 1A7FL1 CHAN 11 OPTION QTY 2
484 0077 000	FILTER BANDPASS CH-12, E9	0.0 EA	1A5FL2 1A7FL1 CHAN 12 OPTION QTY 2
484 0078 000	FLTR BANDPASS CH-13, E10,	0.0 EA	1A5FL2 1A7FL1 CHAN 13 OPTION QTY 2
484 0274 000	FILTER COLOR NOTCH 3-1/8	1.0 EA	FL003
484 0275 000	FILTER HARMONIC 3-1/8	1.0 EA	FL001
620 1574 000	DIRECTIONAL COUPLER	1.0 EA	1DC003
620 1575 000	DIRECTIONAL COUPLER	1.0 EA	1DC002
620 1671 000	CIRCULATOR, 1KW	0.0 EA	2U01 CHAN 7 OPTION QTY 1 2U01 CHAN 8 OPTION QTY 1 2U01 CHAN 9 OPTION QTY 1
620 1672 000	CIRCULATOR, 1KW	0.0 EA	2U01 CHAN 10 OPTION QTY 1 2U01 CHAN 11 OPTION QTY 1 2U01 CHAN 12 OPTION QTY 1 2U01 CHAN 13 OPTION QTY 1

646 0665 000	INSPECTION LABEL	6.0 EA	
646 1290 000	*LABEL,VSWR DISCONNECT WARNING	2.0 EA	
646 1353 000	NAMEPLATE, XMTR EQUIPMENT	1.0 EA	
700 0811 007	WATTMETER, CAL. 2.5KW	0.0 EA	CHAN 7 OPTION PWR DEP QTY 1 AURAL 90OW-2.2KW
700 0811 008	WATTMETER, CAL. 2.5KW	0.0 EA	CHAN 8 OPTION PWR DEP QTY 1 AURAL 90OW-2.2KW
700 0811 009	WATTMETER, CAL. 2.5KW	0.0 EA	CHAN 9 OPTION PWR DEP QTY 1 AURAL 90OW-2.2KW
700 0811 010	WATTMETER, CAL. 2.5KW	0.0 EA	CHAN 10 OPTION PWR DEP QTY 1 AURAL 90OW-2.2KW
700 0811 011	WATTMETER, CAL. 2.5KW	0.0 EA	CHAN 11 OPTION PWR DEP QTY 1 AURAL 90OW-2.2KW
700 0811 012	WATTMETER, CAL. 2.5KW	0.0 EA	CHAN 12 OPTION PWR DEP QTY 1 AURAL 90OW-2.2KW
700 0811 013	WATTMETER, CAL. 2.5KW	0.0 EA	CHAN 13 OPTION PWR DEP QTY 1 AURAL 90OW-2.2KW
700 0812 007	WATTMETER, CAL. 5KW	0.0 EA	CHAN 7 OPTION PWR DEP QTY 1 AURAL 2.21-4.4KW
700 0812 008	WATTMETER, CAL. 5KW	0.0 EA	CHAN 8 OPTION PWR DEP QTY 1 AURAL 2.21-4.4KW
700 0812 009	WATTMETER, CAL. 5KW	0.0 EA	CHAN 9 OPTION PWR DEP QTY 1 AURAL 2.21-4.4KW
700 0812 010	WATTMETER, CAL 5KW	0.0 EA	CHAN 10 OPTION PWR DEP QTY 1 AURAL 2.21-4.4KW
700 0812 011	WATTMETER, CAL. 5KW	0.0 EA	CHAN 11 OPTION PWR DEP QTY 1 AURAL 2.21-4.4KW
700 0812 012	WATTMETER, CAL. 5KW	0.0 EA	CHAN 12 OPTION PWR DEP QTY 1 AURAL 2.21-4.4KW
700 0812 013	WATTMETER, CAL. 5KW	0.0 EA	CHAN 13 OPTION PWR DEP QTY 1 AURAL 2.21- 4.4KW
700 0813 007	WATTMETER, CAL. 10KW	0.0 EA	CHAN 7 OPTION PWR DEP QTY 1 AURAL 4.41-7.0KW
700 0813 008	WATTMETER, CAL. 10KW	0.0 EA	CHAN 8 OPTION PWR DEP QTY 1 AURAL 4.41-7.0KW
700 0813 009	WATTMETER, CAL. 10KW	0.0 EA	CHAN 9 OPTION PWR DEP QTY 1 AURAL 4.41-7.0KW
700 0813 010	WATTMETER, CAL. 10KW	0.0 EA	CHAN 10 OPTION PWR DEP QTY 1 AURAL 4.41-7.0KW
700 0813 011	WATTMETER, CAL. 10KW	0.0 EA	CHAN 11 OPTION PWR DEP QTY 1 AURAL 4.41-7.0KW
700 0813 012	WATTMETER, CAL. 10KW	0.0 EA	CHAN 12 OPTION PWR DEP QTY 1 AURAL 4.41-7.0KW
700 0813 013	WATTMETER, CAL. 10KW	0.0 EA	CHAN 13 OPTION PWR DEP QTY 1 AURAL 4.41-7.0KW
700 0814 007	WATTMETER, CAL. 15KW	0.0 EA	CHAN 7 OPTION PWR DEP QTY 1 VISUAL 16.8-25. 2KW
700 0814 008	WATTMETER, CAL 15KW	0.0 EA	CHAN 8 OPTION PWR DEP QTY 1 VISUAL 16.8-25. 2KW
700 0814 009	WATTMETER, CAL. 15KW	0.0 EA	CHAN 9 OPTION PWR DEP QTY 1 VISUAL 16.8-25. 2KW
700 0814 010	WATTMETER, CAL 15KW	0.0 EA	CHAN 10 OPTION PWR DEP QTY 1 VISUAL 16.8-25. 2KW
700 0814 011	WATTMETER, CAL. 15KW	0.0 EA	CHAN 11 OPTION

700 0814 012	WATTMETER, CAL. 15KW	0.0 EA	PWR DEP QTY 1 VISUAL 16.8-25. 2KW CHAN 12 OPTION PWR DEP QTY 1 VISUAL 16.8-25. 2KW
700 0814 013	WATTMETER, CAL. 15KW	0.0 EA	CHAN 13 OPTION PWR DEP QTY 1 VISUAL 16.8-25. 2KW
700 0821 007	WATTMETER, CAL. 25KW	0.0 EA	CHAN 7 OPTION PWR DEP QTY 1 VISUAL 25.21 - 42KW
700 0821 008	WATTMETER, CAL. 25KW	0.0 EA	CHAN 8 OPTION PWR DEP QTY 1 VISUAL 25.21 - 42KW
700 0821 009	WATTMETER, CAL. 25KW	0.0 EA	CHAN 9 OPTION PWR DEP QTY 1 VISUAL 25.21 - 42KW
700 0821 010	WATTMETER, CAL. 25KW	0.0 EA	CHAN 10 OPTION PWR DEP QTY 1 VISUAL 25.21 - 42KW
700 0821 011	WATTMETER, CAL. 25KW	0.0 EA	CHAN 11 OPTION PWR DEP QTY 1 VISUAL 25.21 - 42KW
700 0821 012	WATTMETER, CAL. 25KW	0.0 EA	CHAN 12 OPTION PWR DEP QTY 1 VISUAL 25.21 - 42KW
700 0821 013	WATTMETER, CAL. 25KW	0.0 EA	CHAN 13 OPTION PWR DEP QTY 1 VISUAL 25.21- 42KW
700 1288 000	WATTMETER, RF 8KW	0.0 EA	QTY 1 CH7-13 IND CHAN # N PN VIS 8.41- 16.8 KW
817 1420 001	TUNING INSTRU., IPA MOD.	0.0 EA	#1A04 IPA
817 1527 045	SCHEMATIC, LISTING TV30H	0.0 EA	
839 6678 020	AIR INLET/EXHAUST	0.0 EA	
839 6678 021	INTERCONNECT DIAG TV30H	0.0 EA	
839 6678 022	BLOCK DIAG	0.0 EA	
839 6678 032	DIAG, RF FLOW	0.0 EA	
839 6678 049	BL DIA AC PWR FLOW	0.0 EA	
843 4260 026	TYPICAL STATION LAYOUT	0.0 EA	
914 8729 001	LOW PASS FILTER ASSY	1.0 EA	1A07A15
922 0306 001	MOD, .875 STDOFF	0.0 EA	
922 0306 002	MOD, 1.00 STDOFF	0.0 EA	
922 0306 003	MOD, 1.125 STDOFF	0.0 EA	
922 0306 004	MOD, 1.25 STDOFF	0.0 EA	
922 0306 005	MOD, 1.375 STDOFF	0.0 EA	
922 0306 006	MOD, 1.5 STDOFF	0.0 EA	
922 0306 007	MOD, 1.75 STDOFF	0.0 EA	
927 4695 001	INTER-CONNECTING COA	1.0 EA	#1A07
927 8096 002	DIRECTIONAL COUP. AS	2.0 EA	DC001 DC002
952 9037 001	VIS PRIMARY CAVITY ASSY	1.0 EA	2A50
988 2198 002	DOC PKG ASSY TV30H	2.0 EA	
992 2963 001	FINAL AMPLIFIER	1.0 EA	1A05A07
992 3615 001	TUBE PULLER FOR 8807	1.0 EA	#2A14
992 4655 001	HI BAND MULT ASSY	1.0 EA	1A05A06
992 4718 001	GAIN CORRECTOR	0.0 EA	#1A05 (1A07) ACCESSORY
992 4818 001	HI BAND AURAL AMP	1.0 EA	1A07A01
992 5272 001	AUR PREAMP MODULE, HB	1.0 EA	1A04A07
992 5275 001	AUR PWR AMP MODULE, HB	1.0 EA	1A04A08
992 5278 001	VIS PREAMP MODULE, HB	1.0 EA	1A04A04
992 5281 001	VIS PWR AMP MODULE, HB	1.0 EA	1A04A05
992 5285 002	HI BD IPA AGC PC	1.0 EA	1A04A03
992 5355 002	DRIVER CUBICLE UNIT 1	1.0 EA	UNIT #1
992 5356 002	PA CUBICLE	1.0 EA	UNIT #2
992 5372 001	TUBE PULLER	1.0 EA	#1A02
992 5587 001	TV ACCESSORY TRAY BT-10H3	0.0 EA	1A6 ACCESSORY

992 5630 001	KIT, TOOL	1.0 EA	
992 5669 002	KIT, INSTALLATION HDWARE	1.0 EA	
992 5812 001	PLATE SUPPLY	1.0 EA	UNIT #3
992 5895 006	HIGH BAND DRIVER KIT	1.0 EA	#UNIT 1
992 6521 002	PEAK DETECTOR-VHF HI BAND	2.0 EA	1A16 1A17
992 7011 001	DIFF. PHASE CORRECTOR	0.0 EA	
994 6915 001	NOTCH DIPLEXER EQLR	0.0 EA	1A6A2 ACCESSORY
994 6976 001	BLANK PANEL	0.0 EA	#1A06 ACCESSORY
994 8013 012	EXC AURAL VHF TV STEREO	1.0 EA	1A07
994 8267 001	*DISCONTINUED	1.0 EA	1A02
994 8277 001	*DISCONTINUED	1.0 EA	2A51
994 8470 001	IPA EXTENDER MODULE	1.0 EA	#1A04
994 8604 002	HI BAND MULTIPLEX OPTION	0.0 EA	#1A04 ACCESSORY
994 8703 001	TOP REMOTE AIR INTAKE KIT	0.0 EA	ACCESSORY
994 8713 010	BASIC VHF VIS EXC MCP2V	1.0 EA	1A05
994 8879 001	20% AURAL KIT FOR HB XMTR	0.0 EA	
994 9049 001	KIT, FRONT DOOR	0.0 EA	

Table 1-2. LOW PASS FILTER ASSY - 914 8729 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0052 000	SCR, 4-40 X 1/4	4.0 EA	
310 0003 000	WASHER, FLAT NO. 4	4.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	4.0 EA	
500 0808 000	CAP, MICA, 20PF 500V 5%	2.0 EA	C1 C4
500 0813 000	CAP, MICA, 33PF 500V 5%	2.0 EA	C2 C3
612 0403 000	RECEPTACLE BNC UG-1098/U	2.0 EA	J1 J2
814 8724 001	COIL, LOW PASS FLTR	3.0 EA	L1 L2 L3
814 8729 001	ASSY INSTR, FILTER	0.0 EA	
827 4690 001	BOX, LOW PASS FLTR	1.0 EA	
827 5732 001	SCHEMATIC	0.0 EA	
914 8803 001	BOARD ASSY	1.0 EA	

Table 1-3. COIL, LOW PASS FLTR - 814 8724 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0003 000	WIRE, BUS CU 18AWG	0.01740 FT	

Table 1-4. BOX, LOW PASS FLTR - 827 4690 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.456750 LB	

Table 1-5. BOARD ASSY - 914 8803 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
814 8804 001	BOARD	1.0 EA	
915 2717 001	BOARD, LOW PASS FLT	2.0 EA	

Table 1-6. BOARD - 814 8804 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 2010 010	GL, EPOXY SH .0625	0.001688 SF	

Table 1-7. BOARD, LOW PASS FLT - 915 2717 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
614 0496 000	TERM, FEED-THRU	1.0 EA	
814 8805 001	BOARD	1.0 EA	

Table 1-8. BOARD - 814 8805 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 001	GL, .062 THK +/-0.006	0.0750 SF	

Table 1-9. MOD, .875 STDOFF - 922 0306 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.00420 LB	
064 1020 032	* CASTABLE RESIN	0.50 LB	
822 0306 001	MOD, .875 STANDOFF	0.0 EA	

Table 1-10. MOD, 1.00 STDOFF - 922 0306 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.005250 LB	
064 1020 032	* CASTABLE RESIN	0.50 LB	
822 0306 002	MOD, 1.00 STANDOFF	0.0 EA	

Table 1-11. MOD, 1.125 STDOFF - 922 0306 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.00630 LB	
064 1020 032	* CASTABLE RESIN	0.50 LB	
822 0306 003	MOD, 1.125 STANDOFF	0.0 EA	

Table 1-12. MOD, 1.25 STDOFF - 922 0306 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.00630 LB	
064 1020 032	* CASTABLE RESIN	0.50 LB	
822 0306 004	MOD, 1.25 STANDOFF	0.0 EA	

Table 1-13. MOD, 1.375 STDOFF - 922 0306 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.007350 LB	
064 1020 032	* CASTABLE RESIN	0.50 LB	
822 0306 005	MOD, 1.375 STANDOFF	0.0 EA	

Table 1-14. MOD, 1.5 STDOFF - 922 0306 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.00840 LB	
064 1020 032	* CASTABLE RESIN	0.50 LB	

822 0306 006

MOD, 1.5 STANDOFF

0.0 EA

Table 1-15. MOD, 1.75 STDOFF - 922 0306 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.009450 LB	
064 1020 032	* CASTABLE RESIN	0.50 LB	
822 0306 007	MOD, 1.75 STANDOFF	0.0 EA	

Table 1-16. INTER-CONNECTING COA - 927 4695 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
610 0238 000	PLUG BNC 50 OHM	2.0 EA	
618 0051 000	COAX CABLE RG58C, 50 OHM	0.70 FT	

Table 1-17. DIRECTIONAL COUP. AS - 927 8096 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
620 0500 000	SAMPLING ASSY W/CLMP	3.0 EA	
620 0547 000	ADAPTER BNC TO N UG201A/U	3.0 EA	
620 0581 000	COUPLING ASSY, 3-1/8	2.0 EA	
815 2896 002	SECTION, INNER LINE	1.0 EA	
827 8096 002	ASSY INSTR, DIR CPLR	0.0 EA	
838 5322 001	SECTION, OUTER LINE	1.0 EA	

Table 1-18. SECTION, INNER LINE - 815 2896 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1220 020	CU, TBG 1.315 OD 1.231 ID	1.6170 FT	

Table 1-19. SECTION, OUTER LINE - 838 5322 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1230 030	CU, TBG 3.125 OD	1.680 FT	

Table 1-20. VIS PRIMARY CAVITY ASSY - 952 9037 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
000 0000 002	APPEARS ON HIGHER LEVEL	0.0 EA	C013 R002
000 0000 007	APPEARS ON LOWER LEVEL	0.0 EA	C001 C002 C003 C003A C014 J001
088 0001 088	TAPE, ELEC 1/2 IN. W	0.330 RL	
252 0240 000	WIRE, STRD 20AWG WHT	3.0 FT	
254 0004 000	WIRE, BUS CU 16AWG	16.0 FT	
300 1484 000	SCR, 4-40 X 1/4	16.0 EA	
300 1536 000	SCR, 6-32 X 1/4	5.0 EA	
300 1563 000	SCR, 8-32 X 3/8	74.0 EA	
300 1565 000	SCR, 8-32 X 1/2	36.0 EA	
300 1567 000	SCR, 8-32 X 3/4	4.0 EA	
300 1575 000	SCR, 10-32 X 3/8	16.0 EA	
300 1577 000	SCR, 10-32 X 1/2	4.0 EA	
300 2102 000	SCR, 6-32 X 3/8	18.0 EA	
302 0054 000	SCR, 4-40 X 3/8	2.0 EA	
302 0106 000	SCR, 6-32 X 3/8	8.0 EA	

302 0108 000	SCR, 6-32 X 1/2	2.0 EA	
302 0138 000	SCR, 8-32 X 1-1/2	1.0 EA	
302 0141 000	SCR, 10-32 X 3/8	2.0 EA	
302 0143 000	SCR, 10-32 X 1/2	4.0 EA	
302 0285 000	SCR, 8-32 X 1/2	9.0 EA	
302 0307 000	SCR, 5/16-18 X 1	8.0 EA	
302 0357 000	SCR, 8-32 X 5/8	1.0 EA	
304 0013 000	NUT, HEX 1/2-13	2.0 EA	
304 0075 000	NUT, HEX THIN 3/8-32	3.0 EA	
304 0089 000	NUT, HEX 6-32	2.0 EA	
304 0090 000	NUT, HEX 8-32	48.0 EA	
304 0098 000	NUT, HEX 10-32	7.0 EA	
306 0003 000	NUT, HEX 4-40	2.0 EA	
306 0004 000	NUT, HEX 6-32	2.0 EA	
306 0006 000	NUT, HEX 10-32	4.0 EA	
306 0007 000	NUT, HEX 1/4-20	4.0 EA	
306 0014 000	NUT, STOP 1/4-20	4.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	7.0 EA	
308 0006 000	NO 8 FLAT WASHER BRS	125.0 EA	
308 0013 000	WASHER, FLAT 1/2	2.0 EA	
310 0006 000	WASHER FLAT 8	8.0 EA	
310 0010 000	WASHER FLAT .3125	8.0 EA	
310 0013 000	WASHER FLAT 10	10.0 EA	
310 0017 000	WASHER FLAT #6	10.0 EA	
312 0007 000	WASHER, INT LOCK 10	1.0 EA	
312 0011 000	WASHER, INT LOCK 3/8	3.0 EA	
312 0013 000	WASHER, INT LOCK 1/2	2.0 EA	
312 0044 000	3 SPLIT WASHER. BRZ	19.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	18.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	69.0 EA	
312 0048 000	WASHER, SPLIT-LOCK 8	98.0 EA	
312 0055 000	WASHER, SPLIT-LOCK 1/2	1.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	2.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	16.0 EA	
314 0007 000	WASHER, SPLIT-LOCK 10	8.0 EA	
314 0010 000	WASHER, SPLIT-LOCK 5/16	8.0 EA	
335 0001 000	WASHER NYLON .149 ID	6.0 EA	
354 0001 000	LUG #6 RING RED 22-18 AWG	2.0 EA	
354 0003 000	LUG #10 RING RED 22-18AWG	1.0 EA	
358 0411 000	RING RETAINING .250	2.0 EA	
358 0414 000	RING RETAINING .500	5.0 EA	
358 0437 000	BUSHING PANEL .252 ID	1.0 EA	
358 0473 000	CLAMP, HOSE	2.0 EA	
358 0833 000	BUSHING 811 0455 701	3.0 EA	
358 1514 000	SPACER, SHAFT	9.0 EA	
358 2296 000	BUSHING, PANEL .252 ID	1.0 EA	
384 0713 000	RECT 1000V 12A 1N3990 ESD	1.0 EA	CR001
402 0113 000	CLIP, FUSE 13/32	2.0 EA	
410 0001 000	INSULATOR ROUND NS5W 0104	2.0 EA	
410 0230 000	INSULATOR SCREW NYLON	1.0 EA	
414 0138 000	TOROID FERRITE	3.0 EA	
414 0250 000	BEAD FERRITE Q3/M3 MATERIAL	8.0 EA	
424 0013 000	GROMMET .381 MTG DIA	1.0 EA	
448 0564 000	SCREW CAPTIVE PANEL	18.0 EA	
450 0123 000	CAM FOLLOWER 1/2 IN	4.0 EA	

452 0025 000	GEAR, MITER 16 TEETH	1.0 EA	
452 0026 000	GEAR, MITER 16 TEETH	1.0 EA	
454 0002 000	LINK CONNECTING	2.0 EA	
454 0003 000	LINK OFFSET	1.0 EA	
454 0074 000	SPROCKET 17 TEETH	5.0 EA	
516 0084 000	CAP DISC .02UF 600V	6.0 EA	C007 C008 C009 C010 C011 C012
516 0402 000	CAP 4800 PF 20KV	1.0 EA	C006
516 0718 000	*NLA CAP FEEDTHRU 3000PF 3KV	2.0 EA	C004 C005
540 0563 000	* RES 10 OHM 2W 5%	1.0 EA	R001
560 0008 000	SPARK GAP 2KVDC	1.0 EA	E001
610 0291 000	PLUG, NYLON BANANA RED	1.0 EA	
620 0122 000	ADPTR ANGLE N UG27CU	1.0 EA	
620 0208 000	ADPT, STRAIGHT N UG-30/U	1.0 EA	J002
646 1254 402	LABEL,DANGER HIGH VOLTAGE	2.0 EA	
648 0072 000	COUNTER, CCW 5 DIGIT	1.0 EA	
650 0028 000	KNOB RD SKIRT 1.135" DIA	3.0 EA	
650 0104 000	KNOB CRANK 1.772" DIA	1.0 EA	
813 5000 007	STDOFF 6-32X1/2 5/16 HEX	1.0 EA	
813 5604 005	STUD BRS 6-32 X 5/8	1.0 EA	
813 5606 024	STUD BRS 10-32 X 2-1/4	4.0 EA	
816 9978 001	INSULATOR, FILAMENT	1.0 EA	
816 9979 001	WASHER, CAPACITOR	2.0 EA	
816 9980 001	WASHER, FILAMENT INS	1.0 EA	
816 9981 001	INSULATOR, GRID	4.0 EA	
817 0009 001	SHAFT, IDLER	1.0 EA	
817 0011 002	SHAFT, DRIVING	4.0 EA	
817 0044 001	CLAMP, SCREEN	4.0 EA	
817 0125 001	NUT, HEX	2.0 EA	
817 0126 001	ROD TUNING SHORT DRIVE	4.0 EA	
817 0222 007	SPRING, CONTACT	4.0 EA	
817 0222 008	SPRING, CONTACT	4.0 EA	
817 0249 001	WASHER	4.0 EA	
817 0735 001	WRAP, CABLE	1.0 EA	
817 0833 001	WASHER, COUPLING	1.0 EA	
817 0834 001	WASHER, COUPLING	1.0 EA	
817 1527 002	POST FILAMENT	1.0 EA	
817 1527 005	SHAFT CRANK	1.0 EA	
817 1527 006	SPRING CONTACT	4.0 EA	
817 2050 001	CHANNEL, STIFFENER	4.0 EA	
822 0389 001	ANGLE, STDOFF	17.0 EA	
829 4001 001	INSULATOR, CONTACT PLATE	4.0 EA	
829 4159 001	CLAMP, PRI TO SEC	1.0 EA	
829 4239 001	LEG, VIS CAVITY	2.0 EA	
829 4239 002	LEG VIS CAVITY	2.0 EA	
829 7453 001	DEFLECTOR, AIR	1.0 EA	
829 7484 001	SCOOP, AIR	1.0 EA	
829 9583 005	PLATE FIL CENTERING	1.0 EA	
829 9583 014	BRACKET SEC SUPT	2.0 EA	
829 9583 015	LOOP CONNECTION	1.0 EA	
829 9583 063	SCHEMATIC PA CAV PRI, SEC	0.0 EA	
829 9583 080	SHIELD	1.0 EA	
839 4392 001	COVER, PRIMARY CONTROL	1.0 EA	
839 5086 001	BLOCKER, GRID	1.0 EA	
839 5087 001	BLOCKER, LOWER SCREEN	1.0 EA	
839 5088 001	BLOCKER, UPPER SCREEN	1.0 EA	

839 6678 003	PNL INNER CAVITY	2.0 EA
839 6678 004	SCREEN GND PLANE	1.0 EA
839 6678 005	PLATE BLOCKER	1.0 EA
839 6678 006	PLATE PRI TOP	1.0 EA
839 6678 007	PLATE CONTACT	1.0 EA
839 6678 010	PLATE GRID GND	1.0 EA
839 6678 015	COVER ACCESS	1.0 EA
839 6678 016	BRKT CRANK	1.0 EA
839 6678 061	FRAME, SHIELD	2.0 EA
852 9037 001	VIS PRIMARY CAVITY ASSY	0.0 EA
917 0071 001	BEARING HOUSING ASSY	4.0 EA
917 0212 001	SPROCKET	1.0 EA
917 0837 001	CABLE, PLATE CONNECT	1.0 EA
917 1527 029	CHAIN MOD	1.0 EA
922 0306 001	MOD, .875 STDOFF	4.0 EA
922 0306 002	MOD, 1.00 STDOFF	2.0 EA
922 0306 003	MOD, 1.125 STDOFF	15.0 EA
922 0306 004	MOD, 1.25 STDOFF	3.0 EA
922 0306 005	MOD, 1.375 STDOFF	1.0 EA
922 0306 007	MOD, 1.75 STDOFF	2.0 EA
929 4469 001	ANGLE	1.0 EA
929 7840 001	FLANGE ASSY	1.0 EA
929 7936 001	CABLE, COAX JUMPER	1.0 EA
929 9583 001	SCREEN GND ASSY	1.0 EA
929 9583 003	SCREEN CONTACT ASSY	1.0 EA
929 9583 004	PLATE SCREEN ASSY.	1.0 EA
929 9583 006	FILAMENT CONTACT ASSY	1.0 EA
929 9583 007	GRID LINE ASSY	1.0 EA
929 9583 009	CATHODE LINE ASSY	1.0 EA
929 9583 011	CATHODE CONTACT ASSY.	1.0 EA
929 9583 012	GRID CONTACT ASSY.	1.0 EA
929 9583 013	BASE PRIMARY ASSY.	1.0 EA
929 9583 044	ASSY. SIDE ENCLOSURE	1.0 EA
929 9583 107	ASSY WIRE 232	1.0 EA
939 4403 001	SHORT TUNING	1.0 EA
939 6678 002	BRKT SCREEN MTG	1.0 EA
939 6678 018	TOP ENCLOSURE	1.0 EA
939 6678 034	ASSY.,INPUT MATCHING NET	1.0 EA
943 4260 001	SIDE INNER CAV ASSY	2.0 EA
943 4260 002	CAVITY FRONT	1.0 EA
943 4260 003	CAVITY REAR	1.0 EA
943 4260 004	CAVITY SIDES LEFT	1.0 EA
943 4260 005	CAVITY SIDE RT	1.0 EA
943 4260 029	SIDE, ENCLOSURE	1.0 EA

Table 1-21. STDOFF 6-32X1/2 5/16 HEX - 813 5000 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 015	AL, HEX .313	0.00420 LB	

Table 1-22. STUD BRS 6-32 X 5/8 - 813 5604 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 010	BRS, THD STK 6-32	0.054390 FT	

Table 1-23. STUD BRS 10-32 X 2-1/4 - 813 5606 024

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 040	BRS, THD STK 10-32	0.19530 FT	

Table 1-24. INSULATOR, FILAMENT - 816 9978 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
037 1010 060	BKLT RD RAG 1 DIA	0.065310 FT	

Table 1-25. WASHER, CAPACITOR - 816 9979 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 005	BRS, FCB .032 X 12 X 96	0.03780 LB	

Table 1-26. WASHER, FILAMENT INS - 816 9980 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
037 1010 063	BAKELITE RD 1.50 DIA	0.021735 FT	

Table 1-27. INSULATOR, GRID - 816 9981 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 1010 031	ROD, DELRIN 1" DIA	0.026145 FT	

Table 1-28. SHAFT, IDLER - 817 0009 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 080	SST RD .750 DIA	0.131250 LB	

Table 1-29. SHAFT, DRIVING - 817 0011 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 061	SST, RD .4989 DIA	0.11760 LB	

Table 1-30. CLAMP, SCREEN - 817 0044 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 060	TFL, RD .750 DIA	0.008715 FT	

Table 1-31. NUT, HEX - 817 0125 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 060	BRS, HEX .750	0.020475 LB	

Table 1-32. ROD TUNING SHORT DRIVE - 817 0126 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1020 050	SST, THD STK .25-20	1.1760 FT	

Table 1-33. SPRING, CONTACT - 817 0222 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 063	BERY CU, CONT SPR 14" LG	1.0 EA	

Table 1-34. SPRING, CONTACT - 817 0222 008

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 063	BERY CU, CONT SPR 14" LG	1.0 EA	

Table 1-35. WASHER - 817 0249 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 041	BRS, SH .1285 X 24	0.22620 LB	

Table 1-36. WRAP, CABLE - 817 0735 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 5000 020	TFL, SH .063 +/- .005	0.0640 LB	

Table 1-37. WASHER, COUPLING - 817 0833 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	0.02530 LB	

Table 1-38. WASHER, COUPLING - 817 0834 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	0.03790 LB	

Table 1-39. POST FILAMENT - 817 1527 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 8020 016	CU, PIPE .540 OD	1.3650 FT	

Table 1-40. SHAFT CRANK - 817 1527 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 041	SST, SFT .2497 DIA	0.1680 EA	

Table 1-41. SPRING CONTACT - 817 1527 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 063	BERY CU, CONT SPR 14" LG	0.5040 EA	

Table 1-42. CHANNEL, STIFFENER - 817 2050 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 012	AL, CHAN EXTD	0.5460 LB	

Table 1-43. ANGLE, STDOFF - 822 0389 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.01160 LB	

Table 1-44. INSULATOR, CONTACT PLATE - 829 4001 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 1010 080	ROD, DELRIN 2-1/2" DIA	0.118650 FT	

Table 1-45. CLAMP, PRI TO SEC - 829 4159 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 061	BRS, TBG 2.125 OD	0.33810 LB	

Table 1-46. LEG, VIS CAVITY - 829 4239 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 057	AL, RECT 1.0 X 2.0	0.81480 LB	

Table 1-47. LEG VIS CAVITY - 829 4239 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 057	AL, RECT 1.0 X 2.0	0.81480 LB	

Table 1-48. DEFLECTOR, AIR - 829 7453 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.320 SF	

Table 1-49. SCOOP, AIR - 829 7484 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.311250 SF	

Table 1-50. PLATE FIL CENTERING - 829 9583 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 096	TFL RD 4.000 DIA	0.066150 FT	

Table 1-51. BRACKET SEC SUPT - 829 9583 014

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.33350 LB	

Table 1-52. LOOP CONNECTION - 829 9583 015

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 005	BRS, FCB .032 X 12 X 96	0.1050 LB	

Table 1-53. SHIELD - 829 9583 080

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	1.24950 SF	

Table 1-54. COVER, PRIMARY CONTROL - 839 4392 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	2.39250 LB	
829 4475 001	SILKSCREEN	0.0 EA	

Table 1-55. PNL INNER CAVITY - 839 6678 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 001	BRS, RECT .064 X 24	1.680 LB	

Table 1-56. SCREEN GND PLANE - 839 6678 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 069	BRS, RECT .375 X 12"	7.350 LB	

Table 1-57. PLATE BLOCKER - 839 6678 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 5030 020	MYLAR SHEET .010	3.1250 SF	

Table 1-58. PLATE PRI TOP - 839 6678 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 036	AL, PL .500 THK	22.1250 LB	

Table 1-59. PLATE CONTACT - 839 6678 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 036	AL, PL .500 THK	16.6250 LB	

Table 1-60. PLATE GRID GND - 839 6678 010

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 001	AL, SH .250 THK	1.8750 LB	

Table 1-61. COVER ACCESS - 839 6678 015

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	1.3630 LB	
829 4477 002	SILK SCREEN	0.0 EA	

Table 1-62. BRKT CRANK - 839 6678 016

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.4640 LB	

Table 1-63. FRAME, SHIELD - 839 6678 061

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.42050 LB	

Table 1-64. BEARING HOUSING ASSY - 917 0071 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 061	BRS, RD 1.500 FCB	0.71190 LB	
450 0076 000	BEARING, ROLLER	2.0 EA	
817 0010 001	HOUSING, BEARING	0.0 EA	

Table 1-65. SPROCKET - 917 0212 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
454 0096 000	SPROCKET 9 TEETH	1.0 EA	

Table 1-66. CABLE, PLATE CONNECT - 917 0837 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0035 000	COND, FLEX .105 OD	0.40 FT	
354 0262 000	LUG 8 RING	2.0 EA	
414 0250 000	BEAD FERRITE Q3/M3 MATERIAL	4.0 EA	

Table 1-67. CHAIN MOD - 917 1527 029

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
454 0001 000	CHAIN ROLLERLESS NO. 25	4.20 FT	
817 1527 029	CHAIN, MOD	0.0 EA	

Table 1-68. ANGLE - 929 4469 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.22330 LB	
324 0165 000	NUT, PEM 8-32	3.0 EA	
829 4469 001	ASSY INSTRUCTIONS	0.0 EA	
839 4526 001	ANGLE	0.0 EA	

Table 1-69. FLANGE ASSY - 929 7840 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 0047 001	TUBE, CONNECTING	1.0 EA	
829 7837 001	FLANGE	1.0 EA	

Table 1-70. TUBE, CONNECTING - 817 0047 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 060	BRS, TBG 2.000 OD	0.204750 LB	

Table 1-71. FLANGE - 829 7837 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 083	BRS, RD 3.125 FCB	0.61950 LB	

Table 1-72. CABLE, COAX JUMPER - 929 7936 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0221 000	CABLE, COAX, 1/2", FSJ450B	1.0 FT	
620 0574 000	PLUG, MALE TYPE N, F4NM	2.0 EA	
829 7936 001	ASSY INSTR. COAX CABLE	0.0 EA	

Table 1-73. SCREEN GND ASSY - 929 9583 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 1527 001	FINGER SCREEN	4.0 EA	
829 9583 001	ASSY, SCREEN GND	0.0 EA	
839 6678 001	GND UPPER SCREEN	1.0 EA	

Table 1-74. FINGER SCREEN - 817 1527 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 061	BRZ, FGR STK	0.5250 EA	

Table 1-75. GND UPPER SCREEN - 839 6678 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	6.960 LB	

Table 1-76. SCREEN CONTACT ASSY - 929 9583 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
828 0628 011	FINGER STOCK	1.0 EA	
829 9583 003	ASSY, SCREEN CONT.	0.0 EA	
839 6678 009	SCREEN CONTACT RING	1.0 EA	

Table 1-77. FINGER STOCK - 828 0628 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 005	BRZ, FGR STK 97-135A	1.050 EA	

Table 1-78. SCREEN CONTACT RING - 839 6678 009

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 096	BRS, RD 6.000 FCB	3.64350 LB	

Table 1-79. PLATE SCREEN ASSY. - 929 9583 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 0500 001	JACK	1.0 EA	
829 9583 004	ASSY, PLATE SCREEN	0.0 EA	
839 6678 008	PLATE SCREEN CONTACT	1.0 EA	

Table 1-80. JACK - 817 0500 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 021	BRS, RD .375 FCB	0.024990	LB

Table 1-81. PLATE SCREEN CONTACT - 839 6678 008

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 041	BRS, SH .1285 X 24	3.0450	LB

Table 1-82. FILAMENT CONTACT ASSY - 929 9583 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 0414 001	CONTACT INNER	1.0	EA
829 9583 002	CONTACT HEATER	1.0	EA
829 9583 006	FILAMENT CONTACT ASSY	0.0	EA
829 9583 040	RADIATOR FILAMENT	1.0	EA
829 9583 041	RING RETAINER	1.0	EA

Table 1-83. CONTACT INNER - 829 0414 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1010 027	CU, RD 1.0 DIA	0.244650	LB

Table 1-84. CONTACT HEATER - 829 9583 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1010 032	CU, RD 2.0 DIA	3.2550	LB

Table 1-85. RADIATOR FILAMENT - 829 9583 040

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4510 012	CU, FIN STOCK RADIATOR	0.840	FT

Table 1-86. RING RETAINER - 829 9583 041

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 070	BRS, TBG 3.125 OD	0.0840	LB

Table 1-87. GRID LINE ASSY - 929 9583 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 1527 004	TAB CONN	1.0	EA
829 4009 001	PLATE	1.0	EA
829 9583 007	GRID, ASSY	0.0	EA
829 9583 008	GRID LINE	1.0	EA
839 6678 011	RING GRID CONTACT	1.0	EA

Table 1-88. TAB CONN - 817 1527 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 005	BRS, FCB .032 X 12 X 96	0.00210	LB

Table 1-89. PLATE - 829 4009 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	4.79950 LB	

Table 1-90. GRID LINE - 829 9583 008

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 080	BRS TBG 5.000 OD	2.940 LB	

Table 1-91. RING GRID CONTACT - 839 6678 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 092	BRS, RD 5.000 FCB	2.2050 LB	

Table 1-92. CATHODE LINE ASSY - 929 9583 009

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 4007 001	FLANGE	1.0 EA	
829 9583 009	CATHODE, ASSY	0.0 EA	
829 9583 010	CATHODE LINE	1.0 EA	
839 6678 012	RING CATHODE CONTACT	1.0 EA	

Table 1-93. FLANGE - 829 4007 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	2.90 LB	

Table 1-94. CATHODE LINE - 829 9583 010

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 079	BRS, TBG 4.000 OD	4.0950 LB	

Table 1-95. RING CATHODE CONTACT - 839 6678 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 090	BRS, RD 4.500 FCB	1.79550 LB	

Table 1-96. CATHODE CONTACT ASSY. - 929 9583 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
828 0628 012	FINGER STOCK	1.0 EA	
829 9583 011	CATHODE ASSY CONTACT	0.0 EA	
839 6678 014	PLATE CATHODE CONTACT	1.0 EA	

Table 1-97. FINGER STOCK - 828 0628 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 005	BRZ, FGR STK 97-135A	1.050 EA	

Table 1-98. PLATE CATHODE CONTACT - 839 6678 014

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 085	BRS, RD 4.000 FCB	1.2180 LB	

Table 1-99. GRID CONTACT ASSY. - 929 9583 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
828 0628 013	FINGER STOCK	1.0 EA	
829 9583 012	GRID ASSY, CONTACT	0.0 EA	
839 6678 013	PLATE GRID CONTACT	1.0 EA	

Table 1-100. FINGER STOCK - 828 0628 013

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 005	BRZ, FGR STK 97-135A	1.050 EA	

Table 1-101. PLATE GRID CONTACT - 839 6678 013

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 092	BRS, RD 5.000 FCB	1.890 LB	

Table 1-102. BASE PRIMARY ASSY. - 929 9583 013

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1793 000	PIN, HARDENED DOWEL	4.0 EA	
817 0290 001	STENCIL SIDE PNL	0.0 EA	
829 9583 013	ASSY INSTRUCTIONS	0.0 EA	
843 4260 006	PLATE BASE	1.0 EA	

Table 1-103. PLATE BASE - 843 4260 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 001	AL, SH .250 THK	8.0 LB	
817 0290 001	STENCIL SIDE PNL	0.0 EA	

Table 1-104. ASSY. SIDE ENCLOSURE - 929 9583 044

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0945 000	STUD 10-32 X 1/2	2.0 EA	
448 0809 000	CAPTIVE SCREW 10-32	3.0 EA	
829 9583 044	ASSEMBLY INSTRUCTIONS	0.0 EA	
839 6678 033	SIDE ENCLOSURE	1.0 EA	

Table 1-105. SIDE ENCLOSURE - 839 6678 033

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.740 LB	

Table 1-106. ASSY WIRE 232 - 929 9583 107

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0002 000	WIRE, TURBO 12AWG BRN	1.20 FT	

354 0262 000	LUG 8 RING	1.0 EA
829 9583 107	WIRE #232	0.0 EA

Table 1-107. SHORT TUNING - 939 4403 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1486 000	SCR, 4-40 X 3/8	16.0 EA	
829 4219 001	RAIL	4.0 EA	
829 4220 001	RAIL	4.0 EA	
829 4223 001	HONEY COMP	4.0 EA	
829 4224 001	GUSSET	4.0 EA	

Table 1-108. RAIL - 829 4219 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 9510 050	BRS, RAIL	1.050 FT	

Table 1-109. RAIL - 829 4220 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 9510 050	BRS, RAIL	0.761250 FT	

Table 1-110. HONEY COMP - 829 4223 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 9510 010	BRS, HEX CELL	0.11550 SF	

Table 1-111. GUSSET - 829 4224 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 031	BRS, RECT FCB .187 X .625	0.11550 LB	

Table 1-112. BRKT SCREEN MTG - 939 6678 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 001	BRS, RECT .064 X 24	0.36750 LB	
324 0163 000	NUT, PEM 6-32	18.0 EA	
324 0165 000	NUT, PEM 8-32	4.0 EA	
839 6678 002	BRKT, SCREEN MTG	0.0 EA	

Table 1-113. TOP ENCLOSURE - 939 6678 018

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0163 000	NUT, PEM 6-32	8.0 EA	
448 0809 000	CAPTIVE SCREW 10-32	3.0 EA	
839 6678 018	ASSY INSTRUCTIONS	0.0 EA	
843 4260 027	TOP, ENCLOSURE	1.0 EA	

Table 1-114. TOP, ENCLOSURE - 843 4260 027

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	4.8140 LB	

Table 1-115. ASS'Y.,INPUT MATCHING NET - 939 6678 034

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1485 000	SCR, 4-40 X 5/16	14.0 EA	
300 1537 000	SCR, 6-32 X 5/16	2.0 EA	
302 0011 000	SCR, 2-56 X 3/16	4.0 EA	
304 0087 000	NUT, HEX 4-40	3.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	2.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	14.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	2.0 EA	
314 0001 000	WASHER, SPLIT-LOCK 2	4.0 EA	
344 0008 000	SCREW, SET 8-32 X 1/8	12.0 EA	
354 0039 000	SOLDER LUG 6 MTG HOLE	2.0 EA	
516 0336 000	CAP 5PF 5000V 10%	2.0 EA	C003 C003A
817 0620 001	SHAFT, CAP	2.0 EA	#C002 #C014
817 0620 002	SHAFT, CAP	1.0 EA	#C001
817 0621 001	COUPLING, SHAFT	3.0 EA	
817 0622 002	CONTACT	1.0 EA	
817 0658 001	STRAP	1.0 EA	#C001 #C002
817 1282 001	STRAP, C4-C1	1.0 EA	#C001 #C014
829 9583 051	STRAP, J1 INPUT	1.0 EA	#J001
829 9583 052	PLATE, INSULATOR C1	1.0 EA	#C001
829 9583 053	PANEL, FRONT	1.0 EA	
829 9583 054	BAR, CAP MOUNTING	1.0 EA	
829 9583 063	SCHEMATIC PA CAV PRI, SEC	0.0 EA	
839 6678 034	ASSEMBLY INSTRUCTIONS	0.0 EA	
917 0656 001	CAPACITOR MODIF	2.0 EA	C002 C014
917 1527 020	ASSY BAR CONTACT	1.0 EA	
917 1527 024	CAP. MOD., C1	1.0 EA	C001
929 9583 056	ASS'Y., CONNECTOR J1 MOD	1.0 EA	J001

Table 1-116. SHAFT, CAP - 817 0620 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 1010 005	GL, EPOXY RD .250	0.250950 FT	

Table 1-117. SHAFT, CAP - 817 0620 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 1010 005	GL, EPOXY RD .250	0.23940 FT	

Table 1-118. COUPLING, SHAFT - 817 0621 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
026 1010 005	ROD, NYLON .625 DIA	0.074025 FT	

Table 1-119. CONTACT - 817 0622 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 021	BRZ, FGR STK 97-500S	0.232050 EA	

Table 1-120. STRAP - 817 0658 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 055	CU, STRAP .020 X 1	0.065310 FT	

Table 1-121. STRAP, C4-C1 - 817 1282 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 053	CU, STRAP .020 X .5	0.022050 LB	

Table 1-122. STRAP, J1 INPUT - 829 9583 051

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 053	CU, STRAP .020 X .5	0.011550 LB	

Table 1-123. PLATE, INSULATOR C1 - 829 9583 052

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 055	GL, .062 THK	0.028750 LB	
817 1527 025	STENCIL, PLATE INS. C1	0.0 EA	

Table 1-124. PANEL, FRONT - 829 9583 053

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.1740 LB	
829 9583 057	STENCIL, FRONT PANEL	0.0 EA	

Table 1-125. BAR, CAP MOUNTING - 829 9583 054

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 047	BRS, RECT FCB .250 X 1.25	0.5880 LB	

Table 1-126. CAPACITOR MODIF - 917 0656 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
520 0136 000	CAP, VAR 10-140PF	1.0 EA	
817 0656 001	ASSY INSTR, CAP. MODIF	0.0 EA	

Table 1-127. ASSY BAR CONTACT - 917 1527 020

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 1527 020	ASSEMBLY INSTRUCTIONS	0.0 EA	
817 1527 023	FINGER, CONTACT BAR	2.0 EA	
829 9583 055	BAR, CONTACT	1.0 EA	

Table 1-128. FINGER, CONTACT BAR - 817 1527 023

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4020 010	BRZ, PH FGR STK 97-11004	1.3650 IN	

Table 1-129. BAR, CONTACT - 829 9583 055

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 049	BRS, RECT FCB .250 X 1.50	0.2520 LB	

Table 1-130. CAP. MOD., C1 - 917 1527 024

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
520 0021 000	CAP, VAR 3.7-25PF	1.0 EA	C001
817 1527 024	CAPACITOR MOD, C1	0.0 EA	

Table 1-131. ASS'Y., CONNECTOR J1 MOD - 929 9583 056

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
620 0578 000	RECP, N, UG997A/U	1.0 EA	
817 1527 021	CENTER COND., J1 MOD	1.0 EA	
817 1527 022	STRAP, J1 MOD	1.0 EA	
829 9583 056	ASSEMBLY INSTRUCTIONS	0.0 EA	

Table 1-132. CENTER COND., J1 MOD - 817 1527 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 8030 010	CU, TBG .1870D X .03W	0.08820 FT	

Table 1-133. STRAP, J1 MOD - 817 1527 022

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 053	CU, STRAP .020 X .5	0.003150 LB	

Table 1-134. SIDE INNER CAV ASSY - 943 4260 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 001	BRS, RECT .064 X 24	3.570 LB	
324 0163 000	NUT, PEM 6-32	16.0 EA	
843 4260 001	SIDE, INNER CAV	0.0 EA	

Table 1-135. CAVITY FRONT - 943 4260 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 041	BRS, SH .1285 X 24	16.0950 LB	
358 0957 000	STUD 8-32 X 1/2	17.0 EA	
843 4260 002	CAVITY, FRONT	0.0 EA	

Table 1-136. CAVITY REAR - 943 4260 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 041	BRS, SH .1285 X 24	16.0950 LB	
358 0957 000	STUD 8-32 X 1/2	3.0 EA	
358 0961 000	STUD 10-32 X 5/8	9.0 EA	
843 4260 003	CAVITY, REAR	0.0 EA	

Table 1-137. CAVITY SIDES LEFT - 943 4260 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 041	BRS, SH .1285 X 24	15.950 LB	
358 0957 000	STUD 8-32 X 1/2	3.0 EA	
358 2788 000	SPACER 4-40 X 3/8	1.0 EA	
817 1527 003	STENCIL CAV SIDE	0.0 EA	
843 4260 004	CAVITY SIDES	0.0 EA	

Table 1-138. CAVITY SIDE RT - 943 4260 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 041	BRS, SH .1285 X 24	15.950 LB	
358 0957 000	STUD 8-32 X 1/2	3.0 EA	
843 4260 005	ASSY INSTR, CAVITY SIDES	0.0 EA	

Table 1-139. SIDE, ENCLOSURE - 943 4260 029

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	2.90 LB	
324 0168 000	NUT, PEM 10-32	1.0 EA	
843 4260 029	ASSY INSTRUCTIONS	0.0 EA	

Table 1-140. DOC PKG ASSY TV30H - 988 2198 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 5000 001	TM LAMBDA REG PWR SUPPLY	0.0 EA	
988 1150 001	DOC PKG- NOTCH EQUALIZER	1.0 EA	
988 1438 001	DOC PKG - REC EQUALIZER	1.0 EA	
988 1832 001	DOC PKG- CONTROLLER	1.0 EA	
988 1867 001	DOC PKG- IPA	1.0 EA	
988 1868 001	DOC PKG-AURAL EXCITER	1.0 EA	
988 1870 001	DOC PKG- AUDIO PRE-AMP	1.0 EA	
988 1873 001	DOC PKG - 8807 CAVITY	1.0 EA	
988 1874 001	DOC PKG- 8988 CAVITY	1.0 EA	
988 1883 002	DOC PKG EXC/DVR CAB	1.0 EA	
988 1998 001	DOC PKG- PLATE SUPPLY CAB	1.0 EA	
988 2111 001	DOC PKG- SCREEN REGULATOR	1.0 EA	
988 2135 001	DOC PKG - MCP-2V EXCITER	1.0 EA	
988 2140 001	DOC PKG - EMER MULTIPLEX	1.0 EA	
988 2198 001	DOC PKG TV30H	1.0 EA	
988 2199 001	DOC PKG TV30H PA CABINET	1.0 EA	
988 2200 001	DOC PKG HB 9007 CAVITY	1.0 EA	
988 2261 001	DP 24/26VDC FERRO PS	1.0 EA	

Table 1-141. DOC PKG- NOTCH EQUALIZER - 988 1150 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 1150 009	TM NOTCH DIPLEX EQUALIZER	0.0 EA	

Table 1-142. DOC PKG - REC EQUALIZER - 988 1438 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 1438 004	TM RECR EQUAL	0.0 EA	

Table 1-143. DOC PKG- CONTROLLER - 988 1832 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 1832 006	TM CONTROLLER	0.0 EA	

Table 1-144. DOC PKG- IPA - 988 1867 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
843 3111 002	SCHEMATIC	0.0 EA	
843 3114 002	SCHEMATIC	0.0 EA	
843 3115 001	SCHEMATIC	0.0 EA	
843 3170 001	SCHEMATIC	0.0 EA	
843 3172 001	SCHEMATIC	0.0 EA	
852 8900 008	SCHEMATIC, IPA	0.0 EA	
888 1867 015	TM IPA	0.0 EA	

Table 1-145. DOC PKG-AURAL EXCITER - 988 1868 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
814 8718 001	SCHEMATIC	0.0 EA	
827 4528 001	SCHEMATIC	0.0 EA	
827 4571 001	SCHEMATIC	0.0 EA	
827 5731 001	SCHEMATIC	0.0 EA	
827 5732 001	SCHEMATIC	0.0 EA	
829 2351 002	SCHEM PWR DIST BD	0.0 EA	
829 2364 002	BLOCK DIAGRAM	0.0 EA	
829 2365 002	BLOCK DIAGRAM	0.0 EA	
838 4407 001	SCHEMATIC	0.0 EA	
839 0717 001	SCHEMATIC	0.0 EA	
839 3141 001	SCHEMATIC	0.0 EA	
839 5768 001	SCHEMATIC	0.0 EA	
839 6796 001	SCHEM MOT POT DRIVER	0.0 EA	
839 6888 001	SCHEM, PWR SUPPLY	0.0 EA	
839 6890 001	SCHEM, AUDIO BD	0.0 EA	
843 1680 002	SCHEMATIC	0.0 EA	
843 1683 002	SCHEMATIC, LOWBAND	0.0 EA	
843 1930 003	SCHEM,LOW BAND TV AUR EXC	0.0 EA	
843 1937 003	SCHEM, HIGH BAND AUR EXC	0.0 EA	
888 1868 025	TM AURAL EXCITER	0.0 EA	

Table 1-146. DOC PKG- AUDIO PRE-AMP - 988 1870 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 1870 003	TM AUDIO PREAMP	0.0 EA	

Table 1-147. DOC PKG - 8807 CAVITY - 988 1873 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 1873 005	TM 8807 CAVITY	0.0 EA	

Table 1-148. DOC PKG- 8988 CAVITY - 988 1874 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 1874 002	TM 8988 CAVITY	0.0 EA	

Table 1-149. DOC PKG EXC/DVR CAB - 988 1883 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 1527 047	RUNNING LIST	0.0 EA	
829 3915 001	SCHEMATIC	0.0 EA	
829 4055 001	SCHEMATIC	0.0 EA	
829 7393 001	SCHEMATIC	0.0 EA	
838 5159 001	SCHEMATIC	0.0 EA	
838 6139 001	SCHEMATIC	0.0 EA	
839 4532 001	WIRING DIAGRAM	0.0 EA	
843 3383 001	PWR DIST DIAG EXC/DRIVER	0.0 EA	
852 9084 002	DIAG WIRING DRVR CAB	0.0 EA	
888 1883 045	TM EXC/DVR CABINET	0.0 EA	

Table 1-150. DOC PKG- PLATE SUPPLY CAB - 988 1998 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 7261 001	SCHEMATIC	0.0 EA	
839 5800 112	SCHEMATIC	0.0 EA	
888 1998 005	TM PLATE SUPPLY CAB	0.0 EA	

Table 1-151. DOC PKG- SCREEN REGULATOR - 988 2111 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 2111 002	TM SCREEN REGULATOR	0.0 EA	

Table 1-152. DOC PKG - MCP-2V EXCITER - 988 2135 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 2135 024	TM MCP-2V EXC	0.0 EA	

Table 1-153. DOC PKG - EMER MULTIPLEX - 988 2140 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 2140 004	TM EMER MULTIPLEX (HB)	0.0 EA	

Table 1-154. DOC PKG TV30H - 988 2198 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 2198 012	TM TV30-H SYS	0.0 EA	

Table 1-155. DOC PKG TV30H PA CABINET - 988 2199 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 0265 001	SCHEMATIC	0.0 EA	
828 9375 001	SCHEMATIC	0.0 EA	
839 5113 001	SCHEMATIC	0.0 EA	
839 6678 066	DIAGRAM WIRING	0.0 EA	

839 6816 130	SCHEM, PEAK DETECTOR	0.0 EA
843 2907 001	SCHEMATIC	0.0 EA
843 4260 039	DIAGRAM PWR DISTRIBUTION	0.0 EA
852 9037 002	DIAGRAM, WIRING	0.0 EA
888 2199 016	TM TV30H PA CABINET	0.0 EA

Table 1-156. DOC PKG HB 9007 CAVITY - 988 2200 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 2200 003	TM HB 9007 CAVITY	0.0 EA	

Table 1-157. DP 24/26VDC FERRO PS - 988 2261 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
888 2261 002	TM 24/26 VDC FERRO PS	0.0 EA	

Table 1-158. FINAL AMPLIFIER - 992 2963 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0114 000	XSTR, 2N5109 ESD	2.0 EA	Q1 Q2
380 0153 000	XSTR, 2N4429 ESD	1.0 EA	Q3
380 0243 000	* XSTR, C-12-28 ESD	1.0 EA	Q4
384 0307 000	DIODE 1N916 ESD	3.0 EA	CR1 CR2 CR3
404 0196 000	HEAT SINK A2802	2.0 EA	XQ1 XQ2
494 0219 000	CHOKE WIDE BAND	9.0 EA	L13 L14 L15 L16 L18 L19 L20 L21 L23
494 0384 000	CHOKE RF 1.00UH	5.0 EA	L1 L2 L3 L4 L5
500 0759 000	CAP, MICA, 100PF 500V 5%	3.0 EA	C33 C34 C40
500 0803 000	CAP, MICA, 5PF 500V +/- .5PF	2.0 EA	C37 C38
500 0804 000	CAP, MICA, 10PF 500V +/- .5PF	1.0 EA	C44
500 0807 000	CAP, MICA, 18PF 500V 5%	1.0 EA	C46
500 0808 000	CAP, MICA, 20PF 500V 5%	2.0 EA	C41 C45
500 0811 000	CAP, MICA, 27PF 500V 5%	1.0 EA	C39
500 0814 000	CAP, MICA, 36PF 500V 5%	1.0 EA	C47
500 0843 000	CAP, MICA, 910PF 100V 5%	2.0 EA	C35 C36
516 0054 000	CAP, DISC .001UF 1KV 10%	2.0 EA	C31 C32
516 0375 000	CAP .01UF 50V -20/+80% Z5U	5.0 EA	C27 C28 C29 C30 C48
516 0450 000	CAP 1000PF 500V 20%	1.0 EA	C1
516 0457 000	CAP 1000 PF 600V	25.0 EA	C002 C003 C004 C005 C006 C007 C008 C009 C010 C011 C012 C013 C014 C015 C016 C017 C018 C019 C020 C021 C022 C023 C024 C025 C026
520 0365 000	CAP, VAR 0.8-10PF 250V	2.0 EA	C42 C43
522 0572 000	CAP 3.3UF 50V 20%	3.0 EA	C049 C050 C051
540 0283 000	* RES 9.1 OHM 1W 5%	2.0 EA	R14 R15
540 0310 000	* RES 120 OHM 1W 5%	2.0 EA	R12 R13
540 1286 000	RES 3.3 OHM 1/4W 5%	1.0 EA	R17
548 2400 109	RES 12.1 OHM 1/2W 1%	1.0 EA	R9
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R10 R11
548 2400 209	RES 121 OHM 1/2W 1%	1.0 EA	R8
548 2400 247	RES 301 OHM 1/2W 1%	1.0 EA	R16
548 2400 251	RES 332 OHM 1/2W 1%	1.0 EA	R6
548 2400 269	RES 511 OHM 1/2W 1%	2.0 EA	R2 R4
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R001 R003 R005
548 2400 312	RES 1.3K OHM 1/2W 1%	2.0 EA	R007 R007A

612 0403 000	RECEPTACLE BNC UG-1098/U	2.0 EA	J1 J2
614 0391 000	TERM, STANDOFF	15.0 EA	
614 0480 000	TERM, INSULATED	6.0 EA	
815 1599 001	END RAIL	2.0 EA	
815 1603 001	INDUCTOR, L24	1.0 EA	L24
815 1606 001	INDUCTOR, L25 & L26	2.0 EA	L25 L26
827 6840 001	SIDE RAIL	2.0 EA	
827 6842 001	BOTTOM PLATE	1.0 EA	
827 7963 001	PARTS LAYOUT	0.0 EA	
838 4990 001	SCHEMATIC	0.0 EA	
915 1604 001	R F CHOKE	9.0 EA	L10 L11 L12 L17 L22 L6 L7 L8 L9
915 1605 001	TRANSFORMER, RF T3	1.0 EA	T3
915 1607 001	TRANSFORMER, RF, T1,	2.0 EA	T1 T2
927 9968 001	BASE PLATE & TERMS	1.0 EA	
999 0774 001	HARDWARE LIST	1.0 EA	
999 0775 001	WIRE LIST	1.0 EA	

Table 1-159. END RAIL - 815 1599 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 004	AL, RECT .250 X 1.0	0.087675 LB	

Table 1-160. INDUCTOR, L24 - 815 1603 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0002 000	WIRE, BUS CU 20AWG	0.0730 FT	

Table 1-161. INDUCTOR, L25 & L26 - 815 1606 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0002 000	WIRE, BUS CU 20AWG	0.09960 FT	

Table 1-162. SIDE RAIL - 827 6840 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 004	AL, RECT .250 X 1.0	0.227850 LB	

Table 1-163. BOTTOM PLATE - 827 6842 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.798950 LB	

Table 1-164. R F CHOKE - 915 1604 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0009 000	WIRE, MAGNET 28AWG	0.30 FT	
414 0087 000	BEAD FERRITE SHIELD	1.0 EA	
815 1604 001	ASSY INSTR, RF CHOKE	0.0 EA	

Table 1-165. TRANSFORMER, RF T3 - 915 1605 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0080 000	WIRE, MAGNET 26AWG	0.330 FT	
254 0032 000	WIRE, BUS CU 26AWG	0.30 FT	

Table 1-166. TRANSFORMER, RF, T1, - 915 1607 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0080 000	WIRE, MAGNET 26AWG	0.250 FT	
254 0032 000	WIRE, BUS CU 26AWG	0.20 FT	

Table 1-167. BASE PLATE & TERMS - 927 9968 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
312 0003 000	WASHER, INT LOCK 4	17.0 EA	
354 0752 000	TERM,TUR 4-40	17.0 EA	
827 6841 001	BASE PLATE	1.0 EA	
827 9968 001	BASE PLATE INST	0.0 EA	

Table 1-168. BASE PLATE - 827 6841 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	1.42970 LB	

Table 1-169. HARDWARE LIST - 999 0774 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1485 000	SCR, 4-40 X 5/16	2.0 EA	
302 0052 000	SCR, 4-40 X 1/4	30.0 EA	
302 0056 000	SCR, 4-40 X 1/2	8.0 EA	
302 0350 000	SCR, 4-40 X 5/16	20.0 EA	
304 0139 000	NUT, HEX 8-32	3.0 EA	
312 0048 000	WASHER, SPLIT-LOCK 8	2.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	34.0 EA	

Table 1-170. WIRE LIST - 999 0775 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0001 000	WIRE, BUS CU 22AWG	0.080 FT	

Table 1-171. TUBE PULLER FOR 8807 - 992 3615 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
308 0017 000	WASHER, FLAT 3/4	1.0 EA	
828 0463 001	CHANNEL PULLER	1.0 EA	
843 3930 001	BRKT, TUBE PUSHER	1.0 EA	
915 5442 001	SPIDER NUT	1.0 EA	
928 0464 004	TUBE PULLER	1.0 EA	

Table 1-172. CHANNEL PULLER - 828 0463 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	1.20 LB	

Table 1-173. BRKT, TUBE PUSHER - 843 3930 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 030	STL, SH 12GA CR	4.2050 LB	

Table 1-174. SPIDER NUT - 915 5442 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 8657 002	SHAFT	6.0 EA	
915 5443 001	NUT, MOD	1.0 EA	

Table 1-175. SHAFT - 827 8657 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 040	SST, ROD .250 DIA	0.024990 LB	

Table 1-176. NUT, MOD - 915 5443 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0016 000	NUT, HEX 3/4-10 STL	1.0 EA	

Table 1-177. TUBE PULLER - 928 0464 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 5444 001	THD. ROD	1.0 EA	
815 5559 001	ROD, TUBE PULLER	1.0 EA	
828 0462 001	PLATE, TUBE PULLER	1.0 EA	

Table 1-178. THD. ROD - 815 5444 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 1030 090	STL, RD THD .750-10	0.261450 FT	

Table 1-179. ROD, TUBE PULLER - 815 5559 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 1020 015	STL, RD .250 DIA	0.10290 LB	

Table 1-180. PLATE, TUBE PULLER - 828 0462 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	2.4070 LB	

Table 1-181. HI BAND MULT ASSY - 992 4655 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0147 000	LUG, SHAKE #6 45 DEG	4.0 EA	
358 0949 000	GUIDE. CARD 2.5 IN L	4.0 EA	

516 0450 000	CAP 1000PF 500V 20%	3.0 EA	C1 C2 C3
620 0445 000	RECP 50 OHM 27-9	3.0 EA	J1 J2 J3
816 9116 001	TEST SPECIFICATION	0.0 EA	
829 0562 001	COVER, ENCLOSURE	1.0 EA	
843 1173 001	SCHEMATIC	0.0 EA	
929 0564 001	SHIELD, ENCLOSURE	1.0 EA	
929 1175 001	CABLE, MULTIPLIER	1.0 EA	
939 3395 001	ENCLOSURE	1.0 EA	
992 4654 001	MULT OUTPUT BOARD	1.0 EA	A1
992 4656 001	HI BAND MULT BD.	1.0 EA	A2
999 1689 001	HARDWARE LIST	1.0 EA	

Table 1-182. COVER, ENCLOSURE - 829 0562 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.358150 LB	

Table 1-183. SHIELD, ENCLOSURE - 929 0564 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.1450 LB	
324 0163 000	NUT, PEM 6-32	4.0 EA	
829 0564 001	ASSY INSTRUCTIONS	0.0 EA	
829 2840 001	SHIELD, ENCLOSURE	0.0 EA	

Table 1-184. CABLE, MULTIPLIER - 929 1175 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	4.0 FT	
296 0260 000	TUBING, SHRINK 3/32 WHITE	0.160 FT	
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.260 FT	
354 0322 000	FLAG CONTACT	16.0 EA	
612 0432 000	CONN HOUSING 14 POS	2.0 EA	
618 0206 000	COAX CABLE RG196, 50 OHM	6.30 FT	
620 2443 000	CONN, RT ANGLE	5.0 EA	
829 1175 001	ASSY INSTR, CADS SHEETS	0.0 EA	
839 2282 001	CABLE LAYOUT (*), MULT.	0.0 EA	

Table 1-185. ENCLOSURE - 939 3395 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.66750 LB	
324 0228 000	NUT, PRESS-IN 6-32 FLUSH	8.0 EA	
816 8187 001	SILKSCREEN, ENCLOSURE	0.0 EA	
839 3395 001	ASSY INSTRUCTIONS	0.0 EA	
843 1150 001	FAB INSTR, ENCLOSURE	0.0 EA	

Table 1-186. MULT OUTPUT BOARD - 992 4654 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0114 000	XSTR, 2N5109 ESD	4.0 EA	Q1 Q2 Q3 Q4
382 0411 000	IC, PSC-2-1 ESD	1.0 EA	U2

382 0428 000	IC, LM358 ESD	1.0 EA	U1
384 0642 000	DIODE, SCHOTTKY ESD	1.0 EA	CR1
404 0198 000	SPACER TO-5, TO-9, TO-11	4.0 EA	XQ1 XQ2 XQ3 XQ4
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	XU1
404 0725 000	HEAT SINK TO-5 CASE	2.0 EA	#Q001 #Q003
478 0392 000	XFMR, RF MODEL T4-1	2.0 EA	T1 T2
500 0807 000	CAP, MICA, 18PF 500V 5%	2.0 EA	C10 C8
500 0835 000	CAP, MICA, 470PF 500V 5%	2.0 EA	C11 C9
516 0054 000	CAP, DISC .001UF 1KV 10%	7.0 EA	C1 C2 C3 C4 C5 C6 C7
516 0453 000	CAP .1UF 100V 20% X7R	2.0 EA	C12 C14
522 0572 000	CAP 3.3UF 50V 20%	1.0 EA	C13
548 2400 058	RES 3.92 OHM 1/2W 1%	2.0 EA	R3 R4
548 2400 101	RES 10 OHM 1/2W 1%	2.0 EA	R1 R2
548 2400 162	RES 43.2 OHM 1/2W 1%	2.0 EA	R5 R6
548 2400 230	RES 200 OHM 1/2W 1%	2.0 EA	R15 R16
548 2400 242	RES 267 OHM 1/2W 1%	2.0 EA	R13 R14
548 2400 266	RES 475 OHM 1/2W 1%	4.0 EA	R10 R7 R8 R9
548 2400 269	RES 511 OHM 1/2W 1%	1.0 EA	R17
548 2400 309	RES 1.21K OHM 1/2W 1%	3.0 EA	R11 R12 R20
548 2400 366	RES 4.75K OHM 1/2W 1%	1.0 EA	R19
548 2400 377	RES 6.19K OHM 1/2W 1%	1.0 EA	R23
548 2400 466	RES 47.5K OHM 1/2W 1%	2.0 EA	R21 R22
548 2400 518	RES 150K OHM 1/2W 1%	1.0 EA	R24
550 0865 000	POT 1K OHM 1/2W 10%	1.0 EA	R18
620 0700 000	*RECPT, MALE SMB,PC MOUNT	3.0 EA	J1 J2 J3
816 9113 001	TEST SPECIFICATION	0.0 EA	
843 1172 001	SCHEMATIC	0.0 EA	
939 2147 001	PRTD BD ASSY MULT OU	1.0 EA	

Table 1-187. PRTD BD ASSY MULT OU - 939 2147 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	1.0 EA	
839 2147 001	ASSY, PWB	0.0 EA	
839 4775 001	PC BOARD	1.0 EA	

Table 1-188. HI BAND MULT BD. - 992 4656 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0114 000	XSTR, 2N5109 ESD	2.0 EA	Q1 Q2
382 0019 000	IC, 3028B ESD	2.0 EA	U1 U2
384 0642 000	DIODE, SCHOTTKY ESD	1.0 EA	CR1
404 0198 000	SPACER TO-5, TO-9, TO-11	2.0 EA	XQ1 XQ2
404 0264 000	HEAT SINK FOR TO-5 CASE	1.0 EA	Q1
478 0392 000	XFMR, RF MODEL T4-1	2.0 EA	T1 T2
494 0373 000	CHOKE RF 0.12UH	1.0 EA	L1
494 0374 000	CHOKE RF 0.15UH	1.0 EA	L5
494 0376 000	CHOKE RF 0.22UH	3.0 EA	L2 L3 L4
500 0800 000	CAP, MICA, 1PF 500V +/- .5PF	1.0 EA	C15
500 0801 000	CAP, MICA, 2PF 500V +/- .5PF	1.0 EA	C14
500 0804 000	CAP, MICA, 10PF 500V +/- .5PF	1.0 EA	C16
516 0043 000	CAP, DISC 470PF 1KV 10%	2.0 EA	C17

516 0054 000	CAP, DISC .001UF 1KV 10%	13.0 EA	C18 C1 C10 C11 C12 C13 C2 C3 C4 C5 C6 C7 C8 C9
516 0453 000	CAP .1UF 100V 20% X7R	1.0 EA	C24
517 0039 000	CAP VAR .8-18PF	4.0 EA	C20 C21 C22 C23
522 0572 000	CAP 3.3UF 50V 20%	1.0 EA	C19
548 2400 081	RES 6.81 OHM 1/2W 1%	1.0 EA	R2
548 2400 101	RES 10 OHM 1/2W 1%	1.0 EA	R3
548 2400 177	RES 61.9 OHM 1/2W 1%	1.0 EA	R9
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R6
548 2400 242	RES 267 OHM 1/2W 1%	1.0 EA	R1
548 2400 254	RES 357 OHM 1/2W 1%	1.0 EA	R8
548 2400 269	RES 511 OHM 1/2W 1%	1.0 EA	R10
548 2400 273	RES 562 OHM 1/2W 1%	1.0 EA	R5
548 2400 318	RES 1.5K OHM 1/2W 1%	1.0 EA	R7
548 2400 326	RES 1.82K OHM 1/2W 1%	1.0 EA	R4
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J1 J2
816 6195 001	COIL	1.0 EA	L7
816 6196 001	COIL	1.0 EA	L6
816 9115 001	TEST SPECIFICATION	0.0 EA	
839 2148 001	PRINTED BOARD	1.0 EA	
843 1173 001	SCHEMATIC	0.0 EA	
915 1604 001	R F CHOKE	3.0 EA	L10 L8 L9

Table 1-189. COIL - 816 6195 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0058 000	WIRE, MAGNET 20AWG	0.3150 FT	

Table 1-190. COIL - 816 6196 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0089 000	WIRE, MAGNET 16AWG	0.1240 FT	

Table 1-191. HARDWARE LIST - 999 1689 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0106 000	SCR, 6-32 X 3/8	13.0 EA	
306 0004 000	NUT, HEX 6-32	1.0 EA	
306 0011 000	NUT, STOP 6-32	4.0 EA	
310 0012 000	WASHER FLAT 6	4.0 EA	
310 0017 000	WASHER FLAT #6	4.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	8.0 EA	
354 0146 000	LUG SHAKE .176 MTG	3.0 EA	
354 0147 000	LUG, SHAKE #6 45 DEG	2.0 EA	

Table 1-192. GAIN CORRECTOR - 992 4718 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0086 000	XSTR, 2N4391 ESD	1.0 EA	Q10
380 0116 000	XSTR, 2N3866 ESD	1.0 EA	Q2
380 0189 000	XSTR, NPN 2N3904 ESD	2.0 EA	Q3 Q7
380 0190 000	XSTR, PNP 2N3906 ESD	5.0 EA	Q1 Q4 Q5 Q6 Q9

380 0244 000	XSTR, 2N2905 ESD	1.0 EA	Q8
380 0558 000	XSTR, 2N5566 ESD	1.0 EA	Q11
384 0659 000	DIODE HP5082-2811/A2S811 ESD	5.0 EA	CR1 CR2 CR3 CR4 CR5
404 0198 000	SPACER TO-5, TO-9, TO-11	2.0 EA	XQ2 XQ8
404 0660 000	HEAT SINK	1.0 EA	XQ11
494 0413 000	CHOKE RF 330.0UH	1.0 EA	L1
500 0806 000	CAP, MICA, 15PF 500V 5%	1.0 EA	C5
508 0412 000	CAP .047UF 200V 5%	1.0 EA	C12
516 0054 000	CAP, DISC .001UF 1KV 10%	2.0 EA	C003 C004
522 0550 000	CAP 100UF 25V 20%	6.0 EA	C002 C008 C009 C010 C011 C015
526 0057 000	CAP 100UF 20V 20%	3.0 EA	C001 C013 C014
540 0326 000	* RES 560 OHM 1W 5%	1.0 EA	R9
548 2400 166	RES 47.5 OHM 1/2W 1%	9.0 EA	R19 R2 R22 R25 R28 R31 R40 R42 R5
548 2400 185	RES 75 OHM 1/2W 1%	3.0 EA	R44 R51 R52
548 2400 201	RES 100 OHM 1/2W 1%	3.0 EA	R45 R47 R49
548 2400 230	RES 200 OHM 1/2W 1%	1.0 EA	R4
548 2400 251	RES 332 OHM 1/2W 1%	1.0 EA	R10
548 2400 254	RES 357 OHM 1/2W 1%	2.0 EA	R6 R8
548 2400 266	RES 475 OHM 1/2W 1%	2.0 EA	R11 R50
548 2400 277	RES 619 OHM 1/2W 1%	1.0 EA	R39
548 2400 281	RES 681 OHM 1/2W 1%	1.0 EA	R41
548 2400 301	RES 1K OHM 1/2W 1%	4.0 EA	R12 R48 R57 R7
548 2400 318	RES 1.5K OHM 1/2W 1%	2.0 EA	R53 R54
548 2400 330	RES 2K OHM 1/2W 1%	2.0 EA	R3 R43
548 2400 347	RES 3.01K OHM 1/2W 1%	3.0 EA	R13 R15 R17
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R37
548 2400 362	RES 4.32K OHM 1/2W 1%	2.0 EA	R27 R30
548 2400 366	RES 4.75K OHM 1/2W 1%	6.0 EA	R33 R35 R36 R38 R55 R56
548 2400 377	RES 6.19K OHM 1/2W 1%	1.0 EA	R24
548 2400 385	RES 7.5K OHM 1/2W 1%	1.0 EA	R34
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R1 R46
548 2400 437	RES 23.7K OHM 1/2W 1%	1.0 EA	R21
550 0628 000	POT 10K OHM .5W 10%	3.0 EA	R14 R16 R18
550 0865 000	POT 1K OHM 1/2W 10%	5.0 EA	R20 R23 R26 R29 R32
604 0469 000	SW TGL SPDT	2.0 EA	S1 S2
816 9107 001	TEST SPECIFICATION	0.0 EA	
843 1616 001	SCHEMATIC	0.0 EA	
939 2113 001	PRINTED BOARD	1.0 EA	

Table 1-193. HI BAND AURAL AMP - 992 4818 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0147 000	LUG, SHAKE #6 45 DEG	2.0 EA	
354 0319 000	TERM LUG .375 HOLE	2.0 EA	
380 0243 000	* XSTR, C-12-28 ESD	1.0 EA	Q3
380 0568 000	XSTR, RF, C3-28	1.0 EA	Q7
380 0569 000	XSTR, RF C25-28A/44911	1.0 EA	Q4
384 0596 000	RECT 1N3879 ESD	1.0 EA	CR2
516 0450 000	CAP 1000PF 500V 20%	5.0 EA	C1 C2 C3 C4 C5
550 0908 000	POT 10K OHM 1W 10%	1.0 EA	R045
612 0317 000	RECEPTACLE BNC UG-1094/U	2.0 EA	J1 J2
816 9100 001	TEST SPECIFICATION	0.0 EA	
829 0721 002	COVER, AURAL AMP	1.0 EA	
829 1240 001	INSULATOR	1.0 EA	

839 2304 001	BASE PLATE	1.0 EA
843 1680 002	SCHEMATIC	0.0 EA
913 5092 083	SPACER ROUND	8.0 EA
929 1905 001	BRACKET, ENCLOSURE	2.0 EA
939 2318 001	ENCLOSURE, AUR AMP	1.0 EA
939 2340 001	DIVIDER, HI BAND AMP	2.0 EA
939 2809 001	ENCLOSURE, AUR AMP	1.0 EA
992 4810 002	HIGH BAND AURAL AMP BOA	1.0 EA
999 1687 001	HARDWARE LIST	1.0 EA

Table 1-194. COVER, AURAL AMP - 829 0721 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.604650 LB	

Table 1-195. INSULATOR - 829 1240 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 5010 010	FISH PAPER .016 THK	0.1850 LB	

Table 1-196. BASE PLATE - 839 2304 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 031	AL, PL .500 THK	2.6750 LB	

Table 1-197. SPACER ROUND - 913 5092 083

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.000473 LB	
813 5092 083	ASSY INSTR, SPACER ROUND	0.0 EA	

Table 1-198. BRACKET, ENCLOSURE - 929 1905 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.012238 LB	
324 0163 000	NUT, PEM 6-32	2.0 EA	

Table 1-199. ENCLOSURE, AUR AMP - 939 2318 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.71050 LB	
324 0163 000	NUT, PEM 6-32	3.0 EA	

Table 1-200. DIVIDER, HI BAND AMP - 939 2340 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.1450 LB	
324 0163 000	NUT, PEM 6-32	1.0 EA	
839 2340 001	DIVIDER	0.0 EA	

Table 1-201. ENCLOSURE, AUR AMP - 939 2809 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.3480 LB	
324 0163 000	NUT, PEM 6-32	3.0 EA	
816 8316 001	STENCIL	0.0 EA	
829 1238 001	SILKSCREEN	0.0 EA	
839 2809 001	ENCLOSURE ASSY INSTR	0.0 EA	

Table 1-202. HIGH BAND AURAL AMP BOA - 992 4810 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0114 000	XSTR, 2N5109 ESD	2.0 EA	Q5 Q6
380 0536 000	XSTR, 2N5179 ESD	2.0 EA	Q1 Q2
382 0428 000	IC, LM358 ESD	1.0 EA	U1
384 0321 000	DIODE 5082-2800/1N5711 ESD	1.0 EA	CR3
384 0355 000	DIODE HP5082-3081/A5S139 ESD	1.0 EA	CR1
404 0198 000	SPACER TO-5, TO-9, TO-11	2.0 EA	XQ5 XQ6
404 0264 000	HEAT SINK FOR TO-5 CASE	2.0 EA	
404 0660 000	HEAT SINK	1.0 EA	
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	XU1
494 0219 000	CHOKER WIDE BAND	6.0 EA	L1 L11 L2 L3 L4 L5
494 0372 000	CHOKER RF 0.10UH	5.0 EA	L10 L12 L7 L8 L9
494 0381 000	CHOKER RF 0.56UH	1.0 EA	L6
500 0754 000	CAP, MICA, 220PF 500V 5%	3.0 EA	C007 C018 C027
500 0756 000	CAP, MICA, 330PF 500V 5%	2.0 EA	C10 C11
500 0826 000	CAP, MICA, 120PF 500V 5%	2.0 EA	C14 C8
500 0833 000	CAP, MICA, 390PF 500V 5%	2.0 EA	C13 C19
500 0904 000	CAP, VAR 12-60PF 175WVDC	1.0 EA	C44
500 0909 000	CAP, VAR 10-80PF	2.0 EA	C39 C41
516 0043 000	CAP, DISC 470PF 1KV 10%	3.0 EA	C22 C34 C38
516 0054 000	CAP, DISC .001UF 1KV 10%	16.0 EA	C1 C15 C17 C2 C20 C3 C36 C4 C48 C49 C50 C51 C52 C53 C6 C9
516 0453 000	CAP .1UF 100V 20% X7R	4.0 EA	C28 C33 C45 C47
516 0727 000	CAP 10PF 500V 10%	4.0 EA	C23 C26 C29 C43
516 0729 000	CAP 68PF 500V 10%	2.0 EA	C12 C32
516 0738 000	CAP 47PF 500V 10%	1.0 EA	C25
519 0039 000	CAP RF CHIP 36PF 5% 500V	3.0 EA	C24 C30 C31
519 0052 000	CAP RF CHIP 120PF 5% 300V	1.0 EA	C42
522 0572 000	CAP 3.3UF 50V 20%	5.0 EA	C016 C021 C035 C037 C040
526 0053 000	CAP 2.7UF 35V 20%	2.0 EA	C005 C046
540 0316 000	NLA, USE FFF 540-1600-209	2.0 EA	R30 R36
540 0318 000	* RES 270 OHM 1W 5%	1.0 EA	R27
542 0007 000	RES 15 OHM 5% 8W	1.0 EA	R32
548 2400 001	RES 1 OHM 1/2W 1%	2.0 EA	R33 R34
548 2400 073	RES 5.62 OHM 1/2W 1%	1.0 EA	R25
548 2400 101	RES 10 OHM 1/2W 1%	3.0 EA	R18 R23 R24
548 2400 105	RES 11 OHM 1/2W 1%	1.0 EA	R29
548 2400 118	RES 15 OHM 1/2W 1%	1.0 EA	R3
548 2400 130	RES 20 OHM 1/2W 1%	1.0 EA	R21
548 2400 151	RES 33.2 OHM 1/2W 1%	1.0 EA	R35
548 2400 169	RES 51.1 OHM 1/2W 1%	1.0 EA	R5
548 2400 242	RES 267 OHM 1/2W 1%	5.0 EA	R10 R11 R15 R17 R9
548 2400 266	RES 475 OHM 1/2W 1%	1.0 EA	R42
548 2400 269	RES 511 OHM 1/2W 1%	1.0 EA	R19

548 2400 281	RES 681 OHM 1/2W 1%	2.0 EA	R22 R28
548 2400 301	RES 1K OHM 1/2W 1%	4.0 EA	R37 R38 R6 R8
548 2400 318	RES 1.5K OHM 1/2W 1%	1.0 EA	R26
548 2400 334	RES 2.21K OHM 1/2W 1%	5.0 EA	R001 R002 R012 R014 R016
548 2400 354	RES 3.57K OHM 1/2W 1%	2.0 EA	R13 R20
548 2400 401	RES 10K OHM 1/2W 1%	3.0 EA	R40 R41 R43
548 2400 418	RES 15K OHM 1/2W 1%	1.0 EA	R4
548 2400 466	RES 47.5K OHM 1/2W 1%	1.0 EA	R39
548 2400 485	RES 75K OHM 1/2W 1%	1.0 EA	R31
843 1680 002	SCHEMATIC	0.0 EA	
916 8524 001	TRANSFORMER	3.0 EA	T1 T2 T3
943 1419 002	PRINTED BOARD	1.0 EA	

Table 1-203. TRANSFORMER - 916 8524 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0080 000	WIRE, MAGNET 26AWG	0.30 FT	
254 0032 000	WIRE, BUS CU 26AWG	0.20 FT	

Table 1-204. PRINTED BOARD - 943 1419 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	11.0 EA	
829 1146 002	TOP SILKSCREEN	0.0 EA	
829 1147 002	BOT PRINTED WIRING	0.0 EA	
829 1148 002	TOP PRINTED WIRING	0.0 EA	
843 3628 002	PC BOARD	1.0 EA	

Table 1-205. HARDWARE LIST - 999 1687 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1536 000	SCR, 6-32 X 1/4	1.0 EA	
302 0106 000	SCR, 6-32 X 3/8	22.0 EA	
302 0109 000	SCR, 6-32 X 5/8	8.0 EA	
304 0075 000	NUT, HEX THIN 3/8-32	2.0 EA	
304 0089 000	NUT, HEX 6-32	9.0 EA	
304 0098 000	NUT, HEX 10-32	2.0 EA	
304 0139 000	NUT, HEX 8-32	4.0 EA	
306 0016 000	NUT, HEX KEP 6-32	4.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	9.0 EA	
308 0006 000	NO 8 FLAT WASHER BRS	4.0 EA	
308 0007 000	10 FLAT WASHER BRASS	1.0 EA	
310 0017 000	WASHER FLAT #6	22.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	9.0 EA	
312 0048 000	WASHER, SPLIT-LOCK 8	4.0 EA	
312 0049 000	WASHER, SPLIT-LOCK 10	1.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	22.0 EA	
314 0013 000	WASHER, INT LOCK 3/8	2.0 EA	
335 0006 000	WASHER NYLON .175 ID	1.0 EA	
354 0147 000	LUG, SHAKE #6 45 DEG	2.0 EA	
354 0319 000	TERM LUG .375 HOLE	3.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	

Table 1-206. AUR PREAMP MODULE, HB - 992 5272 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
054 0011 015	CB BX 17 X 12 X 5	1.0 EA	
350 0048 000	RIVET POP .093X.337	2.0 EA	
358 2037 000	BALL STUD 6-32X 3/16	1.0 EA	
358 2731 000	POLYSTYRENE BLOCK	2.0 EA	
380 0579 000	XSTR, BM-100-28/MRF317 ESD	4.0 EA	Q1 Q2 Q3 Q4
404 0690 000	HEAT SINK	1.0 EA	
442 0062 000	THERMOSTAT 85 DEG C	1.0 EA	ST1
448 0623 000	SPRING CATCH	1.0 EA	
519 0052 000	CAP RF CHIP 120PF 5% 300V	8.0 EA	C50 C51 C52 C53 C54 C55 C56 C57
612 0237 000	RECEPTACLE BNC UG-290A/U	2.0 EA	J1 J2
813 5611 017	STUD 4-40 X .62	12.0 EA	
816 9849 001	SPACER	1.0 EA	
816 9862 001	SPACER, SPRING CATCH	2.0 EA	
816 9862 002	SPACER, HEATSINK	10.0 EA	
817 0428 001	STANDOFF	12.0 EA	
817 0428 003	STANDOFF	2.0 EA	
829 3412 001	BRACKET, CONN	2.0 EA	
839 3797 001	SHIELD	2.0 EA	
839 4943 001	INSULATOR	2.0 EA	
843 3115 001	SCHEMATIC	0.0 EA	
929 3391 001	EXTRACTOR IPA MODULE	1.0 EA	
929 3393 001	FRONT PANEL ASSY	1.0 EA	
929 7173 007	CABLE, COAX	1.0 EA	
992 5273 001	PRE AMP INPUT PC, AURAL	1.0 EA	
992 5274 001	PRE AMP OUTPUT PC, AURAL	1.0 EA	
999 1858 001	WIRE TUBING LIST	1.0 EA	
999 1859 001	HARDWARE LIST	1.0 EA	

Table 1-207. STUD 4-40 X .62 - 813 5611 017

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 007	BRS, THD STK 4-40	0.054390 FT	

Table 1-208. SPACER - 816 9849 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.017850 LB	

Table 1-209. SPACER, SPRING CATCH - 816 9862 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.001050 LB	

Table 1-210. SPACER, HEATSINK - 816 9862 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.001050 LB	

Table 1-211. STANDOFF - 817 0428 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.004337 LB	

Table 1-212. STANDOFF - 817 0428 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.007140 LB	

Table 1-213. BRACKET, CONN - 829 3412 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 010	CU, SH .043 X 36 X 90	0.05220 LB	

Table 1-214. SHIELD - 839 3797 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 010	BRS, SH .0403	1.8560 LB	

Table 1-215. INSULATOR - 839 4943 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 007	GL, EPOXY SH .015	0.461250 SF	

Table 1-216. EXTRACTOR IPA MODULE - 929 3391 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1859 000	STANDOFF 6-32 X 1/4	1.0 EA	
816 9701 001	SPACER	1.0 EA	
839 3795 001	EXTRACTOR	1.0 EA	

Table 1-217. SPACER - 816 9701 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.018560 LB	

Table 1-218. EXTRACTOR - 839 3795 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.580 LB	

Table 1-219. FRONT PANEL ASSY - 929 3393 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.4350 LB	
324 0152 000	NUT, PEM 4-40	4.0 EA	
829 3393 001	ASSY INSTRUCTIONS	0.0 EA	
839 3796 001	FRONT PANEL	0.0 EA	

Table 1-220. CABLE, COAX - 929 7173 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.40 FT	CUT (2) PIECES 0.2 LONG
618 0705 000	COAX CABLE, RG316/U 50 OHM	0.60 FT	DIM A = 7.0
620 0699 000	PLUG, RT ANG, SMB	2.0 EA	
817 2446 003	ASSY INSTR, COAX CABLE	0.0 EA	

Table 1-221. PRE AMP INPUT PC, AURAL - 992 5273 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
382 0428 000	IC, LM358 ESD	1.0 EA	U1
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR3 CR4
384 0431 000	RECT. 1N4001 ESD	2.0 EA	CR1 CR2
398 0031 000	FUSE, FAST CART 10A 32V	1.0 EA	F1
402 0129 000	CLIP, 1/4 DIA FUSE	2.0 EA	
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	XU1
414 0087 000	BEAD FERRITE SHIELD	2.0 EA	E1 E2
494 0374 000	CHOKE RF 0.15UH	2.0 EA	L1 L2
494 0437 000	CHOKE RF WIDE BAND	4.0 EA	L3 L4 L7 L8
500 0904 000	CAP, VAR 12-60PF 175WVDC	2.0 EA	C5 C8
500 1156 000	CAP, VAR 10-80PF	1.0 EA	C23
516 0043 000	CAP, DISC 470PF 1KV 10%	8.0 EA	C10 C11 C12 C14 C15 C27 C28 C29
516 0375 000	CAP .01UF 50V -20/+80% Z5U	3.0 EA	C3 C30 C4
516 0727 000	CAP 10PF 500V 10%	1.0 EA	C24
516 0729 000	CAP 68PF 500V 10%	2.0 EA	C19 C20
516 0732 000	CAP 330PF 200V 10%	8.0 EA	C1 C17 C18 C2 C25 C26 C6 C7
522 0572 000	CAP 3.3UF 50V 20%	1.0 EA	C13
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C21 C22
540 0595 000	* RES 220 OHM 2W 5%	4.0 EA	R10 R23 R24 R9
548 2400 042	RES 2.67 OHM 1/2W 1%	4.0 EA	R3 R4 R5 R6
548 2400 101	RES 10 OHM 1/2W 1%	4.0 EA	R1 R2 R25 R26
548 2400 130	RES 20 OHM 1/2W 1%	2.0 EA	R7 R8
548 2400 169	RES 51.1 OHM 1/2W 1%	2.0 EA	R14 R20
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R15 R27
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R13 R18 R22
548 2400 354	RES 3.57K OHM 1/2W 1%	1.0 EA	R21
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R16 R19 R12
548 2400 462	RES 43.2K OHM 1/2W 1%	1.0 EA	R17
620 0700 000	*RECPT, MALE SMB, PC MOUNT	1.0 EA	J3
817 0149 001	CHOKE, R.F.	2.0 EA	L5 L6
829 3930 001	COAX XFMR ASSY, OUTPUT	1.0 EA	T2
829 3948 001	COAX XFNR ASSY, INPUT	1.0 EA	T1
843 3115 001	SCHEMATIC	0.0 EA	
939 3919 001	PC BOARD, INPUT	1.0 EA	

Table 1-222. CHOKE, R.F. - 817 0149 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0013 000	WIRE, MAGNET 20AWG	0.2790 FT	

Table 1-223. COAX XFMR ASSY, OUTPUT - 829 3930 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0631 000	COAX, SEMI-RIGID, 50 OHM.	0.540 FT	

Table 1-224. COAX XFNR ASSY, INPUT - 829 3948 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0631 000	COAX, SEMI-RIGID, 50 OHM.	0.580 FT	

Table 1-225. PC BOARD, INPUT - 939 3919 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	2.0 EA	
839 4938 001	TEMPLATE, ROUTING	0.0 EA	
852 8607 001	PWB, AURAL PRE-AMP IN	1.0 EA	

Table 1-226. PRE AMP OUTPUT PC, AURAL - 992 5274 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
382 0428 000	IC, LM358 ESD	1.0 EA	U1
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR3 CR4
398 0031 000	FUSE, FAST CART 10A 32V	2.0 EA	F1 F2
402 0129 000	CLIP, 1/4 DIA FUSE	4.0 EA	
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	XU1
414 0087 000	BEAD FERRITE SHIELD	2.0 EA	E1 E2
494 0374 000	CHOKE RF 0.15UH	2.0 EA	L3 L4
494 0437 000	CHOKE RF WIDE BAND	4.0 EA	L1 L2 L5 L8
500 0848 000	CAP TRIMMER 9 180UUUF	1.0 EA	C19
500 0904 000	CAP, VAR 12-60PF 175WVDC	2.0 EA	C20 C3
500 1156 000	CAP, VAR 10-80PF	1.0 EA	C4
516 0043 000	CAP, DISC 470PF 1KV 10%	10.0 EA	C25 C27 C28 C29 C30 C31 C32 C33 C34 C35
516 0375 000	CAP .01UF 50V -20/+80% Z5U	1.0 EA	C26
516 0453 000	CAP .1UF 100V 20% X7R	2.0 EA	C12 C9
516 0732 000	CAP 330PF 200V 10%	6.0 EA	C1 C10 C11 C2 C21 C22
519 0039 000	CAP RF CHIP 36PF 5% 500V	4.0 EA	C15 C16 C17 C18
522 0572 000	CAP 3.3UF 50V 20%	2.0 EA	C23 C24
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C13 C14
548 2400 101	RES 10 OHM 1/2W 1%	4.0 EA	R25 R26 R3 R4
548 2400 169	RES 51.1 OHM 1/2W 1%	2.0 EA	R8 R9
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R1 R27
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R10 R14 R5
548 2400 354	RES 3.57K OHM 1/2W 1%	1.0 EA	R11
548 2400 401	RES 10K OHM 1/2W 1%	3.0 EA	R12 R13 R6
548 2400 447	RES 30.1K OHM 1/2W 1%	1.0 EA	R7
620 0700 000	*RECPT, MALE SMB,PC MOUNT	1.0 EA	J4
817 0149 001	CHOKE, R.F.	2.0 EA	L6 L7
829 3930 001	COAX XFMR ASSY, OUTPUT	1.0 EA	T2
829 3948 001	COAX XFNR ASSY, INPUT	1.0 EA	T1
843 3115 001	SCHEMATIC	0.0 EA	
939 3918 001	PC BOARD, OUTPUT	1.0 EA	

Table 1-227. PC BOARD, OUTPUT - 939 3918 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	6.0 EA	
852 8606 001	PWB, AURAL PRE-AMP OUT	1.0 EA	

Table 1-228. WIRE TUBING LIST - 999 1858 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0240 000	WIRE, STRD 20AWG WHT	1.10 FT	

Table 1-229. HARDWARE LIST - 999 1859 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1485 000	SCR, 4-40 X 5/16	12.0 EA	
302 0021 000	SCR, 3-56 X 1/4	2.0 EA	
302 0054 000	SCR, 4-40 X 3/8	18.0 EA	
302 0350 000	SCR, 4-40 X 5/16	2.0 EA	
302 0441 000	SCR, 4-40 X 3/8	4.0 EA	
306 0003 000	NUT, HEX 4-40	2.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	2.0 EA	
310 0003 000	WASHER, FLAT NO. 4	4.0 EA	
312 0005 000	WASHER, INT LOCK 6	1.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	12.0 EA	
314 0001 000	WASHER, SPLIT-LOCK 2	2.0 EA	
314 0002 000	WASHER SPLIT 3	2.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	16.0 EA	
350 0048 000	RIVET POP .093X.337	2.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	

Table 1-230. AUR PWR AMP MODULE, HB - 992 5275 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
054 0011 015	CB BX 17 X 12 X 5	1.0 EA	
350 0048 000	RIVET POP .093X.337	1.0 EA	
358 2037 000	BALL STUD 6-32X 3/16	1.0 EA	
358 2731 000	POLYSTYRENE BLOCK	2.0 EA	
380 0579 000	XSTR, BM-100-28/MRF317 ESD	4.0 EA	Q1 Q2 Q3 Q4
404 0690 000	HEAT SINK	1.0 EA	
442 0062 000	THERMOSTAT 85 DEG C	1.0 EA	S1
448 0623 000	SPRING CATCH	1.0 EA	
519 0052 000	CAP RF CHIP 120PF 5% 300V	8.0 EA	C50 C51 C52 C53 C54 C55 C56 C57
544 1632 000	RES 100 OHM 75W 5%	2.0 EA	R50 R51
612 0237 000	RECEPTACLE BNC UG-290A/U	2.0 EA	J1 J2
813 5611 017	STUD 4-40 X .62	12.0 EA	
816 9849 001	SPACER	1.0 EA	
816 9862 001	SPACER, SPRING CATCH	2.0 EA	
816 9862 002	SPACER, HEATSINK	10.0 EA	
817 0428 001	STANDOFF	12.0 EA	
817 0428 003	STANDOFF	2.0 EA	
829 3412 001	BRACKET, CONN	2.0 EA	
839 3797 001	SHIELD	2.0 EA	
839 5616 001	INSULATOR	2.0 EA	
843 3114 002	SCHEMATIC	0.0 EA	
929 3391 001	EXTRACTOR IPA MODULE	1.0 EA	

929 3393 001	FRONT PANEL ASSY	1.0 EA
929 7173 007	CABLE, COAX	2.0 EA
992 5276 002	PC BD, INPUT	1.0 EA
992 5277 002	PC BD, OUTPUT	1.0 EA
999 1874 001	WIRE/TUBING LIST	1.0 EA
999 1875 001	HARDWARE LIST	1.0 EA

Table 1-231. INSULATOR - 839 5616 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 007	GL, EPOXY SH .015	0.461250 SF	

Table 1-232. PC BD, INPUT - 992 5276 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
382 0428 000	IC, LM358 ESD	1.0 EA	U1
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR3 CR4
398 0031 000	FUSE, FAST CART 10A 32V	2.0 EA	F1 F2
402 0129 000	CLIP, 1/4 DIA FUSE	4.0 EA	
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	
494 0374 000	CHOKE RF 0.15UH	2.0 EA	L 9 L10
494 0437 000	CHOKE RF WIDE BAND	2.0 EA	L 1 L 2
500 0825 000	CAP, MICA, 110PF 500V 5%	4.0 EA	C35 C36 C37 C38
500 0848 000	CAP TRIMMER 9 180UUF	1.0 EA	C19
500 0904 000	CAP, VAR 12-60PF 175WVDC	2.0 EA	C 3 C20
500 1156 000	CAP, VAR 10-80PF	1.0 EA	C4
506 0233 000	CAP .1UF 63V 5%	4.0 EA	C 9 C12 C40 C41
516 0043 000	CAP, DISC 470PF 1KV 10%	9.0 EA	C25 C27 C28 C29 C30 C31 C32 C33 C34
516 0375 000	CAP .01UF 50V -20/+80% Z5U	1.0 EA	C26
516 0732 000	CAP 330PF 200V 10%	6.0 EA	C1 C10 C11 C2 C21 C22
519 0039 000	CAP RF CHIP 36PF 5% 500V	4.0 EA	C15 C16 C17 C18
522 0572 000	CAP 3.3UF 50V 20%	4.0 EA	C023 C024 C039 C042
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C13 C14
548 2400 101	RES 10 OHM 1/2W 1%	6.0 EA	R 3 R 4 R15 R17 R18 R19
548 2400 169	RES 51.1 OHM 1/2W 1%	2.0 EA	R8 R9
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R 1 R16
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R 5 R10 R14
548 2400 401	RES 10K OHM 1/2W 1%	3.0 EA	R 6 R12 R13
548 2400 430	RES 20K OHM 1/2W 1%	1.0 EA	R11
548 2400 447	RES 30.1K OHM 1/2W 1%	1.0 EA	R7
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J3 J4
817 0149 001	CHOKE, R.F.	2.0 EA	L5 L8
817 1437 001	CHOKE AUR PWR AMP 48NH	2.0 EA	L3 L4
817 1438 001	CHOKE AUR PWR AMP 24NH	2.0 EA	L6 L7
829 3930 001	COAX XFMR ASSY, OUTPUT	1.0 EA	T2
829 3948 001	COAX XFNR ASSY, INPUT	1.0 EA	T1
843 3114 002	SCHEMATIC	0.0 EA	
939 3916 002	PRINTED BD ASSY	1.0 EA	

Table 1-233. CHOKE AUR PWR AMP 48NH - 817 1437 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0015 000	WIRE, MAGNET 16AWG	0.03320 FT	

Table 1-234. CHOKE AUR PWR AMP 24NH - 817 1438 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0015 000	WIRE, MAGNET 16AWG	0.00830 FT	

Table 1-235. PRINTED BD ASSY - 939 3916 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	4.0 EA	
839 3916 002	P.S. ASSY	0.0 EA	
839 4972 001	TEMPLATE, ROUTINE	0.0 EA	
852 8604 002	PWB, AURAL COUPLER IN	1.0 EA	

Table 1-236. PC BD, OUTPUT - 992 5277 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
382 0428 000	IC, LM358 ESD	1.0 EA	U1
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR3 CR4
398 0031 000	FUSE, FAST CART 10A 32V	2.0 EA	F1 F2
402 0129 000	CLIP, 1/4 DIA FUSE	4.0 EA	
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	XU1
494 0374 000	CHOKE RF 0.15UH	2.0 EA	L 9 L10
494 0437 000	CHOKE RF WIDE BAND	2.0 EA	L1 L2
500 0825 000	CAP, MICA, 110PF 500V 5%	4.0 EA	C36 C37 C38 C39
500 0848 000	CAP TRIMMER 9 180UUUF	1.0 EA	C19
500 0904 000	CAP, VAR 12-60PF 175WVDC	2.0 EA	C20 C3
500 1156 000	CAP, VAR 10-80PF	1.0 EA	C4
506 0233 000	CAP .1UF 63V 5%	4.0 EA	C12 C40 C41 C9
516 0043 000	CAP, DISC 470PF 1KV 10%	10.0 EA	C25 C27 C28 C29 C30 C31 C32 C33 C34 C35
516 0375 000	CAP .01UF 50V -20/+80% Z5U	1.0 EA	C26
516 0732 000	CAP 330PF 200V 10%	6.0 EA	C 1 C 2 C10 C11 C21 C22
519 0039 000	CAP RF CHIP 36PF 5% 500V	4.0 EA	C15 C16 C17 C18
522 0572 000	CAP 3.3UF 50V 20%	4.0 EA	C023 C024 C042 C043
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C013 C014
548 2400 101	RES 10 OHM 1/2W 1%	6.0 EA	R 3 R 4 R15 R17 R18 R19
548 2400 169	RES 51.1 OHM 1/2W 1%	2.0 EA	R8 R9
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R 1 R16
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R 5 R10 R14
548 2400 401	RES 10K OHM 1/2W 1%	3.0 EA	R 6 R12 R13
548 2400 430	RES 20K OHM 1/2W 1%	1.0 EA	R11
548 2400 447	RES 30.1K OHM 1/2W 1%	1.0 EA	R7
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J 3 J 4
817 0149 001	CHOKE, R.F.	2.0 EA	L 5 L008
817 1437 001	CHOKE AUR PWR AMP 48NH	2.0 EA	L 3 L 4
817 1438 001	CHOKE AUR PWR AMP 24NH	2.0 EA	L 6 L 7
829 3930 001	COAX XFMR ASSY, OUTPUT	1.0 EA	T 2
829 3948 001	COAX XFNR ASSY, INPUT	1.0 EA	T 1
843 3114 002	SCHEMATIC	0.0 EA	

Table 1-237. PRINTED PD ASSY - 939 3917 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	6.0 EA	
829 3562 002	TOP PRINTED WIRING	0.0 EA	
829 3563 002	BOT PRINTED WIRING	0.0 EA	
829 7147 002	TOP SILKSCREEN	0.0 EA	
839 3917 002	P.C. ASSY	0.0 EA	
839 4971 001	TEMPLATE, ROUTING	0.0 EA	
852 8605 002	PWB, AURAL COUPLER OUT	1.0 EA	

Table 1-238. WIRE/TUBING LIST - 999 1874 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0240 000	WIRE, STRD 20AWG WHT	1.70 FT	

Table 1-239. HARDWARE LIST - 999 1875 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
099 0003 018	LABEL, SELF ADHESIVE	1.0 EA	
300 1485 000	SCR, 4-40 X 5/16	33.0 EA	
302 0021 000	SCR, 3-56 X 1/4	4.0 EA	
302 0054 000	SCR, 4-40 X 3/8	10.0 EA	
302 0350 000	SCR, 4-40 X 5/16	2.0 EA	
302 0441 000	SCR, 4-40 X 3/8	8.0 EA	
306 0003 000	NUT, HEX 4-40	2.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	3.0 EA	
310 0003 000	WASHER, FLAT NO. 4	10.0 EA	
312 0005 000	WASHER, INT LOCK 6	1.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	41.0 EA	
314 0002 000	WASHER SPLIT 3	4.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	10.0 EA	
350 0048 000	RIVET POP .093X.337	2.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	

Table 1-240. VIS PREAMP MODULE, HB - 992 5278 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
054 0011 015	CB BX 17 X 12 X 5	1.0 EA	
350 0048 000	RIVET POP .093X.337	2.0 EA	
358 2037 000	BALL STUD 6-32X 3/16	1.0 EA	
358 2731 000	POLYSTYRENE BLOCK	2.0 EA	
380 0528 000	XSTR, TIP125 ESD	4.0 EA	Q3 Q4 Q7 Q8
380 0581 000	XSTR, ESD	1.0 EA	Q1
380 0582 000	XSTR, RF POWER ESD	3.0 EA	Q2 Q5 Q6
404 0690 000	HEAT SINK	1.0 EA	
410 0335 000	INSULATOR SCREW	4.0 EA	
410 0381 000	INSULATOR .562 X .812	4.0 EA	
442 0062 000	THERMOSTAT 85 DEG C	1.0 EA	S1
448 0623 000	SPRING CATCH	1.0 EA	
516 0729 000	CAP 68PF 500V 10%	1.0 EA	C051
516 0730 000	CAP 75PF 500V 10%	5.0 EA	C52 C55 C56 C57 C58

516 0734 000	CAP 100PF 500V 10%	2.0 EA	C053 C054
548 0204 000	RES .5 OHM 25W 1%	3.0 EA	R50 R51 R52
612 0237 000	RECEPTACLE BNC UG-290A/U	2.0 EA	J1 J2
813 5611 017	STUD 4-40 X .62	12.0 EA	
816 9849 001	SPACER	1.0 EA	
816 9862 001	SPACER, SPRING CATCH	2.0 EA	
816 9862 002	SPACER, HEATSINK	10.0 EA	
817 0428 001	STANDOFF	12.0 EA	
817 0428 003	STANDOFF	2.0 EA	
829 3412 001	BRACKET, CONN	2.0 EA	
839 3797 001	SHIELD	2.0 EA	
839 4944 001	INSULATOR	1.0 EA	
839 4984 001	INSULATOR	1.0 EA	
843 3172 001	SCHEMATIC	0.0 EA	
929 3391 001	EXTRACTOR IPA MODULE	1.0 EA	
929 3393 001	FRONT PANEL ASSY	1.0 EA	
929 7173 007	CABLE, COAX	1.0 EA	
992 5279 001	PRE AMP PC, VISUAL	1.0 EA	
992 5280 001	PC, POWER OUTPUT	1.0 EA	
999 1856 001	WIRE TUBING LIST	1.0 EA	
999 1857 001	HARDWARE LIST, VIS PREAMP MOD	1.0 EA	

Table 1-241. INSULATOR - 839 4944 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 007	GL, EPOXY SH .015	0.461250 SF	

Table 1-242. INSULATOR - 839 4984 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 007	GL, EPOXY SH .015	0.461250 SF	

Table 1-243. PRE AMP PC, VISUAL - 992 5279 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
382 0135 000	IC, 304 ESD	1.0 EA	U1
384 0205 000	DIODE SILICON 1N914/4148 ESD	2.0 EA	CR4 CR5
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR1 CR6
384 0668 000	PIN DIODE MA-47111 ESD	2.0 EA	CR2 CR3
398 0032 000	FUSE, FAST CART 15A 32V	1.0 EA	F1
402 0129 000	CLIP, 1/4 DIA FUSE	2.0 EA	
494 0219 000	CHOKE WIDE BAND	4.0 EA	L1 L2 L3 L4
494 0222 000	*RPLD BY FFF 494-0376-000	1.0 EA	L005
500 0804 000	CAP, MICA, 10PF 500V +/- .5PF	2.0 EA	C27 C35
500 0805 000	CAP, MICA, 12PF 500V 5%	1.0 EA	C7
500 0821 000	CAP, MICA, 68PF 500V 5%	2.0 EA	C4 C5
500 0904 000	CAP, VAR 12-60PF 175WVDC	3.0 EA	C28 C36 C9
500 0909 000	CAP, VAR 10-80PF	1.0 EA	C19
500 1200 000	CAP VAR 1.5-20PF	1.0 EA	C29
516 0043 000	CAP, DISC 470PF 1KV 10%	5.0 EA	C16 C31 C32 C33 C34
516 0054 000	CAP, DISC .001UF 1KV 10%	3.0 EA	C1 C3 C6
516 0453 000	CAP .1UF 100V 20% X7R	3.0 EA	C13 C20 C30
516 0732 000	CAP 330PF 200V 10%	7.0 EA	C11 C12 C17 C18 C21 C24 C25
516 0734 000	CAP 100PF 500V 10%	1.0 EA	C26

522 0572 000	CAP 3.3UF 50V 20%	1.0 EA	C2
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C15 C23
526 0045 000	CAP 330UF 6V 10%	2.0 EA	C14 C22
540 0591 000	* RES 150 OHM 2W 5%	1.0 EA	R23
540 0603 000	* RES 470 OHM 2W 5%	1.0 EA	R13
542 0003 000	RES 3 OHM 5% 8W	2.0 EA	R1 R16
548 2400 047	RES 3.01 OHM 1/2W 1%	2.0 EA	R11 R25
548 2400 101	RES 10 OHM 1/2W 1%	3.0 EA	R009 R018 R027
548 2400 134	RES 22.1 OHM 1/2W 1%	2.0 EA	R17 R28
548 2400 142	RES 26.7 OHM 1/2W 1%	2.0 EA	R10 R8
548 2400 151	RES 33.2 OHM 1/2W 1%	1.0 EA	R22
548 2400 166	RES 47.5 OHM 1/2W 1%	1.0 EA	R29
548 2400 169	RES 51.1 OHM 1/2W 1%	1.0 EA	R7
548 2400 201	RES 100 OHM 1/2W 1%	5.0 EA	R002 R003 R012 R024 R033
548 2400 237	RES 237 OHM 1/2W 1%	1.0 EA	R15
548 2400 242	RES 267 OHM 1/2W 1%	3.0 EA	R19 R5 R6
548 2400 301	RES 1K OHM 1/2W 1%	2.0 EA	R021 R035
548 2400 309	RES 1.21K OHM 1/2W 1%	1.0 EA	R31
548 2400 337	RES 2.37K OHM 1/2W 1%	1.0 EA	R14
548 2400 338	RES 2.43K OHM 1/2W 1%	1.0 EA	R20
548 2400 389	RES 8.25K OHM 1/2W 1%	1.0 EA	R30
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R36 R37
548 2400 501	RES 100K OHM 1/2W 1%	1.0 EA	R32
620 0700 000	*RECPT, MALE SMB,PC MOUNT	1.0 EA	J3
620 0941 000	COUPLER, QUADRATURE	2.0 EA	HY1 HY2
843 3172 001	SCHEMATIC	0.0 EA	
939 3864 001	PC BOARD	1.0 EA	
999 1869 001	HARDWARE LIST	1.0 EA	

Table 1-244. PC BOARD - 939 3864 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	2.0 EA	
852 8575 001	PWB, VISUAL PRE-AMP	1.0 EA	

Table 1-245. HARDWARE LIST - 999 1869 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1486 000	SCR, 4-40 X 3/8	8.0 EA	
304 0087 000	NUT, HEX 4-40	8.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	8.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	8.0 EA	

Table 1-246. PC, POWER OUTPUT - 992 5280 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
382 0135 000	IC, 304 ESD	2.0 EA	U1 U2
384 0321 000	DIODE 5082-2800/1N5711 ESD	1.0 EA	CR1
398 0032 000	FUSE, FAST CART 15A 32V	1.0 EA	F1
402 0129 000	CLIP, 1/4 DIA FUSE	2.0 EA	
494 0219 000	CHOKE WIDE BAND	4.0 EA	L1 L2 L3 L4
500 0804 000	CAP, MICA, 10PF 500V +/- .5PF	1.0 EA	C17
500 0809 000	CAP, MICA, 22PF 500V 5%	1.0 EA	C22
500 0904 000	CAP, VAR 12-60PF 175WVDC	3.0 EA	C19 C20 C21

500 1200 000	CAP VAR 1.5-20PF	1.0 EA	C18
516 0043 000	CAP, DISC 470PF 1KV 10%	5.0 EA	C1 C2 C26 C27 C28
516 0453 000	CAP .1UF 100V 20% X7R	3.0 EA	C15 C16 C25
516 0732 000	CAP 330PF 200V 10%	8.0 EA	C10 C11 C12 C13 C14 C7 C8 C9
522 0572 000	CAP 3.3UF 50V 20%	2.0 EA	C23 C24
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C5 C6
526 0045 000	CAP 330UF 6V 10%	2.0 EA	C3 C4
540 0284 000	* RES 10 OHM 1W 5%	2.0 EA	R017 R018
542 0015 000	RES 100 OHM 5% 8W	2.0 EA	R10 R9
548 2400 047	RES 3.01 OHM 1/2W 1%	2.0 EA	R21 R22
548 2400 134	RES 22.1 OHM 1/2W 1%	2.0 EA	R15 R16
548 2400 151	RES 33.2 OHM 1/2W 1%	2.0 EA	R13 R14
548 2400 166	RES 47.5 OHM 1/2W 1%	2.0 EA	R19 R20
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R11 R12
548 2400 293	RES 909 OHM 1/2W 1%	1.0 EA	R23
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R26 R5 R6
548 2400 338	RES 2.43K OHM 1/2W 1%	2.0 EA	R7 R8
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R24 R27
548 2400 542	RES 267K OHM 1/2W 1%	1.0 EA	R25
620 0700 000	*RECPT, MALE SMB,PC MOUNT	1.0 EA	J4
829 3928 001	COAX XFNR ASSY, OUTPUT	1.0 EA	T2
829 4480 001	XFMR COAX, INPUT	1.0 EA	T1
843 3172 001	SCHEMATIC	0.0 EA	
939 3863 001	PC BOARD	1.0 EA	

Table 1-247. COAX XFNR ASSY, OUTPUT - 829 3928 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0631 000	COAX, SEMI-RIGID, 50 OHM.	0.540 FT	

Table 1-248. XFMR COAX, INPUT - 829 4480 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0631 000	COAX, SEMI-RIGID, 50 OHM.	0.540 FT	

Table 1-249. PC BOARD - 939 3863 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	6.0 EA	
839 4979 001	TEMPLATE, ROUTING	0.0 EA	
852 8574 001	P.C. BOARD	1.0 EA	

Table 1-250. WIRE TUBING LIST - 999 1856 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0240 000	WIRE, STRD 20AWG WHT	1.330 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.0630 FT	

Table 1-251. HARDWARE LIST, VIS PREAMP MOD - 999 1857 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1484 000	SCR, 4-40 X 1/4	2.0 EA	
300 1485 000	SCR, 4-40 X 5/16	26.0 EA	
302 0021 000	SCR, 3-56 X 1/4	4.0 EA	
302 0054 000	SCR, 4-40 X 3/8	10.0 EA	
302 0350 000	SCR, 4-40 X 5/16	2.0 EA	
302 0441 000	SCR, 4-40 X 3/8	8.0 EA	
306 0003 000	NUT, HEX 4-40	2.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	6.0 EA	
310 0003 000	WASHER, FLAT NO. 4	8.0 EA	
312 0005 000	WASHER, INT LOCK 6	1.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	35.0 EA	
314 0002 000	WASHER SPLIT 3	10.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	10.0 EA	
350 0048 000	RIVET POP .093X.337	2.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	

Table 1-252. VIS PWR AMP MODULE, HB - 992 5281 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
054 0011 015	CB BX 17 X 12 X 5	1.0 EA	
350 0048 000	RIVET POP .093X.337	2.0 EA	
358 2037 000	BALL STUD 6-32X 3/16	1.0 EA	
358 2731 000	POLYSTYRENE BLOCK	2.0 EA	
380 0528 000	XSTR, TIP125 ESD	4.0 EA	Q3 Q4 Q7 Q8
380 0582 000	XSTR, RF POWER ESD	4.0 EA	Q1 Q2 Q5 Q6
404 0690 000	HEAT SINK	1.0 EA	
410 0335 000	INSULATOR SCREW	4.0 EA	
410 0344 000	INSULATOR KAPTON	4.0 EA	
442 0062 000	THERMOSTAT 85 DEG C	1.0 EA	S1
448 0623 000	SPRING CATCH	1.0 EA	
516 0730 000	CAP 75PF 500V 10%	8.0 EA	C50 C51 C52 C53 C54 C55 C56 C57
544 1631 000	RES 50 OHM 75W 5%	2.0 EA	R3 R50
548 0204 000	RES .5 OHM 25W 1%	4.0 EA	R1 R2 R31 R4
612 0237 000	RECEPTACLE BNC UG-290A/U	2.0 EA	J1 J2
618 0705 000	COAX CABLE, RG316/U 50 OHM	3.0 FT	
620 0699 000	PLUG, RT ANG, SMB	2.0 EA	
813 5611 017	STUD 4-40 X .62	12.0 EA	
816 9849 001	SPACER	1.0 EA	
816 9862 001	SPACER, SPRING CATCH	2.0 EA	
816 9862 002	SPACER, HEATSINK	10.0 EA	
817 0428 001	STANDOFF	12.0 EA	
817 0428 003	STANDOFF	2.0 EA	
829 3412 001	BRACKET, CONN	2.0 EA	
839 3797 001	SHIELD	2.0 EA	
839 4985 001	INSULATOR	2.0 EA	
843 3170 001	SCHEMATIC	0.0 EA	
929 3391 001	EXTRACTOR IPA MODULE	1.0 EA	
929 3393 001	FRONT PANEL ASSY	1.0 EA	
929 7173 007	CABLE, COAX	1.0 EA	
992 5282 001	VIS POWER AMP COUP	1.0 EA	
992 5283 001	VIS PA COUPLER OUT PC	1.0 EA	
999 1870 001	WIRE/TUBING LIST	1.0 EA	

Table 1-253. INSULATOR - 839 4985 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 007	GL, EPOXY SH .015	0.461250 SF	

Table 1-254. VIS POWER AMP COUP - 992 5282 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
382 0135 000	IC, 304 ESD	2.0 EA	U1 U2
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR1 CR2
398 0032 000	FUSE, FAST CART 15A 32V	1.0 EA	F1
402 0129 000	CLIP, 1/4 DIA FUSE	2.0 EA	
494 0219 000	CHOKER WIDE BAND	4.0 EA	L1 L2 L3 L4
500 0804 000	CAP, MICA, 10PF 500V +/- .5PF	1.0 EA	C17
500 0809 000	CAP, MICA, 22PF 500V 5%	1.0 EA	C22
500 0904 000	CAP, VAR 12-60PF 175WVDC	3.0 EA	C19 C20 C21
500 1200 000	CAP VAR 1.5-20PF	1.0 EA	C18
516 0043 000	CAP, DISC 470PF 1KV 10%	5.0 EA	C1 C2 C26 C27 C28
516 0453 000	CAP .1UF 100V 20% X7R	4.0 EA	C15 C16 C25 C29
516 0732 000	CAP 330PF 200V 10%	8.0 EA	C10 C11 C12 C13 C14 C7 C8 C9
522 0572 000	CAP 3.3UF 50V 20%	2.0 EA	C23 C24
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C5 C6
526 0045 000	CAP 330UF 6V 10%	2.0 EA	C3 C4
540 0284 000	* RES 10 OHM 1W 5%	2.0 EA	R017 R018
542 0015 000	RES 100 OHM 5% 8W	2.0 EA	R10 R9
548 2400 047	RES 3.01 OHM 1/2W 1%	2.0 EA	R21 R22
548 2400 134	RES 22.1 OHM 1/2W 1%	2.0 EA	R15 R16
548 2400 151	RES 33.2 OHM 1/2W 1%	2.0 EA	R13 R14
548 2400 166	RES 47.5 OHM 1/2W 1%	3.0 EA	R19 R20 R28
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R11 R12
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R26 R5 R6
548 2400 338	RES 2.43K OHM 1/2W 1%	2.0 EA	R7 R8
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R24 R27
			R23
548 2400 501	RES 100K OHM 1/2W 1%	1.0 EA	R25
548 2400 551	RES 332K OHM 1/2W 1%	1.0 EA	R29
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J3 J4
620 0941 000	COUPLER, QUADRATURE	1.0 EA	HY1
829 3928 001	COAX XFNR ASSY, OUTPUT	1.0 EA	
829 4480 001	XFMR COAX, INPUT	1.0 EA	T1
843 3170 001	SCHEMATIC	0.0 EA	
939 3861 001	PRINTED BD ASSY	1.0 EA	
999 1872 001	HARDWARE LIST	1.0 EA	

Table 1-255. PRINTED BD ASSY - 939 3861 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	5.0 EA	
839 4969 001	ROUTER TEMPLATE	0.0 EA	
852 8572 001	PWB, VISUAL COUPLER INPUT	1.0 EA	

Table 1-256. HARDWARE LIST - 999 1872 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0056 000	SCR, 4-40 X 1/2	4.0 EA	
304 0087 000	NUT, HEX 4-40	4.0 EA	
310 0003 000	WASHER, FLAT NO. 4	4.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	4.0 EA	

Table 1-257. VIS PA COUPLER OUT PC - 992 5283 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
382 0135 000	IC, 304 ESD	2.0 EA	U1 U2
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR1 CR2
398 0032 000	FUSE, FAST CART 15A 32V	1.0 EA	F1
402 0129 000	CLIP, 1/4 DIA FUSE	2.0 EA	
494 0219 000	CHOKER WIDE BAND	4.0 EA	L1 L2 L3 L4
500 0804 000	CAP, MICA, 10PF 500V +/- .5PF	1.0 EA	C17
500 0809 000	CAP, MICA, 22PF 500V 5%	1.0 EA	C22
500 0904 000	CAP, VAR 12-60PF 175WVDC	3.0 EA	C19 C20 C21
500 1200 000	CAP VAR 1.5-20PF	1.0 EA	C18
516 0043 000	CAP, DISC 470PF 1KV 10%	5.0 EA	C1 C2 C26 C27 C28
516 0453 000	CAP .1UF 100V 20% X7R	4.0 EA	C15 C16 C25 C29
516 0732 000	CAP 330PF 200V 10%	8.0 EA	C10 C11 C12 C13 C14 C7 C8 C9
522 0572 000	CAP 3.3UF 50V 20%	2.0 EA	C23 C24
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C5 C6
526 0045 000	CAP 330UF 6V 10%	2.0 EA	C3 C4
540 0284 000	* RES 10 OHM 1W 5%	2.0 EA	R017 R018
542 0015 000	RES 100 OHM 5% 8W	2.0 EA	R10 R9
548 2400 047	RES 3.01 OHM 1/2W 1%	2.0 EA	R21 R22
548 2400 134	RES 22.1 OHM 1/2W 1%	2.0 EA	R15 R16
548 2400 151	RES 33.2 OHM 1/2W 1%	2.0 EA	R13 R14
548 2400 166	RES 47.5 OHM 1/2W 1%	3.0 EA	R19 R20 R29
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R11 R12
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R26 R5 R6
548 2400 338	RES 2.43K OHM 1/2W 1%	2.0 EA	R7 R8
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R23 R24 R27
548 2400 501	RES 100K OHM 1/2W 1%	1.0 EA	R25
548 2400 551	RES 332K OHM 1/2W 1%	1.0 EA	R28
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J3 J4
620 0941 000	COUPLER, QUADRATURE	1.0 EA	HY1
829 3928 001	COAX XFNR ASSY, OUTPUT	1.0 EA	T2
829 4480 001	XFMR COAX, INPUT	1.0 EA	T1
843 3170 001	SCHEMATIC	0.0 EA	
939 3862 001	PRINTED BD ASSY	1.0 EA	
999 1873 001	HARDWARE LIST	1.0 EA	

Table 1-258. PRINTED BD ASSY - 939 3862 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	6.0 EA	
839 4968 001	ROUTER TEMPLATE	0.0 EA	
852 8573 001	PWB, VISUAL POWER AMP	1.0 EA	

Table 1-259. HARDWARE LIST - 999 1873 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0056 000	SCR, 4-40 X 1/2	4.0 EA	
304 0087 000	NUT, HEX 4-40	4.0 EA	
310 0003 000	WASHER, FLAT NO. 4	4.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	4.0 EA	

Table 1-260. WIRE/TUBING LIST - 999 1870 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0240 000	WIRE, STRD 20AWG WHT	1.8750 FT	

Table 1-261. HARDWARE LIST - 999 1871 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
099 0003 018	LABEL, SELF ADHESIVE	1.0 EA	
300 1484 000	SCR, 4-40 X 1/4	2.0 EA	
300 1485 000	SCR, 4-40 X 5/16	32.0 EA	
302 0021 000	SCR, 3-56 X 1/4	4.0 EA	
302 0054 000	SCR, 4-40 X 3/8	6.0 EA	
302 0350 000	SCR, 4-40 X 5/16	2.0 EA	
302 0441 000	SCR, 4-40 X 3/8	8.0 EA	
306 0003 000	NUT, HEX 4-40	2.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	5.0 EA	
310 0003 000	WASHER, FLAT NO. 4	4.0 EA	
312 0005 000	WASHER, INT LOCK 6	1.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	42.0 EA	
314 0002 000	WASHER SPLIT 3	4.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	6.0 EA	
335 0001 000	WASHER NYLON .149 ID	1.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	

Table 1-262. HI BD IPA AGC PC - 992 5285 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	9.0 EA	
358 1214 000	SCREWLOCK, FEMALE	1.0 EA	
380 0190 000	XSTR, PNP 2N3906 ESD	2.0 EA	Q001 Q002
380 0246 000	XSTR, 2N2219A ESD	1.0 EA	Q003
380 0528 000	XSTR, TIP125 ESD	1.0 EA	Q004
382 0415 000	IC, 324 ESD	1.0 EA	U004
382 0428 000	IC, LM358 ESD	3.0 EA	U001 U002 U003
384 0321 000	DIODE 5082-2800/1N5711 ESD	3.0 EA	CR008 CR009 CR010
384 0431 000	RECT. 1N4001 ESD	11.0 EA	CR005 CR006 CR012 CR013 CR014 CR021 CR022 CR023 CR024 CR025 CR026
384 0668 000	PIN DIODE MA-47111 ESD	6.0 EA	CR015 CR016 CR017 CR018 CR019 CR020
404 0161 000	SOCKET RELAY 9KH2	1.0 EA	XK001
404 0198 000	SPACER TO-5, TO-9, TO-11	1.0 EA	XQ003
404 0655 000	HEAT SINK	1.0 EA	RA001
404 0673 000	SOCKET 8 PIN DIP (DL)	3.0 EA	XU001 XU002 XU003
404 0674 000	SOCKET 14 PIN DIP (D-L)	1.0 EA	XU004
500 0801 000	CAP, MICA, 2PF 500V +/- .5PF	1.0 EA	C018
500 0820 000	CAP, MICA, 62PF 500V 5%	2.0 EA	C012 C013

500 0821 000	CAP, MICA, 68PF 500V 5%	2.0 EA	C014 C015
500 0822 000	CAP, MICA, 75PF 500V 5%	2.0 EA	C016 C017
516 0043 000	CAP, DISC 470PF 1KV 10%	7.0 EA	C001 C002 C005 C006 C057 C062 C065
516 0059 000	CAP, DISC .0015UF 1KV 10%	3.0 EA	C003 C067 C072
516 0375 000	CAP .01UF 50V -20/+80% Z5U	10.0 EA	C009 C010 C059 C060 C063 C064 C066 C068 C069 C071
516 0453 000	CAP .1UF 100V 20% X7R	2.0 EA	C008 C011
526 0050 000	CAP 1UF 35V 20%	1.0 EA	C007
526 0097 000	CAP 47UF 35V 20%	2.0 EA	C020 C021
526 0318 000	CAP 10UF 35V 20%	1.0 EA	C050
540 0563 000	* RES 10 OHM 2W 5%	1.0 EA	R091
540 0580 000	* RES 51 OHM 2W 5%	1.0 EA	R028
540 0598 000	* RES 300 OHM 2W 5%	6.0 EA	R022 R023 R024 R025 R026 R027
548 2400 101	RES 10 OHM 1/2W 1%	6.0 EA	R063 R081 R082 R085 R086 R088
548 2400 169	RES 51.1 OHM 1/2W 1%	1.0 EA	R021
548 2400 201	RES 100 OHM 1/2W 1%	7.0 EA	R019 R036 R037 R038 R039 R040 R096
548 2400 277	RES 619 OHM 1/2W 1%	1.0 EA	R092
548 2400 301	RES 1K OHM 1/2W 1%	6.0 EA	R005 R041 R062 R080 R084 R095
548 2400 334	RES 2.21K OHM 1/2W 1%	14.0 EA	R011 R012 R013 R014 R015 R016 R049 R051 R053 R055 R071 R072 R100 R103
548 2400 362	RES 4.32K OHM 1/2W 1%	1.0 EA	R064
548 2400 366	RES 4.75K OHM 1/2W 1%	2.0 EA	R060 R093
548 2400 401	RES 10K OHM 1/2W 1%	6.0 EA	R032 R034 R035 R073 R087 R105
548 2400 430	RES 20K OHM 1/2W 1%	3.0 EA	R033 R083 R089
548 2400 442	RES 26.7K OHM 1/2W 1%	2.0 EA	R046 R047
548 2400 466	RES 47.5K OHM 1/2W 1%	3.0 EA	R018 R101 R104
548 2400 501	RES 100K OHM 1/2W 1%	4.0 EA	R067 R068 R069 R070
548 2400 542	RES 267K OHM 1/2W 1%	1.0 EA	R061
548 2400 547	RES 301K OHM 1/2W 1%	1.0 EA	R044
548 2400 566	RES 475K OHM 1/2W 1%	1.0 EA	R102
548 2400 601	RES 1MEG OHM 1/2W 1%	3.0 EA	R056 R057 R106
548 2400 701	RES 10MEG OHM 1/2W 1%	1.0 EA	R058
550 0760 000	POT 20K OHM .5W 10%	5.0 EA	R001 R002 R003 R004 R017
550 0881 000	POT 100K OHM .5W 10%	4.0 EA	R007 R008 R009 R010
574 0103 000	RELAY 24VDC 4PDT	1.0 EA	K001
610 0679 000	PLUG, SHORTING, .25" CTRS	3.0 EA	P001 P002 P003
610 0689 000	PLUG 15 PIN	1.0 EA	J005
612 0775 000	JACK, PC MT, .040 PINS	9.0 EA	
620 0700 000	*RECPT, MALE SMB,PC MOUNT	4.0 EA	J001 J002 J003 J004
620 0941 000	COUPLER, QUADRATURE	2.0 EA	HYB001 HYB002
843 3103 002	PRINTED BD A.G.C.	1.0 EA	
843 3111 002	SCHEMATIC	0.0 EA	
999 1862 001	HARDWARE LIST	1.0 EA	

Table 1-263. HARDWARE LIST - 999 1862 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
300 1485 000	SCR, 4-40 X 5/16	1.0 EA	
300 1486 000	SCR, 4-40 X 3/8	8.0 EA	
304 0087 000	NUT, HEX 4-40	9.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	8.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	9.0 EA	

Table 1-264. DRIVER CUBICLE UNIT 1 - 992 5355 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
000 0000 002	APPEARS ON HIGHER LEVEL	0.0 EA	1A02 1A02V01 1A04A03 1A04A04 1A04A05 1A04A07 1A04A08 1A04W11 1A04W12 1A04W13 1A04W14 1A05 1A05A06 1A05A07 1A06 1A06A02 1A07 1A07A01 1A07A15 1A15 1A16 1A17 1C06 1C07 1DC02 1DC03 1R010 1R011
055 0120 004	CONDUIT LKNUT .5	1.0 EA	#1S004
088 0020 015	TAPE, SCOTCH FOAM	0.0 RL	
296 0344 000	TUBG, POLYETHYLENE 1/4 OD	16.0 FT	
302 0294 000	SCR, 1/4-20 X 1	4.0 EA	
302 0589 000	SCR, 10-32 X 5/8	33.0 EA	
335 0007 000	WASHER NYLON .175 ID	12.0 EA	
335 0012 000	WASHER NYLON .195 ID	12.0 EA	
335 0017 000	WASHER NYLON .261 ID	2.0 EA	
350 0037 000	RIVET POP .125X.265	24.0 EA	
354 0003 000	LUG #10 RING RED 22-18AWG	10.0 EA	
354 0197 000	CONNECTOR SET SCREW TYPE	4.0 EA	#1B001
354 0760 000	TAB ADAPTOR 250 SERIES	2.0 EA	#CR001
356 0109 000	CABLE CLAMP 11/16D	1.0 EA	#1C006
358 0002 000	BRACKET RESISTOR MTG	2.0 EA	#R009
358 0004 000	BRACKET RESISTOR MTG	8.0 EA	#R002 #R003 #R004 #R005
358 0185 000	RECEPTACLE 85 SPRING	4.0 EA	#1A001
358 1022 000	SLIDE, DRAWER	4.0 EA	
358 1955 000	REPLD BY 939-7900-839	2.0 EA	
358 2184 000	TAPE, HOOK FASTENING	12.0 FT	
358 2426 000	PLUG, WHITE 2" HOLE	1.0 EA	
358 3187 000	PLUG, WHITE 1.75" HOLE	2.0 EA	
359 0179 000	CONNECTOR MALE 268-N	2.0 EA	#1M001 #1S004
359 0838 000	TEE, NYLON UNION FTGS 1/4	2.0 EA	#1M001
384 0702 000	RECT FW BRIDGE 600V 35A ESD	1.0 EA	CR001
398 0090 000	FUSE, SLOW CART 3A 250V	1.0 EA	1F002
398 0326 000	FUSE, 1A	1.0 EA	1F001
402 0001 000	CLIP, FUSE 1.062 60A 600V	2.0 EA	#1R003
402 0004 000	CLIP, FUSE .812 60A 250V	2.0 EA	#1R012
402 0024 000	FUSE HOLDER	2.0 EA	1XFD001 1XFD002
402 0107 000	CLIP, FUSE 9/16	2.0 EA	#1S002
410 0005 000	INSULATOR ROUND NS5W 0110	2.0 EA	#1R009
410 0010 000	INSULATOR ROUND NS5W 0208	4.0 EA	#1A011
410 0017 000	INSULATOR ROUND NS5W 0310	8.0 EA	#1R002 #1R003 #1R004 #1R005
410 0018 000	INSULATOR ROUND NS5W 0312	2.0 EA	#1R012
410 0026 000	INSULATOR ROUND NS5W 0420	1.0 EA	#1E001
424 0001 000	GROMMET 3/8 MTG DIA	1.0 EA	
424 0013 000	GROMMET .381 MTG DIA	1.0 EA	
424 0024 000	GROMMET 3/4 MTG DIA	1.0 EA	
424 0031 000	GROMMET 2.5 MTG DIA	3.0 EA	
424 0360 000	GROMMET 1-3/4 MTG DIA	2.0 EA	
426 0075 000	ISOLATION MOUNT	4.0 EA	#1B001
430 0130 000	FAN 200/240CFM 115V AXIAL	1.0 EA	1B002
430 0131 000	FINGER GUARD MAJOR FAN	2.0 EA	#1B002
432 0239 000	WHEEL, BLOWER CW ROTATION	1.0 EA	#1B001
432 0241 000	INLET VENTURI	1.0 EA	#1B001
432 0304 000	HOUSING, BLOWER	1.0 EA	#1B001
433 0103 000	BOOT, BLOWER	1.0 EA	#1B001

436 0266 000	MOTOR 1.5HP 3PH 50/60HZ	1.0 EA	#1B001
448 0541 000	LATCH, FLUSH, LIFT & TURN	2.0 EA	
448 0548 000	HANDLE TEE	1.0 EA	
472 0695 000	XFMR,LOWVOLT,815-1856-001	1.0 EA	1T003
472 1089 000	XFMR, STPDN, 816-6641-001	1.0 EA	1T004
472 1162 000	XFMR, PLT, 816-9893-001	1.0 EA	1T002
472 1164 000	XFMR, FIL, 816-9960-001	1.0 EA	1T001
476 0265 000	REACTOR 814 1811 001	1.0 EA	1L001
476 0345 000	REACTOR, 828-1174-002	1.0 EA	1L002
476 0408 000	CHOKE, FLTR .3HY 1A 3 OHM	1.0 EA	1L004
510 0560 000	CAP 12UF 2KV 10%	1.0 EA	1C004
510 0711 000	CAP .14 UF 5000VDC	1.0 EA	1C002
522 0437 000	CAP 500UF 30V	1.0 EA	1C006
524 0176 000	CAP 12,000UF 25V	1.0 EA	1C005
530 0088 000	BRACKET, CAP, 2" ID	1.0 EA	#1C005
540 0611 000	* RES 1K OHM 2W 5%	1.0 EA	1R006
540 1200 000	RES 110.0 OHM 50W 10%	1.0 EA	1R003
540 1341 000	RES 22.0 OHM 45W 10%	1.0 EA	1R012
542 0211 000	RES 500 OHM 5% 50W	1.0 EA	1R009
542 0377 000	RES 60K OHM 5% 225W	1.0 EA	1R002
542 1582 000	* RES 100K OHM 100W 5%	2.0 EA	1R004 1R005
590 0037 000	SOLENOID 220V, 60HZ	1.0 EA	1L003
604 0447 000	SW, PRESS.	1.0 EA	1S004
604 1035 000	SW, PRECISION DPDT	1.0 EA	1S002
604 1044 000	SW, INTLK DPDT	4.0 EA	1S001 1S003 1S005 1S006
614 0010 000	TERM BD 10 TERM	1.0 EA	1TB003
614 0015 000	TERM BD 15 TERM	1.0 EA	1TB002
614 0047 000	TERM BD 3 TERM	1.0 EA	1TB001
614 0048 000	TERM BD 4 TERM	1.0 EA	1TB004
614 0056 000	TERM BD 12 TERM	1.0 EA	1TB005
614 0060 000	TERM BD 16 TERM	2.0 EA	1TB008 1TB009
614 0525 000	JUMPER TYPE 600-J	6.0 EA	#1TB001
614 0718 000	JUMPER MODEL 601-J/141J	10.0 EA	#1TB005
620 0047 000	CPLR DBL MICROMATCH	1.0 EA	1DC001
620 0118 000	ADAPTOR N UG57B/U	1.0 EA	
620 0305 000	ADAPTOR,RT ANGLE UG-27B/U	4.0 EA	
620 0455 000	ADPT BNC UG492A/U	4.0 EA	1J010 1J011 1J013 1J014
620 0549 000	JACK, BNC 50 OHM BULKHEAD	1.0 EA	1J001
620 2411 000	GUAGE, PRESSURE 0-10"	1.0 EA	1M001
646 0972 000	*LABEL 117V	1.0 EA	#TB003
646 0973 000	*LABEL, 230V	5.0 EA	#1TB006 #1TB007 #1T001 #1T002
646 1250 000	LABEL SAFETY INSTR.	1.0 EA	
646 1301 000	LABEL, DANGER HI VOLTAGE	1.0 EA	#1A008
736 0148 000	POWER SUPPLY, SIZE M6	1.0 EA	1PS005
810 2264 001	LOCKING PLATE	4.0 EA	#1R003 #1R012
813 4999 022	STDOFF 6-32X1/4 1/4 HEX	12.0 EA	
813 4999 024	STDOFF 6-32X3/8 1/4 HEX	2.0 EA	#1TB003
816 9163 001	ADAPTOR-SOLENOID	1.0 EA	1E002
817 0136 001	CONTACT	1.0 EA	1E001
817 1527 017	INS., REAR DOOR DRIVER	1.0 EA	
817 1527 018	FILTER, DRIVER	1.0 EA	
817 1527 044	SHIELDING	1.0 EA	
817 1527 047	RUNNING LIST	0.0 EA	
822 0249 001	SKID, DRVR	1.0 EA	
822 0446 059	BRKT STOP-PWR SUP SUPPORT	6.0 EA	

829 1346 001	ANGLE	1.0 EA	
829 4022 001	PANEL, LOWER FRONT	1.0 EA	
829 4082 001	PANEL	1.0 EA	
829 4082 002	PANEL	1.0 EA	
829 4524 001	BLOCK	2.0 EA	
829 4554 002	PNL TV ACCESSORY	1.0 EA	#1A006
829 4925 001	HINGE	1.0 EA	#1A009
829 4926 001	BRACKET	1.0 EA	
829 7376 001	PLATE	1.0 EA	#1PS005
829 9583 031	BRACKET, SWITCH	4.0 EA	#S001 #S003 #S005 #S006
829 9583 045	SHIELD, FAN INLET	1.0 EA	#1B001
829 9583 070	PNL ACCESS, TOP	1.0 EA	
829 9583 071	PNL ACCESS, BOTT	1.0 EA	
829 9583 106	SEAL, LOWER DOOR	1.0 EA	
839 0206 010	COVER TERM BD	1.0 EA	#1TB003
839 0206 027	COVER, TERM. BD.	3.0 EA	#1T002
839 0206 037	COVER, TERM BD	1.0 EA	#1T001
839 4532 003	DIAG WIRING SIGNAL CABLES	0.0 EA	
839 4772 001	ANGLE	1.0 EA	#1S002
839 5195 001	SUPPORT	1.0 EA	
839 5207 001	PLATE, PLUG MTG	1.0 EA	#1P005 #1P006
839 5800 059	BRKT, PEAK DET.	1.0 EA	#1A016 #1A017
839 5800 089	BRACKET, SAMPLE JACK	1.0 EA	
839 6678 029	BRACKET, MTR	1.0 EA	#1A001
839 6678 030	BRACKET, MTR	1.0 EA	#1A001
839 6678 213	PLATE FAN HOUSING	1.0 EA	#1B001
843 3385 001	STRAP, GND	1.0 EA	
843 3385 002	STRAP, GND	1.0 EA	
843 4260 043	TV DRIVER MOTOR BASE	1.0 EA	#1B001
843 4260 044	MOTOR BASE MOUNT	1.0 EA	#1B001
843 4500 001	CHASSIS, CONNECTOR	1.0 EA	
852 9084 002	DIAG WIRING DRVR CAB	0.0 EA	
914 3424 006	METER MULTIPLIER	1.0 EA	1A014
915 1842 001	STUD TERMINAL	1.0 EA	#1TB8-3
916 4954 002	GRD STRAP	1.0 EA	#1E002
916 9997 001	ANGLE ASSY	2.0 EA	
917 1527 039	PLATE PLUNGER	2.0 EA	#INTERLOCK
929 4057 001	ASSY, DC FILAMENT	1.0 EA	1A012
929 7701 001	DUCT ASSY	1.0 EA	
929 9583 084	ASSY, SIDE PANEL	1.0 EA	
938 4203 004	GROUND STICK ASSY	1.0 EA	
939 4711 001	DUCT ASSY	1.0 EA	
939 4720 002	DUCT, REAR DRIVER CAVITY	1.0 EA	
939 6678 068	ASSY, SAFETY COVER	1.0 EA	#1T004
939 6678 069	ASSY, SAFETY COVER	1.0 EA	#1TB005
943 3025 001	DUCT ASSY	1.0 EA	
943 4260 011	BACK PANEL, DRIVER DOOR	1.0 EA	
943 4260 022	ASSY, DRIVER REAR DOOR	1.0 EA	
943 4260 046	ASSY LOWER DUCT DRIVER	1.0 EA	
943 4785 002	SUPPORT, POWER SUPPLY	3.0 EA	#USED WITH 1PS001 1PS002 1PS004
952 8695 002	CABINET ASSY, DRIVER	1.0 EA	
992 5294 001	TRANSMITTER CTRL ASSY	1.0 EA	1A009
992 5359 001	OVERLOAD ASSY	1.0 EA	1A019
992 5405 003	METER PANEL, INNER	1.0 EA	1A001
992 5409 001	ANODE RECT ASSY	1.0 EA	1A013

992 5413 002	CONTACTOR BREAKER PANEL	1.0 EA	1A008
992 5414 002	MULTIMETER PANEL	1.0 EA	1A003
992 5594 001	IPA ASSY	1.0 EA	1A004
992 5595 001	SCREEN SUPPLY, DRIVER	1.0 EA	1A011
992 8066 001	CABLE, PKG - DRV CUBICLE	1.0 EA	
994 9108 001	POWER SUPPLY ONLY FOR	3.0 EA	1PS001 1PS002 1PS004
999 1885 001	HARDWARE LIST	1.0 EA	

Table 1-265. LOCKING PLATE - 810 2264 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 001	BRS, RECT .064 X 24	0.021315 LB	

Table 1-266. STD OFF 6-32X1/4 1/4 HEX - 813 4999 022

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.001313 LB	

Table 1-267. STD OFF 6-32X3/8 1/4 HEX - 813 4999 024

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.001964 LB	

Table 1-268. ADAPTOR-SOLENOID - 816 9163 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	0.267750 LB	

Table 1-269. CONTACT - 817 0136 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	0.379050 LB	

Table 1-270. INS., REAR DOOR DRIVER - 817 1527 017

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5050 010	POLYSTYRENE SHEET, 1" THK	15.590 SF	

Table 1-271. FILTER, DRIVER - 817 1527 018

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 9010 010	INDUSTRIAL FOAM 1 IN	4.36250 SF	

Table 1-272. SHIELDING - 817 1527 044

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.26250 SF	

Table 1-273. BRKT STOP-PWR SUP SUPPORT - 822 0446 059

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.0290 LB	

Table 1-274. ANGLE - 829 1346 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 050	STL, SH 16GA CR	1.58050 LB	

Table 1-275. PANEL, LOWER FRONT - 829 4022 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	10.6720 LB	

Table 1-276. PANEL - 829 4082 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	1.161450 LB	

Table 1-277. PANEL - 829 4082 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.468350 LB	

Table 1-278. BLOCK - 829 4524 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 2045 071	AL, SQ 1.0 X 1.0	0.33180 LB	

Table 1-279. PNL TV ACCESSORY - 829 4554 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	1.63850 LB	

Table 1-280. HINGE - 829 4925 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 1110 010	PLASTIC PIANO HINGE	1.04580 FT	

Table 1-281. BRACKET - 829 4926 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.17980 LB	

Table 1-282. PLATE - 829 7376 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.729350 LB	

Table 1-283. BRACKET, SWITCH - 829 9583 031

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 080	AL, SH .100 THK	0.082650 LB	

Table 1-284. SHIELD, FAN INLET - 829 9583 045

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.3570 SF	

Table 1-285. PNL ACCESS, TOP - 829 9583 070

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.6670 LB	
817 1527 034	STENCIL DRIVER AIR	0.0 EA	
829 9583 077	SILKSCREEN	0.0 EA	

Table 1-286. PNL ACCESS, BOTT - 829 9583 071

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.6670 LB	

Table 1-287. SEAL, LOWER DOOR - 829 9583 106

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.30450 LB	

Table 1-288. COVER TERM BD - 839 0206 010

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.059875 SF	

Table 1-289. COVER, TERM. BD. - 839 0206 027

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.0510 SF	

Table 1-290. COVER, TERM BD - 839 0206 037

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.116875 SF	

Table 1-291. ANGLE - 839 4772 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.55970 LB	

Table 1-292. SUPPORT - 839 5195 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	3.00150 LB	

Table 1-293. PLATE, PLUG MTG - 839 5207 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.28420 LB	

Table 1-294. BRKT, PEAK DET. - 839 5800 059

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.65250 LB	

Table 1-295. BRACKET, SAMPLE JACK - 839 5800 089

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.561150 LB	

Table 1-296. BRACKET, MTR - 839 6678 029

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.0870 LB	

Table 1-297. BRACKET, MTR - 839 6678 030

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.0870 LB	

Table 1-298. PLATE FAN HOUSING - 839 6678 213

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	4.59650 LB	

Table 1-299. STRAP, GND - 843 3385 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 045	CU, STRAP .020 X 2"	6.0270 FT	

Table 1-300. STRAP, GND - 843 3385 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 045	CU, STRAP .020 X 2"	5.4180 FT	

Table 1-301. TV DRIVER MOTOR BASE - 843 4260 043

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	4.71250 LB	

Table 1-302. MOTOR BASE MOUNT - 843 4260 044

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	4.2920 LB	

Table 1-303. CHASSIS, CONNECTOR - 843 4500 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.82650 LB	
829 9924 001	SILKSCREEN, CHASSIS CONN	0.0 EA	
829 9925 001	STENCIL, CHASSIS CONN	0.0 EA	

Table 1-304. METER MULTIPLIER - 914 3424 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
357 0029 000	SCREW 8-32 X 1/2 BHMS	2.0 EA	
410 0010 000	INSULATOR ROUND NS5W 0208	2.0 EA	
938 4433 004	METER MULTIPLIER	1.0 EA	
999 1731 001	HARDWARE LIST	1.0 EA	

Table 1-305. METER MULTIPLIER - 938 4433 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0002 000	WIRE, BUS CU 20AWG	0.30 FT	
300 1565 000	SCR, 8-32 X 1/2	2.0 EA	
304 0035 000	NUT CAP 8-32 BRASS	2.0 EA	
308 0006 000	NO 8 FLAT WASHER BRS	2.0 EA	
312 0006 000	WASHER, INT LOCK 8	2.0 EA	
312 0048 000	WASHER, SPLIT-LOCK 8	2.0 EA	
357 0037 000	SCREW 6-32 X .25 BHMS	4.0 EA	
410 0003 000	INSULATOR ROUND NS5W 0106	2.0 EA	
548 0373 000	RES 249K OHM 3/4W 1%	20.0 EA	R1 R10 R11 R12 R13 R14 R15 R16 R17 R18 R19 R2 R20 R3 R4 R5 R6 R7 R8 R9
813 5017 021	STDOFF 8-32X3/16 5/16 H	2.0 EA	
827 6002 001	PRINTED CIRCUIT	1.0 EA	
838 4432 001	PWB, METER MULTIPLIER,	1.0 EA	

Table 1-306. STDOFF 8-32X3/16 5/16 H - 813 5017 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 020	BRS, HEX .313	0.00510 LB	

Table 1-307. HARDWARE LIST - 999 1731 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1566 000	SCR, 8-32 X 5/8	2.0 EA	
304 0035 000	NUT CAP 8-32 BRASS	2.0 EA	
308 0006 000	NO 8 FLAT WASHER BRS	4.0 EA	
312 0006 000	WASHER, INT LOCK 8	2.0 EA	
312 0048 000	WASHER, SPLIT-LOCK 8	2.0 EA	

Table 1-308. STUD TERMINAL - 915 1842 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 010	BRS, THD STK 6-32	0.1050 FT	
304 0089 000	NUT, HEX 6-32	1.0 EA	
815 1842 001	ASSY INSTR, STUD TERMINAL	0.0 EA	

Table 1-309. GRD STRAP - 916 4954 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0017 000	WIRE, ROPE 10AWG	0.30 FT	
354 0287 000	LUG #10 RING N/INS 7-9AWG	2.0 EA	

Table 1-310. ANGLE ASSY - 916 9997 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.046835 LB	
324 0168 000	NUT, PEM 10-32	1.0 EA	
816 9995 001	ANGLE	0.0 EA	
816 9997 001	ASSY INSTRUCTIONS	0.0 EA	

Table 1-311. PLATE PLUNGER - 917 1527 039

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.004350 LB	
358 2811 000	STANDOFF 6-32 X 1-1/16	1.0 EA	
817 1527 039	PLATE, PLUNGER	0.0 EA	

Table 1-312. ASSY, DC FILAMENT - 929 4057 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0005 000	WIRE, STRD 16AWG GREY	0.40 FT	
300 1648 000	SCR, 1/4-20 X 5/8	7.0 EA	
300 1651 000	SCR, 1/4-20 X 1	2.0 EA	
302 0385 000	SCR, 6-32 X 1/2	1.0 EA	
304 0009 000	NUT, HEX 1/4-20	10.0 EA	
304 0089 000	NUT, HEX 6-32	1.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	1.0 EA	
308 0009 000	.25 FLAT WASHER BRS	9.0 EA	
312 0051 000	WASHER, SPLIT-LOCK 1/4	17.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	1.0 EA	
335 0017 000	WASHER NYLON .261 ID	3.0 EA	
354 0140 000	LUG SLDR .25 HOLE	1.0 EA	
384 0628 000	RECT 1N3289/1N3289A ESD	3.0 EA	CR1 CR2 CR3
384 0667 000	RECTIFIER 1N3289R ESD	3.0 EA	CR4 CR5 CR6
398 0020 000	FUSE, FAST CART 3A 250V	1.0 EA	
402 0024 000	FUSE HOLDER	1.0 EA	
410 0025 000	INSULATOR ROUND NS5W 0416	3.0 EA	
813 5608 022	*NON STANDARD	3.0 EA	
829 4046 001	HEATSINK	2.0 EA	
839 4244 001	MOUNTING PLATE	1.0 EA	

Table 1-313. *NON STANDARD - 813 5608 022

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 050	BRS, THD STK 1/4-20	0.162750 FT	

Table 1-314. HEATSINK - 829 4046 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 040	CU, SH .125 X 36 X 96	1.740 LB	

Table 1-315. MOUNTING PLATE - 839 4244 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	0.7050 LB	

Table 1-316. DUCT ASSY - 929 7701 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
839 5196 001	ENCLOSURE	1.0 EA	
917 0630 001	BRACKET ASSY	1.0 EA	

Table 1-317. ENCLOSURE - 839 5196 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	2.6680 LB	

Table 1-318. BRACKET ASSY - 917 0630 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0165 000	NUT, PEM 8-32	3.0 EA	
829 7700 001	BRACKET	1.0 EA	

Table 1-319. BRACKET - 829 7700 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.870 LB	

Table 1-320. ASSY, SIDE PANEL - 929 9583 084

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 1348 001	BRACE	1.0 EA	
829 9583 083	AIR BLOCK, SIDE PANEL	1.0 EA	
829 9583 084	ASSY, SIDE PANEL	0.0 EA	
839 2407 001	SIDE PANEL	1.0 EA	

Table 1-321. BRACE - 829 1348 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	5.5390 LB	

Table 1-322. AIR BLOCK, SIDE PANEL - 829 9583 083

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.74240 LB	

Table 1-323. SIDE PANEL - 839 2407 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	20.590 LB	

Table 1-324. GROUND STICK ASSY - 938 4203 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0017 000	WIRE, ROPE 10AWG	4.20 FT	
296 0019 000	PLASTIC TUBE 4AWG CLEAR	4.10 FT	
306 0006 000	NUT, HEX 10-32	2.0 EA	
308 0007 000	10 FLAT WASHER BRASS	1.0 EA	
312 0007 000	WASHER, INT LOCK 10	1.0 EA	

312 0049 000	WASHER, SPLIT-LOCK 10	1.0 EA
354 0287 000	LUG #10 RING N/INS 7-9AWG	1.0 EA
354 0289 000	LUG .25 RING N/INS 7-9AWG	1.0 EA
814 7796 002	HANDLE	1.0 EA
814 7917 001	HOOK, 1/2IN RADIUS	1.0 EA
838 4203 001	ASSY INSTR, GROUND HOOK	0.0 EA

Table 1-325. HANDLE - 814 7796 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
037 1010 033	PHENOLIC RD 1/2 DIA	2.08950 FT	

Table 1-326. HOOK, 1/2IN RADIUS - 814 7917 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 003	AL, RD .188 DIA	0.01260 LB	

Table 1-327. DUCT ASSY - 939 4711 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 4845 001	DEFLECTOR	1.0 EA	
829 4846 001	COVER	1.0 EA	
829 4847 001	TOP	1.0 EA	
839 4710 001	ENCLOSURE	1.0 EA	
929 4880 001	ENCLOSURE ASSY	1.0 EA	

Table 1-328. DEFLECTOR - 829 4845 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.58290 LB	

Table 1-329. COVER - 829 4846 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.07250 LB	

Table 1-330. TOP - 829 4847 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.49010 LB	

Table 1-331. ENCLOSURE - 839 4710 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	1.344150 LB	

Table 1-332. ENCLOSURE ASSY - 929 4880 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0167 000	NUT, PEM 6-32	3.0 EA	
829 7353 001	SIDE ENCLOSURE	1.0 EA	

Table 1-333. SIDE ENCLOSURE - 829 7353 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.91930 LB	

Table 1-334. DUCT, REAR DRIVER CAVITY - 939 4720 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 080	AL, SH .100 THK	6.0610 LB	
324 0163 000	NUT, PEM 6-32	14.0 EA	
358 0945 000	STUD 10-32 X 1/2	4.0 EA	
358 2788 000	SPACER 4-40 X 3/8	1.0 EA	
839 4718 002	ENCLOSURE DUCT DRIVER	0.0 EA	
839 4720 002	ASSY, DUCT ENCLOSURE	0.0 EA	

Table 1-335. ASSY, SAFETY COVER - 939 6678 068

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.250 SF	
646 0973 000	*LABEL, 230V	1.0 EA	
839 6678 068	COVER, SAFETY	0.0 EA	

Table 1-336. ASSY, SAFETY COVER - 939 6678 069

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.250 SF	
646 0972 000	*LABEL 117V	1.0 EA	
839 6678 069	COVER, SAFETY	0.0 EA	

Table 1-337. DUCT ASSY - 943 3025 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 4874 001	VANE	1.0 EA	
829 4875 001	VANE	1.0 EA	
829 4876 001	TOP	1.0 EA	
839 4741 001	SIDE	1.0 EA	
929 4873 001	ENCLOSURE	1.0 EA	

Table 1-338. VANE - 829 4874 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.18270 LB	

Table 1-339. VANE - 829 4875 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.2320 LB	

Table 1-340. TOP - 829 4876 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.543750 LB	

Table 1-341. SIDE - 839 4741 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.6820 LB	

Table 1-342. ENCLOSURE - 929 4873 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0163 000	NUT, PEM 6-32	5.0 EA	
843 3024 001	ENCLOSURE	1.0 EA	

Table 1-343. ENCLOSURE - 843 3024 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	3.0450 LB	

Table 1-344. BACK PANEL, DRIVER DOOR - 943 4260 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	14.1810 LB	
324 0143 000	NUT, PEM 6-32	4.0 EA	
843 4260 011	BACK PLATE, REAR DOOR	0.0 EA	

Table 1-345. ASSY, DRIVER REAR DOOR - 943 4260 022

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0323 000	HINGE LATCH RELEASE	1.0 EA	
448 0324 000	HINGE LATCH RELEASE	1.0 EA	
646 1250 000	LABEL SAFETY INSTR.	1.0 EA	
815 4268 001	SPACER, DOOR	2.0 EA	
843 4260 012	DOOR, DRIVER REAR	1.0 EA	
843 4260 022	ASSY INSTRUCTIONS	0.0 EA	

Table 1-346. SPACER, DOOR - 815 4268 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.009527 LB	

Table 1-347. DOOR, DRIVER REAR - 843 4260 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	24.6210 LB	

Table 1-348. ASSY LOWER DUCT DRIVER - 943 4260 046

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
839 6678 212	SIDE FRONT BLOWER DUCT	1.0 EA	
843 4260 042	DUCT, BLOWER DRIVER	1.0 EA	
843 4260 046	ASSY LOWER DUCT DRIVER	0.0 EA	

Table 1-349. SIDE FRONT BLOWER DUCT - 839 6678 212

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.11650 LB	

Table 1-350. DUCT, BLOWER DRIVER - 843 4260 042

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	2.10250 LB	

Table 1-351. SUPPORT, POWER SUPPLY - 943 4785 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	3.55250 LB	
324 0151 000	NUT, PEM 10-32	2.0 EA	
843 4785 002	ASSY INST,SUPPORT PWR SUP	0.0 EA	

Table 1-352. CABINET ASSY, DRIVER - 952 8695 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0217 000	SCR, 1/4-20 X 1	90.0 EA	
302 0338 000	SCR, 1/2-13 X 1-1/2	48.0 EA	
302 0360 000	SCR, 1/4-20 X 3/4	2.0 EA	
302 0396 000	SCR, 10-32 X 2	4.0 EA	
304 0075 000	NUT, HEX THIN 3/8-32	2.0 EA	
314 0009 000	WASHER, SPLIT-LOCK 1/4	90.0 EA	
314 0013 000	WASHER, INT LOCK 3/8	2.0 EA	
314 0015 000	WASHER, SPLIT-LOCK 1/2	48.0 EA	
328 0033 000	WASHER FLAT STEEL	2.0 EA	
358 0437 000	BUSHING PANEL .252 ID	2.0 EA	
358 1895 000	NUT W/SPRING 1/2-13	16.0 EA	
358 2140 000	NUT W/SPRING 1/4-20	72.0 EA	
829 1280 001	PLATE, CAB FITTING	4.0 EA	
829 3668 003	CHANNEL FRAME 26.25	4.0 EA	
829 3668 004	CHANNEL	3.0 EA	
829 3668 008	CHANNEL FRAME 68.375	1.0 EA	
829 4130 001	HINGE, BOTTOM REAR	1.0 EA	
829 4132 001	HINGE, TOP REAR	1.0 EA	
829 4238 001	FRONT CHANNEL	1.0 EA	
829 4771 002	CHANNEL	1.0 EA	
829 9583 086	FRAME CHANNEL UPPER REAR	1.0 EA	
839 2899 001	CHANNEL	1.0 EA	
839 4056 001	CHANNEL, REAR	1.0 EA	
839 4258 001	STRIP, TOP	2.0 EA	
839 4263 001	PANEL	1.0 EA	
839 4732 001	PANEL	1.0 EA	
839 4781 001	STRIP	1.0 EA	
843 2722 001	FRONT POST	1.0 EA	
843 2783 001	PANEL	1.0 EA	
852 8695 002	CABINET ASSY INSTRUCTIONS	0.0 EA	
916 9843 003	ANGLE ASSY	1.0 EA	
917 0292 001	ANGLE ASSY	1.0 EA	
929 4163 001	SUPPORT RT	1.0 EA	
929 4376 001	PANEL ASSY	1.0 EA	
929 4996 001	SHELF ASSY	1.0 EA	

929 7018 002	SHELF ASSY	1.0 EA
929 7483 001	PANEL ASSY, RT SIDE	1.0 EA
929 7504 001	PANEL ASSY, BLANK	1.0 EA
929 8503 001	GUSSET, WELDED	8.0 EA
929 9583 081	SUPPORT LEFT DRAWER ASSY	1.0 EA
929 9583 102	TOP DVR CAB ASSEMBLY	1.0 EA
939 4281 001	CORNER, RF AND LR LOWER	1.0 EA
939 4282 001	CORNER, LF AND RR LOWER	1.0 EA
939 4284 001	CORNER, L R TOP	1.0 EA
939 4285 001	CORNER, R F TOP	2.0 EA
939 4286 001	CORNER, L F TOP	3.0 EA
939 4824 001	DIVIDER ASSY	1.0 EA
939 6678 214	BASE PLATE DRIVER CAB	1.0 EA

Table 1-353. PLATE, CAB FITTING - 829 1280 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 014	AL, RECT .250 X 4.0	0.16590 LB	

Table 1-354. CHANNEL FRAME 26.25 - 829 3668 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.27850 FT	

Table 1-355. CHANNEL - 829 3668 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.61450 FT	

Table 1-356. CHANNEL FRAME 68.375 - 829 3668 008

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	5.95350 FT	

Table 1-357. HINGE, BOTTOM REAR - 829 4130 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	0.72790 LB	

Table 1-358. HINGE, TOP REAR - 829 4132 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	0.503150 LB	

Table 1-359. FRONT CHANNEL - 829 4238 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	5.95350 FT	

Table 1-360. CHANNEL - 829 4771 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.6250 FT	

Table 1-361. FRAME CHANNEL UPPER REAR - 829 9583 086

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.63550 FT	

Table 1-362. CHANNEL - 839 2899 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.61450 FT	

Table 1-363. CHANNEL, REAR - 839 4056 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	5.95350 FT	

Table 1-364. STRIP, TOP - 839 4258 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	0.86130 LB	

Table 1-365. PANEL - 839 4263 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	3.00150 LB	

Table 1-366. PANEL - 839 4732 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.61450 FT	

Table 1-367. STRIP - 839 4781 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	2.65350 LB	

Table 1-368. FRONT POST - 843 2722 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	5.95350 FT	

Table 1-369. PANEL - 843 2783 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	14.6450 LB	

Table 1-370. ANGLE ASSY - 916 9843 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 010	STL, SH 10GA CR	4.88650 LB	
306 0065 000	NUT, WELD 1/4-20	3.0 EA	
816 9843 003	ASSY INSTRUCTIONS	0.0 EA	
829 3727 003	FAB INSTR, ANGLE	0.0 EA	

Table 1-371. ANGLE ASSY - 917 0292 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 010	STL, SH 10GA CR	4.88650 LB	
306 0065 000	NUT, WELD 1/4-20	3.0 EA	
817 0292 001	ASSY INSTRUCTIONS	0.0 EA	
829 4228 001	FAB INSTR, ANGLE	0.0 EA	

Table 1-372. SUPPORT RT - 929 4163 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	8.27950 LB	
324 0168 000	NUT, PEM 10-32	2.0 EA	
358 1065 000	STUD 6-32 X 5/8	2.0 EA	
829 4163 001	ASSY INSTRUCTIONS	0.0 EA	
843 2765 001	SUPPORT	0.0 EA	

Table 1-373. PANEL ASSY - 929 4376 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	11.81750 LB	
358 0945 000	STUD 10-32 X 1/2	11.0 EA	
358 1101 000	STUD 6-32 X 1/2	2.0 EA	
358 1851 000	STUD 1/4-20 X 3/4	4.0 EA	
829 4376 001	ASSY INSTRUCTIONS	0.0 EA	
839 4408 001	PANEL, BACK	0.0 EA	

Table 1-374. SHELF ASSY - 929 4996 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	18.850 LB	
324 0168 000	NUT, PEM 10-32	4.0 EA	
829 4996 001	ASSY INSTRUCTIONS	0.0 EA	
843 3052 001	SHELF, DRIVER CABINET	0.0 EA	

Table 1-375. SHELF ASSY - 929 7018 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	6.5540 LB	
324 0163 000	NUT, PEM 6-32	5.0 EA	
829 7013 001	STENCIL, OVERLOAD	0.0 EA	
829 7018 002	SHELF, CONTROLLER	0.0 EA	
843 2807 002	PANEL, OVERLOAD	0.0 EA	

Table 1-376. PANEL ASSY, RT SIDE - 929 7483 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	19.8650 LB	
358 0957 000	STUD 8-32 X 1/2	8.0 EA	
358 1101 000	STUD 6-32 X 1/2	4.0 EA	
829 7483 001	ASSY INSTRUCTIONS	0.0 EA	
839 4481 001	PANEL	0.0 EA	

Table 1-377. PANEL ASSY, BLANK - 929 7504 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.8410 LB	
358 1101 000	STUD 6-32 X 1/2	1.0 EA	
829 7503 001	PANEL, BLANK	0.0 EA	
829 7504 001	ASSY INSTRUCTIONS	0.0 EA	

Table 1-378. GUSSET, WELDED - 929 8503 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 8503 001	GUSSET, WELDED	0.0 EA	
839 5847 001	CLIP ANGLE	1.0 EA	
839 5848 001	GUSSET	1.0 EA	

Table 1-379. CLIP ANGLE - 839 5847 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 010	STL, SH 10GA CR	0.868550 LB	

Table 1-380. GUSSET - 839 5848 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 010	STL, SH 10GA CR	2.59550 LB	

Table 1-381. SUPPORT LEFT DRAWER ASSY - 929 9583 081

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	10.2370 LB	
324 0168 000	NUT, PEM 10-32	6.0 EA	
358 0945 000	STUD 10-32 X 1/2	1.0 EA	
829 4956 001	STENCIL	0.0 EA	
829 9583 081	SUPPORT, LEFT DRAWER	0.0 EA	
829 9583 095	STENCIL	0.0 EA	
843 4260 036	SUPPORT DRAWER	0.0 EA	

Table 1-382. TOP DVR CAB ASSEMBLY - 929 9583 102

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 9583 100	TUBE EXHAUST	1.0 EA	
829 9583 102	TOP DRIVER CAB	0.0 EA	
843 4260 041	TOP DRIVER	1.0 EA	

Table 1-383. TUBE EXHAUST - 829 9583 100

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.580 LB	

Table 1-384. TOP DRIVER - 843 4260 041

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	18.16850 LB	

Table 1-385. CORNER, RF AND LR LOWER - 939 4281 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0727 000	CORNER, CAST	1.0 EA	

Table 1-386. CORNER, LF AND RR LOWER - 939 4282 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0727 000	CORNER, CAST	1.0 EA	

Table 1-387. CORNER, L R TOP - 939 4284 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0727 000	CORNER, CAST	1.0 EA	

Table 1-388. CORNER, R F TOP - 939 4285 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0727 000	CORNER, CAST	1.0 EA	

Table 1-389. CORNER, L F TOP - 939 4286 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0727 000	CORNER, CAST	1.0 EA	

Table 1-390. DIVIDER ASSY - 939 4824 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	21.8950 LB	
324 0163 000	NUT, PEM 6-32	2.0 EA	
324 0285 000	NUT, PEM 1/4-20	12.0 EA	
358 0943 000	STUD 6-32 X 3/8	7.0 EA	
358 0945 000	STUD 10-32 X 1/2	8.0 EA	
358 0957 000	STUD 8-32 X 1/2	7.0 EA	
358 1065 000	STUD 6-32 X 5/8	6.0 EA	
839 4824 001	ASSY INSTRUCTIONS	0.0 EA	
852 8712 001	DIVIDER	0.0 EA	

Table 1-391. BASE PLATE DRIVER CAB - 939 6678 214

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	14.210 LB	
324 0168 000	NUT, PEM 10-32	4.0 EA	

324 0183 000	NUT, PEM 1/4-20	8.0 EA
324 0271 000	NUT, PEM 5/16-18	4.0 EA
324 0286 000	NUT, PEM 3/8-16	4.0 EA
839 6678 214	ASSY INSTRUCTIONS	0.0 EA

Table 1-392. TRANSMITTER CTRL ASSY - 992 5294 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0087 000	NUT U 4-40	14.0 EA	
358 1214 000	SCREWLOCK, FEMALE	14.0 EA	
358 2204 000	KEY (POLARIZING)	3.0 EA	
646 0569 000	REPLACE WITH 646-1301-201	1.0 EA	
813 4999 003	STDOFF 4-40X1/4 1/4 HEX	2.0 EA	
813 4999 007	STDOFF 4-40X1/2 1/4 HEX	4.0 EA	
829 7326 001	COVER	1.0 EA	
843 2978 002	SCHEMATIC	0.0 EA	
852 8728 001	SCHEMATIC	0.0 EA	
917 0584 001	COVER ASSY	1.0 EA	
992 5295 002	LOGIC CONTRL. BD (XMTR)	1.0 EA	
992 5296 001	INTERFACE PC BOARD	1.0 EA	

Table 1-393. STDOFF 4-40X1/4 1/4 HEX - 813 4999 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.001313 LB	

Table 1-394. STDOFF 4-40X1/2 1/4 HEX - 813 4999 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.002625 LB	

Table 1-395. COVER - 829 7326 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.19750 SF	

Table 1-396. COVER ASSY - 917 0584 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	1.376050 LB	
358 2192 000	PLUNGER, SPRING-LOADED	2.0 EA	
839 4768 001	COVER	0.0 EA	

Table 1-397. LOGIC CONTRL. BD (XMTR) - 992 5295 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0125 000	XSTR, NPN 2N4401 ESD	2.0 EA	Q2 Q9
380 0189 000	XSTR, NPN 2N3904 ESD	9.0 EA	Q1 Q13 Q14 Q15 Q25 Q26 Q27 Q28 Q7
380 0190 000	XSTR, PNP 2N3906 ESD	4.0 EA	Q10 Q11 Q12 Q8
380 0623 000	XSTR VN67AB ESD	2.0 EA	Q3 Q4
382 0260 000	IC, 555 ESD	3.0 EA	U2 U6 U7
382 0302 000	IC, 4023/14023 ESD	1.0 EA	U8
382 0553 000	IC 4012 ESD	1.0 EA	U4

382 0554 000	IC, 14013/4013 ESD	2.0 EA	U3 U5
384 0316 000	RECT SIL CTL 2N5060 ESD	9.0 EA	Q16 Q17 Q18 Q19 Q20 Q21 Q22 Q23 Q24
384 0431 000	RECT. 1N4001 ESD	59.0 EA	CR1 CR10 CR11 CR12 CR13 CR15 CR16 CR17 CR19 CR2 CR20 CR21 CR22 CR23 CR24 CR25 CR26 CR28 CR29 CR3 CR30 CR31 CR32 CR33 CR34 CR35 CR36 CR37 CR38 CR39 CR4 CR40 CR41 CR42 CR44 CR45 CR46 CR47 CR48 CR49 CR5 CR50 CR51 CR52 CR53 CR54 CR55 CR56 CR57 CR58 CR59 CR6 CR60 CR61 CR62 CR63 CR7 CR8 CR9
386 0135 000	ZENER, 1N4733A 5.1V ESD	3.0 EA	CR18 CR27 CR43
404 0198 000	SPACER TO-5, TO-9, TO-11	2.0 EA	#Q3 #Q4
404 0673 000	SOCKET 8 PIN DIP (DL)	3.0 EA	XU002 XU006 XU007
404 0674 000	SOCKET 14 PIN DIP (D-L)	4.0 EA	XU3 XU4 XU5 XU8
516 0375 000	CAP .01UF 50V -20/+80% Z5U	4.0 EA	C15 C21 C32 C36
516 0453 000	CAP .1UF 100V 20% X7R	4.0 EA	C13 C16 C30 C34
522 0531 000	CAP 1UF 50V 20%	7.0 EA	C008 C012 C020 C028 C029 C033 C066
526 0048 000	CAP 10UF 20V 20%	1.0 EA	C23
526 0050 000	CAP 1UF 35V 20%	26.0 EA	C002 C003 C009 C010 C022 C026 C037 C038 C039 C040 C041 C042 C043 C044 C045 C046 C056 C057 C058 C059 C060 C061 C062 C063 C064 C065
526 0057 000	CAP 100UF 20V 20%	1.0 EA	C18
526 0331 000	CAP .33UF 35V 20%	9.0 EA	C47 C48 C49 C50 C51 C52 C53 C54 C55
526 0360 000	CAP 220 UF 15V 10%	5.0 EA	C14 C19 C31 C35 C6
548 2400 169	RES 51.1 OHM 1/2W 1%	2.0 EA	R100 R101
548 2400 201	RES 100 OHM 1/2W 1%	6.0 EA	R18 R28 R33 R55 R60 R93
548 2400 234	RES 221 OHM 1/2W 1%	1.0 EA	R41
548 2400 269	RES 511 OHM 1/2W 1%	1.0 EA	R2
548 2400 301	RES 1K OHM 1/2W 1%	7.0 EA	R21 R24 R3 R30 R42 R45 R48
548 2400 318	RES 1.5K OHM 1/2W 1%	10.0 EA	R51 R84 R85 R86 R87 R88 R89 R90 R91 R92
548 2400 330	RES 2K OHM 1/2W 1%	10.0 EA	R64 R66 R67 R68 R69 R70 R71 R72 R73 R74
548 2400 347	RES 3.01K OHM 1/2W 1%	6.0 EA	R020 R040 R043 R047 R052 R062
548 2400 369	RES 5.11K OHM 1/2W 1%	1.0 EA	R65
548 2400 377	RES 6.19K OHM 1/2W 1%	9.0 EA	R75 R76 R77 R78 R79 R80 R81 R82 R83
548 2400 385	RES 7.5K OHM 1/2W 1%	3.0 EA	R22 R39 R54
548 2400 401	RES 10K OHM 1/2W 1%	23.0 EA	R005 R019 R023 R025 R035 R036 R038 R044 R046 R049 R053 R056 R057 R061 R063 R095 R096 R097 R098 R099 R104 R105 R106
548 2400 418	RES 15K OHM 1/2W 1%	1.0 EA	R50
548 2400 430	RES 20K OHM 1/2W 1%	1.0 EA	R94
548 2400 451	RES 33.2K OHM 1/2W 1%	1.0 EA	R32
548 2400 466	RES 47.5K OHM 1/2W 1%	4.0 EA	R103 R34 R37 R58
548 2400 489	RES 82.5K OHM 1/2W 1%	1.0 EA	R26
548 2400 501	RES 100K OHM 1/2W 1%	2.0 EA	R102 R29
548 2400 509	RES 121K OHM 1/2W 1%	1.0 EA	R59
548 2400 569	RES 511K OHM 1/2W 1%	1.0 EA	R27
548 2400 573	RES 562K OHM 1/2W 1%	1.0 EA	R7
574 0351 000	* RELAY, REED SPST 6VDC	2.0 EA	K1 K3
574 0392 000	RELAY, REED DPST 6VDC	1.0 EA	K4
610 0679 000	PLUG, SHORTING, .25" CTRS	3.0 EA	P1 P2 P3

612 0904 000	JACK, PC MT GOLD PLATED	10.0 EA	J1 J10 J2 J3 J4 J5 J6 J7 J8 J9
843 2978 002	SCHEMATIC	0.0 EA	
852 8801 002	DIAGRAM DWG	0.0 EA	
939 4912 002	PTD BD CONTROL. LOGIC	1.0 EA	

Table 1-398. PTD BD CONTROL. LOGIC - 939 4912 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	19.0 EA	
843 3110 002	PC BD	1.0 EA	

Table 1-399. INTERFACE PC BOARD - 992 5296 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1726 000	SPRING, HOLD DOWN	3.0 EA	
384 0431 000	RECT. 1N4001 ESD	7.0 EA	CR001 CR002 CR003 CR004 CR005 CR006 CR007
404 0161 000	SOCKET RELAY 9KH2	3.0 EA	XK001 XK002 XK003
494 0218 000	CHOKE WIDE BAND	49.0 EA	L001 L002 L003 L004 L005 L006 L007 L008 L009 L010 L011 L012 L013 L014 L015 L016 L017 L018 L019 L020 L021 L022 L023 L024 L025 L026 L027 L028 L029 L030 L031 L032 L033 L034 L035 L036 L037 L038 L039 L040 L041 L042 L043 L044 L045 L046 L047 L048 L049
516 0375 000	CAP .01UF 50V -20/+80% Z5U	49.0 EA	C001 C002 C003 C004 C005 C006 C007 C008 C009 C010 C011 C012 C013 C014 C015 C016 C017 C018 C019 C020 C021 C022 C023 C024 C025 C026 C027 C028 C029 C030 C031 C032 C033 C034 C035 C036 C037 C038 C039 C040 C041 C042 C043 C044 C045 C046 C047 C048 C049
548 2400 101	RES 10 OHM 1/2W 1%	3.0 EA	R020 R027 R034
548 2400 269	RES 511 OHM 1/2W 1%	2.0 EA	R021 R022
548 2400 277	RES 619 OHM 1/2W 1%	26.0 EA	R001 R002 R003 R004 R005 R006 R007 R008 R009 R010 R011 R012 R013 R014 R015 R016 R017 R018 R023 R024 R025 R026 R029 R030 R031 R032
574 0156 000	RELAY 12VDC 4PDT	3.0 EA	K001 K002 K003
610 0679 000	PLUG, SHORTING, .25" CTRS	3.0 EA	P001 P002 P003
612 0784 000	RECP 9 CONT	1.0 EA	J001
612 0785 000	RECP 15 CONT	2.0 EA	J005 J006
612 0792 000	RECP 25 CONT	1.0 EA	J007
612 0904 000	JACK, PC MT GOLD PLATED	6.0 EA	
612 0913 000	RECEPTACLE 37 CONT	3.0 EA	J002 J003 J004
612 0914 000	CONN, RIGHT ANGLE 72 CONT	1.0 EA	J008
813 4999 007	STDOFF 4-40X1/2 1/4 HEX	2.0 EA	
829 7621 001	ANGLE BRACKET	2.0 EA	
843 3116 001	PRTD BOARD	1.0 EA	
852 8728 001	SCHEMATIC	0.0 EA	

Table 1-400. ANGLE BRACKET - 829 7621 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.002538 LB	

Table 1-401. OVERLOAD ASSY - 992 5359 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
335 0009 000	WASHER, NYLON .195 ID	4.0 EA	
335 0041 000	WASHER NYLON .75 ID	4.0 EA	
335 0104 000	WASHER PLAIN .156 ID	6.0 EA	
358 0159 000	STUD 82 OVAL HEAD	2.0 EA	
358 0184 000	RETAINER 82 ALL HDS	2.0 EA	
358 0187 000	RECEPTACLE 82 SPRING	2.0 EA	
358 0765 000	WASHER WEAR 82 NYLON	2.0 EA	
410 0003 000	INSULATOR ROUND NS5W 0106	3.0 EA	
410 0153 000	INSULATOR BSHG NS5W-4104	2.0 EA	
410 0157 000	INSULATOR BSHG NS5W-4204	2.0 EA	
550 0065 000	POT 5K OHM 2W 10%	1.0 EA	R1
604 0405 000	SW, PB BLK SPDT	1.0 EA	S1
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA	J1
646 1254 402	LABEL,DANGER HIGH VOLTAGE	1.0 EA	
813 5604 001	STUD BRZ 6 32 X .375	2.0 EA	
813 5606 027	STUD BRS 10-32 X 3	2.0 EA	
829 4054 001	COVER	1.0 EA	
829 4055 001	SCHEMATIC	0.0 EA	
829 4056 001	PLATE	1.0 EA	
839 4247 001	ENCLOSURE	1.0 EA	
927 6053 001	COIL, OUTER OL SENSE	1.0 EA	
929 9701 001	COIL ASSY	1.0 EA	
992 2979 001	P C BOARD ASSY	1.0 EA	
999 2424 001	HARDWARE LIST	1.0 EA	
999 2425 001	WIRE/TUBING LIST	1.0 EA	

Table 1-402. STUD BRZ 6 32 X .375 - 813 5604 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 010	BRS, THD STK 6-32	0.032655 FT	

Table 1-403. STUD BRS 10-32 X 3 - 813 5606 027

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 040	BRS, THD STK 10-32	0.261450 FT	

Table 1-404. COVER - 829 4054 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.33930 LB	

Table 1-405. PLATE - 829 4056 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	1.059950 LB	

Table 1-406. ENCLOSURE - 839 4247 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.65250 LB	
829 0660 001	STENCIL, ENCL OL SENSING	0.0 EA	

Table 1-407. COIL, OUTER OL SENSE - 927 6053 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0009 000	WIRE, MAGNET 28AWG	75.0 FT	
344 0004 000	SCREW, SET 6-32 X 3/16	2.0 EA	
827 5725 001	FORM, OUTER COIL	1.0 EA	
827 6053 001	ASSY INSTR, OL SENSE COIL	0.0 EA	

Table 1-408. FORM, OUTER COIL - 827 5725 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 1010 009	ROD, NORYL, 1-1/2" DIA	0.152250 FT	

Table 1-409. COIL ASSY - 929 9701 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
051 0001 023	*ADHESIVE, DP-190 GRAY	0.0 EA	
063 0001 060	*COMPOUND #4	0.0 EA	
088 0001 063	TAPE TEF 3/4 WIDE	0.0 RL	
255 0005 000	WIRE, HV 18AWG 20KV	2.0 FT	
354 0010 000	LUG #10 RING BLU 16-14AWG	2.0 EA	
604 0455 000	SW REED	1.0 EA	
829 9700 002	COIL FORM	1.0 EA	
829 9701 001	COIL ASSY INST	0.0 EA	

Table 1-410. COIL FORM - 829 9700 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 1010 006	ROD, NORYL, 3/4" DIA	0.210 FT	

Table 1-411. P C BOARD ASSY - 992 2979 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0020 000	RECTIFIER IN4005 ESD	2.0 EA	CR1 CR2
516 0081 000	CAP, DISC .01UF 1KV 20%	1.0 EA	C1
526 0004 000	CAP 1 UF 35V 10% TANT	2.0 EA	C3 C4
526 0067 000	CAP 68UF 15V 20%	1.0 EA	C2
540 0593 000	* RES 180 OHM 2W 5%	1.0 EA	R1
548 2400 169	RES 51.1 OHM 1/2W 1%	1.0 EA	R2
548 2400 285	RES 750 OHM 1/2W 1%	1.0 EA	R3
548 2400 301	RES 1K OHM 1/2W 1%	1.0 EA	R4
828 9375 001	SCHEMATIC	0.0 EA	
915 1331 001	BOARD	1.0 EA	

Table 1-412. BOARD - 915 1331 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	13.0 EA	

815 1331 001	ASSY, PWB	0.0 EA
827 6470 001	PRINTED BRD	1.0 EA

Table 1-413. HARDWARE LIST - 999 2424 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1538 000	SCR, 6-32 X 3/8	1.0 EA	
302 0380 000	SCR, 6-32 X 5/16	7.0 EA	
304 0098 000	NUT, HEX 10-32	6.0 EA	
306 0016 000	NUT, HEX KEP 6-32	4.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	1.0 EA	
308 0007 000	10 FLAT WASHER BRASS	6.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	1.0 EA	
312 0049 000	WASHER, SPLIT-LOCK 10	6.0 EA	
328 0033 000	WASHER FLAT STEEL	1.0 EA	
335 0009 000	WASHER, NYLON .195 ID	4.0 EA	
335 0041 000	WASHER NYLON .75 ID	4.0 EA	
335 0104 000	WASHER PLAIN .156 ID	6.0 EA	
344 0006 000	SCREW, SET 6-32 X 3/8	2.0 EA	
350 0050 000	RIVET POP .093X.212	4.0 EA	
356 0087 000	CABLE TIE TY RAP	5.0 EA	

Table 1-414. WIRE/TUBING LIST - 999 2425 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	4.10 FT	
252 0235 000	WIRE, STRD 22AWG GRN	0.440 FT	
254 0001 000	WIRE, BUS CU 22AWG	0.10 FT	
296 0310 000	TUBING TEFLON 20 AWG	0.30 FT	
354 0335 000	* CONNECTOR CONTACT	3.0 EA	

Table 1-415. METER PANEL, INNER - 992 5405 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0060 000	STUD 85 OVAL HEAD	2.0 EA	
358 0410 000	RETAINER 85 ALL HDS	2.0 EA	
358 0801 000	WASHER WEAR 85 NYLON	2.0 EA	
448 0412 000	HINGE, LATCH RELEASE	2.0 EA	
448 0413 000	HINGE, LATCH RELEASE	2.0 EA	
516 0081 000	CAP, DISC .01UF 1KV 20%	3.0 EA	C002 C003 C004
632 1098 000	MTR 0-5KV, 4-1/2", S	1.0 EA	M001
632 1105 000	MTR % AVG PWR, 4-1/2", S	1.0 EA	M004
632 1106 000	MTR PK PWR, 4-1/2", S	1.0 EA	M003
632 1122 000	MTR 0-3ADC, 4-1/2", S	1.0 EA	M002
829 4664 001	STIFFENER, METER PNL	1.0 EA	
843 4608 001	PANEL METER MOUNTING	1.0 EA	
852 8760 001	DIAGRAM, MAIN WIRING	0.0 EA	
992 2858 002	PC BOARD, METERING	1.0 EA	A001

Table 1-416. STIFFENER, METER PNL - 829 4664 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 9010 010	GL, ANGLE .125 X 1, 94 VO	2.3520 FT	

Table 1-417. PANEL METER MOUNTING - 843 4608 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	1.50 LB	

Table 1-418. PC BOARD, METERING - 992 2858 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
516 0081 000	CAP, DISC .01UF 1KV 20%	1.0 EA	C1
540 0349 000	* RES 5.1K OHM 1W 5%	1.0 EA	R2
540 0356 000	* RES 10K OHM 1W 5%	1.0 EA	R1
817 0247 001	SCHEMATIC	0.0 EA	
829 4116 001	PC BOARD	1.0 EA	

Table 1-419. ANODE RECT ASSY - 992 5409 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0185 000	RECTIFIER ESD	3.0 EA	CR1 CR2 CR3
510 0483 000	CAP 6 UF 4000VDC	2.0 EA	C1 C2
813 5002 049	STDOFF 10-32X1 1/2 HEX	12.0 EA	
843 2796 001	PANEL	1.0 EA	
852 8760 001	DIAGRAM, MAIN WIRING	0.0 EA	

Table 1-420. STDOFF 10-32X1 1/2 HEX - 813 5002 049

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 025	AL, HEX .500	0.02310 LB	

Table 1-421. PANEL - 843 2796 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	6.10450 LB	

Table 1-422. CONTACTOR BREAKER PANEL - 992 5413 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0003 000	BRACKET RESISTOR MTG	6.0 EA	#R001 #R002 #R003
398 0011 000	FUSE,FAST CART .250A 250V	3.0 EA	F001A F001B F001C
402 0142 000	FUSE HOLDER, 3 POLE	1.0 EA	XF001
404 0707 000	SOCKET RELAY OCTAL	1.0 EA	XK006
410 0016 000	INSULATOR ROUND NS5W 0308	6.0 EA	
506 0086 000	CAP 1 UF 400V 20 PCT	5.0 EA	C001 C002 C003 C004 C005
542 0286 000	RES 5 OHM 5% 100W	3.0 EA	R001 R002 R003
548 2400 277	RES 619 OHM 1/2W 1%	1.0 EA	R004
570 0264 000	STARTER, MOTOR 120V COIL	2.0 EA	K001 K004
570 0267 000	CONTACTOR 3 POLE 30A	1.0 EA	K002
570 0270 000	CONTACTOR 4 POLE 30A	1.0 EA	K003
574 0157 000	RLY AC CTL 4 POLE	1.0 EA	K005A
584 0156 000	TIMER PNEUMATIC	1.0 EA	K005B
584 0269 000	HEATER B36	3.0 EA	K1HR001 K1HR002 K1HR003
584 0272 000	HEATER B50	3.0 EA	K4HR001 K4HR002 K4HR003
606 0160 000	CIRCUIT BREAKER 30A	2.0 EA	CB003 CB005
606 0664 000	CKT BREAKER 2 POLE 5 A	1.0 EA	CB001
606 0665 000	CKT BREAKER 3 POLE 7.5A	1.0 EA	CB004

606 0706 000	CIR BREAKER 30A 4 POLE	1.0 EA	CB002
614 0108 000	TERM BD 18 TERM	1.0 EA	TB001
614 0274 000	TERM BD 3 TERM	1.0 EA	TB002
636 0036 000	METER, ELAPSED TIME 60HZ	1.0 EA	M001
646 0704 000	NOT FOR NEW DESIGN	1.0 EA	
646 0973 000	*LABEL, 230V	1.0 EA	
740 0495 000	PHASE MONITOR	1.0 EA	K006
813 5000 026	STDOFF 8-32X1/2 5/16 HEX	2.0 EA	
813 5001 069	STDOFF 10-32X1-1/4 3/8 H	2.0 EA	
816 9996 001	SPACER	3.0 EA	
817 0006 001	PLATE	1.0 EA	
817 1527 041	RUN LIST, CONT/BKR PNL	0.0 EA	
829 4020 001	BLOCK, BUS BAR	1.0 EA	
829 8798 003	COVER, TERM BD	1.0 EA	#TB001
839 4226 001	BUS BAR	1.0 EA	
839 4227 001	BUS BAR	1.0 EA	
839 4239 001	BUS BAR	1.0 EA	
852 9037 006	WIRING DIAG, DRVR CUBICLE	0.0 EA	
917 1189 001	COVER, TERM BD	1.0 EA	
939 6678 065	AC COVER	1.0 EA	
943 4260 037	PANEL ASSY, CONT/BREAKER	1.0 EA	

Table 1-423. STDOFF 8-32X1/2 5/16 HEX - 813 5000 026

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 015	AL, HEX .313	0.00420 LB	

Table 1-424. STDOFF 10-32X1-1/4 3/8 H - 813 5001 069

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 020	AL, HEX .375	0.015750 LB	

Table 1-425. SPACER - 816 9996 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 020	AL, HEX .375	0.07560 LB	

Table 1-426. PLATE - 817 0006 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 030	CU, SH .093 THK	0.03190 LB	

Table 1-427. BLOCK, BUS BAR - 829 4020 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
037 5015 010	BAKELITE SH .50	0.148750 LB	

Table 1-428. COVER, TERM BD - 829 8798 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.218750 SF	

Table 1-429. BUS BAR - 839 4226 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 030	CU, SH .093 THK	1.23830 LB	

Table 1-430. BUS BAR - 839 4227 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 030	CU, SH .093 THK	1.6240 LB	

Table 1-431. BUS BAR - 839 4239 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 030	CU, SH .093 THK	1.81250 LB	

Table 1-432. COVER, TERM BD - 917 1189 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
646 0973 000	*LABEL, 230V	1.0 EA	
829 8798 001	COVER	1.0 EA	

Table 1-433. COVER - 829 8798 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.068625 SF	

Table 1-434. AC COVER - 939 6678 065

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.54750 SF	
350 0037 000	RIVET POP .125X.265	1.0 EA	
646 1301 000	LABEL, DANGER HI VOLTAGE	1.0 EA	
839 6678 065	FAB/ASSY INSTR, COVER	0.0 EA	

Table 1-435. PANEL ASSY, CONT/BREAKER - 943 4260 037

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	10.150 LB	
324 0165 000	NUT, PEM 8-32	2.0 EA	
324 0168 000	NUT, PEM 10-32	7.0 EA	
358 0945 000	STUD 10-32 X 1/2	4.0 EA	
358 0957 000	STUD 8-32 X 1/2	17.0 EA	
358 0973 000	STUD 8-32 X 3/4	2.0 EA	
358 1101 000	STUD 6-32 X 1/2	2.0 EA	
829 4725 001	STENCIL, AC PANEL	0.0 EA	
839 4235 001	SILKSCREEN, CONT/BKR PNL	0.0 EA	
839 4661 003	STENCIL AC PANEL	0.0 EA	
839 4672 001	STENCIL, AC PANEL	0.0 EA	
843 4260 037	CHASSIS AC PANEL	0.0 EA	

Table 1-436. MULTIMETER PANEL - 992 5414 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0669 000	LED, T1-3/4, RED PANEL MT ESD	9.0 EA	DS001 DS002 DS003 DS004 DS005 DS006 DS007 DS008 DS009
386 0112 000	ZENER, 1N4733 5.1V ESD	1.0 EA	CR001
410 0010 000	INSULATOR ROUND NS5W 0208	4.0 EA	
516 0081 000	CAP, DISC .01UF 1KV 20%	1.0 EA	C001
550 0071 000	POT, 50K OHM 2W	1.0 EA	R001
550 0073 000	POT, 100K OHM 2W	1.0 EA	R004
550 0077 000	POT, 500K OHM 2W	2.0 EA	R003 R005
598 0222 000	MODULE, ESCUTCHEON	1.0 EA	
604 0884 000	SW, PB SPST	1.0 EA	S002
632 1096 000	MTR MULTI, 3-1/2", B	1.0 EA	
650 0028 000	KNOB RD SKIRT 1.135" DIA	1.0 EA	
814 8544 001	SUPPORT	1.0 EA	
817 1527 040	RUNNING LIST MULT PNL	0.0 EA	
822 0493 001	GLASS, WINDOW	1.0 EA	
829 4198 001	BRACKET	1.0 EA	
852 9084 002	DIAG WIRING DRVR CAB	0.0 EA	
929 9583 082	PANEL ASSY, MULTIMETER	1.0 EA	
992 5417 001	MULTIMETER ASSY	1.0 EA	A001

Table 1-437. SUPPORT - 814 8544 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	0.191250 LB	

Table 1-438. GLASS, WINDOW - 822 0493 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.250 SF	

Table 1-439. BRACKET - 829 4198 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.332050 LB	

Table 1-440. PANEL ASSY, MULTIMETER - 929 9583 082

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	2.2330 LB	
358 0944 000	STUD 8-32 X 3/8	6.0 EA	
358 1013 000	STUD 4-40 X 3/8	2.0 EA	
646 0569 000	REPLACE WITH 646-1301-201	1.0 EA	
829 9583 096	STENCIL	0.0 EA	
839 4646 001	STENCIL, PNL	0.0 EA	
839 6678 062	PANEL MULTIMETER	0.0 EA	
839 6678 063	SILKSCREEN DRIVER MULTI	0.0 EA	

Table 1-441. MULTIMETER ASSY - 992 5417 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
548 0593 000	RES 10 OHM 2.5W 1%	2.0 EA	R17 R8

548 2400 501	RES 100K OHM 1/2W 1%	1.0 EA	R13
600 0575 000	SW, ROTARY 12 POS	1.0 EA	S1
829 3915 001	SCHEMATIC	0.0 EA	
992 5418 001	PC BD ASSY	1.0 EA	
999 1880 001	WIRE LIST	1.0 EA	

Table 1-442. PC BD ASSY - 992 5418 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0286 000	RECT SILICON 1N4721 ESD	3.0 EA	CR1 CR2 CR3
548 1255 000	*RES 5 MEG OHM 1/2W 1%	5.0 EA	R10 R11 R12 R5 R9
548 1258 000	RES 1.13 MEG OHM 3/4W 1%	1.0 EA	R2
548 2400 496	RES 97.6K OHM 1/2W 1%	1.0 EA	R6
548 2400 539	RES 249K OHM 1/2W 1%	1.0 EA	R1
548 2400 551	RES 332K OHM 1/2W 1%	3.0 EA	R14 R15 R16
829 3915 001	SCHEMATIC	0.0 EA	
929 7571 001	PRTD PC BD ASSY	1.0 EA	

Table 1-443. PRTD PC BD ASSY - 929 7571 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	30.0 EA	
839 5114 001	PC BOARD	1.0 EA	

Table 1-444. WIRE LIST - 999 1880 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0001 000	WIRE, BUS CU 22AWG	0.50 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	5.350 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	1.250 FT	
296 0258 000	TUBING TEFLON 19AWG	1.570 FT	

Table 1-445. IPA ASSY - 992 5594 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
306 0004 000	NUT, HEX 6-32	1.0 EA	
336 1210 000	SCREW 6-32 X 5/8	16.0 EA	
350 0037 000	RIVET POP .125X.265	4.0 EA	
354 0002 000	LUG, #8 RING RED 22-18AWG	2.0 EA	
358 0066 000	STUD 85 OVAL HEAD	2.0 EA	
358 0185 000	RECEPTACLE 85 SPRING	2.0 EA	
358 0410 000	RETAINER 85 ALL HDS	2.0 EA	
358 0420 000	SPACER, ROLLED 1/4 L	4.0 EA	
358 0801 000	WASHER WEAR 85 NYLON	2.0 EA	
358 1795 000	PIN, HARDENED DOWEL	2.0 EA	
358 2104 000	CARD GUIDE	9.0 EA	
358 2105 000	CARD GUIDE	9.0 EA	
358 2174 000	CARD GUIDE, METAL 9 IN.	12.0 EA	
358 2175 000	CARD GUIDE, METAL 10 IN.	12.0 EA	
424 0005 000	GROMMET 3/4 MTG DIA	1.0 EA	
424 0016 000	GROMMET 1-1/8 MTG D.	1.0 EA	
516 0080 000	CAP DISC .01UF 600V	1.0 EA	C001
620 0208 000	ADPT, STRAIGHT N UG-30/U	2.0 EA	J005 J006
632 1095 000	MTR MULTI, 2-1/2", B	1.0 EA	

650 0028 000	KNOB RD SKIRT 1.135" DIA	2.0 EA	
813 4999 021	STDOFF 6-32X3/16 1/4 HEX	7.0 EA	
816 8977 001	BUSHING, STOPLING	2.0 EA	
829 3574 001	ANGLE, METERING BD.	1.0 EA	
829 4304 001	PLATE, AIR DAM	3.0 EA	
829 7924 001	SPACER	2.0 EA	
829 7925 001	SPACER	1.0 EA	
829 7998 001	ANGLE, REAR	2.0 EA	
829 8440 165	AIR DAM	1.0 EA	
829 8860 001	BLOCK, SUPPORT	1.0 EA	
839 3844 001	BLOCK, UPPER TRIM	1.0 EA	
839 3856 001	BLOCK, LOWER TRIM	1.0 EA	
839 3902 001	FIXTURE, ALIGNMENT	0.0 EA	
839 4906 001	MODULE, BLANK	2.0 EA	
839 5437 001	COVER, TOP IPA	1.0 EA	
839 5439 001	COVER, BOT IPA	1.0 EA	
839 5499 001	PANEL, REAR	1.0 EA	
843 2521 001	PLATE, BOTTOM	1.0 EA	
852 8900 008	SCHEMATIC, IPA	0.0 EA	
916 8974 001	STOP LINK	2.0 EA	
917 0729 001	CHAN, BOT IPA	1.0 EA	
929 4703 001	CHASSIS ASSY	1.0 EA	
929 7997 001	SIDE, IPA	1.0 EA	
929 7997 002	SIDE, PA	1.0 EA	
939 3875 002	PANEL ASSY, FRONT	1.0 EA	
992 5286 002	PWB, METERING	1.0 EA	A002
992 5968 002	MOTHER BOARD	1.0 EA	A001

Table 1-446. STDOFF 6-32X3/16 1/4 HEX - 813 4999 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.000982 LB	

Table 1-447. BUSHING, STOPLING - 816 8977 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 020	AL, HEX .375	0.004410 LB	

Table 1-448. ANGLE, METERING BD. - 829 3574 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.134850 LB	

Table 1-449. PLATE, AIR DAM - 829 4304 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.10440 LB	

Table 1-450. SPACER - 829 7924 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 012	AL, RECT .250 X 2.5	0.908250 LB	

Table 1-451. SPACER - 829 7925 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
026 1320 020	RECT, NYLON .250 X 1.50	1.03110 FT	

Table 1-452. ANGLE, REAR - 829 7998 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 066	AL, EXTRUSION MTG	0.51870 LB	

Table 1-453. AIR DAM - 829 8440 165

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.107590 LB	

Table 1-454. BLOCK, SUPPORT - 829 8860 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1320 010	AL, RECT .250 X .500	0.01890 LB	

Table 1-455. BLOCK, UPPER TRIM - 839 3844 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 056	AL, EXTRUSION	1.8690 FT	

Table 1-456. BLOCK, LOWER TRIM - 839 3856 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 057	AL, EXTRUSION	1.8690 FT	

Table 1-457. MODULE, BLANK - 839 4906 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 010	BRS, SH .0403	2.36350 LB	

Table 1-458. COVER, TOP IPA - 839 5437 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	2.7260 LB	

Table 1-459. COVER, BOT IPA - 839 5439 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	2.85650 LB	

Table 1-460. PANEL, REAR - 839 5499 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	6.3510 LB	

Table 1-461. PLATE, BOTTOM - 843 2521 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	4.27750 LB	

Table 1-462. STOP LINK - 916 8974 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
310 0016 000	WASHER FLAT #4	2.0 EA	
350 0085 000	RIVET .125D X .25 LG	1.0 EA	
816 8975 001	LINK	1.0 EA	
816 8976 001	ANGLE	1.0 EA	

Table 1-463. LINK - 816 8975 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.042195 LB	

Table 1-464. ANGLE - 816 8976 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.061625 LB	

Table 1-465. CHAN, BOT IPA - 917 0729 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.6090 LB	
324 0256 000	NUT, PEM 6-32	6.0 EA	
817 0729 001	ASSY INSTRUCTIONS	0.0 EA	
829 7900 001	CHAN BOT	0.0 EA	

Table 1-466. CHASSIS ASSY - 929 4703 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	5.32150 LB	
358 0987 000	STUD 6-32 X 3/4	7.0 EA	
829 4703 001	ASSY INSTRUCTIONS	0.0 EA	
843 2968 001	CHASSIS, MAIN FRAME	0.0 EA	

Table 1-467. SIDE, IPA - 929 7997 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	4.10350 LB	
324 0143 000	NUT, PEM 6-32	4.0 EA	
829 7997 001	ASSY INSTRUCTIONS	0.0 EA	
843 3481 001	SIDE	0.0 EA	

Table 1-468. SIDE, PA - 929 7997 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	4.10350 LB	
324 0143 000	NUT, PEM 6-32	4.0 EA	
829 7997 002	ASSY INSTRUCTIONS	0.0 EA	

Table 1-469. PANEL ASSY, FRONT - 939 3875 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 059	AL, EXTRUSION	1.890 FT	
358 1013 000	STUD 4-40 X 3/8	4.0 EA	
358 1101 000	STUD 6-32 X 1/2	2.0 EA	
839 3875 002	ASSY INSTRUCTIONS	0.0 EA	
843 2717 001	PANEL, FRONT	0.0 EA	

Table 1-470. PWB, METERING - 992 5286 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
516 0453 000	CAP .1UF 100V 20% X7R	5.0 EA	C001 C002 C003 C004 C005
548 2400 309	RES 1.21K OHM 1/2W 1%	2.0 EA	R013 R014
548 2400 430	RES 20K OHM 1/2W 1%	4.0 EA	R003 R006 R009 R012
548 2400 566	RES 475K OHM 1/2W 1%	8.0 EA	R001 R002 R004 R005 R007 R008 R010 R011
600 0591 000	SWITCH, ROTARY	1.0 EA	S002
600 0592 000	SWITCH, ROTARY	1.0 EA	S001
610 0954 000	HEADER 40 PIN PCB MT	1.0 EA	J001
852 8742 001	SCHEMATIC	0.0 EA	
939 5062 002	ASSY, PWB METERING BD	1.0 EA	

Table 1-471. ASSY, PWB METERING BD - 939 5062 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	2.0 EA	
839 5062 002	PWB, METERING BD	1.0 EA	

Table 1-472. MOTHER BOARD - 992 5968 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0003 000	WIRE, BUS CU 18AWG	1.0 FT	
358 1214 000	SCREWLOCK, FEMALE	2.0 EA	
494 0218 000	CHOKE WIDE BAND	2.0 EA	L001 L002
516 0375 000	CAP .01UF 50V -20/+80% Z5U	4.0 EA	C001 C002 C003 C004
548 2400 401	RES 10K OHM 1/2W 1%	4.0 EA	R001 R002 R003 R004
610 0690 000	PLUG 25 PIN	1.0 EA	J015
610 0954 000	HEADER 40 PIN PCB MT	1.0 EA	J013
612 0785 000	RECP 15 CONT	1.0 EA	J014
612 0945 000	CONN, PC, 44 CONT	12.0 EA	J001 J002 J003 J004 J005 J006 J007 J008 J009 J010 J011 J012
614 0714 000	TERM BD 20C 1ROW PC MT	1.0 EA	TB001
852 8900 008	SCHEMATIC, IPA	0.0 EA	
943 3730 070	BD, IPA MOTHERBD	1.0 EA	
999 1863 001	HARDWARE LIST	1.0 EA	

Table 1-473. BD, IPA MOTHERBD - 943 3730 070

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0336 000	TERMINAL, SOLDER	6.0 EA	
843 3730 070	ASSY INSTR, IPA MOTHERBD	1.0 EA	

Table 1-474. HARDWARE LIST - 999 1863 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0052 000	SCR, 4-40 X 1/4	24.0 EA	
302 0110 000	SCR, 6-32 X 3/4	2.0 EA	
306 0004 000	NUT, HEX 6-32	2.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	2.0 EA	

Table 1-475. SCREEN SUPPLY, DRIVER - 992 5595 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1542 000	SCR, 6-32 X 3/4	4.0 EA	
304 0089 000	NUT, HEX 6-32	10.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	4.0 EA	
354 0633 000	CONTACT, PIN	15.0 EA	
357 0042 000	WASHER NYLON-SHLDR	4.0 EA	
380 0215 000	XSTR, 2N3439 ESD	2.0 EA	Q1 Q4
380 0534 000	XSTR, 2N3902 ESD	2.0 EA	Q2 Q3
382 0184 000	IC, 340T-5/7805 +5V REG ESD	1.0 EA	U1
384 0253 000	RECTIFIER 1N4007 ESD	1.0 EA	CR9
386 0084 000	ZENER, 1N4761A 75V ESD	1.0 EA	CR10
386 0103 000	ZNR 1N3350A 200V 50W 10% ESD	4.0 EA	CR1 CR3 CR5 CR7
386 0397 000	ZNR 1N3340RA 100V 50W 10% ESD	4.0 EA	CR2 CR4 CR6 CR8
404 0684 000	HEAT SINK 1/4-28 TAP	4.0 EA	
410 0232 000	INSULATOR TO-3 MICA	2.0 EA	
522 0572 000	CAP 3.3UF 50V 20%	1.0 EA	C1
540 0581 000	* RES 56 OHM 2W 5%	1.0 EA	R4
540 0601 000	* RES 390 OHM 2W 5%	1.0 EA	R3
542 0072 000	RES 750 OHM 5% 12W	1.0 EA	R8
542 0163 000	RES 100K OHM 5% 20W	1.0 EA	R1
550 0292 000	POT 1K OHM .75W 10%	1.0 EA	R7
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA	J1
612 0775 000	JACK, PC MT, .040 PINS	4.0 EA	
614 0048 000	TERM BD 4 TERM	1.0 EA	TB1
829 7393 001	SCHEMATIC	0.0 EA	
917 0826 001	HEATSINK MOD	1.0 EA	
943 3208 001	P.C. BOARD	1.0 EA	
999 2091 001	HARDWARE LIST	1.0 EA	
999 2092 001	WIRE LIST	1.0 EA	

Table 1-476. HEATSINK MOD - 917 0826 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
404 0692 000	HEAT SINK - DUAL T0-3	1.0 EA	

Table 1-477. P.C. BOARD - 943 3208 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0336 000	TERMINAL, SOLDER	8.0 EA	
843 3207 001	PRINTED BD.	1.0 EA	

Table 1-478. HARDWARE LIST - 999 2091 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1542 000	SCR, 6-32 X 3/4	4.0 EA	
300 1563 000	SCR, 8-32 X 3/8	3.0 EA	
302 0130 000	SCR, 8-32 X 3/8	16.0 EA	
302 0133 000	SCR, 8-32 X 3/4	2.0 EA	
304 0089 000	NUT, HEX 6-32	8.0 EA	
304 0090 000	NUT, HEX 8-32	3.0 EA	
306 0005 000	NUT, HEX 8-32	2.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	12.0 EA	
308 0006 000	NO 8 FLAT WASHER BRS	3.0 EA	
310 0006 000	WASHER FLAT 8	20.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	8.0 EA	
312 0048 000	WASHER, SPLIT-LOCK 8	3.0 EA	
314 0006 000	WASHER, SPLIT-LOCK 8	2.0 EA	
324 0074 000	NUT U TYPE 8-32	16.0 EA	

Table 1-479. WIRE LIST - 999 2092 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0008 000	WIRE, HV 18AWG 7.5VAC	6.50 FT	
354 0009 000	LUG #8 RING BLUE 16-14AWG	6.0 EA	
354 0016 000	LUG BLUE SPADE 8	2.0 EA	

Table 1-480. CABLE, PKG - DRV CUBICLE - 992 8066 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
929 7172 001	CABLE, RIBBON 40 COND	1.0 EA	
929 7173 001	CABLE, COAX	1.0 EA	
929 7173 002	CABLE, COAX	1.0 EA	
929 7173 003	CABLE, COAX	1.0 EA	
929 7173 004	CABLE, COAX	1.0 EA	
929 7173 008	CABLE ASSY	1.0 EA	
929 7173 013	CABLE COAX	1.0 EA	
929 7173 014	CABLE COAX	1.0 EA	
929 7173 015	CABLE COAX	1.0 EA	
929 7173 016	CABLE COAX	1.0 EA	
929 7178 001	CABLE ASSY	1.0 EA	
929 7509 002	CABLE ASSY	1.0 EA	
929 7762 001	CABLE ASSY, IPA TNT	1.0 EA	
929 7766 001	CABLE ASSY, H.V.	1.0 EA	
929 7767 002	CABLE ASSY RF	1.0 EA	
929 8801 001	CABLE, WIB	1.0 EA	
929 9583 089	CABLE, MULTIMETER PANEL	1.0 EA	
929 9583 093	CABLE, CONT/BKR PANEL	1.0 EA	
929 9583 111	CABLE, DRIVER MAIN	1.0 EA	
999 1886 001	WIRE/TUBING LIST	1.0 EA	

Table 1-481. CABLE, RIBBON 40 COND - 929 7172 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0269 000	CABLE, RIBBON 40C 28AWG	2.70 FT	
612 0897 000	RECP CONN KIT 40 PIN	2.0 EA	

Table 1-482. CABLE, COAX - 929 7173 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
612 0419 000	JACK, BULKHEAD UG-909/U	1.0 EA	
618 0051 000	COAX CABLE RG58C, 50 OHM	1.30 FT	DIM A - 15.0
620 0502 000	PLUG BNC UG-88/U	1.0 EA	
817 2446 001	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 001	MARKER CABLE	1.0 EA	
829 7624 002	MARKER CABLE	1.0 EA	

Table 1-483. MARKER CABLE - 829 7624 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-484. MARKER CABLE - 829 7624 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-485. CABLE, COAX - 929 7173 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0705 000	COAX CABLE, RG316/U 50 OHM	0.50 FT	DIM A = 6.0
620 0545 000	JACK, BULKHEAD, BNC	1.0 EA	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
817 2446 002	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 007	MARKER CABLE	1.0 EA	
829 7624 008	MARKER CABLE	1.0 EA	

Table 1-486. MARKER CABLE - 829 7624 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	

Table 1-487. MARKER CABLE - 829 7624 008

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	

Table 1-488. CABLE, COAX - 929 7173 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.30 FT	DIM A = 15.0
620 0545 000	JACK, BULKHEAD, BNC	1.0 EA	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
817 2446 002	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 003	MARKER CABLE	1.0 EA	
829 7624 004	MARKER CABLE	1.0 EA	

Table 1-489. MARKER CABLE - 829 7624 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	

Table 1-490. MARKER CABLE - 829 7624 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	

Table 1-491. CABLE, COAX - 929 7173 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0705 000	COAX CABLE, RG316/U 50 OHM	0.80 FT	DIM A = 10.0
620 0545 000	JACK, BULKHEAD, BNC	1.0 EA	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
817 2446 002	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 011	MARKER CABLE	1.0 EA	
829 7624 012	MARKER CABLE	1.0 EA	

Table 1-492. MARKER CABLE - 829 7624 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	

Table 1-493. MARKER CABLE - 829 7624 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	

Table 1-494. CABLE ASSY - 929 7173 008

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
612 0419 000	JACK, BULKHEAD UG-909/U	1.0 EA	
618 0051 000	COAX CABLE RG58C, 50 OHM	3.0 FT	DIM A = 36.0
620 0502 000	PLUG BNC UG-88/U	1.0 EA	
817 2446 001	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 013	MARKER CABLE	1.0 EA	
829 7624 014	MARKER CABLE	1.0 EA	

Table 1-495. MARKER CABLE - 829 7624 013

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-496. MARKER CABLE - 829 7624 014

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-497. CABLE COAX - 929 7173 013

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.50 FT	DIM A = 18.0
620 1951 000	STRAIGHT PLUG BNC CRIMP	1.0 EA	
620 1962 000	JACK, BNC BULKHEAD	1.0 EA	
817 2446 001	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 005	MARKER CABLE	1.0 EA	
829 7624 006	MARKER CABLE	1.0 EA	

Table 1-498. MARKER CABLE - 829 7624 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-499. MARKER CABLE - 829 7624 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-500. CABLE COAX - 929 7173 014

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.50 FT	DIM A = 18.0
620 1951 000	STRAIGHT PLUG BNC CRIMP	1.0 EA	
620 1962 000	JACK, BNC BULKHEAD	1.0 EA	
817 2446 001	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 009	MARKER CABLE	1.0 EA	
829 7624 010	MARKER CABLE	1.0 EA	

Table 1-501. MARKER CABLE - 829 7624 009

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-502. MARKER CABLE - 829 7624 010

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-503. CABLE COAX - 929 7173 015

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.30 FT	DIM A = 15.0
620 0545 000	JACK, BULKHEAD, BNC	1.0 EA	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
817 2446 002	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 021	MARKER CABLE	1.0 EA	
829 7624 022	MARKER CABLE	1.0 EA	

Table 1-504. MARKER CABLE - 829 7624 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	

Table 1-505. MARKER CABLE - 829 7624 022

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	

Table 1-506. CABLE COAX - 929 7173 016

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.0 FT	DIM A = 12.0
620 0502 000	PLUG BNC UG-88/U	2.0 EA	
817 2446 004	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 017	MARKER CABLE	1.0 EA	
829 7624 018	MARKER CABLE	1.0 EA	

Table 1-507. MARKER CABLE - 829 7624 017

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-508. MARKER CABLE - 829 7624 018

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-509. CABLE ASSY - 929 7178 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	23.0 FT	
296 0260 000	TUBING, SHRINK 3/32 WHITE	1.0 FT	
354 0338 000	LUG 4 RING RED	1.0 EA	
354 0384 000	CONTACT, PIN	14.0 EA	
354 0385 000	CONTACT, SOCKET	15.0 EA	
408 0223 000	SHIELD 15 POSITION	2.0 EA	
484 0063 000	FILTER RFI 12 SECTION	1.0 EA	FL1
610 0538 000	PLUG 15 POS	1.0 EA	P2
612 0543 000	RECEPTACLE 205205-1	1.0 EA	P1
829 7178 001	ASSY INSTR, CADS	0.0 EA	
839 5292 001	CABLE LAYOUT	0.0 EA	

Table 1-510. CABLE ASSY - 929 7509 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0008 000	WIRE, STRD 10AWG GRY	40.30 FT	
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.20 FT	
296 0287 000	TUBG SHRINKABLE 3/16	0.50 FT	
354 0028 000	TERM LUG YEL SPADE 6	8.0 EA	
354 0325 000	LUG, 25 RING YEL 12-10AWG	4.0 EA	
354 0652 000	CONTACT	8.0 EA	
610 0774 000	PLUG 4 POSITION	2.0 EA	P5 P6

Table 1-511. CABLE ASSY, IPA TNT - 929 7762 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	5.0 FT	
252 0008 000	WIRE, STRD 10AWG GRY	16.50 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.20 FT	
354 0005 000	TERM LUG RED SPADE 6	4.0 EA	
354 0028 000	TERM LUG YEL SPADE 6	10.0 EA	
354 0644 000	CONTACT, MALE PIN	4.0 EA	
354 0652 000	CONTACT	8.0 EA	
610 0818 000	HSG PLUG 6C 2 ROW	1.0 EA	
612 0941 000	HOUSING, CAP 4 POS	2.0 EA	
839 5239 001	CABLE LAYOUT	0.0 EA	

Table 1-512. CABLE ASSY, H.V. - 929 7766 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0001 000	WIRE, TURBO 18AWG RED	7.50 FT	
255 0002 000	WIRE, TURBO 12AWG BRN	24.0 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	8.60 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	
354 0009 000	LUG #8 RING BLUE 16-14AWG	2.0 EA	
354 0020 000	*LUG, RING #10 18/16 AWG	2.0 EA	
354 0245 000	TERM LUG YEL RING 10	9.0 EA	
354 0255 000	LUG 6 RING YEL	10.0 EA	
354 0259 000	LUG 6 RING	4.0 EA	
354 0262 000	LUG 8 RING	1.0 EA	
354 0644 000	CONTACT, MALE PIN	1.0 EA	
354 0645 000	CONTACT, FEMALE PIN	1.0 EA	
610 0765 000	HOUSING, PLUG CONN	1.0 EA	
612 0924 000	HOUSING, CAP CONN	1.0 EA	
817 0668 001	RUNNING LIST	0.0 EA	
829 7766 001	CADS (W3) ASSY INSTR	0.0 EA	
852 8797 001	CABLE LAYOUT	0.0 EA	

Table 1-513. CABLE ASSY RF - 929 7767 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
253 0059 000	CABLE, 2C 22AWG AUDIO	6.70 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	1.90 FT	
296 0263 000	TUBING, SHRINK 3/8 WHITE	1.20 FT	
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.20 FT	
296 0265 000	TUBING, SHRINK 1/16 WHITE	0.20 FT	
354 0005 000	TERM LUG RED SPADE 6	3.0 EA	
610 0182 000	CONN, XLR TYPE 3-C A3M	1.0 EA	
618 0051 000	COAX CABLE RG58C, 50 OHM	42.90 FT	
618 0188 000	COAX CABLE RG213, 50 OHM	1.20 FT	
618 0210 000	COAX CABLE RG142B, 50 OHM	16.50 FT	
618 0211 000	COAX CABLE RG59B, 75 OHM	36.20 FT	
620 0412 000	PLUG BNC UG 913/U	2.0 EA	

620 1948 000	PLUG, STRAIGHT TYPE N	2.0 EA
620 1951 000	STRAIGHT PLUG BNC CRIMP	22.0 EA
620 1952 000	STRAIGHT PLUG BNC CRIMP	10.0 EA
620 1962 000	JACK, BNC BULKHEAD	6.0 EA
620 1963 000	JACK, BNC BULKHEAD	4.0 EA
829 7767 002	CADS	0.0 EA
852 8798 002	CABLE LAYOUT RF WIRES	0.0 EA

Table 1-514. CABLE, WIB - 929 8801 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	128.70 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT	
354 0001 000	LUG #6 RING RED 22-18 AWG	2.0 EA	
354 0005 000	TERM LUG RED SPADE 6	23.0 EA	
354 0385 000	CONTACT, SOCKET	20.0 EA	
354 0624 000	TERMINAL, MALE	3.0 EA	
408 0225 000	SHIELD 25 POSITION	1.0 EA	
610 0738 000	PLUG HOUSING	1.0 EA	P21
612 0544 000	RECEPTACLE 205207-1	1.0 EA	
829 8801 001	ASSY INSTR, WIB	0.0 EA	
852 8961 001	CABLE LAYOUT	0.0 EA	

Table 1-515. CABLE, MULTIMETER PANEL - 929 9583 089

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	31.0 FT	
253 0059 000	CABLE, 2C 22AWG AUDIO	2.50 FT	
253 0081 000	WIRE, 3C 22AWG STRD	1.20 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	1.0 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.30 FT	
296 0260 000	TUBING, SHRINK 3/32 WHITE	0.30 FT	
354 0365 000	* CONTACT 61061-5	29.0 EA	
354 0644 000	CONTACT, MALE PIN	1.0 EA	
354 0645 000	CONTACT, FEMALE PIN	1.0 EA	
610 0448 000	PLUG CONN HSG 15 CKT	3.0 EA	J001 J002 J003
610 0765 000	HOUSING, PLUG CONN	1.0 EA	P001
612 0924 000	HOUSING, CAP CONN	1.0 EA	P002
817 1527 040	RUNNING LIST MULT PNL	0.0 EA	
829 9583 089	CADS, MULTIMETER PANEL	0.0 EA	
839 6678 064	CABLE LAYOUT, MULTIMETER	0.0 EA	

Table 1-516. CABLE, CONT/BKR PANEL - 929 9583 093

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	38.0 FT	
252 0006 000	WIRE, STRD 14AWG BLU	28.0 FT	
252 0008 000	WIRE, STRD 10AWG GRY	74.0 FT	
252 0152 000	WIRE, THHN STRD 4AWG BLK	5.0 FT	
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.50 FT	
354 0001 000	LUG #6 RING RED 22-18 AWG	6.0 EA	
354 0002 000	LUG, #8 RING RED 22-18AWG	3.0 EA	
354 0005 000	TERM LUG RED SPADE 6	15.0 EA	
354 0006 000	TERM LUG RED SPADE 8	3.0 EA	

354 0010 000	LUG #10 RING BLU 16-14AWG	5.0 EA
354 0015 000	LUG BLUE SPADE 6	9.0 EA
354 0016 000	LUG BLUE SPADE 8	8.0 EA
354 0026 000	LUG YEL SPADE 10	25.0 EA
354 0027 000	TERM LUG YEL SPADE 8	10.0 EA
354 0298 000	LUG #10 RING YEL 4-3 AWG	3.0 EA
354 0323 000	LUG #8 RING YEL 12-10AWG	9.0 EA
354 0324 000	LUG #10 RING YEL 12-10AWG	12.0 EA
354 0365 000	* CONTACT 61061-5	7.0 EA
610 0515 000	PLUG HSG 7 CIRCUIT	1.0 EA
817 1527 041	RUN LIST, CONT/BKR PNL	0.0 EA
829 9583 093	CADS	0.0 EA
852 9037 007	CABLE LAYOUT, CONT/BKR	0.0 EA

Table 1-517. CABLE, DRIVER MAIN - 929 9583 111

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0037 000	CABLE, MICROPHONE 1C	24.30 FT	
250 0468 000	CABLE, 1AWG 600V WELDING	4.40 FT	
252 0003 000	WIRE, STRD 20AWG WHT	720.0 FT	
252 0004 000	WIRE, STRD 18AWG WHT/YEL	85.60 FT	
252 0005 000	WIRE, STRD 16AWG GREY	14.0 FT	
252 0006 000	WIRE, STRD 14AWG BLU	43.80 FT	
252 0008 000	WIRE, STRD 10AWG GRY	63.60 FT	
253 0059 000	CABLE, 2C 22AWG AUDIO	28.40 FT	
253 0081 000	WIRE, 3C 22AWG STRD	7.60 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	1.10 FT	
296 0260 000	TUBING, SHRINK 3/32 WHITE	2.0 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.50 FT	
296 0263 000	TUBING, SHRINK 3/8 WHITE	0.20 FT	
296 0264 000	TUBING, SHRINK 1/2 WHITE	1.40 FT	
296 0271 000	TUBING, SHRINK 3/4 WHITE	1.10 FT	
299 0010 000	SPIRAL PLASTIC WRAP	1.10 FT	
354 0002 000	LUG, #8 RING RED 22-18AWG	4.0 EA	
354 0003 000	LUG #10 RING RED 22-18AWG	11.0 EA	
354 0004 000	LUG .25 RING RED 22-18AWG	9.0 EA	
354 0005 000	TERM LUG RED SPADE 6	50.0 EA	
354 0006 000	TERM LUG RED SPADE 8	3.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	2.0 EA	
354 0015 000	LUG BLUE SPADE 6	16.0 EA	
354 0016 000	LUG BLUE SPADE 8	6.0 EA	
354 0027 000	TERM LUG YEL SPADE 8	10.0 EA	
354 0028 000	TERM LUG YEL SPADE 6	13.0 EA	
354 0335 000	* CONNECTOR CONTACT	76.0 EA	
354 0356 000	LUG 1/4 HOLE CODE PINK	7.0 EA	
354 0365 000	* CONTACT 61061-5	3.0 EA	
354 0384 000	CONTACT, PIN	42.0 EA	
354 0592 000	LUG 1/2 HOLE	1.0 EA	
354 0624 000	TERMINAL, MALE	3.0 EA	
354 0625 000	TERMINAL, FEMALE	5.0 EA	
354 0634 000	TERM FOR .187 X .020 TAB	4.0 EA	
354 0645 000	CONTACT, FEMALE PIN	4.0 EA	
354 0658 000	TERMINAL PRESSURE	10.0 EA	
354 0669 000	TERM 250 FEM RED 22-18	4.0 EA	
408 0207 000	SHIELD 9 POSITION	1.0 EA	

408 0218 000	SHIELD 37 POSITION	2.0 EA	
610 0451 000	CAP CONN HSG 15 CKT	11.0 EA	P008 P009 P010 P011 P012 P013 P014 P015 P016 P017 P02
610 0659 000	PLUG 9 PIN	1.0 EA	P001
610 0738 000	PLUG HOUSING	1.0 EA	
610 0762 000	PLUG 37 PIN	2.0 EA	P003 P004
612 0504 000	CAP HOUSING 7 CKT	1.0 EA	P018
612 0885 000	RECEPTACLE HOUSING	2.0 EA	P019 P022
612 0984 000	HOUSING, CAP 6 CKT	1.0 EA	P007
829 9583 111	DRIVER CADS ASSY INST	0.0 EA	
852 9037 009	CABLE LAYOUT DRVR	0.0 EA	

Table 1-518. WIRE/TUBING LIST - 999 1886 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
026 6010 002	EXTRUDED GROMMETING	0.420 FT	
026 6010 003	EXTRUDED GROMMETING	0.420 FT	
041 6030 012	CHANNEL RUBBER	1.050 FT	
252 0003 000	WIRE, STRD 20AWG WHT	9.90 FT	
252 0004 000	WIRE, STRD 18AWG WHT/YEL	1.20 FT	
252 0005 000	WIRE, STRD 16AWG GREY	4.80 FT	
252 0006 000	WIRE, STRD 14AWG BLU	2.90 FT	
252 0008 000	WIRE, STRD 10AWG GRY	7.0 FT	
252 0235 000	WIRE, STRD 22AWG GRN	0.50 FT	
254 0002 000	WIRE, BUS CU 20AWG	1.0 FT	
254 0017 000	WIRE, ROPE 10AWG	4.20 FT	
255 0001 000	WIRE, TURBO 18AWG RED	3.20 FT	
255 0002 000	WIRE, TURBO 12AWG BRN	17.60 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	3.0 FT	
296 0018 000	PLASTIC TUBE 5AWG CLEAR	4.0 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.40 FT	
296 0258 000	TUBING TEFLON 19AWG	0.40 FT	
296 0259 000	TUBING TEFLON 18 AWG	0.70 FT	
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.70 FT	
296 0310 000	TUBING TEFLON 20 AWG	0.30 FT	
296 0344 000	TUBG, POLYETHYLENE 1/4 OD	11.40 FT	
354 0002 000	LUG, #8 RING RED 22-18AWG	3.0 EA	
354 0003 000	LUG #10 RING RED 22-18AWG	2.0 EA	
354 0005 000	TERM LUG RED SPADE 6	1.0 EA	
354 0008 000	LUG #6 RING BLUE 16-14AWG	1.0 EA	
354 0009 000	LUG #8 RING BLUE 16-14AWG	2.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	2.0 EA	
354 0015 000	LUG BLUE SPADE 6	13.0 EA	
354 0019 000	TERM LUG RING 8	1.0 EA	
354 0020 000	*LUG, RING #10 18/16 AWG	2.0 EA	
354 0026 000	LUG YEL SPADE 10	4.0 EA	
354 0027 000	TERM LUG YEL SPADE 8	2.0 EA	
354 0028 000	TERM LUG YEL SPADE 6	6.0 EA	
354 0245 000	TERM LUG YEL RING 10	8.0 EA	
354 0255 000	LUG 6 RING YEL	9.0 EA	
354 0259 000	LUG 6 RING	4.0 EA	
354 0262 000	LUG 8 RING	20.0 EA	
354 0287 000	LUG #10 RING N/INS 7-9AWG	1.0 EA	
354 0289 000	LUG .25 RING N/INS 7-9AWG	1.0 EA	
354 0324 000	LUG #10 RING YEL 12-10AWG	5.0 EA	

354 0325 000	LUG, .25 RING YEL 12-10AWG	3.0 EA
354 0335 000	* CONNECTOR CONTACT	3.0 EA
354 0669 000	TERM 250 FEM RED 22-18	3.0 EA
358 2184 000	TAPE, HOOK FASTENING	7.30 FT

Table 1-519. POWER SUPPLY ONLY FOR - 994 9108 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
606 0808 000	CB, 7.5A 250VAC 50/60HZ	1.0 EA	
817 2063 001	EQUIP SPEC FERRO 60HZ PS	0.0 EA	
822 0446 061	LABEL, SHIPPING	1.0 EA	
992 6656 001	PWR SUP 24/26VDC 60HZ	1.0 EA	

Table 1-520. LABEL, SHIPPING - 822 0446 061

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
817 1895 022	SILKSCREEN SHIPPING LABEL	0.0 EA	

Table 1-521. PWR SUP 24/26VDC 60HZ - 992 6656 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
250 0086 000	PLUG/CORD MOLDED BLACK	1.0 EA	#B001
302 0390 000	SCR 6-32 X 1-3/4	4.0 EA	#B001
302 0615 000	SCR, 10-32 X 3/8	6.0 EA	#T001
335 0266 000	WASHER SHOULDER .375 ID	2.0 EA	
335 0267 000	WASHER SHOULDER .266 ID	2.0 EA	
335 0268 000	INSULATOR SIL-PAD DO-5	2.0 EA	#SCR001
358 1765 000	BUSHING, TEFLON	1.0 EA	#SCR1
358 3086 000	STANDOFF-MALE/FEMALE 6-32	6.0 EA	
358 3089 000	STANDOFF-MALE/FEMALE 6-32	2.0 EA	
380 0669 000	XSTR, NPN PWR, 300 WATT, ESD	4.0 EA	Q001 Q002 Q003 Q004
384 0615 000	RECT. SCR ESD	1.0 EA	SCR001
384 0761 000	BRIDGE, FW 100A 200V ESD	1.0 EA	CR001
410 0391 000	INSULATOR TRANSISTOR T03	4.0 EA	#Q001 #Q002 #Q003 #Q004
424 0017 000	GROMMET 5/16 MTG DIA	1.0 EA	#B001
430 0030 000	*FAN 115VAC 106CFM 4.69SQ	1.0 EA	B001
430 0192 000	FINGER GUARD, 119MM FAN	1.0 EA	#B001
472 1580 000	XFMR, PWR, P13965	1.0 EA	T001
476 0415 000	CH, 0.4MH 30A	1.0 EA	L001
484 0370 000	FILTER AC LINE 120/250VAC	1.0 EA	FL001
510 0766 000	CAPACITOR 12UF 660VAC 50/60HZ	1.0 EA	C001
516 0074 000	CAP, DISC .005UF 1KV 20%	1.0 EA	C018
516 0087 000	CAP DISC .05UF 600V	1.0 EA	C009
522 0346 000	CAP 500 UF 50V	1.0 EA	C008
524 0347 000	CAP 36KUF 40V	3.0 EA	C002 C003 C004
530 0089 000	* BRACKET, CAP, 2"ID	3.0 EA	#C002 #C003 #C004
542 1592 000	RES 50.0 OHM 40W 10%	1.0 EA	R038
544 1633 000	RES 300 OHM 10W 5%	1.0 EA	R037
546 0306 000	RES, .1 OHM 25W 1%	1.0 EA	R036
548 2400 366	RES 4.75K OHM 1/2W 1%	1.0 EA	R039
559 0051 000	POSISTOR 100 OHM 90 DEG C	1.0 EA	RT001
560 0036 000	MOV 6500A 80J - 150 VAC	2.0 EA	RV001 RV002
606 0808 000	CB, 7.5A 250VAC 50/60HZ	0.0 EA	CB001 USE ONLY WITH 994-9108-001
614 0805 000	STRIP, TERM 3 POS	1.0 EA	TB002

646 1301 201	LABEL, DANGER HI VOLTAGE	2.0 EA	#USED ON WIRE FOR C1
813 5608 022	*NON STANDARD	2.0 EA	
817 1895 023	RUNNING LIST 24V PWR SUP	0.0 EA	
817 1924 001	RESISTOR, .02 OHM	2.0 EA	R034 R035
817 1925 001	RESISTOR, .032 OHM	4.0 EA	R030 R031 R032 R033
822 0532 001	BUS BAR, PWR SUP	2.0 EA	
822 0622 001	STRAP	1.0 EA	#Q001 #Q002 #Q003 #Q004
839 7048 001	SCHEM, 24/26V POWER SUPPL	0.0 EA	
839 7495 049	SPACER, TRANS SOCKET	1.0 EA	
843 4795 001	HEATSINK, PWR SUP MOD	1.0 EA	
917 1895 021	BRACKET SCR MOUNTING	1.0 EA	#SCR1
922 0446 060	SOCKET, TRANSISTOR	4.0 EA	#Q001 #Q002 #Q003 #Q004
922 0446 063	BRACKET, RES. MTG.	1.0 EA	#R036
922 0620 001	STRAP, CAP-LONG	1.0 EA	
922 0621 001	STRAP, GND-SHORT	1.0 EA	
922 1295 010	BRACKET, CAP MOUNTING	1.0 EA	#C001
943 4755 001	CHASSIS, POWER SUPPLY	1.0 EA	
943 4756 001	COVER, POWER SUPPLY	1.0 EA	
992 6673 001	PWB, 24V/26V PWR SPLY	1.0 EA	
999 2503 001	HARDWARE LIST	1.0 EA	
999 2504 001	WIRE/TUBING LIST	1.0 EA	

Table 1-522. RESISTOR, .02 OHM - 817 1924 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
256 0004 000	WIRE, CUPRON 14AWG	0.4080 FT	

Table 1-523. RESISTOR, .032 OHM - 817 1925 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
256 0004 000	WIRE, CUPRON 14AWG	0.3830 FT	

Table 1-524. BUS BAR, PWR SUP - 822 0532 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
005 2010 010	BRS, SQ FCB .250 X .250	0.09450 LB	

Table 1-525. STRAP - 822 0622 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
003 5010 020	CU, SH .064 X 48 X 96	0.0870 LB	

Table 1-526. SPACER, TRANS SOCKET - 839 7495 049

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
001 5010 030	AL, SH .032 THK	0.001450 LB	

Table 1-527. HEATSINK, PWR SUP MOD - 843 4795 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
001 6061 028	AL, HT SK EXTRUSION	0.78750 FT	

Table 1-528. BRACKET SCR MOUNTING - 917 1895 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.01450 LB	
324 0228 000	NUT, PRESS-IN 6-32 FLUSH	4.0 EA	
817 1895 021	ASSY INSTR, BRKT,SCR, MTG	0.0 EA	

Table 1-529. SOCKET, TRANSISTOR - 922 0446 060

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
404 0776 000	SOCKET TRANSISTOR TO-3	1.0 EA	
822 0446 060	MOD INST, TRANS SOCKET	0.0 EA	

Table 1-530. BRACKET, RES. MTG. - 922 0446 063

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.04350 LB	
324 0228 000	NUT, PRESS-IN 6-32 FLUSH	2.0 EA	
324 0229 000	NUT, PRESS-IN 4-40 FLUSH	3.0 EA	
822 0446 063	ASSY INSTR, BRKT,RESISTOR	0.0 EA	

Table 1-531. STRAP, CAP-LONG - 922 0620 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 020	CU, SH .064 X 48 X 96	0.20 LB	
822 0620 001	ASSY INST, STRAP,CAP-LONG	0.0 EA	

Table 1-532. STRAP, GND-SHORT - 922 0621 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 020	CU, SH .064 X 48 X 96	0.110 LB	
822 0621 001	ASSY INST,STRAP,CAP-SHORT	0.0 EA	

Table 1-533. BRACKET, CAP MOUNTING - 922 1295 010

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.160 LB	
822 1295 010	ASSY INSTR, BRKT CAP MTG	0.0 EA	

Table 1-534. CHASSIS, POWER SUPPLY - 943 4755 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	2.320 LB	
324 0151 000	NUT, PEM 10-32	4.0 EA	
324 0163 000	NUT, PEM 6-32	2.0 EA	
324 0228 000	NUT, PRESS-IN 6-32 FLUSH	16.0 EA	
358 0943 000	STUD 6-32 X 3/8	10.0 EA	
358 1013 000	STUD 4-40 X 3/8	2.0 EA	
822 0446 062	SILKSCRN PWR SUP CHASSIS	0.0 EA	
843 4755 001	ASSY INSTR, CHASSIS	0.0 EA	

Table 1-535. COVER, POWER SUPPLY - 943 4756 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	3.2190 LB	
646 1301 000	LABEL, DANGER HI VOLTAGE	1.0 EA	
822 0776 001	SILKSCREEN, PWR SUP COVER	0.0 EA	
839 7559 001	SILKSCREEN, PWR SUP	0.0 EA	
843 4756 001	FAB/ASSY INSTR, COVER	0.0 EA	

Table 1-536. PWB, 24V/26V PWR SPLY - 992 6673 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0189 000	XSTR, NPN 2N3904 ESD	1.0 EA	Q008
380 0192 000	XSTR, MJE521 ESD	1.0 EA	Q005
380 0244 000	XSTR, 2N2905 ESD	1.0 EA	Q006
382 1123 000	IC, 723/1723 (MIL TEMP) ESD	1.0 EA	U001
382 1127 000	IC ADJ VOLT REG ESD	1.0 EA	U002
382 1128 000	IC OVR VOLT SEN MC3423 ESD	1.0 EA	U003
384 0597 000	RECT 1N4002 ESD	7.0 EA	CR002 CR003 CR004 CR005 CR006 CR007 CR008
384 0784 000	* SCR S2600B ESD	1.0 EA	Q007
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	#U003
404 0674 000	SOCKET 14 PIN DIP (D-L)	1.0 EA	#U001
494 0218 000	CHOKE WIDE BAND	3.0 EA	E001 E002 E003
500 0826 000	CAP, MICA, 120PF 500V 5%	1.0 EA	C007
500 0844 000	CAP, MICA, 1000PF 100V 5%	2.0 EA	C010 C011
516 0375 000	CAP .01UF 50V -20/+80% Z5U	4.0 EA	C012 C013 C014 C017
522 0531 000	CAP 1UF 50V 20%	3.0 EA	C005 C015 C016
548 2400 134	RES 22.1 OHM 1/2W 1%	1.0 EA	R040
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R005
548 2400 218	RES 150 OHM 1/2W 1%	1.0 EA	R006
548 2400 237	RES 237 OHM 1/2W 1%	1.0 EA	R016
548 2400 242	RES 267 OHM 1/2W 1%	2.0 EA	R028 R029
548 2400 273	RES 562 OHM 1/2W 1%	1.0 EA	R008
548 2400 301	RES 1K OHM 1/2W 1%	1.0 EA	R007
548 2400 326	RES 1.82K OHM 1/2W 1%	2.0 EA	R017 R025
548 2400 373	RES 5.62K OHM 1/2W 1%	1.0 EA	R015
548 2400 378	RES 6.34K OHM 1/2W 1%	1.0 EA	R012
548 2400 381	RES 6.81K OHM 1/2W 1%	1.0 EA	R027
548 2400 383	RES 7.15K OHM 1/2W 1%	1.0 EA	R011
548 2400 385	RES 7.5K OHM 1/2W 1%	1.0 EA	R019
548 2400 389	RES 8.25K OHM 1/2W 1%	1.0 EA	R023
548 2400 393	RES 9.09K OHM 1/2W 1%	1.0 EA	R021
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R010
548 2400 430	RES 20K OHM 1/2W 1%	1.0 EA	R009
548 2400 466	RES 47.5K OHM 1/2W 1%	3.0 EA	R018 R020 R026
550 0927 000	POT 2K OHM 1/2W	4.0 EA	R013 R014 R022 R024
560 0065 000	POSISTOR 10 OHM 24VAC 2A	4.0 EA	R001 R002 R003 R004
604 0859 000	SW, TGL DPDT	1.0 EA	S001
610 1059 000	HDR, RT ANG, 8 PIN, SQ	2.0 EA	J001 J002
839 7048 001	SCHEM, 24/26V POWER SUPPL	0.0 EA	
839 7519 001	PWB, 24/26V POWER SUPPLY	1.0 EA	

Table 1-537. HARDWARE LIST - 999 2503 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1536 000	SCR, 6-32 X 1/4	1.0 EA	
300 1540 000	SCR, 6-32 X 1/2	4.0 EA	
300 1542 000	SCR, 6-32 X 3/4	5.0 EA	
300 1543 000	SCR, 6-32 X 7/8	3.0 EA	
300 1544 000	SCR, 6-32 X 1	1.0 EA	
300 1575 000	SCR, 10-32 X 3/8	13.0 EA	
300 2059 000	SCR, 4-40 X 5/8	4.0 EA	
302 0053 000	SCR, 4-40 X 5/16	13.0 EA	
302 0105 000	SCR, 6-32 X 5/16	7.0 EA	
302 0106 000	SCR, 6-32 X 3/8	7.0 EA	
302 0108 000	SCR, 6-32 X 1/2	1.0 EA	
302 0109 000	SCR, 6-32 X 5/8	2.0 EA	
302 0285 000	SCR, 8-32 X 1/2	2.0 EA	
302 0350 000	SCR, 4-40 X 5/16	5.0 EA	
302 0352 000	SCR, 6-32 X 1/4	1.0 EA	
302 0380 000	SCR, 6-32 X 5/16	2.0 EA	
304 0009 000	NUT, HEX 1/4-20	8.0 EA	
304 0025 000	NUT, HEX 1/4-28	3.0 EA	
304 0087 000	NUT, HEX 4-40	6.0 EA	
304 0089 000	NUT, HEX 6-32	14.0 EA	
306 0011 000	NUT, STOP 6-32	3.0 EA	
306 0016 000	NUT, HEX KEP 6-32	3.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	4.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	10.0 EA	
308 0007 000	10 FLAT WASHER BRASS	8.0 EA	
308 0009 000	.25 FLAT WASHER BRS	9.0 EA	
310 0003 000	WASHER, FLAT NO. 4	2.0 EA	
310 0012 000	WASHER FLAT 6	12.0 EA	
312 0003 000	WASHER, INT LOCK 4	12.0 EA	
312 0005 000	WASHER, INT LOCK 6	14.0 EA	
312 0006 000	WASHER, INT LOCK 8	2.0 EA	
312 0009 000	WASHER, INT LOCK 1/4	1.0 EA	
312 0026 000	NO 6 EXT SHAKE BRZ	2.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	4.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	23.0 EA	
312 0049 000	WASHER, SPLIT-LOCK 10	13.0 EA	
312 0051 000	WASHER, SPLIT-LOCK 1/4	8.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	4.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	12.0 EA	
344 0004 000	SCREW, SET 6-32 X 3/16	8.0 EA	
354 0004 000	LUG .25 RING RED 22-18AWG	6.0 EA	
354 0005 000	TERM LUG RED SPADE 6	5.0 EA	
354 0011 000	LUG BLUE RING .25	4.0 EA	
354 0015 000	LUG BLUE SPADE 6	2.0 EA	
354 0140 000	LUG SLDR .25 HOLE	1.0 EA	
354 0324 000	LUG #10 RING YEL 12-10AWG	3.0 EA	
354 0767 000	TERM FOR .250 X .032 TAB	2.0 EA	
356 0087 000	CABLE TIE TY RAP	3.0 EA	

Table 1-538. WIRE/TUBING LIST - 999 2504 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0004 000	WIRE, STRD 18AWG WHT/YEL	9.20 FT	
252 0005 000	WIRE, STRD 16AWG GREY	4.40 FT	
252 0006 000	WIRE, STRD 14AWG BLU	2.20 FT	
252 0008 000	WIRE, STRD 10AWG GRY	3.90 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.2080 FT	
296 0259 000	TUBING TEFLON 18 AWG	0.170 FT	
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.0830 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.1040 FT	
296 0267 000	TUBING TEFLON 14 AWG	0.5420 FT	
354 0003 000	LUG #10 RING RED 22-18AWG	3.0 EA	
354 0008 000	LUG #6 RING BLUE 16-14AWG	1.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	2.0 EA	
354 0011 000	LUG BLUE RING .25	2.0 EA	
354 0015 000	LUG BLUE SPADE 6	1.0 EA	
354 0023 000	LUG #6 RING YEL 12-10AWG	1.0 EA	
354 0325 000	LUG,.25 RING YEL 12-10AWG	2.0 EA	
354 0584 000	TERM, SQ WIRE	14.0 EA	
354 0765 000	TERM FOR .250 X .032 TAB	3.0 EA	
354 0767 000	TERM FOR .250 X .032 TAB	15.0 EA	
612 0526 000	HSG, 8 CKT, SGL ROW	2.0 EA	

Table 1-539. HARDWARE LIST - 999 1885 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1538 000	SCR, 6-32 X 3/8	1.0 EA	
300 1563 000	SCR, 8-32 X 3/8	14.0 EA	
300 1565 000	SCR, 8-32 X 1/2	5.0 EA	
300 1575 000	SCR, 10-32 X 3/8	6.0 EA	
300 1577 000	SCR, 10-32 X 1/2	3.0 EA	
300 1578 000	SCR, 10-32 X 5/8	5.0 EA	
300 1582 000	SCR, 10-32 X 1-1/8	1.0 EA	
300 1583 000	SCR, 10-32 X 1-1/4	1.0 EA	
300 1648 000	SCR, 1/4-20 X 5/8	10.0 EA	
300 1651 000	SCR, 1/4-20 X 1	2.0 EA	
300 1656 000	SCR, 1/4-20 X 2	1.0 EA	
302 0012 000	SCR, 2-56 X 1/4	4.0 EA	
302 0052 000	SCR, 4-40 X 1/4	8.0 EA	
302 0054 000	SCR, 4-40 X 3/8	5.0 EA	
302 0055 000	SCR, 4-40 X 7/16	6.0 EA	
302 0057 000	SCR, 4-40 X 5/8	26.0 EA	
302 0060 000	SCR, 4-40 X 1	2.0 EA	
302 0104 000	SCR, 6-32 X 1/4	39.0 EA	
302 0105 000	SCR, 6-32 X 5/16	3.0 EA	
302 0106 000	SCR, 6-32 X 3/8	51.0 EA	
302 0108 000	SCR, 6-32 X 1/2	18.0 EA	
302 0109 000	SCR, 6-32 X 5/8	7.0 EA	
302 0130 000	SCR, 8-32 X 3/8	39.0 EA	
302 0132 000	SCR, 8-32 X 5/8	5.0 EA	
302 0133 000	SCR, 8-32 X 3/4	4.0 EA	
302 0138 000	SCR, 8-32 X 1-1/2	1.0 EA	
302 0140 000	SCR, 10-32 X 5/16	1.0 EA	
302 0141 000	SCR, 10-32 X 3/8	24.0 EA	

302 0143 000	SCR, 10-32 X 1/2	108.0 EA
302 0144 000	SCR, 10-32 X 5/8	38.0 EA
302 0155 000	SCR, 10-24 X 3/8	1.0 EA
302 0214 000	SCR, 1/4-20 X 5/8	44.0 EA
302 0215 000	SCR, 1/4-20 X 3/4	20.0 EA
302 0216 000	SCR, 1/4-20 X 7/8	4.0 EA
302 0217 000	SCR, 1/4-20 X 1	69.0 EA
302 0220 000	SCR, 1/4-20 X 1-1/2	12.0 EA
302 0285 000	SCR, 8-32 X 1/2	27.0 EA
302 0307 000	SCR, 5/16-18 X 1	4.0 EA
302 0318 000	SCR, 3/8-16 X 1.0	10.0 EA
302 0324 000	SCR, 3/8-16 X 2-1/2	2.0 EA
302 0325 000	SCR, 3/8-16 X 3.0	1.0 EA
302 0350 000	SCR, 4-40 X 5/16	4.0 EA
302 0352 000	SCR, 6-32 X 1/4	9.0 EA
302 0359 000	SCR, 10-32 X 3/8	3.0 EA
302 0360 000	SCR, 1/4-20 X 3/4	14.0 EA
302 0364 000	SCR, 4-40 X 3/16	14.0 EA
302 0374 000	SCR, 6-32 X 3/8	36.0 EA
302 0380 000	SCR, 6-32 X 5/16	7.0 EA
302 0384 000	SCR, 8-32 X 3/8	10.0 EA
302 0385 000	SCR, 6-32 X 1/2	7.0 EA
302 0389 000	SCR, 10-32 X 1/2	27.0 EA
302 0394 000	SCR, 10-32 X 3/4	5.0 EA
304 0009 000	NUT, HEX 1/4-20	24.0 EA
304 0013 000	NUT, HEX 1/2-13	5.0 EA
304 0075 000	NUT, HEX THIN 3/8-32	14.0 EA
304 0089 000	NUT, HEX 6-32	2.0 EA
304 0090 000	NUT, HEX 8-32	48.0 EA
304 0098 000	NUT, HEX 10-32	34.0 EA
306 0003 000	NUT, HEX 4-40	10.0 EA
306 0004 000	NUT, HEX 6-32	45.0 EA
306 0005 000	NUT, HEX 8-32	15.0 EA
306 0006 000	NUT, HEX 10-32	50.0 EA
306 0007 000	NUT, HEX 1/4-20	35.0 EA
306 0008 000	NUT, HEX 5/16-18	4.0 EA
306 0012 000	NUT, STOP 8-32	1.0 EA
306 0015 000	NUT, HEX KEP 4-40	3.0 EA
306 0016 000	NUT, HEX KEP 6-32	24.0 EA
306 0017 000	NUT, HEX KEP 8-32	42.0 EA
306 0018 000	NUT, HEX KEP 10-32	62.0 EA
306 0019 000	NUT, HEX KEP 1/4-20	34.0 EA
306 0021 000	NUT, HEX 3/8-16	7.0 EA
308 0005 000	NO 6 FLAT WASHER BRS	1.0 EA
308 0006 000	NO 8 FLAT WASHER BRS	13.0 EA
308 0007 000	10 FLAT WASHER BRASS	29.0 EA
308 0009 000	.25 FLAT WASHER BRS	12.0 EA
310 0001 000	WASHER, FLAT #2	4.0 EA
310 0003 000	WASHER, FLAT NO. 4	42.0 EA
310 0006 000	WASHER FLAT 8	95.0 EA
310 0009 000	WASHER, FLAT 1/4	88.0 EA
310 0010 000	WASHER FLAT .3125	12.0 EA
310 0011 000	WASHER, FLAT 3/8	14.0 EA
310 0012 000	WASHER FLAT 6	87.0 EA
310 0013 000	WASHER FLAT 10	122.0 EA

310 0015 000	WASHER, FLAT 1/4	16.0 EA
310 0016 000	WASHER FLAT #4	8.0 EA
310 0017 000	WASHER FLAT #6	25.0 EA
312 0005 000	WASHER, INT LOCK 6	37.0 EA
312 0006 000	WASHER, INT LOCK 8	7.0 EA
312 0007 000	WASHER, INT LOCK 10	9.0 EA
312 0009 000	WASHER, INT LOCK 1/4	7.0 EA
312 0031 000	.312 EXT SHAKE. BRZ	2.0 EA
312 0047 000	WASHER, SPLIT-LOCK 6	4.0 EA
312 0048 000	WASHER, SPLIT-LOCK 8	43.0 EA
312 0049 000	WASHER, SPLIT-LOCK 10	64.0 EA
312 0051 000	WASHER, SPLIT-LOCK 1/4	28.0 EA
312 0055 000	WASHER, SPLIT-LOCK 1/2	1.0 EA
312 0068 000	WASHER, INT-EXT LOCK 1/4	2.0 EA
312 0070 000	WASHER, INT-EXT LOCK 3/8	1.0 EA
314 0001 000	WASHER, SPLIT-LOCK 2	4.0 EA
314 0003 000	WASHER, SPLIT-LOCK 4	48.0 EA
314 0005 000	WASHER, SPLIT-LOCK 6	122.0 EA
314 0006 000	WASHER, SPLIT-LOCK 8	72.0 EA
314 0007 000	WASHER, SPLIT-LOCK 10	161.0 EA
314 0009 000	WASHER, SPLIT-LOCK 1/4	118.0 EA
314 0010 000	WASHER, SPLIT-LOCK 5/16	4.0 EA
314 0011 000	WASHER, SPLIT-LOCK 3/8	17.0 EA
314 0013 000	WASHER, INT LOCK 3/8	5.0 EA
314 0015 000	WASHER, SPLIT-LOCK 1/2	46.0 EA
324 0087 000	NUT U 4-40	14.0 EA
328 0033 000	WASHER FLAT STEEL	11.0 EA
335 0001 000	WASHER NYLON .149 ID	4.0 EA
335 0007 000	WASHER NYLON .175 ID	14.0 EA
335 0008 000	WASHER NYLON .175 ID	4.0 EA
335 0009 000	WASHER, NYLON .195 ID	39.0 EA
335 0010 000	WASHER NYLON .195 ID	4.0 EA
335 0012 000	WASHER NYLON .195 ID	28.0 EA
335 0016 000	WASHER NYLON .261 ID	3.0 EA
335 0017 000	WASHER NYLON .261 ID	5.0 EA
335 0041 000	WASHER NYLON .75 ID	4.0 EA
335 0044 000	WASHER NYLON .120 ID	3.0 EA
335 0104 000	WASHER PLAIN .156 ID	6.0 EA
336 0493 000	SCREW 8 X 3/8	5.0 EA
336 1136 000	PIN, SPRING	4.0 EA
344 0006 000	SCREW, SET 6-32 X 3/8	2.0 EA
350 0047 000	RIVET, POP .125 X .390L	8.0 EA
350 0058 000	RIVET, POP 1/8 D X .230L	4.0 EA
350 0063 000	RIVET PULL THRU .093	4.0 EA
354 0002 000	LUG, #8 RING RED 22-18AWG	10.0 EA
354 0003 000	LUG #10 RING RED 22-18AWG	2.0 EA
354 0005 000	TERM LUG RED SPADE 6	20.0 EA
354 0010 000	LUG #10 RING BLU 16-14AWG	9.0 EA
354 0050 000	LUG 10 MTG HOLE	4.0 EA
354 0140 000	LUG SLDR .25 HOLE	1.0 EA
356 0002 000	CABLE CLAMP 1/8 D	4.0 EA
356 0005 000	CABLE CLAMP 5/16 D	2.0 EA
356 0082 000	CABLE TIE TY RAP	10.0 EA
356 0084 000	CABLE TY RAP	9.0 EA
356 0087 000	CABLE TIE TY RAP	55.0 EA

356 0089 000	CABLE TIE TY RAP	32.0 EA
356 0110 000	CABLE CLAMP 3/4 D	3.0 EA
358 1024 000	CABLE STRIP MOUNT	41.0 EA
424 0001 000	GROMMET 3/8 MTG DIA	2.0 EA
424 0003 000	GROMMET 1/2 MTG DIA	1.0 EA
424 0016 000	GROMMET 1-1/8 MTG D.	3.0 EA
424 0024 000	GROMMET 3/4 MTG DIA	1.0 EA
424 0031 000	GROMMET 2.5 MTG DIA	3.0 EA
646 0569 000	REPLACE WITH 646-1301-201	1.0 EA
646 0972 000	*LABEL 117V	1.0 EA
646 1250 000	LABEL SAFETY INSTR.	1.0 EA

Table 1-540. PA CUBICLE - 992 5356 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
055 0120 004	CONDUIT LKNUT .5	2.0 EA	
088 0020 015	TAPE, SCOTCH FOAM	0.0 RL	
296 0344 000	TUBG, POLYETHYLENE 1/4 OD	10.0 FT	
302 0294 000	SCR, 1/4-20 X 1	4.0 EA	
302 0589 000	SCR, 10-32 X 5/8	42.0 EA	
304 0059 000	NUT.WING BRS 1/4-20	2.0 EA	#TUBE PULLER
312 0069 000	WASHER, INT-EXT LOCK 5/16	4.0 EA	
350 0037 000	RIVET POP .125X.265	72.0 EA	
354 0197 000	CONNECTOR SET SCREW TYPE	8.0 EA	#B001 #B002
356 0110 000	CABLE CLAMP 3/4 D	3.0 EA	
356 0112 000	CABLE CLAMP 7/8 D	5.0 EA	
358 0004 000	BRACKET RESISTOR MTG	10.0 EA	#R001 #R002 #R003 #R004 #R005
358 0185 000	RECEPTACLE 85 SPRING	8.0 EA	
358 0499 000	CLAMP, HOSE	2.0 EA	
358 2140 000	NUT W/SPRING 1/4-20	2.0 EA	
358 2184 000	TAPE, HOOK FASTENING	13.0 FT	
358 2426 000	PLUG, WHITE 2" HOLE	1.0 EA	
358 2792 000	CUP, PLASTIC	4.0 EA	
358 2806 000	DUCT, VISUAL BLOWER FRONT	1.0 EA	
358 2807 000	DUCT, AURAL BLOWER FRONT	1.0 EA	
359 0179 000	CONNECTOR MALE 268-N	1.0 EA	#S010
359 0180 000	ELBOW MALE 90 DEG	1.0 EA	
359 0838 000	TEE, NYLON UNION FTGS 1/4	2.0 EA	#2M001 #2M002
402 0001 000	CLIP, FUSE 1.062 60A 600V	6.0 EA	
402 0004 000	CLIP, FUSE .812 60A 250V	2.0 EA	
402 0107 000	CLIP, FUSE 9/16	4.0 EA	
410 0004 000	INSULATOR ROUND NS5W 0108	3.0 EA	
410 0016 000	INSULATOR ROUND NS5W 0308	13.0 EA	#2R001 #2R002 #2R003 #2R004 #2R005 #2R006 #2R013
410 0017 000	INSULATOR ROUND NS5W 0310	1.0 EA	
410 0018 000	INSULATOR ROUND NS5W 0312	1.0 EA	
410 0019 000	INSULATOR ROUND NS5W 0316	4.0 EA	
410 0027 000	INSULATOR ROUND NS5W 0424	2.0 EA	
424 0001 000	GROMMET 3/8 MTG DIA	1.0 EA	
424 0016 000	GROMMET 1-1/8 MTG D.	1.0 EA	
424 0022 000	GROMMET 3/4 MTG DIA	1.0 EA	
424 0030 000	BUMPER RUBBER	2.0 EA	
424 0031 000	GROMMET 2.5 MTG DIA	2.0 EA	
424 0360 000	GROMMET 1-3/4 MTG DIA	6.0 EA	
424 0410 000	GROMMET 1.38 MTG DIA	7.0 EA	

426 0065 000	ISOLATOR VIBRATION	4.0 EA	#2B1 #2B2
432 0241 000	INLET VENTURI	1.0 EA	#2B2
432 0268 000	INLET VENTURI 60HZ	1.0 EA	#2B1
432 0298 000	WHEEL, BLOWER 7-11/16X1.5	1.0 EA	#2B2
432 0300 000	WHEEL, BLOWER 10-5/8X2	1.0 EA	#2B1
432 0303 000	HOUSING, BLOWER	1.0 EA	#2B2
432 0305 000	HOUSING, BLOWER	1.0 EA	#2B1
436 0266 000	MOTOR 1.5HP 3PH 50/60HZ	1.0 EA	#2B2
436 0269 000	MOTOR 5HP 3PH 50/60HZ	1.0 EA	#2B1
448 0319 000	CATCH MAGNETIC	3.0 EA	
448 0541 000	LATCH, FLUSH, LIFT & TURN	4.0 EA	
448 0776 000	CATCH MAGNETIC	2.0 EA	
472 1281 000	XFMR, FIL, 817-0990-091	1.0 EA	2T002
472 1296 000	XFMR, FIL, 817-1239-001	1.0 EA	2T001
476 0345 000	REACTOR, 828-1174-002	2.0 EA	2L001 2L002
484 0156 000	FILTER LOW PASS	1.0 EA	
484 0339 000	FILTER CARRIER REJECT	1.0 EA	2FL001
510 0560 000	CAP 12UF 2KV 10%	1.0 EA	2C001
510 0699 000	CAP .1UF 10KV 10%	1.0 EA	2C002
510 0703 000	* CAP 25 UF 370VAC	1.0 EA	A50C013
510 0720 000	CAP 2UF 15KV 10%	1.0 EA	2C005
510 0732 000	CAP 0.10 UF 15KVDC 10%	1.0 EA	2C006
516 0402 000	CAP 4800 PF 20KV	1.0 EA	2C003
540 0563 000	* RES 10 OHM 2W 5%	1.0 EA	A50R002
540 0565 000	* RES 12 OHM 2W 5%	1.0 EA	2R008
540 0832 000	RES 50.0 OHM 100W 10%	1.0 EA	2R007
540 1167 000	RES 5.0 OHM 275W 10%	1.0 EA	2R006
540 1226 000	RES 2.5 OHM 275W 10%	1.0 EA	2R010
540 1341 000	RES 22.0 OHM 45W 10%	1.0 EA	2R013
542 0368 000	RES 7.5K OHM 5% 225W	4.0 EA	2R001 2R002 2R003 2R004
542 0372 000	RES 25K OHM 5% 225W	1.0 EA	2R005
604 0447 000	SW, PRESS.	1.0 EA	2S009
604 0895 000	SW, DIR	1.0 EA	2S010
604 1035 000	SW, PRECISION DPDT	2.0 EA	2S002 2S005
604 1044 000	SW, INTLK DPDT	6.0 EA	2S001 2S003 2S004 2S006 2S007 2S008
614 0008 000	TERM BD 8 TERM	1.0 EA	2TB002
614 0525 000	JUMPER TYPE 600-J	7.0 EA	
620 0118 000	ADAPTOR N UG57B/U	2.0 EA	
620 0122 000	ADPTR ANGLE N UG27CU	3.0 EA	
620 0305 000	ADAPTOR,RT ANGLE UG-27B/U	1.0 EA	
620 0455 000	ADPT BNC UG492A/U	3.0 EA	2J003 2J005 2J006
620 0498 000	ADAPTOR 3-1/8 301-014	1.0 EA	
620 2411 000	GUAGE, PRESSURE 0-10"	2.0 EA	2M001 2M002
646 1250 000	LABEL SAFETY INSTR.	2.0 EA	
646 1254 402	LABEL,DANGER HIGH VOLTAGE	1.0 EA	
700 0484 000	LOAD, COAXIAL 1000W	1.0 EA	2R012
810 2264 001	LOCKING PLATE	7.0 EA	#1R003 #1R012
813 5000 005	STDOFF 6-32X3/8 5/16 HEX	2.0 EA	
813 5002 049	STDOFF 10-32X1 1/2 HEX	1.0 EA	
813 5019 032	STDOFF 8-32X1-1/2 1/2 HEX	1.0 EA	
813 5606 011	STUD, BRS 10-32 X 1	2.0 EA	
813 5608 037	STUD.BRZ .25 20 X 1.	2.0 EA	2E001 2E002
813 5614 007	STUD STL 10 32 X .75	6.0 EA	

816 7504 001	CAPACITOR CLAMP	1.0 EA	#C013
817 0086 001	ANGLE, TOP	4.0 EA	
817 0132 001	SCREEN	1.0 EA	
817 0157 001	PLATE	2.0 EA	
817 0168 001	STANDOFF	4.0 EA	
817 0168 002	STANDOFF	2.0 EA	
817 0178 001	FILTER	1.0 EA	
817 0543 001	COVER	1.0 EA	
817 0793 001	SCREW, SPACER	9.0 EA	
817 1527 012	INSULATION, REAR DOOR	2.0 EA	
817 1527 013	FILTER, VIS BLOWER	1.0 EA	
817 1527 014	BAR, SLIDE	1.0 EA	#TUBE PULLER
817 1527 015	INSULATION, SIDE PANEL	1.0 EA	
817 1527 027	WIRE LIST TV30H	0.0 EA	
817 1527 042	SHIELDING	1.0 EA	
817 1527 043	SHIELDING	1.0 EA	
822 0249 004	SKID, TV30H3 PA CAB	1.0 EA	
829 0109 001	BRACKET CAP	1.0 EA	
829 4363 001	ANGLE	4.0 EA	
829 4506 001	TOP TRIM, INST'L MAT'L	1.0 EA	#NOTE: THIS PART INSTALLED BETWEEN PA & DRIVER CABINETS IN THE FIELD
829 4507 001	CHANNEL, TRIM	2.0 EA	
829 4512 001	HANDLE	2.0 EA	
829 4516 001	PANEL	1.0 EA	
829 4769 001	CLAMP	1.0 EA	
829 7671 001	HEATSINK	1.0 EA	
829 7927 001	BRKT	1.0 EA	
829 9583 027	BRACKET, CAPACITOR MTG	1.0 EA	#C1
829 9583 031	BRACKET, SWITCH	6.0 EA	#2S1 #2S3 #2S4 #2S6
829 9583 033	HANDLE, TUBE PULLER	1.0 EA	
829 9583 034	BLOCK, SLIDE MTG.	2.0 EA	
829 9583 035	HOOK, TUBE PULLER	1.0 EA	
829 9583 036	ANGLE, HOOK MTG.	2.0 EA	
829 9583 037	ANGLE, HANDLE MTG.	2.0 EA	
829 9583 038	BLOCK, ANGLE MTG.	2.0 EA	#TUBE PULLER
829 9583 045	SHIELD, FAN INLET	1.0 EA	#2B2
829 9583 046	SHIELD, FAN INLET	1.0 EA	#2B1
839 4378 001	RAIL	1.0 EA	
839 4378 002	RAIL	1.0 EA	
839 4533 001	BRKT	1.0 EA	
839 4538 001	BRACKET	2.0 EA	
839 4571 001	TRAY, FILTER	1.0 EA	
839 4587 001	SHIELD	1.0 EA	
839 6678 029	BRACKET, MTR	2.0 EA	#2A01 #2A052
839 6678 030	BRACKET, MTR	2.0 EA	#2A01 #2A052
839 6678 055	COVER METER	1.0 EA	
839 6678 066	DIAGRAM WIRING	0.0 EA	
843 3465 001	STRAP GND	1.0 EA	
843 3465 002	STRAP GND	1.0 EA	
843 4260 020	PANEL, PA SIDE	1.0 EA	
843 4260 021	PANEL, INNER PA SIDE	1.0 EA	
843 4260 034	BRKT AIR FILTER	1.0 EA	
843 4260 039	DIAGRAM PWR DISTRIBUTION	0.0 EA	
852 9037 002	DIAGRAM, WIRING	0.0 EA	
917 1527 039	PLATE PLUNGER	4.0 EA	

929 4057 001	ASSY, DC FILAMENT	1.0 EA	2A013
929 4368 001	WRAP, INLET DOCT	1.0 EA	
929 7527 001	TOP ASSY, DUCT	1.0 EA	
929 7979 001	CABLE JUMPER	1.0 EA	
929 9583 048	ASSY., PNL FRONT LOWER LT	1.0 EA	
929 9583 049	ASS'Y.,PNL LOWER FRT/REAR	3.0 EA	
929 9583 059	CABLE WIA ASSY	1.0 EA	
929 9583 060	ASSY ANGLE TUBE PULLER	2.0 EA	#TUBE PULLER
929 9583 062	CABLE, MAIN	1.0 EA	
929 9583 075	ASSY PNL TOP FRT, VISUAL	1.0 EA	
929 9583 097	CABLE ASSY PA	1.0 EA	2W002
929 9583 101	TOP ASS'Y	1.0 EA	
929 9583 104	CABLE DR/PA INTERCONNECT	1.0 EA	
929 9583 110	COVER ASSY, PA CONTROLLER	1.0 EA	
938 4203 001	GROUND HOOKS ASSY	2.0 EA	
939 6678 048	ASSY BLOWER MOUNT	1.0 EA	
939 6678 050	PNL FRT FOLDING	1.0 EA	
943 4260 007	BACK PANEL, PA DOOR	2.0 EA	
943 4260 009	ASSY, REAR DOOR	2.0 EA	
943 4260 031	ASS'Y,DUCT VIS CAV INLET	1.0 EA	
943 4260 045	LOWER DUCT ASSY	1.0 EA	
952 8660 003	CABINET ASSY, PA	1.0 EA	
992 4552 001	AUR PA OL SENSE NET	1.0 EA	2A010
992 4553 001	VIS PA OL SENSE NET	1.0 EA	2A066
992 5297 001	PA CONTROLLER BOARD	1.0 EA	2A004
992 5361 001	SCREEN REG ASSY AURAL	1.0 EA	2A009
992 5396 003	METER PNL, PA VIS	1.0 EA	2A053
992 5397 003	METER PNL, PA AURAL	1.0 EA	2A002
992 5398 001	MULTIMETER PNL ASSY	1.0 EA	2A003
992 5399 003	AC CONTACTOR PANEL ASSY	1.0 EA	2A005
992 5403 001	FILAMENT RECT ASSY	1.0 EA	2A054
992 5415 002	PA CONTROL INDICATOR PNL	1.0 EA	2A002
992 5480 001	H.V. SHORTING ASSY	1.0 EA	2A012
992 5495 003	METER PNL, OUTER PA VIS	1.0 EA	2A052
992 5496 003	METER PNL, OUTER PA AUR	1.0 EA	2A001
992 5498 001	ASSY, SCREEN SPARK GAP	1.0 EA	2A016
992 5499 002	METER MULTIPLIER ASSY	1.0 EA	
992 5500 002	GRID BIAS PNL ASSY	1.0 EA	2A063
992 5955 001	SCREEN REGULATOR ASSY	1.0 EA	2A065
992 6521 002	PEAK DETECTOR-VHF HI BAND	2.0 EA	2A007 2A008
992 8296 001	* POWER SUPPLY ASSY	1.0 EA	2PS001
994 6852 001	*DISCONTINUED	1.0 EA	2A015
994 8265 001	*DISCONTINUED	1.0 EA	2A014
999 1887 002	WIRE LIST	1.0 EA	

Table 1-541. STDOFF 6-32X3/8 5/16 HEX - 813 5000 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 015	AL, HEX .313	0.003150 LB	

Table 1-542. STDOFF 8-32X1-1/2 1/2 HEX - 813 5019 032

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 040	BRS, HEX .500	0.103950 LB	

Table 1-543. STUD, BRS 10-32 X 1 - 813 5606 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 040	BRS, THD STK 10-32	0.087150 FT	

Table 1-544. STUD.BRZ .25 20 X 1. - 813 5608 037

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 050	BRS, THD STK 1/4-20	0.152250 FT	

Table 1-545. STUD STL 10 32 X .75 - 813 5614 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1020 030	SST, THD STK 10-32	0.065310 FT	

Table 1-546. CAPACITOR CLAMP - 816 7504 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.031030 LB	

Table 1-547. ANGLE, TOP - 817 0086 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.052345 LB	

Table 1-548. SCREEN - 817 0132 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.43890 SF	

Table 1-549. PLATE - 817 0157 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.74820 LB	

Table 1-550. STANDOFF - 817 0168 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 008	AL, RD .375 DIA	0.008663 LB	

Table 1-551. STANDOFF - 817 0168 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 008	AL, RD .375 DIA	0.008663 LB	

Table 1-552. FILTER - 817 0178 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 9010 010	INDUSTRIAL FOAM 1 IN	0.840 SF	

Table 1-553. COVER - 817 0543 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.00920 LB	

Table 1-554. SCREW, SPACER - 817 0793 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 010	BRS HEX .250	0.01680 LB	

Table 1-555. INSULATION, REAR DOOR - 817 1527 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5050 010	POLYSTYRENE SHEET, 1" THK	15.590 SF	

Table 1-556. FILTER, VIS BLOWER - 817 1527 013

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 9010 010	INDUSTRIAL FOAM 1 IN	4.350 SF	

Table 1-557. BAR, SLIDE - 817 1527 014

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 8060 027	AL, PIPE .5 NOM	0.51450 LB	

Table 1-558. INSULATION, SIDE PANEL - 817 1527 015

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5050 010	POLYSTYRENE SHEET, 1" THK	13.0 SF	

Table 1-559. SHIELDING - 817 1527 042

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.3570 SF	

Table 1-560. SHIELDING - 817 1527 043

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.7350 SF	

Table 1-561. BRACKET CAP - 829 0109 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.172550 LB	

Table 1-562. ANGLE - 829 4363 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 7060 005	AL, ANGLE SQ EDGE	0.14910 LB	

Table 1-563. TOP TRIM, INST'L MAT'L - 829 4506 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	1.8560 LB	

Table 1-564. CHANNEL, TRIM - 829 4507 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 064	AL, CHAN .125	6.2370 FT	

Table 1-565. HANDLE - 829 4512 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 019	AL, RECT .375 X .625	0.18060 LB	

Table 1-566. PANEL - 829 4516 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	7.7720 LB	

Table 1-567. CLAMP - 829 4769 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.20880 LB	

Table 1-568. HEATSINK - 829 7671 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 001	AL, SH .250 THK	1.28750 LB	

Table 1-569. BRKT - 829 7927 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.125860 LB	

Table 1-570. BRACKET, CAPACITOR MTG - 829 9583 027

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.09570 LB	

Table 1-571. HANDLE, TUBE PULLER - 829 9583 033

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 8060 027	AL, PIPE .5 NOM	2.27850 LB	

Table 1-572. BLOCK, SLIDE MTG. - 829 9583 034

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 065	AL, RECT 1.25 X 2.0	0.5880 LB	

Table 1-573. HOOK, TUBE PULLER - 829 9583 035

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	0.21750 LB	

Table 1-574. ANGLE, HOOK MTG. - 829 9583 036

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.0580 LB	

Table 1-575. ANGLE, HANDLE MTG. - 829 9583 037

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 080	AL, SH .100 THK	0.10150 LB	

Table 1-576. BLOCK, ANGLE MTG. - 829 9583 038

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 053	AL, RECT .75 X 2.0	0.5040 LB	

Table 1-577. SHIELD, FAN INLET - 829 9583 046

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.72450 SF	

Table 1-578. RAIL - 839 4378 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 7010 055	STL, ANGLE	13.020 LB	

Table 1-579. RAIL - 839 4378 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 7010 055	STL, ANGLE	13.020 LB	

Table 1-580. BRKT - 839 4533 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	1.740 LB	
829 4474 001	SILKSCREEN, PEAK DET	0.0 EA	
829 4916 001	STENCIL, PEAK DET BRKT	0.0 EA	

Table 1-581. BRACKET - 839 4538 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	4.4080 LB	

Table 1-582. TRAY, FILTER - 839 4571 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.7690 LB	

Table 1-583. SHIELD - 839 4587 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.265850 LB	

Table 1-584. COVER METER - 839 6678 055

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	3.250 SF	

Table 1-585. STRAP GND - 843 3465 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 045	CU, STRAP .020 X 2"	7.5180 FT	

Table 1-586. STRAP GND - 843 3465 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 045	CU, STRAP .020 X 2"	7.7280 FT	

Table 1-587. PANEL, PA SIDE - 843 4260 020

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	21.1410 LB	

Table 1-588. PANEL, INNER PA SIDE - 843 4260 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	12.10750 LB	

Table 1-589. BRKT AIR FILTER - 843 4260 034

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	5.80 LB	

Table 1-590. WRAP, INLET DOCT - 929 4368 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
839 4570 001	WRAP	2.0 EA	

Table 1-591. WRAP - 839 4570 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	6.3220 LB	

Table 1-592. TOP ASSY, DUCT - 929 7527 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
839 4569 001	COVER	2.0 EA	

Table 1-593. COVER - 839 4569 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.590150 LB	

Table 1-594. CABLE JUMPER - 929 7979 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0108 000	CABLE, 12C 22AWG	6.0 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.90 FT	
296 0265 000	TUBING, SHRINK 1/16 WHITE	0.30 FT	
296 0271 000	TUBING, SHRINK 3/4 WHITE	0.50 FT	
354 0384 000	CONTACT, PIN	18.0 EA	
408 0223 000	SHIELD 15 POSITION	2.0 EA	
610 0538 000	PLUG 15 POS	2.0 EA	
618 0051 000	COAX CABLE RG58C, 50 OHM	28.10 FT	
618 0221 000	CABLE, COAX, 1/2", FSJ450B	16.50 FT	
620 0502 000	PLUG BNC UG-88/U	8.0 EA	
620 0574 000	PLUG, MALE TYPE N, F4NM	6.0 EA	
829 7979 001	CADS JUMPERS	0.0 EA	

Table 1-595. ASSY., PNL FRONT LOWER LT - 929 9583 048

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	14.68850 LB	
646 1301 000	LABEL, DANGER HI VOLTAGE	1.0 EA	
829 9583 048	PANEL FRT LWR LT	0.0 EA	

Table 1-596. ASS'Y.,PNL LOWER FRT/REAR - 929 9583 049

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	14.68850 LB	
646 1301 000	LABEL, DANGER HI VOLTAGE	1.0 EA	
829 9583 049	PANEL LWR FRT & REAR	0.0 EA	

Table 1-597. CABLE WIA ASSY - 929 9583 059

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0006 000	WIRE, STRD 14AWG BLU	48.30 FT	
252 0008 000	WIRE, STRD 10AWG GRY	30.20 FT	
354 0015 000	LUG BLUE SPADE 6	16.0 EA	
354 0016 000	LUG BLUE SPADE 8	8.0 EA	
354 0027 000	TERM LUG YEL SPADE 8	6.0 EA	
817 1527 027	WIRE LIST TV30H	0.0 EA	
829 9583 059	CADS	0.0 EA	
852 9037 004	CABLE LAYOUT	0.0 EA	

Table 1-598. ASSY ANGLE TUBE PULLER - 929 9583 060

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
336 0952 000	PIN, SPRING .125 DIA	2.0 EA	
829 9583 039	ANGLE, TUBE PULLER	1.0 EA	
829 9583 060	TUBE PULLER ANGLE	0.0 EA	

Table 1-599. ANGLE, TUBE PULLER - 829 9583 039

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 7060 016	AL, ANGLE .188 X 2 X 3	0.24150 LB	

Table 1-600. CABLE, MAIN - 929 9583 062

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0211 000	CABLE, 1/0 AWG 600V	17.50 FT	
250 0468 000	CABLE, 1AWG 600V WELDING	19.50 FT	
252 0003 000	WIRE, STRD 20AWG WHT	535.0 FT	
252 0004 000	WIRE, STRD 18AWG WHT/YEL	82.20 FT	
252 0006 000	WIRE, STRD 14AWG BLU	6.50 FT	
252 0008 000	WIRE, STRD 10AWG GRY	2.0 FT	
252 0072 000	WIRE, THHN 6AWG BLK	2.0 FT	
253 0059 000	CABLE, 2C 22AWG AUDIO	35.70 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	1.0 FT	
296 0260 000	TUBING, SHRINK 3/32 WHITE	1.90 FT	
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.30 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.30 FT	
296 0263 000	TUBING, SHRINK 3/8 WHITE	0.30 FT	
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.90 FT	
296 0271 000	TUBING, SHRINK 3/4 WHITE	2.20 FT	
299 0010 000	SPIRAL PLASTIC WRAP	1.0 FT	
354 0001 000	LUG #6 RING RED 22-18 AWG	5.0 EA	
354 0002 000	LUG, #8 RING RED 22-18AWG	5.0 EA	
354 0003 000	LUG #10 RING RED 22-18AWG	22.0 EA	
354 0005 000	TERM LUG RED SPADE 6	46.0 EA	
354 0006 000	TERM LUG RED SPADE 8	4.0 EA	
354 0008 000	LUG #6 RING BLUE 16-14AWG	1.0 EA	
354 0009 000	LUG #8 RING BLUE 16-14AWG	1.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	6.0 EA	
354 0011 000	LUG BLUE RING .25	1.0 EA	
354 0015 000	LUG BLUE SPADE 6	1.0 EA	
354 0252 000	TERM 250 FEM BLU 16-14	4.0 EA	
354 0292 000	LUG #10 RING U/INS 6-5AWG	1.0 EA	
354 0297 000	LUG .25 RING BLUE	1.0 EA	
354 0325 000	LUG, .25 RING YEL 12-10AWG	2.0 EA	
354 0335 000	* CONNECTOR CONTACT	36.0 EA	
354 0353 000	LUG 3/8 HOLE	2.0 EA	
354 0356 000	LUG 1/4 HOLE CODE PINK	13.0 EA	
354 0361 000	LUG 5/16 RING BLUE	1.0 EA	
354 0365 000	* CONTACT 61061-5	25.0 EA	
354 0384 000	CONTACT, PIN	23.0 EA	
354 0584 000	TERM, SQ WIRE	12.0 EA	
354 0634 000	TERM FOR .187 X .020 TAB	4.0 EA	
354 0646 000	LUG, CRIMP	4.0 EA	
354 0647 000	LUG, CRIMP	1.0 EA	
354 0648 000	LUG, CRIMP	5.0 EA	
354 0658 000	TERMINAL PRESSURE	14.0 EA	
354 0669 000	TERM 250 FEM RED 22-18	6.0 EA	
354 0701 000	LUG 5/16 HOLE CODE PINK	1.0 EA	
354 0757 000	RECEPTACLE .020 X .187	4.0 EA	
408 0223 000	SHIELD 15 POSITION	1.0 EA	
408 0225 000	SHIELD 25 POSITION	1.0 EA	

610 0451 000	CAP CONN HSG 15 CKT	6.0 EA	P001 P002 P006 P007 P008 P009
610 0538 000	PLUG 15 POS	1.0 EA	P003
610 0539 000	PLUG 25 POS	1.0 EA	P004
612 0816 000	HSG, 12 CKT, SGL ROW	2.0 EA	P005 P010
618 0051 000	COAX CABLE RG58C, 50 OHM	1.50 FT	
618 0705 000	COAX CABLE, RG316/U 50 OHM	4.70 FT	
620 0502 000	PLUG BNC UG-88/U	2.0 EA	
620 0545 000	JACK, BULKHEAD, BNC	2.0 EA	J001 J002
817 1527 027	WIRE LIST TV30H	0.0 EA	
829 9583 062	CADS, PA CAB	0.0 EA	
852 8805 002	CABLE LAYOUT	0.0 EA	

Table 1-601. ASSY PNL TOP FRT, VISUAL - 929 9583 075

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	10.893750 LB	
646 1301 000	LABEL, DANGER HI VOLTAGE	1.0 EA	
817 1527 033	STENCIL VIS AIR	0.0 EA	
829 9583 075	PNL TOP FRT, VIS SIDE	0.0 EA	
829 9583 078	SILKSCREEN	0.0 EA	

Table 1-602. CABLE ASSY PA - 929 9583 097

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0002 000	WIRE, TURBO 12AWG BRN	47.30 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	16.0 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.40 FT	
299 0010 000	SPIRAL PLASTIC WRAP	1.0 FT	
354 0009 000	LUG #8 RING BLUE 16-14AWG	2.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	2.0 EA	
354 0245 000	TERM LUG YEL RING 10	15.0 EA	
354 0261 000	LUG .25 RING	2.0 EA	
354 0262 000	LUG 8 RING	2.0 EA	
354 0644 000	CONTACT, MALE PIN	2.0 EA	
354 0645 000	CONTACT, FEMALE PIN	2.0 EA	
610 0765 000	HOUSING, PLUG CONN	2.0 EA	
612 0924 000	HOUSING, CAP CONN	2.0 EA	
817 1527 027	WIRE LIST TV30H	0.0 EA	
829 9583 097	CADS PA	0.0 EA	
852 9037 008	CABLE LAYOUT, PA	0.0 EA	

Table 1-603. TOP ASS'Y - 929 9583 101

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 9583 098	TUBE EXHAUST	1.0 EA	
829 9583 099	TUBE EXHAUST	1.0 EA	
829 9583 101	TOP	0.0 EA	
843 4260 040	TOP PA CABINET	1.0 EA	

Table 1-604. TUBE EXHAUST - 829 9583 098

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.580 LB	

Table 1-605. TUBE EXHAUST - 829 9583 099

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.870 LB	

Table 1-606. TOP PA CABINET - 843 4260 040

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	24.4760 LB	

Table 1-607. CABLE DR/PA INTERCONNECT - 929 9583 104

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0072 000	WIRE, THHN 6AWG BLK	10.50 FT	
296 0263 000	TUBING, SHRINK 3/8 WHITE	0.30 FT	
829 9583 104	CADS	0.0 EA	

Table 1-608. COVER ASSY, PA CONTROLLER - 929 9583 110

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.98750 SF	
646 0972 000	*LABEL 117V	1.0 EA	
829 9583 110	COVER, PA CONTROLLER	0.0 EA	

Table 1-609. GROUND HOOKS ASSY - 938 4203 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0017 000	WIRE, ROPE 10AWG	4.20 FT	
296 0019 000	PLASTIC TUBE 4AWG CLEAR	4.10 FT	
306 0006 000	NUT, HEX 10-32	2.0 EA	
308 0007 000	10 FLAT WASHER BRASS	1.0 EA	
312 0007 000	WASHER, INT LOCK 10	1.0 EA	
312 0049 000	WASHER, SPLIT-LOCK 10	1.0 EA	
354 0287 000	LUG #10 RING N/INS 7-9AWG	2.0 EA	
814 7796 002	HANDLE	1.0 EA	
814 7917 001	HOOK, 1/2IN RADIUS	1.0 EA	
838 4203 001	ASSY INSTR, GROUND HOOK	0.0 EA	

Table 1-610. ASSY BLOWER MOUNT - 939 6678 048

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
839 6678 048	ASSEMBLY INSTRUCTIONS	0.0 EA	
839 6678 052	PLATE, FAN HOUSING	1.0 EA	
839 6678 053	PLATE, FAN HOUSING	1.0 EA	
839 6678 054	PLATE, BTM-MOTOR MOUNT	1.0 EA	
843 4260 035	BASE, MOTOR MOUNT	1.0 EA	

Table 1-611. PLATE, FAN HOUSING - 839 6678 052

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	3.1320 LB	

Table 1-612. PLATE, FAN HOUSING - 839 6678 053

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	5.7710 LB	

Table 1-613. PLATE, BTM-MOTOR MOUNT - 839 6678 054

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	4.1760 LB	

Table 1-614. BASE, MOTOR MOUNT - 843 4260 035

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	8.8740 LB	

Table 1-615. PNL FRT FOLDING - 939 6678 050

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 4510 001	PANEL	1.0 EA	
829 4514 001	HINGE	1.0 EA	
829 4521 001	HINGE	1.0 EA	
839 6678 050	PANEL, CAVITY ACCESS	0.0 EA	
929 4511 001	PANEL ASSY	1.0 EA	

Table 1-616. PANEL - 829 4510 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	7.1920 LB	

Table 1-617. HINGE - 829 4514 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 1110 010	STL, HNG CONT 2.0WD	2.46750 FT	

Table 1-618. HINGE - 829 4521 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 1110 010	STL, HNG CONT 2.0WD	2.4780 FT	

Table 1-619. PANEL ASSY - 929 4511 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1059 000	STUD 4-40 X 1/4	3.0 EA	
829 4511 001	PNL, UPPER ACCESS	0.0 EA	
839 4546 001	PANEL	1.0 EA	

Table 1-620. PANEL - 839 4546 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	7.87350 LB	

Table 1-621. BACK PANEL, PA DOOR - 943 4260 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	14.1810 LB	
324 0143 000	NUT, PEM 6-32	8.0 EA	
843 4260 007	BACK PLATE, REAR DOOR	0.0 EA	

Table 1-622. ASSY, REAR DOOR - 943 4260 009

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0323 000	HINGE LATCH RELEASE	1.0 EA	
448 0324 000	HINGE LATCH RELEASE	1.0 EA	
815 4268 001	SPACER, DOOR	2.0 EA	
843 4260 008	DOOR, REAR	1.0 EA	
843 4260 009	ASSY INSTRUCTIONS	0.0 EA	

Table 1-623. DOOR, REAR - 843 4260 008

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	24.6210 LB	

Table 1-624. ASS'Y, DUCT VIS CAV INLET - 943 4260 031

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 9583 061	STENCIL DUCT VIS INLET	0.0 EA	
839 4462 001	VANE, DUCT	1.0 EA	
839 4463 001	VANE, DUCT	1.0 EA	
843 2867 001	WRAP, INNER DUCT	1.0 EA	
843 4260 031	DUCT, VIS CAV INLET	0.0 EA	
843 4260 032	SIDE, DUCT LT	1.0 EA	
843 4260 033	SIDE, DUCT RT	1.0 EA	
929 9583 058	ASS'Y., WRAP OUTER DUCT	1.0 EA	

Table 1-625. VANE, DUCT - 839 4462 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	1.254250 LB	

Table 1-626. VANE, DUCT - 839 4463 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	1.7980 LB	

Table 1-627. WRAP, INNER DUCT - 843 2867 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	1.7980 LB	

Table 1-628. SIDE, DUCT LT - 843 4260 032

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	2.07350 LB	

Table 1-629. SIDE, DUCT RT - 843 4260 033

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	2.1750 LB	

Table 1-630. ASS'Y., WRAP OUTER DUCT - 929 9583 058

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0165 000	NUT, PEM 8-32	14.0 EA	
324 0168 000	NUT, PEM 10-32	2.0 EA	
829 9583 058	WRAP, OUTER DUCT	0.0 EA	
843 4260 030	WRAP, OUTER DUCT	1.0 EA	

Table 1-631. WRAP, OUTER DUCT - 843 4260 030

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	2.7550 LB	

Table 1-632. LOWER DUCT ASSY - 943 4260 045

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 4413 001	TUBE, CONN	1.0 EA	
829 4850 001	PLATE, FRONT	1.0 EA	
839 4473 001	BAFFLE, TOP	1.0 EA	
839 4704 001	PANEL, FRONT	1.0 EA	
839 4706 001	SIDE, AIR DUCT	1.0 EA	
839 4707 001	SIDE, AIR DUCT	1.0 EA	
843 4260 045	DUCT, AURAL CAV INLET	0.0 EA	
939 4727 001	PANEL ASSY, REAR	1.0 EA	

Table 1-633. TUBE, CONN - 829 4413 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 8060 070	AL, TBG RD 2X.065WL	0.08190 LB	

Table 1-634. PLATE, FRONT - 829 4850 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.62060 LB	

Table 1-635. BAFFLE, TOP - 839 4473 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.604650 LB	

Table 1-636. PANEL, FRONT - 839 4704 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.7980 LB	

Table 1-637. SIDE, AIR DUCT - 839 4706 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.92850 LB	

Table 1-638. SIDE, AIR DUCT - 839 4707 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.8560 LB	

Table 1-639. PANEL ASSY, REAR - 939 4727 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0163 000	NUT, PEM 6-32	10.0 EA	
358 0945 000	STUD 10-32 X 1/2	4.0 EA	
843 2876 001	PANEL, REAR	1.0 EA	

Table 1-640. PANEL, REAR - 843 2876 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	3.3930 LB	

Table 1-641. CABINET ASSY, PA - 952 8660 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0338 000	SCR, 1/2-13 X 1-1/2	72.0 EA	
302 0360 000	SCR, 1/4-20 X 3/4	2.0 EA	
302 0396 000	SCR, 10-32 X 2	8.0 EA	
358 0437 000	BUSHING PANEL .252 ID	2.0 EA	
358 1895 000	NUT W/SPRING 1/2-13	32.0 EA	
358 2140 000	NUT W/SPRING 1/4-20	136.0 EA	
358 2257 000	BUSHING, PANEL, BRASS	2.0 EA	
815 4365 001	PLATE, STRIKER, DOOR	2.0 EA	
817 1608 001	PLATE, BASE COVER	2.0 EA	
829 1280 001	PLATE, CAB FITTING	8.0 EA	
829 3668 003	CHANNEL FRAME 26.25	4.0 EA	
829 3668 004	CHANNEL	5.0 EA	
829 3668 007	CHANNEL	2.0 EA	
829 3668 008	CHANNEL FRAME 68.375	2.0 EA	
829 3668 009	CHANNEL FRAME	2.0 EA	
829 4130 001	HINGE, BOTTOM REAR	1.0 EA	
829 4132 001	HINGE, TOP REAR	2.0 EA	
829 4133 001	HINGE, LEFT BOTTOM	1.0 EA	
829 4218 001	CHANNEL, FRAME	2.0 EA	
829 4238 001	FRONT CHANNEL	2.0 EA	
829 4522 001	STRIP	1.0 EA	
829 4523 001	STRIP	1.0 EA	
829 4771 002	CHANNEL	1.0 EA	
829 9583 087	CHANNEL, TOP REAR	1.0 EA	
839 4034 001	PANEL, RT SIDE	1.0 EA	
839 4233 001	STRIP, TOP	1.0 EA	
839 4256 001	CROSS MEMBER, CTRL PNL	1.0 EA	
839 4258 001	STRIP, TOP	2.0 EA	
839 4379 001	ANGLE	1.0 EA	

839 4379 002	ANGLE	1.0 EA
839 4395 001	STRIP	2.0 EA
839 4732 002	PANEL, CROSSMEMBER	1.0 EA
839 6678 024	FRAME CHANNEL, DOOR LATCH	2.0 EA
839 6678 051	EIA STRIP	3.0 EA
839 7280 001	EIA STRIP	1.0 EA
843 2722 001	FRONT POST	2.0 EA
843 2824 001	CHANNEL	1.0 EA
843 2824 002	ANGLE	1.0 EA
843 4260 010	PANEL, DIVIDER	1.0 EA
843 4260 013	PANEL, UPPER CTR DIVIDER	1.0 EA
843 4260 028	DECK, PA CABINET	1.0 EA
852 8660 003	CAB, NET ASSY DWG, PA	0.0 EA
916 9843 006	SUPPORT HINGE	2.0 EA
917 0293 001	PLATE ASSY, REAR	1.0 EA
929 3752 001	FRONT CHANNEL ASSY	1.0 EA
929 3753 001	REAR CHANNEL ASSY	1.0 EA
929 4495 001	SIDE PANEL ASSY	1.0 EA
929 4808 001	PANEL ASSY, CAVITY	1.0 EA
929 8503 001	GUSSET, WELDED	12.0 EA
939 4280 001	CORNER, C F TOP	2.0 EA
939 4281 001	CORNER, RF AND LR LOWER	2.0 EA
939 4282 001	CORNER, LF AND RR LOWER	2.0 EA
939 4283 001	CORNER, R R TOP	1.0 EA
939 4284 001	CORNER, L R TOP	1.0 EA
939 4285 001	CORNER, R F TOP	1.0 EA
939 4286 001	CORNER, L F TOP	1.0 EA
939 6678 035	PLATE ASSY PA BASE	1.0 EA
943 2831 001	PANEL ASSY UPPER LFT SIDE	1.0 EA

Table 1-642. PLATE, STRIKER, DOOR - 815 4365 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 010	STL, SH 10GA CR	0.010658 LB	

Table 1-643. PLATE, BASE COVER - 817 1608 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.580 LB	

Table 1-644. CHANNEL - 829 3668 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	5.6910 FT	

Table 1-645. CHANNEL FRAME - 829 3668 009

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.25750 FT	

Table 1-646. HINGE, LEFT BOTTOM - 829 4133 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	0.7250 LB	

Table 1-647. CHANNEL, FRAME - 829 4218 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 6010 020	STL, CHAN .105 THK	5.6910 FT	

Table 1-648. STRIP - 829 4522 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	8.0620 LB	

Table 1-649. STRIP - 829 4523 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	3.08850 LB	

Table 1-650. CHANNEL, TOP REAR - 829 9583 087

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	5.72250 FT	

Table 1-651. PANEL, RT SIDE - 839 4034 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	14.36950 LB	

Table 1-652. STRIP, TOP - 839 4233 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	4.4370 LB	

Table 1-653. CROSS MEMBER, CTRL PNL - 839 4256 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.61450 FT	

Table 1-654. ANGLE - 839 4379 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 030	STL, SH 12GA CR	2.39250 LB	

Table 1-655. ANGLE - 839 4379 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 030	STL, SH 12GA CR	2.39250 LB	

Table 1-656. STRIP - 839 4395 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	7.7720 LB	

Table 1-657. PANEL, CROSSMEMBER - 839 4732 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	2.61450 FT	

Table 1-658. FRAME CHANNEL, DOOR LATCH - 839 6678 024

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 060	AL, FR CHANNEL	5.9850 FT	

Table 1-659. EIA STRIP - 839 6678 051

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	2.56650 LB	

Table 1-660. EIA STRIP - 839 7280 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	2.56650 LB	

Table 1-661. CHANNEL - 843 2824 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	9.860 LB	

Table 1-662. ANGLE - 843 2824 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	9.860 LB	

Table 1-663. PANEL, DIVIDER - 843 4260 010

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	16.4430 LB	
839 4694 002	STENCIL	0.0 EA	
839 4695 003	STENCIL	0.0 EA	

Table 1-664. PANEL, UPPER CTR DIVIDER - 843 4260 013

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	21.88050 LB	
829 9583 092	SILKSCREEN	0.0 EA	
839 6678 027	STENCIL, CTR DIVIDER PNL	0.0 EA	

Table 1-665. DECK, PA CABINET - 843 4260 028

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	31.2040 LB	

817 0048 001

STENCIL

0.0 EA

Table 1-666. SUPPORT HINGE - 916 9843 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 010	STL, SH 10GA CR	10.62850 LB	
306 0065 000	NUT, WELD 1/4-20	6.0 EA	
816 9843 006	ASSY INSTRUCTIONS	0.0 EA	
829 3733 003	FAB INSTR, HINGE SUPPORT	0.0 EA	

Table 1-667. PLATE ASSY, REAR - 917 0293 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	1.7690 LB	
324 0168 000	NUT, PEM 10-32	1.0 EA	
817 0293 001	ASSY INSTRUCTIONS	0.0 EA	
829 4772 001	PLATE, REAR	0.0 EA	

Table 1-668. FRONT CHANNEL ASSY - 929 3752 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
816 9856 001	PLATE, CHANNEL	3.0 EA	
829 3752 001	FAB INSTR, CHANNEL FRONT	0.0 EA	
829 3754 001	CENTER CHANNEL	1.0 EA	

Table 1-669. PLATE, CHANNEL - 816 9856 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1320 020	AL, RECT .250 X .625	0.02730 LB	

Table 1-670. CENTER CHANNEL - 829 3754 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 064	AL, CHAN .125	6.10050 FT	

Table 1-671. REAR CHANNEL ASSY - 929 3753 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
816 9856 001	PLATE, CHANNEL	3.0 EA	
829 3753 001	FAB INSTR, CHANNEL REAR	0.0 EA	
829 3754 002	CENTER CHANNEL	1.0 EA	

Table 1-672. CENTER CHANNEL - 829 3754 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6060 064	AL, CHAN .125	5.95350 FT	

Table 1-673. SIDE PANEL ASSY - 929 4495 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	14.6450 LB	
324 0174 000	NUT, PEM 8-32	3.0 EA	

839 4382 001

PANEL, SIDE

0.0 EA

Table 1-674. PANEL ASSY, CAVITY - 929 4808 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	17.8350 LB	
358 0961 000	STUD 10-32 X 5/8	16.0 EA	
358 1851 000	STUD 1/4-20 X 3/4	4.0 EA	
829 4808 001	ASSY INSTRUCTIONS	0.0 EA	
843 2841 001	PANEL	0.0 EA	

Table 1-675. CORNER, C F TOP - 939 4280 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0727 000	CORNER, CAST	1.0 EA	

Table 1-676. CORNER, R R TOP - 939 4283 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0727 000	CORNER, CAST	1.0 EA	

Table 1-677. PLATE ASSY PA BASE - 939 6678 035

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	89.7550 LB	
306 0065 000	NUT, WELD 1/4-20	17.0 EA	
306 0067 000	NUT, WELD 3/8-16	8.0 EA	
816 7282 001	STENCIL	0.0 EA	
816 7282 002	STENCIL	0.0 EA	
816 7282 003	STENCIL	0.0 EA	
816 7282 008	STENCIL, CHASSIS, RF	0.0 EA	
816 7282 013	STENCIL	0.0 EA	
816 7282 051	STENCIL	0.0 EA	
839 6678 035	FAB/ASSY INSTR,BASE PLATE	0.0 EA	

Table 1-678. PANEL ASSY UPPER LFT SIDE - 943 2831 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	21.8950 LB	
358 2746 000	STUD 8-32 X 5/8	4.0 EA	
843 2831 001	PANEL, UPPER LT SIDE	0.0 EA	

Table 1-679. AUR PA OL SENSE NET - 992 4552 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
304 0045 000	NUT CAP 10-32 BRASS	2.0 EA	#E001 #E002
335 0009 000	WASHER, NYLON .195 ID	4.0 EA	#E001 #E002
335 0041 000	WASHER NYLON .75 ID	4.0 EA	#E001 #E002
335 0104 000	WASHER PLAIN .156 ID	6.0 EA	#A001 MTG
354 0010 000	LUG #10 RING BLU 16-14AWG	1.0 EA	#A1 REED RELAY
358 0159 000	STUD 82 OVAL HEAD	2.0 EA	#COVER
358 0184 000	RETAINER 82 ALL HDS	2.0 EA	#COVER
358 0187 000	RECEPTACLE 82 SPRING	2.0 EA	#ENCLOSURE

358 0765 000	WASHER WEAR 82 NYLON	2.0 EA	#COVER
410 0001 000	INSULATOR ROUND NS5W 0104	3.0 EA	#A001
410 0153 000	INSULATOR BSHG NS5W-4104	2.0 EA	#E001 #E002
410 0157 000	INSULATOR BSHG NS5W-4204	2.0 EA	#E001 #E002
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R005
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R002
550 0065 000	POT 5K OHM 2W 10%	1.0 EA	R001
604 0405 000	SW, PB BLK SPDT	1.0 EA	S001
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA	J001
646 1254 402	LABEL,DANGER HIGH VOLTAGE	1.0 EA	#COVER
741 0005 000	CURRENT TRANSDUCER	1.0 EA	DCT001
813 5604 001	STUD BRZ 6 32 X .375	2.0 EA	#A001 MTG
813 5606 026	STUD BRS 10-32 X 2-3/4	2.0 EA	#E001 #E002
828 7271 001	COVER	1.0 EA	
828 9375 001	SCHEMATIC	0.0 EA	
839 1196 001	ENCL, OVERLOAD SENSE	1.0 EA	
839 1316 001	PLATE, MOUNTING	1.0 EA	
922 1001 001	COIL ASSY	1.0 EA	#A1 REED RELAY
927 6053 001	COIL, OUTER OL SENSE	1.0 EA	#REED RELAY
992 2979 001	P C BOARD ASSY	1.0 EA	A001
999 1576 001	HARDWARE LIST	1.0 EA	
999 1577 001	WIRE/TUBING LIST	1.0 EA	

Table 1-680. STUD BRS 10-32 X 2-3/4 - 813 5606 026

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 040	BRS, THD STK 10-32	0.23940 FT	

Table 1-681. COVER - 828 7271 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.47270 LB	

Table 1-682. ENCL, OVERLOAD SENSE - 839 1196 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	1.007750 LB	
829 0660 001	STENCIL, ENCL OL SENSING	0.0 EA	

Table 1-683. PLATE, MOUNTING - 839 1316 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	1.320950 LB	

Table 1-684. COIL ASSY - 922 1001 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
051 0001 023	*ADHESIVE, DP-190 GRAY	0.0 EA	
063 0001 060	*COMPOUND #4	0.0 EA	
088 0001 063	TAPE TEF 3/4 WIDE	0.0 RL	
255 0005 000	WIRE, HV 18AWG 20KV	2.90 FT	
354 0010 000	LUG #10 RING BLU 16-14AWG	1.0 EA	
604 0455 000	SW REED	1.0 EA	

822 1001 001	FAB INSTR, COIL	0.0 EA
829 9700 002	COIL FORM	1.0 EA

Table 1-685. HARDWARE LIST - 999 1576 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
086 0001 010	*SEALANT GLYPTOL	0.0 QT	
300 1537 000	SCR, 6-32 X 5/16	1.0 EA	
302 0352 000	SCR, 6-32 X 1/4	3.0 EA	
302 0374 000	SCR, 6-32 X 3/8	8.0 EA	
304 0098 000	NUT, HEX 10-32	6.0 EA	
306 0016 000	NUT, HEX KEP 6-32	8.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	1.0 EA	
308 0007 000	10 FLAT WASHER BRASS	6.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	1.0 EA	
312 0049 000	WASHER, SPLIT-LOCK 10	6.0 EA	
328 0033 000	WASHER FLAT STEEL	1.0 EA	
335 0106 000	WASHER PLAIN .187 ID	2.0 EA	
350 0050 000	RIVET POP .093X.212	4.0 EA	
356 0087 000	CABLE TIE TY RAP	5.0 EA	

Table 1-686. WIRE/TUBING LIST - 999 1577 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	8.440 FT	
252 0235 000	WIRE, STRD 22AWG GRN	0.2190 FT	
254 0001 000	WIRE, BUS CU 22AWG	0.0830 FT	
296 0259 000	TUBING TEFLON 18 AWG	0.10 FT	
296 0310 000	TUBING TEFLON 20 AWG	0.250 FT	
354 0005 000	TERM LUG RED SPADE 6	3.0 EA	
354 0335 000	* CONNECTOR CONTACT	6.0 EA	
354 0365 000	* CONTACT 61061-5	2.0 EA	

Table 1-687. VIS PA OL SENSE NET - 992 4553 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
304 0045 000	NUT CAP 10-32 BRASS	2.0 EA	#E001 #E002
335 0009 000	WASHER, NYLON .195 ID	4.0 EA	#E001 #E002
335 0041 000	WASHER NYLON .75 ID	4.0 EA	#E001 #E002
335 0104 000	WASHER PLAIN .156 ID	6.0 EA	#A001 MTG
354 0010 000	LUG #10 RING BLU 16-14AWG	1.0 EA	#A1 REED RELAY
358 0159 000	STUD 82 OVAL HEAD	2.0 EA	#COVER
358 0184 000	RETAINER 82 ALL HDS	2.0 EA	#COVER
358 0187 000	RECEPTACLE 82 SPRING	2.0 EA	#ENCLOSURE
358 0765 000	WASHER WEAR 82 NYLON	2.0 EA	#COVER
410 0001 000	INSULATOR ROUND NS5W 0104	3.0 EA	#A001
410 0153 000	INSULATOR BSHG NS5W-4104	2.0 EA	#E001 #E002
410 0157 000	INSULATOR BSHG NS5W-4204	2.0 EA	#E001 #E002
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R005
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R002
550 0065 000	POT 5K OHM 2W 10%	1.0 EA	R001
604 0405 000	SW, PB BLK SPDT	1.0 EA	S001
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA	J001
646 1254 402	LABEL,DANGER HIGH VOLTAGE	1.0 EA	#COVER

741 0005 000	CURRENT TRANSDUCER	1.0 EA	DCT001
813 5604 001	STUD BRZ 6 32 X .375	2.0 EA	#A001 MTG
813 5606 026	STUD BRS 10-32 X 2-3/4	2.0 EA	#E001 #E002
828 7271 001	COVER	1.0 EA	
828 9375 001	SCHEMATIC	0.0 EA	
839 1196 001	ENCL, OVERLOAD SENSE	1.0 EA	
839 1316 001	PLATE, MOUNTING	1.0 EA	
922 1001 002	COIL ASSY	1.0 EA	#A1 REED RELAY
927 6053 001	COIL, OUTER OL SENSE	1.0 EA	#A1 REED RELAY
992 2979 001	P C BOARD ASSY	1.0 EA	A001
999 1576 001	HARDWARE LIST	1.0 EA	
999 1577 001	WIRE/TUBING LIST	1.0 EA	

Table 1-688. COIL ASSY - 922 1001 002

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
051 0001 023	*ADHESIVE, DP-190 GRAY	0.0 EA	
063 0001 060	*COMPOUND #4	0.0 EA	
088 0001 063	TAPE TEF 3/4 WIDE	0.0 RL	
255 0005 000	WIRE, HV 18AWG 20KV	2.80 FT	
354 0010 000	LUG #10 RING BLU 16-14AWG	1.0 EA	
604 0455 000	SW REED	1.0 EA	
822 1001 002	FAB INSTR, COIL	0.0 EA	
829 9700 002	COIL FORM	1.0 EA	

Table 1-689. PA CONTROLLER BOARD - 992 5297 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
324 0087 000	NUT U 4-40	10.0 EA	
358 1214 000	SCREWLOCK, FEMALE	5.0 EA	
358 1726 000	SPRING, HOLD DOWN	3.0 EA	
380 0125 000	XSTR, NPN 2N4401 ESD	1.0 EA	Q2
380 0189 000	XSTR, NPN 2N3904 ESD	1.0 EA	Q1
384 0316 000	RECT SIL CTL 2N5060 ESD	6.0 EA	Q3 Q4 Q5 Q6 Q7 Q8
384 0431 000	RECT. 1N4001 ESD	11.0 EA	CR1 CR10 CR11 CR12 CR2 CR3 CR4 CR5 CR6 CR7 CR8
386 0135 000	ZENER, 1N4733A 5.1V ESD	1.0 EA	CR9
404 0161 000	SOCKET RELAY 9KH2	3.0 EA	XK1 XK2 XK3
494 0218 000	CHOKE WIDE BAND	16.0 EA	L1 L10 L11 L12 L13 L14 L15 L16 L2 L3 L4 L5 L6 L7 L8 L9
516 0375 000	CAP .01UF 50V -20/+80% Z5U	16.0 EA	C1 C10 C11 C12 C13 C14 C15 C16 C2 C3 C4 C5 C6 C7 C8 C9
526 0050 000	CAP 1UF 35V 20%	14.0 EA	C17 C18 C19 C20 C21 C22 C23 C24 C31 C32 C33 C34 C35 C36
526 0331 000	CAP .33UF 35V 20%	6.0 EA	C25 C26 C27 C28 C29 C30
548 2400 277	RES 619 OHM 1/2W 1%	16.0 EA	R26 R27 R28 R29 R30 R31 R32 R33 R34 R35 R36 R37 R38 R39 R40 R41
548 2400 301	RES 1K OHM 1/2W 1%	2.0 EA	R1 R2
548 2400 318	RES 1.5K OHM 1/2W 1%	6.0 EA	R20 R21 R22 R23 R24 R25
548 2400 330	RES 2K OHM 1/2W 1%	6.0 EA	R3 R4 R5 R6 R7 R8
548 2400 347	RES 3.01K OHM 1/2W 1%	2.0 EA	R10 R13
548 2400 377	RES 6.19K OHM 1/2W 1%	6.0 EA	R14 R15 R16 R17 R18 R19
548 2400 385	RES 7.5K OHM 1/2W 1%	1.0 EA	R12
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R11

548 2400 418	RES 15K OHM 1/2W 1%	1.0 EA	R9
574 0156 000	RELAY 12VDC 4PDT	3.0 EA	K1 K2 K3
610 0679 000	PLUG, SHORTING, .25" CTRS	2.0 EA	P6 P7
612 0775 000	JACK, PC MT, .040 PINS	6.0 EA	
612 0785 000	RECP 15 CONT	3.0 EA	J1 J2 J5
612 0792 000	RECP 25 CONT	2.0 EA	J3 J4
843 2907 001	SCHEMATIC	0.0 EA	
843 2988 001	PC BOARD	1.0 EA	

Table 1-690. SCREEN REG ASSY AURAL - 992 5361 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0639 000	RECTIFIER 10KV ESD	1.0 EA	CR9
386 0103 000	ZNR 1N3350A 200V 50W 10% ESD	4.0 EA	CR1 CR3 CR5 CR7
386 0397 000	ZNR 1N3340RA 100V 50W 10% ESD	4.0 EA	CR2 CR4 CR6 CR8
404 0684 000	HEAT SINK 1/4-28 TAP	4.0 EA	
614 0048 000	TERM BD 4 TERM	1.0 EA	TB1
813 5001 030	STDOFF 6-32X1 3/8 HEX	4.0 EA	
829 4698 001	PLATE, HEATSINK MTG	1.0 EA	
852 8770 001	DIAGRAM, MAIN WIRING	0.0 EA	

Table 1-691. STDOFF 6-32X1 3/8 HEX - 813 5001 030

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 020	AL, HEX .375	0.01260 LB	

Table 1-692. PLATE, HEATSINK MTG - 829 4698 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 054	GL, EPOXY .250	1.40 LB	

Table 1-693. METER PNL, PA VIS - 992 5396 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0059 000	STUD 85 OVAL HEAD	2.0 EA	
358 0410 000	RETAINER 85 ALL HDS	2.0 EA	
358 0801 000	WASHER WEAR 85 NYLON	2.0 EA	
516 0081 000	CAP, DISC .01UF 1KV 20%	2.0 EA	C001 C002
632 1097 000	MTR 0-6ADC, 4-1/2, S	1.0 EA	M003
632 1122 000	MTR 0-3ADC, 4-1/2", S	1.0 EA	M001
632 1124 000	MTR 0-10KV, 4-1/2", S	2.0 EA	M002 M004
829 4664 001	STIFFENER, METER PNL	1.0 EA	
843 4608 002	PANEL METER MOUNTING	1.0 EA	
852 9037 002	DIAGRAM, WIRING	0.0 EA	
929 4502 001	HINGE, LATCH	2.0 EA	
929 4502 002	HINGE, LATCH	2.0 EA	
992 2858 002	PC BOARD, METERING	2.0 EA	A001 A002

Table 1-694. PANEL METER MOUNTING - 843 4608 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	1.3750 LB	

Table 1-695. HINGE, LATCH - 929 4502 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
336 1130 000	PIN, SPRING	1.0 EA	
456 0082 000	SPRING LC-026C-5	1.0 EA	
817 0155 001	PIN, LATCH	1.0 EA	
817 0639 001	HANDLE, HINGE	1.0 EA	
829 4501 001	BLOCK, LATCH	1.0 EA	

Table 1-696. PIN, LATCH - 817 0155 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 040	SST, ROD .250 DIA	0.020580 LB	

Table 1-697. HANDLE, HINGE - 817 0639 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1015 010	AL, RD .125 DIA	0.000315 LB	

Table 1-698. BLOCK, LATCH - 829 4501 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 050	GL, LAM SH .5 G10	0.078750 LB	

Table 1-699. HINGE, LATCH - 929 4502 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
336 1130 000	PIN, SPRING	1.0 EA	
456 0082 000	SPRING LC-026C-5	1.0 EA	
817 0155 001	PIN, LATCH	1.0 EA	
817 0639 001	HANDLE, HINGE	1.0 EA	
829 4501 002	BLOCK, LATCH	1.0 EA	

Table 1-700. BLOCK, LATCH - 829 4501 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 050	GL, LAM SH .5 G10	0.078750 LB	

Table 1-701. METER PNL, PA AURAL - 992 5397 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0059 000	STUD 85 OVAL HEAD	2.0 EA	
358 0410 000	RETAINER 85 ALL HDS	2.0 EA	
358 0801 000	WASHER WEAR 85 NYLON	2.0 EA	
448 0412 000	HINGE, LATCH RELEASE	2.0 EA	
448 0413 000	HINGE, LATCH RELEASE	2.0 EA	
516 0081 000	CAP, DISC .01UF 1KV 20%	2.0 EA	C001 C002
550 0077 000	POT, 500K OHM 2W	2.0 EA	R001 R002
632 1088 000	MTR PK PWR/VSWR, 4-1/2",S	1.0 EA	M002
632 1107 000	MTR PWR, 4-1/2", S	1.0 EA	M001
829 4665 001	STIFFENER	1.0 EA	
843 2840 001	PANEL	1.0 EA	
852 9037 002	DIAGRAM, WIRING	0.0 EA	

Table 1-702. STIFFENER - 829 4665 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 9010 010	GL, ANGLE .125 X 1, 94 VO	2.3520 FT	

Table 1-703. PANEL - 843 2840 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	1.63750 LB	

Table 1-704. MULTIMETER PNL ASSY - 992 5398 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
410 0004 000	INSULATOR ROUND NS5W 0108	6.0 EA	
610 0765 000	HOUSING, PLUG CONN	0.0 EA	
612 0924 000	HOUSING, CAP CONN	0.0 EA	
632 1096 000	MTR MULTI, 3-1/2", B	1.0 EA	
632 1113 000	MTR MULTI, 3-1/2", S	1.0 EA	
650 0116 000	KNOB BAR 2.5" LG	1.0 EA	
817 0707 001	RUNNING SHEET	0.0 EA	
829 7639 001	WINDOW	1.0 EA	
852 8770 001	DIAGRAM, MAIN WIRING	0.0 EA	
917 0711 001	SWITCH MODIFICATION	1.0 EA	
929 4411 001	PANEL, MULTIMETER	1.0 EA	
929 7861 001	CABLE ASSY	1.0 EA	W1
992 5446 001	PC BD ASSY	1.0 EA	

Table 1-705. WINDOW - 829 7639 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.80750 SF	

Table 1-706. SWITCH MODIFICATION - 917 0711 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
600 0595 000	SWITCH, ROTARY 12 POS	1.0 EA	S1

Table 1-707. PANEL, MULTIMETER - 929 4411 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	4.91550 LB	
358 0943 000	STUD 6-32 X 3/8	6.0 EA	
646 0569 000	REPLACE WITH 646-1301-201	1.0 EA	
829 4411 001	ASSY INSTRUCTIONS	0.0 EA	
839 4491 001	PANEL	0.0 EA	

Table 1-708. CABLE ASSY - 929 7861 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	19.90 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	15.40 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.90 FT	
354 0003 000	LUG #10 RING RED 22-18AWG	2.0 EA	
354 0644 000	CONTACT, MALE PIN	2.0 EA	

354 0645 000	CONTACT, FEMALE PIN	2.0 EA	
610 0765 000	HOUSING, PLUG CONN	2.0 EA	P1 P3
612 0924 000	HOUSING, CAP CONN	2.0 EA	P2 P4
829 7861 001	CADS, P.A. MULTIMETER	0.0 EA	
843 3403 001	CABLE LAYOUT	0.0 EA	

Table 1-709. PC BD ASSY - 992 5446 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0286 000	RECT SILICON 1N4721 ESD	4.0 EA	CR3 CR4 CR5 CR6
384 0357 000	RECTIFIER 1N4004 ESD	2.0 EA	CR1 CR2
516 0081 000	CAP, DISC .01UF 1KV 20%	1.0 EA	C1
542 0054 000	RES 10 OHM 5% 12W	2.0 EA	R1 R2
548 0073 000	*RES 500K OHM .5W 1%	2.0 EA	R17 R18
548 0075 000	RES 1 MEG OHM 3/4W 1%	4.0 EA	R19 R20 R21 R22
548 0594 000	RES 1 OHM 2.5W/3W 1%	1.0 EA	R15
548 1236 000	RES 2.3 OHM 1W 1%	1.0 EA	R16
548 1255 000	*RES 5 MEG OHM 1/2W 1%	10.0 EA	R10 R11 R12 R3 R4 R5 R6 R7 R8 R9
548 2400 496	RES 97.6K OHM 1/2W 1%	1.0 EA	R24
548 2400 501	RES 100K OHM 1/2W 1%	2.0 EA	R13 R14
548 2400 539	RES 249K OHM 1/2W 1%	1.0 EA	R23
610 0704 000	CONN 12 PIN	2.0 EA	J1 J2
612 0816 000	HSG, 12 CKT, SGL ROW	0.0 EA	P001 P002
839 5113 001	SCHEMATIC	0.0 EA	
929 4720 001	PC PTD BD ASSY	1.0 EA	

Table 1-710. PC PTD BD ASSY - 929 4720 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0336 000	TERMINAL, SOLDER	22.0 EA	
829 4720 001	ASSY INSTR, PA MULTIMETER	0.0 EA	
843 3285 001	P C BOARD	1.0 EA	

Table 1-711. AC CONTACTOR PANEL ASSY - 992 5399 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
404 0672 000	SOCKET RELAY	1.0 EA	XK006
506 0086 000	CAP 1 UF 400V 20 PCT	6.0 EA	C001 C002 C003 C004 C005 C006
570 0263 000	CONTACTOR 4 POLE 10A	1.0 EA	K001
570 0264 000	STARTER, MOTOR 120V COIL	2.0 EA	K004 K005
570 0265 000	CONTACTOR 4 POLE 20A	1.0 EA	K003
574 0405 000	RELAY 3PDT 120VAC 50/60HZ	1.0 EA	K006
576 0132 000	RELAY, TIME DELAY	1.0 EA	K002
584 0277 000	HEATER B45	3.0 EA	K5HR1 K5HR2 K5HR3
584 0285 000	HEATER B58	3.0 EA	K4HR1 K4HR2 K4HR3
606 0141 000	CKT BREAKER 15 AMP	2.0 EA	CB001 CB004
606 0600 000	CKT BREAKER 30A 250VAC	1.0 EA	CB003
606 0665 000	CKT BREAKER 3 POLE 7.5A	1.0 EA	CB002
614 0093 000	TERM BD 3 TERM	1.0 EA	TB001
614 0105 000	TERM BD 15 TERM	1.0 EA	TB002
614 0762 000	TERM BD 3 TERM	1.0 EA	TB003
817 0640 002	RUN LIST, AC CONT PNL	0.0 EA	
829 4020 001	BLOCK, BUS BAR	1.0 EA	
829 4486 001	BRKT, SOCKET	1.0 EA	

839 4535 001	ANGLE, BUS BAR	1.0 EA
839 4545 001	ANGLE, BUS BAR	1.0 EA
839 4545 002	ANGLE, BUS BAR	1.0 EA
852 9037 002	DIAGRAM, WIRING	0.0 EA
915 1842 005	STUD TERMINAL	2.0 EA
929 7544 002	CABLE ASSY AC CONT PNL	1.0 EA
939 4496 003	PANEL, AC CONTACTOR	1.0 EA

Table 1-712. BRKT, SOCKET - 829 4486 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.036685 LB	

Table 1-713. ANGLE, BUS BAR - 839 4535 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 030	CU, SH .093 THK	1.1020 LB	

Table 1-714. ANGLE, BUS BAR - 839 4545 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 030	CU, SH .093 THK	1.170150 LB	

Table 1-715. ANGLE, BUS BAR - 839 4545 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 030	CU, SH .093 THK	1.170150 LB	

Table 1-716. STUD TERMINAL - 915 1842 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 020	BRS, THD STK 8-32	0.15750 FT	
304 0090 000	NUT, HEX 8-32	1.0 EA	
815 1842 005	ASSY INSTR, STUD TERMINAL	0.0 EA	

Table 1-717. CABLE ASSY AC CONT PNL - 929 7544 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	45.0 FT	
252 0004 000	WIRE, STRD 18AWG WHT/YEL	15.0 FT	
252 0006 000	WIRE, STRD 14AWG BLU	47.0 FT	
252 0007 000	WIRE, STRD 12AWG WHT	19.0 FT	
252 0008 000	WIRE, STRD 10AWG GRY	20.0 FT	
354 0002 000	LUG, #8 RING RED 22-18AWG	6.0 EA	
354 0005 000	TERM LUG RED SPADE 6	27.0 EA	
354 0006 000	TERM LUG RED SPADE 8	5.0 EA	
354 0007 000	LUG RED SPADE 10	1.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	6.0 EA	
354 0015 000	LUG BLUE SPADE 6	10.0 EA	
354 0016 000	LUG BLUE SPADE 8	7.0 EA	
354 0017 000	LUG BLUE SPADE 10	9.0 EA	
354 0026 000	LUG YEL SPADE 10	15.0 EA	
354 0027 000	TERM LUG YEL SPADE 8	3.0 EA	

354 0324 000	LUG #10 RING YEL 12-10AWG	6.0 EA	
354 0335 000	* CONNECTOR CONTACT	15.0 EA	
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA	J001
829 7544 002	CABLE AC	0.0 EA	
852 8766 002	CABLE LAYOUT	0.0 EA	

Table 1-718. PANEL, AC CONTACTOR - 939 4496 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0945 000	STUD 10-32 X 1/2	4.0 EA	
358 0957 000	STUD 8-32 X 1/2	15.0 EA	
358 0973 000	STUD 8-32 X 3/4	8.0 EA	
358 1065 000	STUD 6-32 X 5/8	5.0 EA	
829 4415 001	GUSSET	2.0 EA	
839 4496 003	PANEL, AC DISTRIBUTION	0.0 EA	
839 6678 067	STENCIL	0.0 EA	
843 4260 025	PANEL, AC DISTRIBUTION	1.0 EA	

Table 1-719. GUSSET - 829 4415 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.58290 LB	

Table 1-720. PANEL, AC DISTRIBUTION - 843 4260 025

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	11.890 LB	

Table 1-721. FILAMENT RECT ASSY - 992 5403 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0628 000	RECT 1N3289/1N3289A ESD	3.0 EA	CR1 CR2 CR3
384 0667 000	RECTIFIER 1N3289R ESD	3.0 EA	CR4 CR5 CR6
398 0019 000	FUSE, FAST CART 2A 250V	1.0 EA	F1
402 0024 000	FUSE HOLDER	1.0 EA	XF1
817 0546 001	POST, TERMINAL	2.0 EA	
829 4094 001	STANDOFF	3.0 EA	
829 4096 001	HEATSINK	2.0 EA	
839 4293 001	HEATSINK MOUNT	1.0 EA	
852 8770 001	DIAGRAM, MAIN WIRING	0.0 EA	

Table 1-722. POST, TERMINAL - 817 0546 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 060	BRS, HEX .750	0.3150 LB	

Table 1-723. STANDOFF - 829 4094 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 040	BRS, HEX .500	0.20790 LB	

Table 1-724. HEATSINK - 829 4096 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 045	CU, SH .187 X 36 X 96	3.3930 LB	

Table 1-725. HEATSINK MOUNT - 839 4293 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 054	GL, EPOXY .250	1.190 LB	

Table 1-726. PA CONTROL INDICATOR PNL - 992 5415 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0669 000	LED, T1-3/4, RED PANEL MT ESD	7.0 EA	DS001 DS002 DS003 DS004 DS005 DS006 DS007
598 0222 000	MODULE, ESCUTCHEON	1.0 EA	
604 0884 000	SW, PB SPST	1.0 EA	S001
614 0004 000	TERM BD 4 TERM	1.0 EA	TB002
614 0016 000	TERM BD 16 TERM	1.0 EA	TB001
646 0972 000	*LABEL 117V	1.0 EA	
852 9037 002	DIAGRAM, WIRING	0.0 EA	
929 4839 001	CABLE ASSY	1.0 EA	
939 6678 056	PNL PA CONTROL	1.0 EA	

Table 1-727. CABLE ASSY - 929 4839 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	6.80 FT	
354 0384 000	CONTACT, PIN	10.0 EA	
408 0223 000	SHIELD 15 POSITION	1.0 EA	
610 0538 000	PLUG 15 POS	1.0 EA	
817 0313 001	RUNNING SHEETS	0.0 EA	
829 4839 001	CADS, INDICATOR CABLE	0.0 EA	
839 4701 001	CABLE LAYOUT	0.0 EA	

Table 1-728. PNL PA CONTROL - 939 6678 056

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	3.6540 LB	
358 1013 000	STUD 4-40 X 3/8	2.0 EA	
358 1101 000	STUD 6-32 X 1/2	2.0 EA	
358 1551 000	STANDOFF BLIND 6-32 X 1/2	9.0 EA	
646 0569 000	REPLACE WITH 646-1301-201	1.0 EA	
829 9583 076	SILKSCREEN	0.0 EA	
839 6678 056	PANEL, CONTROL MTG	0.0 EA	
839 6678 057	STENCIL CONTROLLER	0.0 EA	

Table 1-729. H.V. SHORTING ASSY - 992 5480 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
335 0017 000	WASHER NYLON .261 ID	4.0 EA	
410 0026 000	INSULATOR ROUND NS5W 0420	2.0 EA	
590 0037 000	SOLENOID 220V, 60HZ	2.0 EA	L1 L2
816 9163 001	ADAPTOR-SOLENOID	2.0 EA	

817 0136 002	CONTACT	2.0 EA
829 4454 001	SCHEMATIC	0.0 EA
916 4954 002	GRD STRAP	2.0 EA
929 4401 001	CHASSIS ASSY	1.0 EA

Table 1-730. CONTACT - 817 0136 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	0.267750 LB	

Table 1-731. CHASSIS ASSY - 929 4401 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	3.8570 LB	
358 0945 000	STUD 10-32 X 1/2	2.0 EA	
358 1934 000	STUD 1/4-20 X 5/8	8.0 EA	
829 4401 001	ASSY INSTR, HV SHORTING	0.0 EA	
839 4486 001	CHASSIS	0.0 EA	

Table 1-732. METER PNL, OUTER PA VIS - 992 5495 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0239 000	PUSHNUT FASTENER	2.0 EA	
358 0059 000	STUD 85 OVAL HEAD	2.0 EA	
358 0410 000	RETAINER 85 ALL HDS	2.0 EA	
358 0801 000	WASHER WEAR 85 NYLON	2.0 EA	
646 1092 000	FRAME, NAMEPLATE	1.0 EA	
646 1352 000	OBS, DISCONTINUED	1.0 EA	
816 8641 001	LINK, METER PANEL	1.0 EA	
817 1527 031	PLUNGER METER PNL INTLCK	1.0 EA	
817 1527 032	PLUNGER METER PNL INTLCK	1.0 EA	
839 6678 028	HINGE	1.0 EA	
839 6678 031	WINDOW, METER	1.0 EA	
939 6678 060	PANEL, METER	1.0 EA	
943 4612 007	PLATE, BACK	1.0 EA	

Table 1-733. LINK, METER PANEL - 816 8641 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 1820 010	STL, FLAT WIRE .125 X	0.13440 LB	

Table 1-734. PLUNGER METER PNL INTLCK - 817 1527 031

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
026 1010 050	ROD, NYLON .250 DIA	0.171150 FT	

Table 1-735. PLUNGER METER PNL INTLCK - 817 1527 032

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
026 1010 050	ROD, NYLON .250 DIA	0.0630 FT	

Table 1-736. HINGE - 839 6678 028

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1110 010	AL, HNG 2"W .050 THK	2.88750 FT	

Table 1-737. WINDOW, METER - 839 6678 031

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	1.750 SF	

Table 1-738. PANEL, METER - 939 6678 060

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 2746 000	STUD 8-32 X 5/8	10.0 EA	
829 9583 042	PLATE, END	2.0 EA	
839 6678 060	ASSY INSTRUCTIONS	0.0 EA	
843 4260 016	PANEL, METER	1.0 EA	

Table 1-739. PLATE, END - 829 9583 042

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	0.24650 LB	

Table 1-740. PANEL, METER - 843 4260 016

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	9.860 LB	

Table 1-741. PLATE, BACK - 943 4612 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	3.480 LB	
358 0943 000	STUD 6-32 X 3/8	3.0 EA	
358 1851 000	STUD 1/4-20 X 3/4	2.0 EA	
843 4612 007	PLATE BACK MTR PNL	0.0 EA	
843 4612 008	SILKSCREEN	0.0 EA	

Table 1-742. METER PNL, OUTER PA AUR - 992 5496 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0059 000	STUD 85 OVAL HEAD	2.0 EA	
358 0410 000	RETAINER 85 ALL HDS	2.0 EA	
358 0801 000	WASHER WEAR 85 NYLON	2.0 EA	
600 0488 000	SW, ROTARY 6 POS	1.0 EA	S001
650 0028 000	KNOB RD SKIRT 1.135" DIA	1.0 EA	
816 8641 001	LINK, METER PANEL	1.0 EA	
839 6678 028	HINGE	1.0 EA	
839 6678 031	WINDOW, METER	1.0 EA	
852 9037 002	DIAGRAM, WIRING	0.0 EA	
939 6678 059	PANEL, METER	1.0 EA	
943 4612 011	PLATE, BACK	1.0 EA	

Table 1-743. PANEL, METER - 939 6678 059

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 2746 000	STUD 8-32 X 5/8	10.0 EA	
829 9583 032	SILK SCREEN	0.0 EA	
829 9583 042	PLATE, END	2.0 EA	
839 6678 059	ASSY INSTRUCTIONS	0.0 EA	
843 4260 015	PANEL, METER	1.0 EA	

Table 1-744. PANEL, METER - 843 4260 015

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	9.860 LB	

Table 1-745. PLATE, BACK - 943 4612 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	3.480 LB	
358 1851 000	STUD 1/4-20 X 3/4	2.0 EA	
839 6678 025	SILK SCREEN	0.0 EA	
843 4612 011	PLATE BACK	0.0 EA	

Table 1-746. ASSY, SCREEN SPARK GAP - 992 5498 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
402 0004 000	CLIP, FUSE .812 60A 250V	2.0 EA	
402 0113 000	CLIP, FUSE 13/32	2.0 EA	
540 1384 000	RES 100.0 OHM 10W 20%	1.0 EA	R1
560 0008 000	SPARK GAP 2KVDC	1.0 EA	E1
560 0013 000	SPARK GAP 600V	1.0 EA	E2
614 0048 000	TERM BD 4 TERM	1.0 EA	TB001
813 5002 048	STDOFF 10-32X7/8 1/2 HEX	4.0 EA	
817 0265 001	SCHEMATIC	0.0 EA	
829 4717 001	BOARD MTG	1.0 EA	

Table 1-747. STDOFF 10-32X7/8 1/2 HEX - 813 5002 048

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 025	AL, HEX .500	0.020160 LB	

Table 1-748. BOARD MTG - 829 4717 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	0.313750 LB	
829 4726 001	STENCIL, MTG BOARD	0.0 EA	

Table 1-749. METER MULTIPLIER ASSY - 992 5499 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
410 0197 000	INSULATOR ROUND NS5W 0204	4.0 EA	
829 4378 001	PANEL	1.0 EA	
914 3424 004	METER MULTI ASSY	4.0 EA	

Table 1-750. PANEL - 829 4378 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	0.78750 LB	

Table 1-751. METER MULTI ASSY - 914 3424 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
357 0069 000	SCREW 8-32 X 1/4	2.0 EA	
410 0008 000	INSULATOR ROUND NS5W 0205	2.0 EA	
938 4433 003	PTD CIRCUIT ASSY	1.0 EA	

Table 1-752. PTD CIRCUIT ASSY - 938 4433 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
304 0090 000	NUT, HEX 8-32	4.0 EA	
312 0006 000	WASHER, INT LOCK 8	2.0 EA	
357 0037 000	SCREW 6-32 X .25 BHMS	4.0 EA	
358 0409 000	SPADEBOLT 8-32 THD	2.0 EA	
410 0003 000	INSULATOR ROUND NS5W 0106	2.0 EA	
548 1238 000	*RES 250K OHM 1/2W 1%	20.0 EA	
827 6002 001	PRINTED CIRCUIT	1.0 EA	
838 4432 001	PWB, METER MULTIPLIER,	1.0 EA	
999 0808 001	WIRE LIST	1.0 EA	

Table 1-753. WIRE LIST - 999 0808 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0002 000	WIRE, BUS CU 20AWG	0.20 FT	

Table 1-754. GRID BIAS PNL ASSY - 992 5500 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0002 000	BRACKET RESISTOR MTG	2.0 EA	#R002
550 0071 000	POT, 50K OHM 2W	1.0 EA	R001
614 0006 000	TERM BD 6 TERM, DUAL ROW	1.0 EA	TB001
650 0137 000	KNOB RD SKIRTED	2.0 EA	
839 6678 037	CHASSIS GRID BIAS ADJ	1.0 EA	
852 9037 002	DIAGRAM, WIRING	0.0 EA	
914 8466 005	MOD CONTROL	1.0 EA	R004

Table 1-755. CHASSIS GRID BIAS ADJ - 839 6678 037

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	1.740 LB	

Table 1-756. MOD CONTROL - 914 8466 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
550 0027 000	POT, 5K OHM 2W	1.0 EA	
814 8466 005	ASSY INSTR	0.0 EA	

Table 1-757. SCREEN REGULATOR ASSY - 992 5955 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0644 000	CONTACT, MALE PIN	3.0 EA	
357 0029 000	SCREW 8-32 X 1/2 BHMS	2.0 EA	
358 0004 000	BRACKET RESISTOR MTG	2.0 EA	
358 1974 000	SPEED NUT 10-32	6.0 EA	
358 3123 000	STUD, BRS 10-32 X 1-1/2	3.0 EA	
410 0010 000	INSULATOR ROUND NS5W 0208	2.0 EA	
410 0021 000	INSULATOR ROUND NS5W 0324	3.0 EA	
410 0153 000	INSULATOR BSHG NS5W-4104	1.0 EA	
410 0157 000	INSULATOR BSHG NS5W-4204	1.0 EA	
424 0002 000	GROMMET 7/16 MTG DIA	1.0 EA	
472 1243 000	XFMR, PWR, 817-0619-001	1.0 EA	T1
476 0383 000	CHOKE 8 HY C1722	1.0 EA	L1
510 0686 000	NLA, USE NFFF 510-0765-000	1.0 EA	C1
516 0562 000	CAP, 2200PF 6000V	1.0 EA	C20
540 0691 000	RES 2.2M OHM 2W 5%	1.0 EA	R1
542 0338 000	RES 25K OHM 5% 175W	1.0 EA	R2
548 1449 000	RES 40 MEGOHM 3W 1%	2.0 EA	R3 R4
606 0764 000	CKT BREAKER 3A 250VAC 3P	1.0 EA	CB001
610 0765 000	HOUSING, PLUG CONN	3.0 EA	
614 0015 000	TERM BD 15 TERM	2.0 EA	TB1 TB2
646 0665 000	INSPECTION LABEL	1.0 EA	
646 1301 000	LABEL, DANGER HI VOLTAGE	1.0 EA	
813 5605 027	STUD BRS 8-32 X 3	3.0 EA	
813 5606 027	STUD BRS 10-32 X 3	1.0 EA	
817 0629 001	BLOCK SUPPORT	1.0 EA	
817 0835 001	RUNNING LIST	0.0 EA	
829 7665 001	ANGLE TERMINAL	1.0 EA	
829 7665 002	ANGLE TERMINAL	1.0 EA	
829 7692 001	ANGLE, SUPPORT	5.0 EA	
829 7692 002	ANGLE, SUPPORT	4.0 EA	
829 7693 001	CLAMP CAPACITOR	1.0 EA	
829 7694 001	ANGLE MOUNTING	1.0 EA	
839 5190 001	COVER	1.0 EA	
839 5800 206	SCHEMATIC	0.0 EA	
914 8641 001	ASSY, FLANGE AND TUBE	1.0 EA	
929 7721 001	PANEL, CIRCUIT BREAKER	1.0 EA	
929 7912 001	PLATE BACK	1.0 EA	
929 8150 001	CABLE	1.0 EA	
943 3333 001	ASSY ENCLOSURE	1.0 EA	
992 5666 001	RECTIFIER BOARD ASSY.	1.0 EA	
992 5956 001	9925277002	1.0 EA	
999 2069 001	WIRE TUBING LIST	1.0 EA	
999 2070 001	HARDWARE LIST	1.0 EA	

Table 1-758. STUD BRS 8-32 X 3 - 813 5605 027

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 020	BRS, THD STK 8-32	0.261450 FT	

Table 1-759. BLOCK SUPPORT - 817 0629 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 2045 041	AL, SQ .500	0.024150	LB

Table 1-760. ANGLE TERMINAL - 829 7665 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 9010 010	GL, ANGLE .125 X 1, 94 VO	0.630	FT

Table 1-761. ANGLE TERMINAL - 829 7665 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 9010 010	GL, ANGLE .125 X 1, 94 VO	0.630	FT

Table 1-762. ANGLE, SUPPORT - 829 7692 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.010426	LB

Table 1-763. ANGLE, SUPPORT - 829 7692 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.010426	LB

Table 1-764. CLAMP CAPACITOR - 829 7693 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.029145	LB

Table 1-765. ANGLE MOUNTING - 829 7694 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 9010 010	GL, ANGLE .125 X 1, 94 VO	0.565950	FT

Table 1-766. COVER - 839 5190 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.75450	LB

Table 1-767. ASSY, FLANGE AND TUBE - 914 8641 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
814 8642 001	FLANGE	1.0	EA
814 8643 001	TUBE	1.0	EA

Table 1-768. FLANGE - 814 8642 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.129195	LB

Table 1-769. TUBE - 814 8643 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 8060 070	AL, TBG RD 2X.065WL	0.043365 LB	

Table 1-770. PANEL, CIRCUIT BREAKER - 929 7721 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0142 000	NUT, PEM 8-32	2.0 EA	
324 0165 000	NUT, PEM 8-32	1.0 EA	
843 3334 001	PANEL	1.0 EA	

Table 1-771. PANEL - 843 3334 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.92220 LB	

Table 1-772. PLATE BACK - 929 7912 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0168 000	NUT, PEM 10-32	6.0 EA	
358 0957 000	STUD 8-32 X 1/2	12.0 EA	
358 1014 000	STUD 4-40 X 1/2	4.0 EA	
839 5448 001	PLATE	1.0 EA	

Table 1-773. PLATE - 839 5448 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	4.19050 LB	

Table 1-774. CABLE - 929 8150 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0004 000	WIRE, STRD 18AWG WHT/YEL	33.0 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	3.50 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.60 FT	
354 0002 000	LUG, #8 RING RED 22-18AWG	3.0 EA	
354 0005 000	TERM LUG RED SPADE 6	5.0 EA	
354 0009 000	LUG #8 RING BLUE 16-14AWG	1.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	1.0 EA	
354 0365 000	* CONTACT 61061-5	12.0 EA	
354 0584 000	TERM, SQ WIRE	13.0 EA	
354 0644 000	CONTACT, MALE PIN	3.0 EA	
354 0645 000	CONTACT, FEMALE PIN	6.0 EA	
354 0669 000	TERM 250 FEM RED 22-18	6.0 EA	
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA	
610 0765 000	HOUSING, PLUG CONN	3.0 EA	
612 0740 000	HSG, 15 CKT, SGL ROW	1.0 EA	
612 0924 000	HOUSING, CAP CONN	6.0 EA	
843 3578 001	CABLE LAYOUT	0.0 EA	

Table 1-775. ASSY ENCLOSURE - 943 3333 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 7689 001	SIDE RIGHT	1.0 EA	
829 7910 001	BOTTOM ENCLOSURE	1.0 EA	
839 5447 001	TOP ENCLOSURE	1.0 EA	
929 7913 002	SIDE LEFT	1.0 EA	

Table 1-776. SIDE RIGHT - 829 7689 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.66750 LB	

Table 1-777. BOTTOM ENCLOSURE - 829 7910 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.842450 LB	

Table 1-778. TOP ENCLOSURE - 839 5447 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.367350 LB	

Table 1-779. SIDE LEFT - 929 7913 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0957 000	STUD 8-32 X 1/2	1.0 EA	
829 7690 001	SIDE LEFT	1.0 EA	

Table 1-780. SIDE LEFT - 829 7690 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.66750 LB	

Table 1-781. RECTIFIER BOARD ASSY. - 992 5666 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0688 000	RECT 10KV PIV ESD	6.0 EA	CR001 CR002 CR003 CR004 CR005 CR006
839 6103 001	REPL'D, USE FFF 839-5800-206	0.0 EA	
929 7696 001	PC BD	1.0 EA	

Table 1-782. PC BD - 929 7696 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0314 000	TERM, TUR SLDR	9.0 EA	
829 7695 001	PC BD	1.0 EA	

Table 1-783. PC BD - 829 7695 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	0.886250 LB	

Table 1-784. 9925277002 - 992 5956 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0189 000	XSTR, NPN 2N3904 ESD	2.0 EA	Q13 Q18
380 0215 000	XSTR, 2N3439 ESD	7.0 EA	Q10 Q12 Q14 Q2 Q4 Q6 Q8
380 0319 000	XSTR, MPS-A14 ESD	2.0 EA	Q16 Q17
380 0585 000	XSTR, MJ15011 ESD	6.0 EA	Q1 Q11 Q3 Q5 Q7 Q9
380 0593 000	XSTR FET VN66AFD ESD	1.0 EA	Q15
382 0452 000	IC, LM311/CA311 ESD	1.0 EA	U3
382 0520 000	IC, TL430CLP ESD	2.0 EA	U1 U2
384 0205 000	DIODE SILICON 1N914/4148 ESD	6.0 EA	CR21 CR23 CR24 CR30 CR31 CR40
384 0317 000	RECT 1N4725 ESD	1.0 EA	CR20
384 0368 000	RECT 1000V PIV 1.5A ESD	7.0 EA	CR10 CR11 CR12 CR13 CR7 CR8 CR9
384 0431 000	RECT. 1N4001 ESD	1.0 EA	CR35
384 0611 000	LED, RED ESD	1.0 EA	CR32
384 0639 000	RECTIFIER 10KV ESD	2.0 EA	CR25 CR26
386 0051 000	ZNR 1N3346A 150V 50W 10% ESD	3.0 EA	CR14 CR15 CR16
386 0100 000	ZENER, 1N4747A 20V ESD	1.0 EA	CR22
386 0103 000	ZNR 1N3350A 200V 50W 10% ESD	1.0 EA	CR17
386 0168 000	ZENER, 1N5357A 20V ESD	1.0 EA	CR38
386 0297 000	ZENER 1N5338B 5.1V 5W 5% ESD	2.0 EA	CR28 CR29
404 0198 000	SPACER TO-5, TO-9, TO-11	7.0 EA	XQ10 XQ12 XQ14 XQ2 XQ4 XQ6 XQ8
404 0661 000	SOCKET, TRANSISTOR TO-3	6.0 EA	XQ1 XQ11 XQ3 XQ5 XQ7 XQ9
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	
410 0232 000	INSULATOR TO-3 MICA	6.0 EA	
516 0074 000	CAP, DISC .005UF 1KV 20%	3.0 EA	C17 C18 C19
516 0081 000	CAP, DISC .01UF 1KV 20%	1.0 EA	C22
516 0419 000	CAP .05 UF 500V	2.0 EA	C6 C7
516 0453 000	CAP .1UF 100V 20% X7R	4.0 EA	C10 C11 C12 C8
516 0530 000	CAP .01UF 10% 100V X7R	1.0 EA	C13
522 0133 000	CAP 16 UF 450V	1.0 EA	C4
522 0379 000	CAP 100UF 250V	1.0 EA	C3
522 0394 000	CAP 100UF 50V	1.0 EA	C5
526 0049 000	CAP 6.8UF 35V 20%	1.0 EA	C15
526 0050 000	CAP 1UF 35V 20%	1.0 EA	C21
526 0093 000	CAP 15UF 35V 20%	1.0 EA	C16
526 0311 000	CAP 2.2UF 35V 10%	1.0 EA	C14
540 0326 000	* RES 560 OHM 1W 5%	1.0 EA	R54
540 0327 000	* RES 620 OHM 1W 5%	1.0 EA	R13
540 0563 000	* RES 10 OHM 2W 5%	1.0 EA	R25
540 0572 000	* RES 24 OHM 2W 5%	1.0 EA	R23
540 0635 000	* RES 10K OHM 2W 5%	2.0 EA	R18 R19
540 0644 000	* RES 24K OHM 2W 5%	1.0 EA	R22
540 0647 000	* RES 33K OHM 2W 5%	2.0 EA	R6 R62
540 0648 000	* RES 36K OHM 2W 5%	2.0 EA	R63 R7
540 0654 000	* RES 62K OHM 2W 5%	1.0 EA	R27
540 0672 000	RES 360.0K OHM 2W 5%	3.0 EA	R10 R11 R12
542 0010 000	RES 30 OHM 5% 8W	1.0 EA	R28
542 0013 000	RES 50 OHM 5% 8W	1.0 EA	R26
542 0095 000	RES 10K OHM 5% 12W	1.0 EA	R34
542 0123 000	RES 250 OHM 5% 20W	2.0 EA	R17 R37
542 0127 000	RES 500 OHM 5% 20W	2.0 EA	R60 R61
542 1157 000	RES 75K OHM 5% 25W	2.0 EA	R31 R32
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R39
548 2400 251	RES 332 OHM 1/2W 1%	1.0 EA	R38
548 2400 277	RES 619 OHM 1/2W 1%	2.0 EA	R49 R51

548 2400 281	RES 681 OHM 1/2W 1%	1.0 EA	R52
548 2400 301	RES 1K OHM 1/2W 1%	2.0 EA	R33 R55
548 2400 312	RES 1.3K OHM 1/2W 1%	1.0 EA	R35
548 2400 321	RES 1.62K OHM 1/2W 1%	1.0 EA	R41
548 2400 342	RES 2.67K OHM 1/2W 1%	1.0 EA	R42
548 2400 347	RES 3.01K OHM 1/2W 1%	2.0 EA	R46
			R53
548 2400 351	RES 3.32K OHM 1/2W 1%	7.0 EA	R20 R21 R24 R30 R5 R8 R9
548 2400 354	RES 3.57K OHM 1/2W 1%	1.0 EA	R47
548 2400 366	RES 4.75K OHM 1/2W 1%	2.0 EA	R40 R43
548 2400 389	RES 8.25K OHM 1/2W 1%	2.0 EA	R45 R50
548 2400 401	RES 10K OHM 1/2W 1%	3.0 EA	R14 R44 R48
548 2400 447	RES 30.1K OHM 1/2W 1%	1.0 EA	R36
548 2400 466	RES 47.5K OHM 1/2W 1%	1.0 EA	R016
548 2400 469	RES 51.1K OHM 1/2W 1%	1.0 EA	R56
548 2400 501	RES 100K OHM 1/2W 1%	2.0 EA	R15 R57
550 0457 000	POT 500K OHM 2.25 W	1.0 EA	R29
578 0021 000	RELAY DPDT 12V	1.0 EA	K1
580 0001 000	RELAY, VACUUM 26.5VDC	1.0 EA	K3
610 0662 000	CONN 15 PIN	1.0 EA	J1
817 0990 106	SPACER, HEATSINK	12.0 EA	
839 5800 127	HEATSINK	6.0 EA	
839 5800 206	SCHEMATIC	0.0 EA	
943 3730 064	PC BOARD	1.0 EA	
999 2066 001	HARDWARE LIST	1.0 EA	
999 2068 001	WIRE & TUBING LIST	1.0 EA	

Table 1-785. SPACER, HEATSINK - 817 0990 106

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 2045 021	AL, SQ .375	0.01470 LB	

Table 1-786. HEATSINK - 839 5800 127

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 6061 025	AL, HT SK EXTRUSIONS	0.30450 FT	

Table 1-787. PC BOARD - 943 3730 064

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0336 000	TERMINAL, SOLDER	37.0 EA	
843 3730 064	FAB INSTR, PC BD	1.0 EA	

Table 1-788. HARDWARE LIST - 999 2066 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1486 000	SCR, 4-40 X 3/8	6.0 EA	
300 1540 000	SCR, 6-32 X 1/2	12.0 EA	
300 1541 000	SCR, 6-32 X 5/8	1.0 EA	
300 1542 000	SCR, 6-32 X 3/4	12.0 EA	
300 1575 000	SCR, 10-32 X 3/8	1.0 EA	
302 0054 000	SCR, 4-40 X 3/8	3.0 EA	
302 0362 000	SCR, 8-32 X 2-1/2	2.0 EA	
302 0386 000	SCR, 6-32 X 2-1/2	2.0 EA	

304 0089 000	NUT, HEX 6-32	13.0 EA
306 0003 000	NUT, HEX 4-40	3.0 EA
306 0004 000	NUT, HEX 6-32	2.0 EA
306 0005 000	NUT, HEX 8-32	4.0 EA
308 0003 000	NO 4 FLAT WASHER BRS	6.0 EA
308 0005 000	NO 6 FLAT WASHER BRS	13.0 EA
308 0007 000	10 FLAT WASHER BRASS	1.0 EA
310 0003 000	WASHER, FLAT NO. 4	3.0 EA
310 0006 000	WASHER FLAT 8	8.0 EA
310 0012 000	WASHER FLAT 6	4.0 EA
312 0045 000	WASHER, SPLIT-LOCK 4	6.0 EA
312 0047 000	WASHER, SPLIT-LOCK 6	15.0 EA
314 0003 000	WASHER, SPLIT-LOCK 4	3.0 EA
314 0006 000	WASHER, SPLIT-LOCK 8	4.0 EA
335 0091 000	WASHER, SHLD .171 ID	8.0 EA
354 0147 000	LUG, SHAKE #6 45 DEG	10.0 EA
354 0386 000	TERM, LOCKING #10 RING	1.0 EA
356 0084 000	CABLE TY RAP	1.0 EA
356 0089 000	CABLE TIE TY RAP	5.0 EA

Table 1-789. WIRE & TUBING LIST - 999 2068 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0059 000	WIRE, 1C 22AWG YEL	9.0 FT	
254 0002 000	WIRE, BUS CU 20AWG	2.0 FT	
254 0004 000	WIRE, BUS CU 16AWG	0.250 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	6.70 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.130 FT	

Table 1-790. WIRE TUBING LIST - 999 2069 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 8030 010	PLASTIC CHAN NO 190	2.920 FT	
252 0004 000	WIRE, STRD 18AWG WHT/YEL	1.040 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	6.580 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	4.330 FT	
296 0258 000	TUBING TEFLON 19AWG	0.330 FT	
354 0005 000	TERM LUG RED SPADE 6	6.0 EA	
354 0008 000	LUG #6 RING BLUE 16-14AWG	3.0 EA	
354 0009 000	LUG #8 RING BLUE 16-14AWG	2.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	2.0 EA	

Table 1-791. HARDWARE LIST - 999 2070 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1537 000	SCR, 6-32 X 5/16	1.0 EA	
300 1563 000	SCR, 8-32 X 3/8	2.0 EA	
302 0104 000	SCR, 6-32 X 1/4	6.0 EA	
302 0108 000	SCR, 6-32 X 1/2	6.0 EA	
302 0130 000	SCR, 8-32 X 3/8	4.0 EA	
302 0141 000	SCR, 10-32 X 3/8	6.0 EA	
302 0143 000	SCR, 10-32 X 1/2	9.0 EA	
302 0285 000	SCR, 8-32 X 1/2	7.0 EA	
302 0377 000	SCR, 6-32 X 5/8	2.0 EA	

304 0089 000	NUT, HEX 6-32	5.0 EA
304 0090 000	NUT, HEX 8-32	3.0 EA
304 0098 000	NUT, HEX 10-32	10.0 EA
304 0139 000	NUT, HEX 8-32	4.0 EA
306 0005 000	NUT, HEX 8-32	13.0 EA
306 0016 000	NUT, HEX KEP 6-32	4.0 EA
306 0017 000	NUT, HEX KEP 8-32	2.0 EA
308 0007 000	10 FLAT WASHER BRASS	2.0 EA
310 0006 000	WASHER FLAT 8	11.0 EA
310 0012 000	WASHER FLAT 6	8.0 EA
310 0013 000	WASHER FLAT 10	18.0 EA
312 0047 000	WASHER, SPLIT-LOCK 6	1.0 EA
312 0048 000	WASHER, SPLIT-LOCK 8	3.0 EA
312 0049 000	WASHER, SPLIT-LOCK 10	10.0 EA
314 0005 000	WASHER, SPLIT-LOCK 6	10.0 EA
314 0006 000	WASHER, SPLIT-LOCK 8	17.0 EA
314 0007 000	WASHER, SPLIT-LOCK 10	15.0 EA
314 0018 000	WASHER, INT-EXT LOCK 8	10.0 EA
335 0007 000	WASHER NYLON .175 ID	4.0 EA
335 0010 000	WASHER NYLON .195 ID	3.0 EA
335 0012 000	WASHER NYLON .195 ID	5.0 EA
335 0041 000	WASHER NYLON .75 ID	2.0 EA
350 0038 000	RIVET POP .125X.294	14.0 EA
350 0043 000	RIVET POP .156X.379	4.0 EA
354 0001 000	LUG #6 RING RED 22-18 AWG	1.0 EA
354 0003 000	LUG #10 RING RED 22-18AWG	5.0 EA
354 0005 000	TERM LUG RED SPADE 6	26.0 EA
356 0087 000	CABLE TIE TY RAP	8.0 EA
358 1024 000	CABLE STRIP MOUNT	3.0 EA
358 1974 000	SPEED NUT 10-32	6.0 EA
424 0002 000	GROMMET 7/16 MTG DIA	1.0 EA

Table 1-792. PEAK DETECTOR-VHF HI BAND - 992 6521 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
414 0087 000	BEAD FERRITE SHIELD	14.0 EA	
516 0054 000	CAP, DISC .001UF 1KV 10%	2.0 EA	C001 C009
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA	J003
612 0317 000	RECEPTACLE BNC UG-1094/U	4.0 EA	J001 J002 J004 J005
814 8852 001	PLATE	1.0 EA	
829 9726 042	PLATE, RECEPTACLE	1.0 EA	
829 9726 043	STRAP, PC GND PEAK DET	1.0 EA	
829 9726 044	BRACKET, SOCKET	1.0 EA	
829 9726 052	LUG, SOLDER	1.0 EA	
839 6816 130	SCHEM, PEAK DETECTOR	0.0 EA	
929 9726 041	ENCL. PEAL PWR DETECTOR	1.0 EA	
992 6550 001	PWB, PEAK PWR DETECTOR	1.0 EA	
999 2382 001	HARDWARE LIST	1.0 EA	
999 2383 001	WIRE/TUBING LIST	1.0 EA	

Table 1-793. PLATE - 814 8852 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.1450 LB	

Table 1-794. PLATE, RECEPTACLE - 829 9726 042

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.13050 LB	
829 9726 048	STENCIL, RECEPTACLE PLATE	0.0 EA	

Table 1-795. STRAP, PC GND PEAK DET - 829 9726 043

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 050	CU, SH .020" X 36" X 96"	0.030450 LB	

Table 1-796. BRACKET, SOCKET - 829 9726 044

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.079170 LB	
829 9726 110	STENCIL, CONN BRKT	0.0 EA	

Table 1-797. LUG, SOLDER - 829 9726 052

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 050	CU, SH .020" X 36" X 96"	0.015950 LB	

Table 1-798. ENCL. PEAL PWR DETECTOR - 929 9726 041

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 4030 010	AL, EXTD DIE	0.3570 FT	
358 0957 000	STUD 8-32 X 1/2	2.0 EA	
829 9726 041	ASSY INSTR, ENCL PEAK PWR	0.0 EA	

Table 1-799. PWB, PEAK PWR DETECTOR - 992 6550 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0126 000	XSTR, PNP 2N4403 ESD	1.0 EA	Q001
382 0719 000	IC LM324AN ESD	1.0 EA	U1A U1B U1C
382 0882 000	IC, 78L05A ESD	1.0 EA	U002
384 0205 000	DIODE SILICON 1N914/4148 ESD	1.0 EA	CR003
384 0252 000	DIODE HP5082-2900/AHR2900 ESD	4.0 EA	CR001 CR002 CR004 CR005
384 0357 000	RECTIFIER 1N4004 ESD	1.0 EA	CR006
384 0678 000	* DIODE DSR-3200 ESD	1.0 EA	CR009
494 0166 000	CHOKE RF 2.7UH	2.0 EA	L001 L002
516 0054 000	CAP, DISC .001UF 1KV 10%	4.0 EA	C002 C006 C010 C014
516 0084 000	CAP DISC .02UF 600V	2.0 EA	C018 C019
516 0375 000	CAP .01UF 50V -20/+80% Z5U	7.0 EA	C004 C005 C012 C013 C016 C017 C023
522 0573 000	CAP 47UF 50V 20%	1.0 EA	C022
526 0050 000	CAP 1UF 35V 20%	1.0 EA	C015
526 0051 000	CAP 5.6 UF 35V 10%	1.0 EA	C008
526 0108 000	CAP 4.7UF 35V 20%	2.0 EA	C003 C011
540 1015 000	RES 20.0M OHM 1/4W 5%	1.0 EA	R019
548 2400 101	RES 10 OHM 1/2W 1%	1.0 EA	R028
548 2400 169	RES 51.1 OHM 1/2W 1%	3.0 EA	R001 R011 R018
548 2400 269	RES 511 OHM 1/2W 1%	1.0 EA	R008

548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R021 R022 R027
548 2400 342	RES 2.67K OHM 1/2W 1%	2.0 EA	R006 R014
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R020
548 2400 501	RES 100K OHM 1/2W 1%	2.0 EA	R007 R026
548 2400 512	RES 130K OHM 1/2W 1%	6.0 EA	R003 R004 R015 R016 R024 R025
548 2400 566	RES 475K OHM 1/2W 1%	2.0 EA	R010 R017
550 0320 000	POT 1K OHM 1/2W 30%	2.0 EA	R005 R013
550 0964 000	POT. 20K OHM .5W 10%	1.0 EA	R009
939 6903 001	PWB ASSY, PEAK-DET	1.0 EA	

Table 1-800. PWB ASSY, PEAK-DET - 939 6903 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	10.0 EA	
839 6903 001	PWB, PEAK-DET	1.0 EA	

Table 1-801. HARDWARE LIST - 999 2382 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0052 000	SCR, 4-40 X 1/4	8.0 EA	
302 0053 000	SCR, 4-40 X 5/16	2.0 EA	
302 0054 000	SCR, 4-40 X 3/8	2.0 EA	
306 0015 000	NUT, HEX KEP 4-40	4.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	8.0 EA	

Table 1-802. WIRE/TUBING LIST - 999 2383 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0235 000	WIRE, STRD 22AWG GRN	4.10 FT	
354 0365 000	* CONTACT 61061-5	12.0 EA	

Table 1-803. * POWER SUPPLY ASSY - 992 8296 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0004 000	WIRE, STRD 18AWG WHT/YEL	17.0 FT	
354 0001 000	LUG #6 RING RED 22-18 AWG	16.0 EA	
356 0087 000	CABLE TIE TY RAP	5.0 EA	
542 0081 000	RES 2K OHM 5% 12W	2.0 EA	
736 0226 000	POWER SUPPLY ADJ 0-100V	2.0 EA	PS001-A PS001-B
922 0989 001	BRK'T, PWR SUPPLY MTG	1.0 EA	

Table 1-804. BRK'T, PWR SUPPLY MTG - 922 0989 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	1.450 LB	
822 0989 001	FAB INSTR, BRKT	0.0 EA	

Table 1-805. *DISCONTINUED - 994 6852 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
086 0001 001	*SEALANT, MILD STRENGTH	1.0 EA	
302 0130 000	SCR, 8-32 X 3/8	3.0 EA	
302 0400 000	SCR, 8-32 X 1/2	1.0 EA	

306 0005 000	NUT, HEX 8-32	1.0 EA
344 0033 000	SCREW, SET 4-40 X 1/8	2.0 EA
646 0665 000	INSPECTION LABEL	1.0 EA
827 8011 002	OUTPUT COUPLING	1.0 EA
827 8012 002	ROD, CAP DRIVE	1.0 EA
827 8013 001	STOP SLAVE	1.0 EA
827 8017 001	SLAVE CLAMP	1.0 EA
827 8020 002	BUSHING	1.0 EA
827 8022 002	SCREW, CAP. ADJ.	1.0 EA
827 8023 001	TUNING INDCTR PROBE	1.0 EA
915 5196 001	PRIMARY CAPACITOR	1.0 EA
927 8028 001	COUPLING BULLET	1.0 EA
938 4134 001	ELBOW COAX	1.0 EA
938 4135 001	AURAL COUPLING ASSY	0.0 EA

Table 1-806. OUTPUT COUPLING - 827 8011 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1220 020	CU, TBG 1.315 OD 1.231 ID	0.217350 FT	

Table 1-807. ROD, CAP DRIVE - 827 8012 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 1010 005	ROD, NORYL, 1/4" DIA	0.866250 FT	

Table 1-808. STOP SLAVE - 827 8013 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 024	BRS, RD .437 FCB	0.009660 LB	

Table 1-809. SLAVE CLAMP - 827 8017 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 090	SST, RD 1.50 DIA	0.131250 LB	

Table 1-810. BUSHING - 827 8020 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 037	BRS, RD .750 FCB	0.14280 LB	

Table 1-811. SCREW, CAP. ADJ. - 827 8022 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 053	SST, RD .375 DIA	0.042315 LB	

Table 1-812. TUNING INDCTR PROBE - 827 8023 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 009	BRS, RD .1875 X 12'	0.015960 LB	

Table 1-813. PRIMARY CAPACITOR - 915 5196 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1484 000	SCR, 4-40 X 1/4	1.0 EA	
815 2970 003	FAB INSTR, FINGERSTOCK	1.0 EA	
815 5195 001	CURVED CAP. PLATE	1.0 EA	
815 5196 001	ASSY INSTR, PRIMARY CAPACITOR	0.0 EA	
827 8016 001	PRIMARY CAP	1.0 EA	

Table 1-814. CURVED CAP. PLATE - 815 5195 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 041	BRS, SH .1285 X 24	0.20880 LB	

Table 1-815. PRIMARY CAP - 827 8016 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 065	BRS, RD 1.625 FCB	0.76230 LB	

Table 1-816. COUPLING BULLET - 927 8028 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
620 0017 000	ADAPTER, INNER 3.125	1.0 EA	

Table 1-817. ELBOW COAX - 938 4134 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
620 0056 000	ELBOW, 90 DEG, 1062	1.0 EA	
827 8027 001	SLAVE FLANGE	1.0 EA	
927 5559 001	ELBOW, COAX INNER	0.0 EA	

Table 1-818. SLAVE FLANGE - 827 8027 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 079	BRS, RECT FCB .500 X 1.5	0.362250 LB	

Table 1-819. AURAL COUPLING ASSY - 938 4135 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
086 0001 001	*SEALANT, MILD STRENGTH	0.0 EA	
302 0130 000	SCR, 8-32 X 3/8	3.0 EA	
302 0400 000	SCR, 8-32 X 1/2	1.0 EA	
306 0005 000	NUT, HEX 8-32	1.0 EA	
312 0006 000	WASHER, INT LOCK 8	4.0 EA	
344 0033 000	SCREW, SET 4-40 X 1/8	2.0 EA	
827 8011 002	OUTPUT COUPLING	1.0 EA	
827 8012 002	ROD, CAP DRIVE	1.0 EA	
827 8013 001	STOP SLAVE	1.0 EA	
827 8017 001	SLAVE CLAMP	1.0 EA	
827 8020 002	BUSHING	1.0 EA	
827 8022 002	SCREW, CAP. ADJ.	1.0 EA	
827 8023 001	TUNING INDCTR PROBE	1.0 EA	
838 4135 001	ASSY INSTR,AURAL COUPLING	0.0 EA	
838 5411 001	AURAL CAV. BRAC.	1.0 EA	

915 5196 001	PRIMARY CAPACITOR	1.0 EA
927 8028 001	COUPLING BULLET	1.0 EA
938 4134 001	ELBOW COAX	1.0 EA

Table 1-820. AURAL CAV. BRAC. - 838 5411 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	2.8130 LB	

Table 1-821. *DISCONTINUED - 994 8265 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 7213 001	SCHEMATIC	0.0 EA	
952 8650 001	BASIC PRIMARY CAVITY	1.0 EA	

Table 1-822. BASIC PRIMARY CAVITY - 952 8650 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
055 0110 008	*ADHESIVE EPOXY	1.0 EA	
254 0003 000	WIRE, BUS CU 18AWG	0.30 FT	
300 1486 000	SCR, 4-40 X 3/8	8.0 EA	
300 1489 000	SCR, 4-40 X 5/8	6.0 EA	
300 1490 000	SCR, 4-40 X 3/4	6.0 EA	
300 1537 000	SCR, 6-32 X 5/16	6.0 EA	
300 1542 000	SCR, 6-32 X 3/4	12.0 EA	
300 1653 000	SCR, 1/4-20 X 1-1/4	2.0 EA	
300 1654 000	SCR, 1/4-20 X 1-1/2	1.0 EA	
302 0396 000	SCR, 10-32 X 2	4.0 EA	
304 0009 000	NUT, HEX 1/4-20	23.0 EA	
308 0009 000	.25 FLAT WASHER BRS	10.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	6.0 EA	
312 0051 000	WASHER, SPLIT-LOCK 1/4	10.0 EA	
335 0001 000	WASHER NYLON .149 ID	4.0 EA	
335 0009 000	WASHER, NYLON .195 ID	4.0 EA	
335 0129 000	WASHER, SHLD .265 ID	2.0 EA	
344 0003 000	SCREW, SET 6-32 X 1/8	16.0 EA	
344 0008 000	SCREW, SET 8-32 X 1/8	2.0 EA	
344 0017 000	SCREW, SET 10-32 X 3/16	7.0 EA	
344 0033 000	SCREW, SET 4-40 X 1/8	3.0 EA	
344 0079 000	SCREW, SET 4-40 X 3/8	12.0 EA	
354 0142 000	LUG SHAKE .150 MTG	2.0 EA	
354 0143 000	LUG SHAKE .176 MTG	1.0 EA	
358 0411 000	RING RETAINING .250	2.0 EA	
358 0414 000	RING RETAINING .500	9.0 EA	
358 1165 000	COLLAR 1/4 HOLE	6.0 EA	
358 1166 000	SPACER .012 LG	4.0 EA	
414 0250 000	BEAD FERRITE Q3/M3 MATERIAL	4.0 EA	
450 0077 000	BEARING, ROLLER	2.0 EA	
450 0078 000	BEARING, GRD RADIAL	4.0 EA	
452 0025 000	GEAR, MITER 16 TEETH	3.0 EA	
452 0026 000	GEAR, MITER 16 TEETH	3.0 EA	
452 0074 000	GEAR, HELICAL AC1-30	2.0 EA	
452 0075 000	GEAR, HELICAL AD1-30	2.0 EA	
454 0002 000	LINK CONNECTING	2.0 EA	

454 0003 000	LINK OFFSET	1.0 EA	
454 0074 000	SPROCKET 17 TEETH	5.0 EA	
456 0059 000	SPRING LE-026C-3	1.0 EA	
516 0358 000	CAP. 1000 PF 20KV	1.0 EA	C2
516 0491 000	CAP .01 UF 3KV	2.0 EA	C3 C4
614 0539 000	TERM, STANDOFF	2.0 EA	
620 0516 000	ADPT, HN, UG212C/U	1.0 EA	J001
620 0592 000	ADAPTER HN TO N	1.0 EA	P001
646 0569 000	REPLACE WITH 646-1301-201	1.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	
646 0811 000	REP'D WITH 646-1251-402	1.0 EA	
646 0857 000	DISCONTIN. NOT FOR NEW DESIGN	1.0 EA	
648 0061 000	COUNTER CCW	3.0 EA	
650 0093 000	KNOB, CRANK 2.272" DIA	1.0 EA	
650 0104 000	KNOB CRANK 1.772" DIA	2.0 EA	
813 5605 004	STUD BRS 8-32 X 9/16	1.0 EA	
814 9584 001	SPACER	2.0 EA	
814 9585 001	HANDLE	1.0 EA	
815 2955 001	SUPPORT, TUNING PNL	6.0 EA	
815 2973 001	INSULATOR, HEATER	1.0 EA	
815 3006 001	SPACER, ROD	3.0 EA	
815 3006 003	SPACER, ROD	3.0 EA	
815 3052 001	SLEEVE, GEAR	1.0 EA	
815 3068 001	INSL., HEAT CONTACT	1.0 EA	
815 3068 003	HEAT CONTACT	1.0 EA	
815 3113 001	PLATE	1.0 EA	
815 4024 001	SPACER, BEARING	1.0 EA	
815 5332 001	SPACER	1.0 EA	
815 5333 001	LEAD, FIL CONN	1.0 EA	
815 5567 001	RING, COMPRESSION	1.0 EA	
815 5567 002	RING, COMPRESSION	1.0 EA	
815 5721 001	FINGERSTOCK 97-438	1.0 EA	
815 5721 002	FINGERSTOCK 97-438	1.0 EA	
816 6882 001	INSTALLATION	0.0 EA	
816 9897 001	CATHODE AIR DAM	1.0 EA	
816 9939 001	INSULATOR, PLATE	1.0 EA	
816 9974 001	PLATE STANDOFF INSERT	1.0 EA	
817 0389 001	STUD	1.0 EA	
817 1533 001	SUPPORT, INPUT DRIVE	2.0 EA	
827 5313 001	INSERT, DRIVEN SPRK	3.0 EA	
827 5404 001	ROD, INPUT TUNING	4.0 EA	
827 5421 001	ROD, PLT TUNING	3.0 EA	
827 5421 002	ROD, PLT TUNING	1.0 EA	
827 5421 006	STUD 1/4-20 X 8	4.0 EA	
827 5505 001	SUPPORT	2.0 EA	
827 7873 001	NUT, INPUT DRIVE	1.0 EA	
827 7873 002	NUT, INPUT DRIVE	1.0 EA	
827 7875 001	BRACKET, INPUT DRIVE	2.0 EA	
827 8104 001	BLOCK, BEARING	1.0 EA	
827 8106 001	SHAFT, TUNING	1.0 EA	
827 8111 001	B + CHOKE	1.0 EA	
827 8113 001	INSULATOR, BLOCKER	1.0 EA	
827 8130 001	SHIELD, RF	1.0 EA	
827 8134 001	INSERT, DRV SPROCKET	1.0 EA	
827 8144 001	COOLER LID	1.0 EA	

827 8149 001	SHAFT, IDLER GEAR	1.0 EA
827 8153 001	AIR CHAMBER	1.0 EA
827 8157 001	BLOCK, PIVOT	1.0 EA
828 0665 001	SHIELD, RF CAVITY	1.0 EA
828 0665 002	SHIELD, RF	1.0 EA
828 0769 001	RING, FINGERSTOCK	1.0 EA
828 7611 001	INSTR. INSTR. RF INP	0.0 EA
828 7964 001	TEST FIXTURE	0.0 EA
828 7965 001	TEST FIXTURE	0.0 EA
828 7966 001	TEST FIXTURE	0.0 EA
828 7967 001	TEST FIXTURE	0.0 EA
829 3802 001	SPACER	1.0 EA
829 7213 001	SCHEMATIC	0.0 EA
829 7452 001	CAP, INPUT	1.0 EA
829 7557 001	INSULATOR, CURRENT CONT	1.0 EA
829 9589 001	SHAFT, DRIVE	2.0 EA
829 9589 002	SHAFT, INPUT	1.0 EA
829 9589 003	SHAFT, INPUT	1.0 EA
838 4148 001	COOLER LID-7 ON	1.0 EA
838 4149 001	AIR DUCT	1.0 EA
838 5391 001	PLATE, BOT. SUPT.	1.0 EA
838 5392 001	PLATE, TOP SUPT.	1.0 EA
838 5408 001	AIR CHAMBER	1.0 EA
838 5409 001	AIR CHAMBER	1.0 EA
839 4876 001	BOTTOM VIEW 8807 CAVITY	0.0 EA
839 4878 001	INPUT DRIVE VIEW, CAVITY	0.0 EA
839 6420 003	BRACKET-AIR INTAKE	1.0 EA
839 6695 003	CAVITY INPUT DRIVE	0.0 EA
842 5843 001	OUTPUT AIR CHAMBER	1.0 EA
842 5862 001	RETAINER, PLATE CONT	1.0 EA
842 5864 001	OUTPUT AIR CHAMBER	1.0 EA
843 2618 001	PLATE, FRONT	1.0 EA
843 2619 001	SIDE PLATE	1.0 EA
843 2619 002	SIDE PLATE	1.0 EA
843 2620 001	PLATE, SUPPORT	1.0 EA
843 2625 001	PLATE, MAIN SUPPORT	1.0 EA
852 8650 001	8807 PRIMARY CAVITY ASSY	0.0 EA
915 2750 003	GRID CONTACT ASSY	1.0 EA
915 2751 003	SCREEN CONTACT ASSY	1.0 EA
915 3053 001	BEVEL GEAR, MOD.	1.0 EA
915 3053 002	BEVEL GEAR, MOD.	1.0 EA
915 3083 001	UNDER CUT SCREW	4.0 EA
915 3109 001	WIRE LEAD, 5-1/2 LG.	1.0 EA
915 3109 002	WIRE LEAD, 4"LG.	1.0 EA
915 3116 001	SHORTING ARM ASSY	1.0 EA
915 5566 001	RING, SUPPRESSOR	1.0 EA
916 2646 001	CONNECTOR	1.0 EA
916 6193 001	CHAIN MODF	1.0 EA
916 9973 001	WIRE TUBE ASSY	1.0 EA
922 0834 001	ASSY, COOLER/HEATER	1.0 EA
927 7879 001	SCREW, 4-40, MOD.	12.0 EA
927 8122 001	HEATER CONTACT ASSY	1.0 EA
927 8416 002	CONNECTOR, RF INPUT	1.0 EA
928 0605 001	INSULATOR	1.0 EA
928 8045 001	TEST FIXTURE	0.0 EA

929 3839 001	LINE ASSY	1.0 EA
929 3853 001	PLUNGER PLATE ASSY	1.0 EA
929 3858 001	CYL ASSY OUTER TUNING	1.0 EA
929 3860 001	SCREEN BLOCKER ASSY	1.0 EA
929 7158 001	CABLE ASSY	1.0 EA
929 7201 001	WIRE ASSY, SCREEN	1.0 EA
929 7202 001	WIRE ASSY, GRID	1.0 EA
929 8409 001	ADAPTER	1.0 EA
938 4168 001	COOLER LIP ASSY.	0.0 EA
938 5279 001	GRID SCREEN SUPPORT	1.0 EA
938 5398 003	PLATE CONTACT ASSY	1.0 EA
939 4074 001	OUTER COND. ASSY	1.0 EA
939 4128 001	CATHODE LINE ASSY	1.0 EA
939 4154 001	GRID BLOCKER ASSY	1.0 EA
939 6695 002	HOUSING ASSEMBLY	2.0 EA
943 2676 001	BRACKET UPPER MTG	1.0 EA

Table 1-823. STUD BRS 8-32 X 9/16 - 813 5605 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 020	BRS, THD STK 8-32	0.049035 FT	

Table 1-824. SPACER - 814 9584 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 008	AL, RD .375 DIA	0.007214 LB	

Table 1-825. HANDLE - 814 9585 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 019	AL, RECT .375 X .625	0.11970 LB	

Table 1-826. SUPPORT, TUNING PNL - 815 2955 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 7060 007	AL, ANGLE .125 X .5 X .5	0.005775 LB	

Table 1-827. INSULATOR, HEATER - 815 2973 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 070	TFL, RD 1.00 DIA	0.01890 FT	

Table 1-828. SPACER, ROD - 815 3006 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 010	TFL, RD .250 DIA	0.1890 FT	

Table 1-829. SPACER, ROD - 815 3006 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 020	TFL, RD .313 DIA	0.1890 FT	

Table 1-830. SLEEVE, GEAR - 815 3052 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 021	BRS, RD .375 FCB	0.020580 LB	

Table 1-831. INSL., HEAT CONTACT - 815 3068 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0292 000	TUBING TEFLON 2 AWG	0.9540 FT	

Table 1-832. HEAT CONTACT - 815 3068 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0292 000	TUBING TEFLON 2 AWG	0.02650 FT	

Table 1-833. PLATE - 815 3113 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.014094 LB	

Table 1-834. SPACER, BEARING - 815 4024 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 010	AL, RD .437 DIA	0.007875 LB	

Table 1-835. SPACER - 815 5332 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 004	BRS, TBG .375 OD	0.007476 LB	

Table 1-836. LEAD, FIL CONN - 815 5333 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 064	BRS, RECT FCB .375 X .750	0.36960 LB	

Table 1-837. RING, COMPRESSION - 815 5567 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 071	BRS, TBG 3.250 OD	0.016170 LB	

Table 1-838. RING, COMPRESSION - 815 5567 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 071	BRS, TBG 3.250 OD	0.040425 LB	

Table 1-839. FINGERSTOCK 97-438 - 815 5721 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 060	BRZ, FGR STK 97-438S	1.890 FT	

Table 1-840. FINGERSTOCK 97-438 - 815 5721 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 060	BRZ, FGR STK 97-438S	0.91140 FT	

Table 1-841. CATHODE AIR DAM - 816 9897 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 092	TFL, RD 2.625 DIA	0.058065 FT	

Table 1-842. INSULATOR, PLATE - 816 9939 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 075	TFL RD 1.250 DIA	0.206850 FT	

Table 1-843. PLATE STANDOFF INSERT - 816 9974 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 010	BRS, TBG .500 OD	0.035385 LB	

Table 1-844. STUD - 817 0389 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 010	BRS HEX .250	0.010920 LB	

Table 1-845. SUPPORT, INPUT DRIVE - 817 1533 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1310 005	SST, RECT .25 X .5	0.06930 LB	

Table 1-846. INSERT, DRIVEN SPRK - 827 5313 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 061	SST, RD .4989 DIA	0.082320 LB	

Table 1-847. ROD, INPUT TUNING - 827 5404 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 1010 005	ROD, NORYL, 1/4" DIA	0.904050 FT	

Table 1-848. ROD, PLT TUNING - 827 5421 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 050	BRS, THD STK 1/4-20	0.675150 FT	

Table 1-849. ROD, PLT TUNING - 827 5421 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 050	BRS, THD STK 1/4-20	0.82740 FT	

Table 1-850. STUD 1/4-20 X 8 - 827 5421 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 050	BRS, THD STK 1/4-20	0.670950	FT

Table 1-851. SUPPORT - 827 5505 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 2045 021	AL, SQ .375	0.020160	LB

Table 1-852. NUT, INPUT DRIVE - 827 7873 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 2010 055	SST, SQ .625	0.152250	LB

Table 1-853. NUT, INPUT DRIVE - 827 7873 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 2010 055	SST, SQ .625	0.152250	LB

Table 1-854. BRACKET, INPUT DRIVE - 827 7875 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 031	AL, RECT .500 X 1.25	0.410550	LB

Table 1-855. BLOCK, BEARING - 827 8104 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 076	AL, RECT 1.0 X 1.50	0.269850	LB

Table 1-856. SHAFT, TUNING - 827 8106 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 041	SST, SFT .2497 DIA	0.13860	EA

Table 1-857. B + CHOKE - 827 8111 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0005 000	WIRE, BUS CU 14AWG	0.009960	FT

Table 1-858. INSULATOR, BLOCKER - 827 8113 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 5030 020	MYLAR SHEET .010	0.83750	SF

Table 1-859. SHIELD, RF - 827 8130 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.33390	SF

Table 1-860. INSERT, DRV SPROCKET - 827 8134 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 061	SST, RD .4989 DIA	0.169050 LB	

Table 1-861. COOLER LID - 827 8144 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 031	AL, PL .500 THK	4.0 LB	

Table 1-862. SHAFT, IDLER GEAR - 827 8149 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 061	SST, RD .4989 DIA	0.047040 LB	

Table 1-863. AIR CHAMBER - 827 8153 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 012	AL, SH .125 THK	2.2910 LB	

Table 1-864. BLOCK, PIVOT - 827 8157 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 079	AL, RECT .75 X 1.00	0.1470 LB	

Table 1-865. SHIELD, RF CAVITY - 828 0665 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.057750 SF	

Table 1-866. SHIELD, RF - 828 0665 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.160650 SF	

Table 1-867. RING, FINGERSTOCK - 828 0769 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 008	AL, RECT .1875 X .5	0.35910 LB	

Table 1-868. SPACER - 829 3802 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 083	AL, RECT 1.50 X 2.50	2.4150 LB	

Table 1-869. CAP, INPUT - 829 7452 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	2.4940 LB	

Table 1-870. INSULATOR, CURRENT CONT - 829 7557 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 070	TFL, RD 1.00 DIA	0.065310 FT	

Table 1-871. SHAFT, DRIVE - 829 9589 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 013	BRS, RD .250 FCB	0.097965 LB	

Table 1-872. SHAFT, INPUT - 829 9589 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 041	SST, SFT .2497 DIA	0.17850 EA	

Table 1-873. SHAFT, INPUT - 829 9589 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 041	SST, SFT .2497 DIA	0.196350 EA	

Table 1-874. COOLER LID-7 ON - 838 4148 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 031	AL, PL .500 THK	3.9250 LB	

Table 1-875. AIR DUCT - 838 4149 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 8010 050	GL TBG 7.250 OD	0.337050 FT	

Table 1-876. PLATE, BOT. SUPT. - 838 5391 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 001	AL, SH .250 THK	2.40 LB	

Table 1-877. PLATE, TOP SUPT. - 838 5392 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 001	AL, SH .250 THK	1.3250 LB	

Table 1-878. AIR CHAMBER - 838 5408 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 2010 060	BRS, SQ 1.0 X 1.0	2.11050 LB	

Table 1-879. AIR CHAMBER - 838 5409 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 2010 060	BRS, SQ 1.0 X 1.0	2.11050 LB	

Table 1-880. BRACKET-AIR INTAKE - 839 6420 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 2045 083	AL, SQ BAR 2.5	3.85350 LB	

Table 1-881. OUTPUT AIR CHAMBER - 842 5843 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	7.0760 LB	

Table 1-882. RETAINER, PLATE CONT - 842 5862 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5020 050	PLASTIC SH. 1/2 THK	1.04250 SF	

Table 1-883. OUTPUT AIR CHAMBER - 842 5864 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 012	AL, SH .125 THK	2.74050 LB	

Table 1-884. PLATE, FRONT - 843 2618 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	2.9870 LB	

Table 1-885. SIDE PLATE - 843 2619 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	2.6680 LB	

Table 1-886. SIDE PLATE - 843 2619 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	2.6680 LB	

Table 1-887. PLATE, SUPPORT - 843 2620 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 062	TOOLING PLT, MIC-6 ALUM	5.150 LB	

Table 1-888. PLATE, MAIN SUPPORT - 843 2625 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	11.3970 LB	

Table 1-889. GRID CONTACT ASSY - 915 2750 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 2749 002	GRID CONTACT	1.0 EA	
816 5622 003	FINGER STOCK	1.0 EA	

Table 1-890. GRID CONTACT - 815 2749 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 083	BRS, RD 3.125 FCB	0.37170 LB	

Table 1-891. FINGER STOCK - 816 5622 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 010	BRZ, FGR STK	0.53340 EA	

Table 1-892. SCREEN CONTACT ASSY - 915 2751 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 2748 002	SCREEN CONTACT	1.0 EA	
816 5622 002	FINGER STOCK	1.0 EA	

Table 1-893. SCREEN CONTACT - 815 2748 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 085	BRS, RD 4.000 FCB	0.607950 LB	

Table 1-894. FINGER STOCK - 816 5622 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 010	BRZ, FGR STK	0.68250 EA	

Table 1-895. BEVEL GEAR, MOD. - 915 3053 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
452 0071 000	GEAR, BEVEL 24 TEETH	1.0 EA	

Table 1-896. BEVEL GEAR, MOD. - 915 3053 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
452 0029 000	GEAR, BEVEL 12 TEETH	1.0 EA	

Table 1-897. UNDER CUT SCREW - 915 3083 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0147 000	SCR, 10-32 X 1	1.0 EA	

Table 1-898. WIRE LEAD, 5-1/2 LG. - 915 3109 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0005 000	WIRE, HV 18AWG 20KV	0.50 FT	
296 0287 000	TUBG SHRINKABLE 3/16	0.10 FT	

Table 1-899. WIRE LEAD, 4"LG. - 915 3109 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0005 000	WIRE, HV 18AWG 20KV	0.40 FT	
296 0289 000	TUBG SHRINKABLE 3/16	0.10 FT	

Table 1-900. SHORTING ARM ASSY - 915 3116 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 3112 001	PIN-PIVOT	1.0 EA	
815 3114 001	ROD-GND.	1.0 EA	
815 3115 001	ROD-PIVOT	1.0 EA	

Table 1-901. PIN-PIVOT - 815 3112 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 013	BRS, RD .250 FCB	0.016695 LB	

Table 1-902. ROD-GND. - 815 3114 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 001	BRS, RD .125 FCB	0.021840 LB	

Table 1-903. ROD-PIVOT - 815 3115 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 001	BRS, RD .125 FCB	0.017535 LB	

Table 1-904. RING, SUPPRESSOR - 915 5566 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
064 1020 032	* CASTABLE RESIN	0.50 LB	
088 0001 065	TAPE, TEF 1 IN WIDE	0.0 RL	
815 2972 001	RING, OSC SUPP.	0.0 EA	
815 5566 001	ASSY INSR, RING, SUPPRESSOR	0.0 EA	

Table 1-905. CONNECTOR - 916 2646 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 8567 003	INPUT CONNECTOR	1.0 EA	
927 5544 001	CONNECTOR, RF INPUT	1.0 EA	

Table 1-906. INPUT CONNECTOR - 827 8567 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 040	BRS, THD STK 10-32	0.016275 FT	

Table 1-907. CONNECTOR, RF INPUT - 927 5544 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0188 000	COAX CABLE RG213, 50 OHM	6.10 FT	
620 0606 000	RECP, PNL HN UG560/U	1.0 EA	

Table 1-908. CHAIN MODF - 916 6193 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
454 0001 000	CHAIN ROLLERLESS NO. 25	2.0 FT	

Table 1-909. WIRE TUBE ASSY - 916 9973 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
816 9975 001	WIRE TUBE	1.0 EA	
816 9976 001	BASE	1.0 EA	

Table 1-910. WIRE TUBE - 816 9975 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 010	BRS, TBG .500 OD	0.3150 LB	

Table 1-911. BASE - 816 9976 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 016	BRS, RECT FCB .125 X .750	0.045675 LB	

Table 1-912. ASSY, COOLER/HEATER - 922 0834 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
088 0001 063	TAPE TEF 3/4 WIDE	0.0 RL	
358 1081 000	RING, RETAINING	1.0 EA	
358 3083 000	RING, RETAINING 1.000 NOM	1.0 EA	
816 9899 001	LOUVERED FIN	1.0 EA	
816 9900 002	SCREW	1.0 EA	
817 0453 001	RING HEATER, CONT	1.0 EA	
822 0834 001	ASSY INSTR, COOLER/HEATER	0.0 EA	
839 7825 001	HEATER CONTACT	1.0 EA	

Table 1-913. LOUVERED FIN - 816 9899 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4510 009	CU, FIN STOCK STRIP	0.21840 FT	

Table 1-914. SCREW - 816 9900 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 037	BRS, RD .750 FCB	0.169050 LB	

Table 1-915. RING HEATER, CONT - 817 0453 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 057	BRS TBG 1 3/4ODX.051	0.069090 LB	

Table 1-916. HEATER CONTACT - 839 7825 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 053	BRS, RD 1.250 FCB	0.61740 LB	

Table 1-917. SCREW, 4-40, MOD. - 927 7879 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0056 000	SCR, 4-40 X 1/2	1.0 EA	

Table 1-918. HEATER CONTACT ASSY - 927 8122 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 5502 002	HEATER ROD	1.0 EA	
827 5531 001	CURRENT CONTACT	1.0 EA	

Table 1-919. HEATER ROD - 827 5502 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1010 010	CU, RD .250 DIA	0.21420 LB	

Table 1-920. CURRENT CONTACT - 827 5531 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 1010 020	BRZ, PH RD .875 DIA	0.16380 LB	

Table 1-921. CONNECTOR, RF INPUT - 927 8416 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 3485 001	R.F. INPUT CON.	1.0 EA	
815 3486 001	FINGERSTOCK	2.0 EA	
827 8417 002	INPUT CONNECTOR	1.0 EA	

Table 1-922. R.F. INPUT CON. - 815 3485 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 006	BRS, SH FLAT .020	0.006192 LB	

Table 1-923. FINGERSTOCK - 815 3486 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 061	BRZ, FGR STK	0.072450 EA	

Table 1-924. INPUT CONNECTOR - 827 8417 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 013	BRS, RD .250 FCB	0.004232 LB	

Table 1-925. INSULATOR - 928 0605 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
086 0001 016	*SEALANT,ADHESIVE RTV-736	0.0 EA	
815 5335 001	INSULATOR	1.0 EA	
828 0605 001	ASSY. INSTR, INSULATOR	0.0 EA	
917 2428 003	ABSORBING TILE, MODIFIED	5.0 EA	

Table 1-926. INSULATOR - 815 5335 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 5060 011	MICA SHEET .005	0.30 SF	

Table 1-927. ABSORBING TILE, MODIFIED - 917 2428 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1964 000	TILE, RF ABSORBING	0.170 EA	
817 2428 003	MOD INSTR, RF TILE	0.0 EA	

Table 1-928. LINE ASSY - 929 3839 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 2997 001	FINGERSTOCK	2.0 EA	
827 5487 001	INPUT LINE	1.0 EA	
829 3838 001	CAP, INPUT LINE	2.0 EA	

Table 1-929. FINGERSTOCK - 815 2997 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 050	BRZ, FGR STK 0097-0134-04	0.21420 EA	

Table 1-930. INPUT LINE - 827 5487 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 058	BRS, TBG 1.750 OD	0.5040 LB	

Table 1-931. CAP, INPUT LINE - 829 3838 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 066	BRS, RD 1.750 FCB	0.28770 LB	

Table 1-932. PLUNGER PLATE ASSY - 929 3853 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 8115 001	FINGER STOCK	1.0 EA	
827 8115 002	FINGER STOCK	1.0 EA	
829 3852 001	PLATE	1.0 EA	

Table 1-933. FINGER STOCK - 827 8115 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4035 010	BRZ, FGR STK CONTACT	1.4910 EA	

Table 1-934. FINGER STOCK - 827 8115 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4035 010	BRZ, FGR STK CONTACT	0.767550 EA	

Table 1-935. PLATE - 829 3852 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	5.80 LB	

Table 1-936. CYL ASSY OUTER TUNING - 929 3858 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 2997 002	FINGER STOCK	2.0 EA	
827 5405 002	INPUT LINE SEC.	1.0 EA	
829 3837 001	LINE CAPS	2.0 EA	

Table 1-937. FINGER STOCK - 815 2997 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 050	BRZ, FGR STK 0097-0134-04	0.475650 EA	

Table 1-938. INPUT LINE SEC. - 827 5405 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 062	BRS, TBG 1.875 OD	0.28350 LB	

Table 1-939. LINE CAPS - 829 3837 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 077	BRS, RD 2.500 FCB	0.63420 LB	

Table 1-940. SCREEN BLOCKER ASSY - 929 3860 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
088 0001 071	*TAPE, FEP TEFLON 5"W	0.010 RL	
829 3859 001	LOWER SCREEN LINE	1.0 EA	
829 3860 001	SCREEN LINE INSTR	0.0 EA	
927 8072 001	SCREEN, LINE	1.0 EA	

Table 1-941. LOWER SCREEN LINE - 829 3859 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 074	BRS, TBG 3.500 OD	2.0370 LB	

Table 1-942. SCREEN, LINE - 927 8072 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 5403 001	UPPER SCREEN LINE	1.0 EA	
827 5465 001	SCREEN CONTACT SUPPO	1.0 EA	

Table 1-943. UPPER SCREEN LINE - 827 5403 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 074	BRS, TBG 3.500 OD	0.981750 LB	

Table 1-944. SCREEN CONTACT SUPPO - 827 5465 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 085	BRS, RD 4.000 FCB	2.2260 LB	

Table 1-945. CABLE ASSY - 929 7158 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0001 000	WIRE, TURBO 18AWG RED	3.0 FT	
354 0019 000	TERM LUG RING 8	1.0 EA	

Table 1-946. WIRE ASSY, SCREEN - 929 7201 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0005 000	WIRE, HV 18AWG 20KV	1.70 FT	
296 0287 000	TUBG SHRINKABLE 3/16	0.30 FT	
354 0003 000	LUG #10 RING RED 22-18AWG	1.0 EA	

Table 1-947. WIRE ASSY, GRID - 929 7202 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
255 0005 000	WIRE, HV 18AWG 20KV	1.70 FT	
296 0289 000	TUBG SHRINKABLE 3/16	0.30 FT	
354 0003 000	LUG #10 RING RED 22-18AWG	1.0 EA	

Table 1-948. ADAPTER - 929 8409 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
620 0498 000	ADAPTOR 3-1/8 301-014	1.0 EA	

Table 1-949. GRID SCREEN SUPPORT - 938 5279 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 7881 001	GRID SCREEN SUPPORT	1.0 EA	
827 7882 001	GRID LINE EXTENSION	1.0 EA	
827 7883 001	INPUT FLANGE	1.0 EA	
827 7884 001	CHASSIS, PANEL ASSY.	1.0 EA	
827 7885 001	INPUT AIR CHUTE	1.0 EA	

Table 1-950. GRID SCREEN SUPPORT - 827 7881 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 090	BRS, RD 4.500 FCB	3.8430 LB	

Table 1-951. GRID LINE EXTENSION - 827 7882 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 066	BRS, TBG 2.500 OD	0.733950 LB	

Table 1-952. INPUT FLANGE - 827 7883 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 083	BRS, RD 3.125 FCB	0.433650 LB	

Table 1-953. CHASSIS, PANEL ASSY. - 827 7884 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 070	BRS, RECT FCB .375 X 1.25	0.1890 LB	

Table 1-954. INPUT AIR CHUTE - 827 7885 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 050	BRS, TBG 1.500 OD	0.122850 LB	

Table 1-955. PLATE CONTACT ASSY - 938 5398 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 3071 001	PIN CONTACT PLATE	2.0 EA	
816 5622 001	FINGER STOCK	1.0 EA	
828 0601 001	PLATE CONTACT	1.0 EA	

Table 1-956. PIN CONTACT PLATE - 815 3071 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 001	BRS, RD .125 FCB	0.003150 LB	

Table 1-957. FINGER STOCK - 816 5622 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 010	BRZ, FGR STK	0.72240 EA	

Table 1-958. PLATE CONTACT - 828 0601 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 069	BRS, RECT .375 X 12"	3.2550 LB	

Table 1-959. OUTER COND. ASSY - 939 4074 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
939 4074 002	OUTER COND.	1.0 EA	

Table 1-960. OUTER COND. - 939 4074 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 5489 001	OUTER CONDUCTOR	1.0 EA	
839 4073 001	PLATE LINE	1.0 EA	
842 5863 001	OUTPUT BYPASS FLANGE	1.0 EA	

Table 1-961. OUTER CONDUCTOR - 827 5489 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 071	BRS, TBG 3.250 OD	1.01010 LB	

Table 1-962. PLATE LINE - 839 4073 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 092	BRS, TBG 7.750 OD +/- .008	10.1850 LB	

Table 1-963. OUTPUT BYPASS FLANGE - 842 5863 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 086	BRS, RECT FCB .500 X 12"	15.25650 LB	

Table 1-964. CATHODE LINE ASSY - 939 4128 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
064 1010 006	* ENCAPSULATING RESIN	0.0 EA	
815 2982 001	INPUT CAP INSERT	1.0 EA	
815 2983 001	CATHODE LINE	1.0 EA	
815 2984 001	HEATER CHOKE	1.0 EA	
816 5840 001	SPEC, SEI-140	0.0 EA	
829 3826 001	FLANGE SUPPORT	1.0 EA	
829 3827 001	CATHODE CONTACT	1.0 EA	
839 4128 001	ASSY INSTR, CATHODE LINE	0.0 EA	

Table 1-965. INPUT CAP INSERT - 815 2982 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	0.094815 LB	

Table 1-966. CATHODE LINE - 815 2983 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 036	BRS, TBG 1.000 OD	0.56070 LB	

Table 1-967. HEATER CHOKE - 815 2984 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 8020 011	CU, TBG .500 OD X .065 WL	0.94710 FT	

Table 1-968. FLANGE SUPPORT - 829 3826 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 073	BRS, RD 2.375	1.58550 LB	

Table 1-969. CATHODE CONTACT - 829 3827 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1010 033	CU, RD 2.125 DIA	2.44650 LB	

Table 1-970. GRID BLOCKER ASSY - 939 4154 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
088 0001 071	*TAPE, FEP TEFLON 5"W	0.010 RL	
827 5358 001	GRID LINE, LOWER	1.0 EA	
915 3026 001	SCREEN, OUTER BYPASS	1.0 EA	
929 3887 001	GRID INNER BYPASS ASSY	1.0 EA	

Table 1-971. GRID LINE, LOWER - 827 5358 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 066	BRS, TBG 2.500 OD	1.4280 LB	

Table 1-972. SCREEN, OUTER BYPASS - 915 3026 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0033 000	SOLDER LUG 4 MTG HOLE	1.0 EA	
815 2986 001	FINGER STOCK #97-134	1.0 EA	
827 5357 001	SCREEN OUTER BYPASS	1.0 EA	
827 7886 001	GRID - SCREEN CONTACT	1.0 EA	

Table 1-973. FINGER STOCK #97-134 - 815 2986 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 050	BRZ, FGR STK 0097-0134-04	0.67620 EA	

Table 1-974. SCREEN OUTER BYPASS - 827 5357 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 069	BRS, TBG 3.000 OD	0.639450 LB	

Table 1-975. GRID - SCREEN CONTACT - 827 7886 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 088	BRS, RD 3.500 FCB	0.38640 LB	

Table 1-976. GRID INNER BYPASS ASSY - 929 3887 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0033 000	SOLDER LUG 4 MTG HOLE	1.0 EA	
827 5341 001	UPPER GRID LINE	1.0 EA	
827 5359 001	GRID INNER BYPASS	1.0 EA	
829 3871 001	GRID CONTACT SUPPORT	1.0 EA	

Table 1-977. UPPER GRID LINE - 827 5341 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 066	BRS, TBG 2.500 OD	0.626850 LB	

Table 1-978. GRID INNER BYPASS - 827 5359 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 069	BRS, TBG 3.000 OD	0.69930 LB	

Table 1-979. GRID CONTACT SUPPORT - 829 3871 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 083	BRS, RD 3.125 FCB	1.1130 LB	

Table 1-980. HOUSING ASSEMBLY - 939 6695 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1162 000	BUSHING, DRILL	1.0 EA	
450 0160 000	BEARING, FLANGED .254 ID	2.0 EA	
829 2306 002	INPUT DRIVER HOUSING	1.0 EA	
839 6695 002	ASSEMBLY INSTRCTIONS	0.0 EA	

Table 1-981. INPUT DRIVER HOUSING - 829 2306 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 097	BRS, RECT FCB 1.25 X 1.5	1.16550 LB	

Table 1-982. BRACKET UPPER MTG - 943 2676 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
843 1115 001	BRACKET, CAST	1.0 EA	

Table 1-983. WIRE LIST - 999 1887 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
026 6010 001	NYLON, PROFILE .500 WIDE	0.36750 FT	
026 6010 003	EXTRUDED GROMMETING	0.78750 FT	
252 0002 000	WIRE, STRD 22AWG GRN	1.810 FT	
252 0003 000	WIRE, STRD 20AWG WHT	6.50 FT	
252 0004 000	WIRE, STRD 18AWG WHT/YEL	1.350 FT	
252 0005 000	WIRE, STRD 16AWG GREY	0.50 FT	
252 0006 000	WIRE, STRD 14AWG BLU	0.3330 FT	
252 0152 000	WIRE, THHN STRD 4AWG BLK	6.940 FT	
253 0008 000	BRAID, .25 WIDE	0.1670 FT	
253 0059 000	CABLE, 2C 22AWG AUDIO	1.080 FT	
254 0001 000	WIRE, BUS CU 22AWG	0.2080 FT	
254 0002 000	WIRE, BUS CU 20AWG	2.50 FT	
254 0003 000	WIRE, BUS CU 18AWG	0.0830 FT	
254 0017 000	WIRE, ROPE 10AWG	10.10 FT	
255 0001 000	WIRE, TURBO 18AWG RED	14.60 FT	
255 0002 000	WIRE, TURBO 12AWG BRN	6.80 FT	
255 0008 000	WIRE, HV 18AWG 7.5VAC	4.830 FT	
296 0018 000	PLASTIC TUBE 5AWG CLEAR	9.330 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1040 FT	
296 0259 000	TUBING TEFLON 18 AWG	1.040 FT	
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.5830 FT	
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.50 FT	
296 0265 000	TUBING, SHRINK 1/16 WHITE	0.1460 FT	
296 0267 000	TUBING TEFLON 14 AWG	1.50 FT	
296 0277 000	TUBING NYLON .25 OD	1.670 FT	
354 0001 000	LUG #6 RING RED 22-18 AWG	8.0 EA	
354 0003 000	LUG #10 RING RED 22-18AWG	2.0 EA	
354 0005 000	TERM LUG RED SPADE 6	15.0 EA	
354 0006 000	TERM LUG RED SPADE 8	1.0 EA	
354 0008 000	LUG #6 RING BLUE 16-14AWG	7.0 EA	
354 0010 000	LUG #10 RING BLU 16-14AWG	3.0 EA	
354 0015 000	LUG BLUE SPADE 6	5.0 EA	
354 0016 000	LUG BLUE SPADE 8	4.0 EA	
354 0019 000	TERM LUG RING 8	16.0 EA	

354 0020 000	*LUG, RING #10 18/16 AWG	9.0 EA
354 0245 000	TERM LUG YEL RING 10	5.0 EA
354 0254 000	LUG .25 RING YEL	1.0 EA
354 0255 000	LUG 6 RING YEL	2.0 EA
354 0261 000	LUG .25 RING	4.0 EA
354 0262 000	LUG 8 RING	2.0 EA
354 0287 000	LUG #10 RING N/INS 7-9AWG	10.0 EA
354 0289 000	LUG .25 RING N/INS 7-9AWG	6.0 EA
354 0295 000	LUG 10 RING F26	3.0 EA
354 0324 000	LUG #10 RING YEL 12-10AWG	1.0 EA
354 0335 000	* CONNECTOR CONTACT	12.0 EA
354 0365 000	* CONTACT 61061-5	4.0 EA
424 0115 000	HOSE 2 IN ID	0.1150 EA

Table 1-984. TUBE PULLER - 992 5372 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
308 0017 000	WASHER, FLAT 3/4	1.0 EA	
915 5442 001	SPIDER NUT	1.0 EA	
928 0602 002	TUBE PULLER	1.0 EA	
929 7342 001	BRACE ASSY, PULLER	1.0 EA	
929 8797 001	TUBE PUSHER	1.0 EA	

Table 1-985. TUBE PULLER - 928 0602 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 1218 002	THREADED ROD	1.0 EA	
828 0602 002	TUBE PULLER	0.0 EA	
829 7340 001	YOKE, TUBE PULLER	1.0 EA	

Table 1-986. THREADED ROD - 817 1218 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 1030 090	STL, RD THD .750-10	0.391650 FT	

Table 1-987. YOKE, TUBE PULLER - 829 7340 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 035	STL, SH 13GA CR	1.31950 LB	

Table 1-988. BRACE ASSY, PULLER - 929 7342 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 0470 001	BLOCK	1.0 EA	
817 0470 002	BLOCK	1.0 EA	
829 7341 001	BRACE	1.0 EA	
829 7342 001	ASSY BRACE PULLER	0.0 EA	

Table 1-989. BLOCK - 817 0470 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 031	AL, PL .500 THK	0.12250 LB	

Table 1-990. BLOCK - 817 0470 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 031	AL, PL .500 THK	0.40250 LB	

Table 1-991. BRACE - 829 7341 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 8060 020	AL, TBG SQ 2X2X.125	0.80850 LB	

Table 1-992. TUBE PUSHER - 929 8797 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 1194 001	BLOCK	1.0 EA	
817 1195 001	BLOCK	2.0 EA	
829 8797 001	ASSY INSTR, TUBE PUSHER	0.0 EA	
829 8815 001	PLATE PUSHER	1.0 EA	

Table 1-993. BLOCK - 817 1194 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 004	AL, RECT .250 X 1.0	0.039375 LB	

Table 1-994. BLOCK - 817 1195 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 079	AL, RECT .75 X 1.00	0.07350 LB	

Table 1-995. PLATE PUSHER - 829 8815 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 085	AL, RECT .375 X 1.50	0.49350 LB	

Table 1-996. TV ACCESSORY TRAY BT-10H3 - 992 5587 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
253 0059 000	CABLE, 2C 22AWG AUDIO	25.0 FT	
354 0055 000	SOLDER LUG 6 MTG HOLE	4.0 EA	
354 0335 000	* CONNECTOR CONTACT	6.0 EA	
354 0365 000	* CONTACT 61061-5	10.0 EA	
414 0087 000	BEAD FERRITE SHIELD	6.0 EA	E001 E002 E003 E001A E002A E003A
494 0239 000	CHOKE WIDE BAND	8.0 EA	
516 0054 000	CAP, DISC .001UF 1KV 10%	8.0 EA	
516 0085 000	CAP DISC .03UF 600V	8.0 EA	
548 0466 000	*RES 74 OHM 3/4W 0.5%	2.0 EA	
610 0448 000	PLUG CONN HSG 15 CKT	2.0 EA	
612 0490 000	CONN PC EDGE 12 CONT	2.0 EA	
614 0438 000	TERM, STANDOFF	8.0 EA	
620 0410 000	JACK, BULKHEAD UG-657/U	6.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	
815 5782 001	BRKT, ACCESSORY TRAY	2.0 EA	
828 7557 001	INSTALLATION INSTR.	0.0 EA	
829 7730 001	BACK MOUNTING TRAY	2.0 EA	
842 6670 001	SCHEMATIC	0.0 EA	

880 7155 001	TEST PROCEDURE	0.0 EA
929 3660 001	PANEL ASSY	1.0 EA
938 5801 001	MTG TRAY ASSY	1.0 EA
938 5957 001	TOP, MTG TRAY	1.0 EA
992 3342 001	EXTENDER BOARD	1.0 EA
992 3952 001	REAR PANEL ASSY	1.0 EA
999 1926 001	WIRE LIST	1.0 EA
999 1927 001	HARDWARE LIST	1.0 EA

Table 1-997. BRKT, ACCESSORY TRAY - 815 5782 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.090480 LB	

Table 1-998. BACK MOUNTING TRAY - 829 7730 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.245050 LB	

Table 1-999. PANEL ASSY - 929 3660 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 4554 001	PANEL	1.0 EA	
929 7072 001	BRACKET ASSY	1.0 EA	

Table 1-1000. PANEL - 829 4554 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	2.2620 LB	

Table 1-1001. BRACKET ASSY - 929 7072 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0944 000	STUD 8-32 X 3/8	4.0 EA	
829 7071 001	BRACKET	1.0 EA	

Table 1-1002. BRACKET - 829 7071 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.839550 LB	

Table 1-1003. MTG TRAY ASSY - 938 5801 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0177 000	NUT, FLOATING 2-56	32.0 EA	
838 5801 001	ASSY INSTR, MOUNTING TRAY	0.0 EA	
938 5801 002	SPOTWELD ASSY	1.0 EA	

Table 1-1004. SPOTWELD ASSY - 938 5801 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 8814 001	CONN. PLATE	3.0 EA	

838 5791 001

MOUNTING TRAY

3.0 EA

Table 1-1005. CONN. PLATE - 827 8814 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.259550 LB	

Table 1-1006. MOUNTING TRAY - 838 5791 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	1.08750 LB	

Table 1-1007. TOP, MTG TRAY - 938 5957 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 4089 001	STRIP	3.0 EA	
815 4090 003	STRIP	4.0 EA	
838 5792 001	TOP	1.0 EA	
838 5957 001	ASSY INSTR, TOP MTG TRAY	0.0 EA	

Table 1-1008. STRIP - 815 4089 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.007250 LB	

Table 1-1009. STRIP - 815 4090 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.0870 LB	

Table 1-1010. TOP - 838 5792 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	1.7980 LB	

Table 1-1011. EXTENDER BOARD - 992 3342 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0075 000	NUT J TYPE 6-32 STL	4.0 EA	
358 1109 000	SPACER/STANDOFF/BUSHING	3.0 EA	
612 0508 000	CONN 12 CONTACT POS	1.0 EA	
813 5084 002	SPACER, 1/4D X 3/16L	10.0 EA	
827 8835 001	SUPPORT	1.0 EA	
827 9252 001	SUPPORT, CHASSIS	1.0 EA	
842 6822 001	PRINTED BOARD	1.0 EA	
938 5800 001	CHASSIS ASSY	1.0 EA	

Table 1-1012. SPACER, 1/4D X 3/16L - 813 5084 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.000982 LB	

Table 1-1013. SUPPORT - 827 8835 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.76270 LB	

Table 1-1014. SUPPORT, CHASSIS - 827 9252 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.306450 LB	

Table 1-1015. CHASSIS ASSY - 938 5800 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	1.14550 LB	
324 0143 000	NUT, PEM 6-32	4.0 EA	
358 1014 000	STUD 4-40 X 1/2	10.0 EA	
838 5799 001	EXT. BD. CHASSIS	0.0 EA	
838 5800 001	ASSY INSTRUCTIONS	0.0 EA	

Table 1-1016. REAR PANEL ASSY - 992 3952 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	1.0 FT	
254 0001 000	WIRE, BUS CU 22AWG	0.20 FT	
296 0258 000	TUBING TEFLON 19AWG	1.0 FT	
300 1544 000	SCR, 6-32 X 1	1.0 EA	
302 0108 000	SCR, 6-32 X 1/2	1.0 EA	
304 0089 000	NUT, HEX 6-32	2.0 EA	
306 0011 000	NUT, STOP 6-32	1.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	3.0 EA	
310 0012 000	WASHER FLAT 6	2.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	2.0 EA	
354 0015 000	LUG BLUE SPADE 6	2.0 EA	
354 0145 000	LUG SHAKE .150 MTG	2.0 EA	
354 0365 000	* CONTACT 61061-5	3.0 EA	
494 0239 000	CHOKE WIDE BAND	8.0 EA	L003 L004 L005 L006 L007 L008 L009 L010
516 0043 000	CAP, DISC 470PF 1KV 10%	5.0 EA	C016 C017 C019 C020 C021
516 0067 000	CAP DISC .003UF 1KV 20%	3.0 EA	C018 C022 C023
610 0515 000	PLUG HSG 7 CIRCUIT	1.0 EA	J001
612 0490 000	CONN PC EDGE 12 CONT	1.0 EA	J002
614 0029 000	TERM BD 7 TERM	1.0 EA	TB001
828 6974 001	REAR PANEL	1.0 EA	
839 0020 001	ASSY INSTR, REAR PANEL	0.0 EA	
843 0050 001	SCHEMATIC	0.0 EA	

Table 1-1017. REAR PANEL - 828 6974 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.207350 LB	

Table 1-1018. WIRE LIST - 999 1926 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0235 000	WIRE, STRD 22AWG GRN	4.20 FT	
254 0002 000	WIRE, BUS CU 20AWG	0.670 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.10 FT	
296 0259 000	TUBING TEFLON 18 AWG	4.520 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	1.0 FT	
354 0001 000	LUG #6 RING RED 22-18 AWG	1.0 EA	
354 0365 000	* CONTACT 61061-5	11.0 EA	

Table 1-1019. HARDWARE LIST - 999 1927 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1542 000	SCR, 6-32 X 3/4	1.0 EA	
300 2127 000	SCR, 8-32 X 3/8	6.0 EA	
302 0012 000	SCR, 2-56 X 1/4	23.0 EA	
302 0014 000	SCR, 2-56 X 3/8	9.0 EA	
302 0056 000	SCR, 4-40 X 1/2	6.0 EA	
302 0108 000	SCR, 6-32 X 1/2	1.0 EA	
302 0350 000	SCR, 4-40 X 5/16	6.0 EA	
304 0089 000	NUT, HEX 6-32	2.0 EA	
304 0090 000	NUT, HEX 8-32	6.0 EA	
306 0010 000	NUT. STOP 4-40	6.0 EA	
306 0011 000	NUT, STOP 6-32	1.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	2.0 EA	
310 0001 000	WASHER, FLAT #2	9.0 EA	
310 0003 000	WASHER, FLAT NO. 4	4.0 EA	
310 0012 000	WASHER FLAT 6	1.0 EA	
312 0026 000	NO 6 EXT SHAKE BRZ	2.0 EA	
312 0027 000	WASHER, EXT SHAKE NO. 8	6.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	1.0 EA	
314 0001 000	WASHER, SPLIT-LOCK 2	32.0 EA	
354 0229 000	LUG SHAKE .176 MTG	6.0 EA	

Table 1-1020. KIT, TOOL - 992 5630 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0344 000	TUBG, POLYETHYLENE 1/4 OD	9.0 FT	
359 0881 000	TEE, PLASTIC 3/16	1.0 EA	
442 0067 000	TEMPILAQ 226 DEG C 2 OZ	1.0 EA	
464 0045 000	TOOL, PIN INSERT	1.0 EA	
464 0130 000	STARTER, PHILLIPS SCREW	1.0 EA	
464 0147 000	SCREWDRIVER RATCHET	1.0 EA	
464 0150 000	BIT, NO 1 PHILLIPS DRIVE	1.0 EA	
464 0151 000	BIT, NO 2 PHILLIPS DRIVE	1.0 EA	
464 0169 000	TOOL, TRIMMER ADJUSTMENT	1.0 EA	
464 0243 000	TOOL, CONT EXTRACTION	1.0 EA	
620 1803 000	MANOMETER MODEL 1211-16	1.0 EA	
915 1553 001	TUNING TOOL	1.0 EA	
929 7983 001	SCREWDRIVER, MOD	1.0 EA	

Table 1-1021. TUNING TOOL - 915 1553 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
464 0023 000	TOOL, TUNING NON-METALLIC	1.0 EA	

Table 1-1022. SCREWDRIVER, MOD - 929 7983 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
099 0006 237	*DURO SUPER GLUE #SUP-2B	0.0 BT	
464 0149 000	HOLDER, HEX TIP	1.0 EA	

Table 1-1023. KIT, INSTALLATION HDWARE - 992 5669 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 045	CU, STRAP .020 X 2"	78.750 FT	
007 4060 063	BERY CU, CONT SPR 14" LG	4.20 EA	
080 0201 032	PAINT KIT TOUCH-UP	1.0 EA	
252 0003 000	WIRE, STRD 20AWG WHT	200.0 FT	
252 0006 000	WIRE, STRD 14AWG BLU	150.0 FT	
252 0008 000	WIRE, STRD 10AWG GRY	60.0 FT	
254 0004 000	WIRE, BUS CU 16AWG	10.0 FT	
255 0002 000	WIRE, TURBO 12AWG BRN	150.0 FT	
300 1541 000	SCR, 6-32 X 5/8	50.0 EA	
300 1566 000	SCR, 8-32 X 5/8	50.0 EA	
300 1578 000	SCR, 10-32 X 5/8	25.0 EA	
300 1648 000	SCR, 1/4-20 X 5/8	25.0 EA	
302 0109 000	SCR, 6-32 X 5/8	25.0 EA	
302 0132 000	SCR, 8-32 X 5/8	25.0 EA	
302 0144 000	SCR, 10-32 X 5/8	25.0 EA	
302 0214 000	SCR, 1/4-20 X 5/8	25.0 EA	
304 0009 000	NUT, HEX 1/4-20	25.0 EA	
304 0089 000	NUT, HEX 6-32	50.0 EA	
304 0090 000	NUT, HEX 8-32	50.0 EA	
304 0098 000	NUT, HEX 10-32	25.0 EA	
306 0004 000	NUT, HEX 6-32	25.0 EA	
306 0005 000	NUT, HEX 8-32	25.0 EA	
306 0006 000	NUT, HEX 10-32	25.0 EA	
306 0007 000	NUT, HEX 1/4-20	25.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	50.0 EA	
308 0006 000	NO 8 FLAT WASHER BRS	50.0 EA	
308 0007 000	10 FLAT WASHER BRASS	25.0 EA	
308 0009 000	.25 FLAT WASHER BRS	25.0 EA	
310 0006 000	WASHER FLAT 8	25.0 EA	
310 0009 000	WASHER, FLAT 1/4	25.0 EA	
310 0012 000	WASHER FLAT 6	25.0 EA	
310 0013 000	WASHER FLAT 10	25.0 EA	
312 0047 000	WASHER, SPLIT-LOCK 6	50.0 EA	
312 0048 000	WASHER, SPLIT-LOCK 8	50.0 EA	
312 0049 000	WASHER, SPLIT-LOCK 10	25.0 EA	
312 0051 000	WASHER, SPLIT-LOCK 1/4	25.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	25.0 EA	
314 0006 000	WASHER, SPLIT-LOCK 8	25.0 EA	
314 0007 000	WASHER, SPLIT-LOCK 10	25.0 EA	
314 0009 000	WASHER, SPLIT-LOCK 1/4	25.0 EA	
336 0482 000	SCREW 6 X 1/2	6.0 EA	

336 0636 000	SCREW 10 X 5/8	15.0 EA
354 0004 000	LUG .25 RING RED 22-18AWG	5.0 EA
354 0005 000	TERM LUG RED SPADE 6	25.0 EA
354 0006 000	TERM LUG RED SPADE 8	25.0 EA
354 0007 000	LUG RED SPADE 10	25.0 EA
354 0011 000	LUG BLUE RING .25	5.0 EA
354 0015 000	LUG BLUE SPADE 6	25.0 EA
354 0016 000	LUG BLUE SPADE 8	25.0 EA
354 0017 000	LUG BLUE SPADE 10	25.0 EA
354 0024 000	TERM LUG YEL RING 10	4.0 EA
354 0025 000	LUG YEL RING .25	4.0 EA
354 0325 000	LUG,.25 RING YEL 12-10AWG	10.0 EA
354 0335 000	* CONNECTOR CONTACT	20.0 EA
354 0365 000	* CONTACT 61061-5	2.0 EA
354 0578 000	TERMINAL 1/4 RING	4.0 EA
354 0657 000	CONTACT CONN SIZE 20DF	60.0 EA
356 0089 000	CABLE TIE TY RAP	50.0 EA
398 0020 000	FUSE, FAST CART 3A 250V	5.0 EA
398 0021 000	FUSE, FAST CART 4A 250V	5.0 EA
398 0031 000	FUSE, FAST CART 10A 32V	5.0 EA
398 0032 000	FUSE, FAST CART 15A 32V	5.0 EA
398 0058 000	FUSE, SLOW CART 2A 250V	5.0 EA
398 0326 000	FUSE, 1A	5.0 EA
408 0218 000	SHIELD 37 POSITION	2.0 EA
408 0225 000	SHIELD 25 POSITION	2.0 EA
610 0357 000	PLUG, BNC, UG-260/U	3.0 EA
610 0451 000	CAP CONN HSG 15 CKT	2.0 EA
610 0539 000	PLUG 25 POS	2.0 EA
610 0762 000	PLUG 37 PIN	2.0 EA
618 0051 000	COAX CABLE RG58C, 50 OHM	100.0 FT
618 0188 000	COAX CABLE RG213, 50 OHM	60.0 FT
620 0502 000	PLUG BNC UG-88/U	12.0 EA
620 0593 000	PLUG, N, UG536B/U	5.0 EA
827 8012 002	ROD, CAP DRIVE	1.0 EA
827 8022 002	SCREW, CAP. ADJ.	1.0 EA
839 5086 001	BLOCKER, GRID	1.0 EA
839 5087 001	BLOCKER, LOWER SCREEN	1.0 EA
839 5088 001	BLOCKER, UPPER SCREEN	1.0 EA
839 6678 005	PLATE BLOCKER	2.0 EA

Table 1-1024. PLATE SUPPLY - 992 5812 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
041 1310 013	RUBBER SPONGE 3/8	6.30 FT	
250 0086 000	PLUG/CORD MOLDED BLACK	1.0 EA	#3B001
302 0319 000	SCR, 3/8-16 X 1-1/4	12.0 EA	
306 0056 000	NUT, CAP 1/4-20	4.0 EA	
310 0026 000	WASHER, FLAT 1/2	12.0 EA	
324 0170 000	NUT, U TYPE SPEED GR	76.0 EA	
358 0002 000	BRACKET RESISTOR MTG	6.0 EA	
358 0897 000	STANDOFF 6 32 X .375	4.0 EA	
358 2426 000	PLUG, WHITE 2" HOLE	3.0 EA	
358 3185 000	PLUG WHT 1.093/1.125 HOLE	2.0 EA	
384 0701 000	RECTIFIER ASSY 28 PRV ESD	3.0 EA	3CR001 3CR002 3CR003
402 0107 000	CLIP, FUSE 9/16	4.0 EA	

406 0363 000	PILOT LIGHT RED	1.0 EA	3DS001
410 0019 000	INSULATOR ROUND NS5W 0316	2.0 EA	
410 0020 000	INSULATOR ROUND NS5W 0320	14.0 EA	
410 0025 000	INSULATOR ROUND NS5W 0416	6.0 EA	
410 0034 000	INSULATOR ROUND NS5W 0524	2.0 EA	
424 0009 000	GROMMET 1-3/8 MTG DI	1.0 EA	
424 0010 000	GROMMET 1-3/32 MTG D	2.0 EA	
424 0031 000	GROMMET 2.5 MTG DIA	2.0 EA	
430 0089 000	FAN CARAVEL CL2T2	1.0 EA	3B001
442 0123 000	THERMOSTAT 155 DEG F N.C.	1.0 EA	3S006
472 1094 000	XFMR, STPDN, 816-7132-001	1.0 EA	3T002
472 1265 000	XFMR, PWR, 829-8440-063	1.0 EA	3T001
476 0270 000	REACTOR 814-2067-001	1.0 EA	3L001
476 0407 000	REACTOR, FILTER 10HY 2A	1.0 EA	3L002
508 0534 000	CAP 0.02 UF 30KVDC 10%	3.0 EA	3C004 3C005 3C006
510 0701 000	CAP 10UF 10KV 10%	4.0 EA	3C007 3C008 3C009 3C010
510 0723 000	CAP. 30MFD 660V AC	3.0 EA	3C001 3C002 3C003
542 0222 000	RES 7.5K OHM 5% 50W	3.0 EA	3R004 3R005 3R006
542 0999 000	RES 1.0 OHM 1089W 33A	3.0 EA	3R001 3R002 3R003
570 0255 000	FULL VOLTAGE STARTER 600V	1.0 EA	3K002
570 0256 000	CNTOR 200A 120VAC 3P	1.0 EA	3K001
574 0466 000	RELAY DPDT 120V 10A 50/60HZ	1.0 EA	3K005
582 0034 000	RELAY MAG OVERLOAD	2.0 EA	3K003 3K004
584 0286 000	HEATER B59	3.0 EA	3K02HR1 3K02HR2 3K02HR3
604 0246 000	*SW, PB	1.0 EA	3S001
604 0893 000	SW, INTLK DPDT	6.0 EA	3S002 3S003 3S004 3S005 3S007 3S008
606 0527 000	BREAKER CKT 5 AMP	1.0 EA	3CB001
614 0505 000	TERM BD 12 TERM	1.0 EA	3TB001
614 0514 000	TERM BD 2 TERM	1.0 EA	3TB002
646 0665 000	INSPECTION LABEL	1.0 EA	
813 5001 049	STDOFF 8-32X1 3/8 HEX	4.0 EA	
813 5606 017	STUD BRS 10-32 X 1-3/8	4.0 EA	
813 5608 021	USE FFF 358-3134-000	4.0 EA	
813 5619 042	STUD	2.0 EA	
817 0460 001	FILTER	1.0 EA	
817 0990 092	RUNNING LIST	0.0 EA	
829 2289 001	BRKT., CAP. SURGE SU	1.0 EA	
829 2290 001	CLIP, MTG SURGE SUP.	3.0 EA	
829 7241 001	BRKT SWITCH	4.0 EA	
829 7362 001	SUPPORT RECT	1.0 EA	
829 7554 001	STRAP, RECT CONN	2.0 EA	
829 7579 001	BRACKET, MTG	1.0 EA	#3S006
829 7939 001	ANGLE, SPARK	4.0 EA	
829 8440 209	STRAP, GND	1.0 EA	
829 8440 210	STRAP, GND	1.0 EA	
829 8440 211	STRAP, GND	1.0 EA	#2L001
829 8440 212	STRAP, CAP	5.0 EA	
829 8440 214	STRAP, GND	1.0 EA	#3L002
829 8612 001	ANGLE, FRAME	2.0 EA	
829 8614 001	ANGLE, RECTIF. FRONT	1.0 EA	
829 8615 001	CLAMP, CAP.	1.0 EA	
829 8693 001	ANGLE SUPPORT	1.0 EA	
829 9360 001	BRACKET, GND HOOK	2.0 EA	
839 3098 001	PLATE, MTG SURGE SUP	1.0 EA	
839 5800 112	SCHEMATIC	0.0 EA	

922 0055 001	CABLE ASSY JUMPERS	1.0 EA	
929 7566 001	BLEEDER RES. ASSY	2.0 EA	3A002 3A004
929 9358 001	ASSY MOUNTING ANGLE	1.0 EA	
929 9715 001	CABLE ASSY PWR SUPPLY	1.0 EA	
938 4203 004	GROUND STICK ASSY	2.0 EA	#3S002 #3S005
939 5019 002	PANEL, SIDE	1.0 EA	
939 5021 002	PANEL, SIDE	1.0 EA	
939 5941 001	PANEL, CONTACTOR	1.0 EA	
939 5971 001	COVER, LEXAN	1.0 EA	
943 3125 002	PANEL, FAN ASSY	1.0 EA	
943 3827 001	PANEL, COMMON	1.0 EA	
943 3827 002	PANEL, COMMON	1.0 EA	
943 3827 003	PANEL, COMMON	2.0 EA	
952 8915 001	BASIC CABINET	1.0 EA	
952 8916 001	SHELF, CAP.	1.0 EA	
992 5579 001	CONTROL RELAY PANEL ASSY	1.0 EA	3A001

Table 1-1025. STDOFF 8-32X1 3/8 HEX - 813 5001 049

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 020	AL, HEX .375	0.01260 LB	

Table 1-1026. STUD BRS 10-32 X 1-3/8 - 813 5606 017

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 040	BRS, THD STK 10-32	0.11970 FT	

Table 1-1027. USE FFF 358-3134-000 - 813 5608 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 050	BRS, THD STK 1/4-20	0.152250 FT	

Table 1-1028. STUD - 813 5619 042

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 053	SST, RD .375 DIA	0.46830 LB	

Table 1-1029. FILTER - 817 0460 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 9010 010	INDUSTRIAL FOAM 1 IN	1.93750 SF	

Table 1-1030. BRKT., CAP. SURGE SU - 829 2289 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.22910 LB	

Table 1-1031. CLIP, MTG SURGE SUP. - 829 2290 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.030595 LB	

Table 1-1032. BRKT SWITCH - 829 7241 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.178350 LB	

Table 1-1033. SUPPORT RECT - 829 7362 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 054	GL, EPOXY .250	2.51250 LB	

Table 1-1034. STRAP, RECT CONN - 829 7554 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 010	BRS, RECT FCB .125 X .500	0.353850 LB	

Table 1-1035. BRACKET, MTG - 829 7579 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.038860 LB	

Table 1-1036. ANGLE, SPARK - 829 7939 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 019	BRS, RECT FCB .125 X 1	0.23940 LB	

Table 1-1037. STRAP, GND - 829 8440 209

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 045	CU, STRAP .020 X 2"	5.89050 FT	

Table 1-1038. STRAP, GND - 829 8440 210

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 045	CU, STRAP .020 X 2"	6.6360 FT	

Table 1-1039. STRAP, GND - 829 8440 211

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 055	CU, STRAP .020 X 1	5.05050 FT	

Table 1-1040. STRAP, CAP - 829 8440 212

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 055	CU, STRAP .020 X 1	0.788550 FT	

Table 1-1041. STRAP, GND - 829 8440 214

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 055	CU, STRAP .020 X 1	3.4440 FT	

Table 1-1042. ANGLE, FRAME - 829 8612 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 070	STL, SH 20GA CR	0.49010 LB	

Table 1-1043. ANGLE, RECTIF. FRONT - 829 8614 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	7.58350 LB	

Table 1-1044. CLAMP, CAP. - 829 8615 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	5.40850 LB	

Table 1-1045. ANGLE SUPPORT - 829 8693 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.479950 LB	

Table 1-1046. BRACKET, GND HOOK - 829 9360 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.456750 LB	
001 5010 080	AL, SH .100 THK	0.50750 LB	

Table 1-1047. PLATE, MTG SURGE SUP - 839 3098 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	1.30 LB	

Table 1-1048. CABLE ASSY JUMPERS - 922 0055 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0006 000	WIRE, STRD 14AWG BLU	22.0 FT	
354 0011 000	LUG BLUE RING .25	3.0 EA	
354 0252 000	TERM 250 FEM BLU 16-14	3.0 EA	
822 0055 001	CABLE ASSY INST	0.0 EA	
843 4558 001	JUMPER CABLE	0.0 EA	

Table 1-1049. BLEEDER RES. ASSY - 929 7566 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0146 000	LUG SHAKE .176 MTG	2.0 EA	
548 0346 000	RES 40K OHM 7W 1%	20.0 EA	
829 7566 001	ASSY DWG	0.0 EA	
938 4709 001	BOARD, RESISTOR MTG.	1.0 EA	

Table 1-1050. BOARD, RESISTOR MTG. - 938 4709 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 053	GL, EPOXY .125 +/- .012	0.4630 LB	
354 0314 000	TERM, TUR SLDR	25.0 EA	

Table 1-1051. ASSY MOUNTING ANGLE - 929 9358 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 030	STL, SH 12GA CR	3.770 LB	
306 0064 000	NUT, WELD 10-32	5.0 EA	
829 9358 001	ASSY INSTRUCTIONS	0.0 EA	

Table 1-1052. CABLE ASSY PWR SUPPLY - 929 9715 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0468 000	CABLE, 1AWG 600V WELDING	21.70 FT	
252 0005 000	WIRE, STRD 16AWG GREY	131.90 FT	
252 0006 000	WIRE, STRD 14AWG BLU	10.0 FT	
252 0210 000	WIRE, STRD 8AWG BLK	25.0 FT	
255 0002 000	WIRE, TURBO 12AWG BRN	17.50 FT	
255 0007 000	WIRE, HV 10AWG STRD	22.0 FT	
296 0263 000	TUBING, SHRINK 3/8 WHITE	3.0 FT	
296 0271 000	TUBING, SHRINK 3/4 WHITE	1.50 FT	
354 0010 000	LUG #10 RING BLU 16-14AWG	6.0 EA	
354 0011 000	LUG BLUE RING .25	2.0 EA	
354 0015 000	LUG BLUE SPADE 6	43.0 EA	
354 0245 000	TERM LUG YEL RING 10	13.0 EA	
354 0252 000	TERM 250 FEM BLU 16-14	6.0 EA	
354 0261 000	LUG .25 RING	3.0 EA	
354 0266 000	SPLICE WIRE 16 TO 14	2.0 EA	
354 0311 000	LUG, #10 RING RED 7-9AWG	20.0 EA	
354 0312 000	LUG .25 RING RED 7-9AWG	9.0 EA	
354 0331 000	LUG COMPRESSION 3/8	9.0 EA	
354 0600 000	LUG 3/8 RING	6.0 EA	
354 0634 000	TERM FOR .187 X .020 TAB	26.0 EA	
424 0001 000	GROMMET 3/8 MTG DIA	1.0 EA	
817 0990 092	RUNNING LIST	0.0 EA	
829 9715 001	PWR SUPPLY CADS	0.0 EA	
852 9051 001	CABLE	0.0 EA	

Table 1-1053. PANEL, SIDE - 939 5019 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 070	STL, SH 20GA CR	8.120 LB	
646 1254 000	LABEL DANGER HI VOLTAGE	1.0 EA	
839 5019 002	PANEL SIDE ASS'Y INST	0.0 EA	

Table 1-1054. PANEL, SIDE - 939 5021 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 070	STL, SH 20GA CR	15.950 LB	
646 1254 000	LABEL DANGER HI VOLTAGE	1.0 EA	
839 5021 002	PANEL SIDE ASS'Y INST	0.0 EA	

Table 1-1055. PANEL, CONTACTOR - 939 5941 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 7360 002	BASE, CONTACTOR	1.0 EA	
839 5941 001	PNL CONTACTOR	0.0 EA	
943 3826 001	PANEL	1.0 EA	

Table 1-1056. BASE, CONTACTOR - 829 7360 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 030	STL, SH 12GA CR	13.67350 LB	

Table 1-1057. PANEL - 943 3826 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 030	STL, SH 12GA CR	38.1350 LB	
324 0168 000	NUT, PEM 10-32	9.0 EA	
324 0174 000	NUT, PEM 8-32	9.0 EA	
358 1728 000	STUD 1/4-20 X 1/2	6.0 EA	
843 3826 001	PNL CONTACTOR	0.0 EA	

Table 1-1058. COVER, LEXAN - 939 5971 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	3.8750 SF	
646 1254 000	LABEL DANGER HI VOLTAGE	1.0 EA	

Table 1-1059. PANEL, FAN ASSY - 943 3125 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
646 1254 000	LABEL DANGER HI VOLTAGE	1.0 EA	
843 3125 002	ASSY INSTR, PANEL FAN	0.0 EA	
843 3126 003	PANEL, SIDE	1.0 EA	
843 3127 001	DUCT INTAKE	1.0 EA	

Table 1-1060. PANEL, SIDE - 843 3126 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 070	STL, SH 20GA CR	21.8950 LB	

Table 1-1061. DUCT INTAKE - 843 3127 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 050	STL, SH 16GA CR	9.23650 LB	

Table 1-1062. PANEL, COMMON - 943 3827 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 070	STL, SH 20GA CR	20.7350 LB	
646 1250 000	LABEL SAFETY INSTR.	1.0 EA	
843 3827 001	PANEL ASS'Y INST	0.0 EA	

Table 1-1063. PANEL, COMMON - 943 3827 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 070	STL, SH 20GA CR	20.7350 LB	
646 1254 000	LABEL DANGER HI VOLTAGE	1.0 EA	
843 3827 002	PANEL ASS'Y INST	0.0 EA	

Table 1-1064. PANEL, COMMON - 943 3827 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 070	STL, SH 20GA CR	20.7350 LB	
646 1254 000	LABEL DANGER HI VOLTAGE	1.0 EA	
843 3827 003	PANEL ASS'Y INST	0.0 EA	

Table 1-1065. BASIC CABINET - 952 8915 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 0472 001	BRACE, CORNER	4.0 EA	
822 0783 001	SKID, PLATE SUPPLY	1.0 EA	
839 5929 001	CHANNEL, BASE	2.0 EA	
839 5930 001	CHANNEL, CHOKE	1.0 EA	
839 5930 002	CHANNEL, CHOKE	1.0 EA	
843 3073 003	POST, CORNER	2.0 EA	
843 3073 004	POST, CORNER	2.0 EA	
843 3820 001	TOP, CABINET	1.0 EA	
843 3821 001	CHANNEL, SUPPORT	1.0 EA	
843 3821 002	CHANNEL, SUPPORT	1.0 EA	
939 5928 001	SUPPORT, PLATE	1.0 EA	
943 3822 001	BASE, CAB	1.0 EA	

Table 1-1066. BRACE, CORNER - 817 0472 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	0.648150 LB	

Table 1-1067. CHANNEL, BASE - 839 5929 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 6010 011	STL, CHAN	36.0150 LB	

Table 1-1068. CHANNEL, CHOKE - 839 5930 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 6010 006	STL, CHAN	13.860 LB	

Table 1-1069. CHANNEL, CHOKE - 839 5930 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 6010 006	STL, CHAN	13.860 LB	

Table 1-1070. POST, CORNER - 843 3073 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	13.12250 LB	

Table 1-1071. POST, CORNER - 843 3073 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	13.12250 LB	

Table 1-1072. TOP, CABINET - 843 3820 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 050	STL, SH 16GA CR	65.3950 LB	

Table 1-1073. CHANNEL, SUPPORT - 843 3821 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	12.6440 LB	

Table 1-1074. CHANNEL, SUPPORT - 843 3821 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	12.6440 LB	

Table 1-1075. SUPPORT, PLATE - 939 5928 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 8610 001	SUPPORT, BAR XMR.	2.0 EA	
829 8611 001	CH. PLATE XMR.	2.0 EA	

Table 1-1076. SUPPORT, BAR XMR. - 829 8610 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 1310 080	STL, RECT .312 X 1.75	3.8640 LB	

Table 1-1077. CH. PLATE XMR. - 829 8611 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 6010 006	STL, CHAN	13.860 LB	

Table 1-1078. BASE, CAB - 943 3822 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 040	STL, SH 14GA CR	76.831150 LB	
358 2924 000	PIN, WELD .215 D X 3/4 LG	4.0 EA	
843 3822 001	BASE, CABINET	0.0 EA	

Table 1-1079. SHELF, CAP. - 952 8916 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 030	STL, SH 12GA CR	24.070 LB	
306 0063 000	NUT, WELD 8-32	6.0 EA	

306 0067 000	NUT, WELD 3/8-16	2.0 EA
852 8916 001	FAB/ASSY INSTR, CAP SHELF	0.0 EA

Table 1-1080. CONTROL RELAY PANEL ASSY - 992 5579 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
540 0621 000	* RES 2.7K OHM 2W 5%	1.0 EA	R007
574 0062 000	RELAY LATCHING 4 PDT	1.0 EA	K7
574 0466 000	RELAY DPDT 120V 10A 50/60HZ	2.0 EA	K8 K9
576 0049 000	RLY PNEUMATIC TIMING	1.0 EA	K6
614 0505 000	TERM BD 12 TERM	1.0 EA	TB2
829 7261 001	SCHEMATIC	0.0 EA	
929 7257 001	CABLE ASSY	1.0 EA	
929 7264 001	PANEL ASSY	1.0 EA	

Table 1-1081. CABLE ASSY - 929 7257 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0005 000	WIRE, STRD 16AWG GREY	23.70 FT	
354 0008 000	LUG #6 RING BLUE 16-14AWG	18.0 EA	
829 7257 001	CABLE ASS'Y DATA SHTS	0.0 EA	
839 4960 001	CABLE LAYOUT	0.0 EA	

Table 1-1082. PANEL ASSY - 929 7264 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 050	STL, SH 16GA CR	2.4650 LB	
302 0679 000	SCR, WELD 6-32 X 1/2	6.0 EA	
302 0680 000	SCR, WELD 8-32 X 1/2	4.0 EA	
324 0101 000	SPOTWELD NUT 6 32	2.0 EA	
816 7280 001	STENCIL, CONT RELAY PANEL	0.0 EA	
829 7263 001	STENCIL, CONTACTOR PNL	0.0 EA	
829 7264 001	ASSY INSTRUCTIONS	0.0 EA	
839 4963 001	FAB INSTR, PANEL	0.0 EA	

Table 1-1083. HIGH BAND DRIVER KIT - 992 5895 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0003 000	LUG #10 RING RED 22-18AWG	2.0 EA	
402 0107 000	CLIP, FUSE 9/16	2.0 EA	
410 0017 000	INSULATOR ROUND NS5W 0310	4.0 EA	
516 0402 000	CAP 4800 PF 20KV	1.0 EA	1C007
522 0398 000	CAP 60 UF 350V	1.0 EA	1C006
540 0569 000	* RES 18 OHM 2W 5%	1.0 EA	1R011
540 0572 000	* RES 24 OHM 2W 5%	1.0 EA	1R010
620 0305 000	ADAPTOR,RT ANGLE UG-27B/U	2.0 EA	#1DC002 #1DC003
620 0516 000	ADPT, HN, UG212C/U	1.0 EA	
620 0592 000	ADAPTER HN TO N	1.0 EA	
620 1574 000	DIRECTIONAL COUPLER	1.0 EA	1DC003
813 5006 049	STDOFF 6-32X1.31 1/4 HEX	7.0 EA	
813 5606 013	STUD BRS 10-32 X 1-1/8	4.0 EA	
829 9583 109	SAFETY SHIELD, DRIVER	1.0 EA	
839 4653 001	COVER, AGC CARD	1.0 EA	
927 8138 008	CABLE COAX	1.0 EA	

929 4903 016	CABLE, FILAMENT #110	1.0 EA	
929 4903 017	CABLE, FILAMENT #119	1.0 EA	
929 4903 019	CABLE RF	1.0 EA	
929 7173 019	COAX CABLE, 1A4W11	1.0 EA	1A04U11
929 7173 020	COAX CABLE, 1A4W12	1.0 EA	1A04W12
929 7173 021	COAX CABLE, 1A4W13	1.0 EA	1A04W13
929 7173 022	COAX CABLE, 1A4W14	1.0 EA	1A04W14
929 7173 041	CABLE COAX	1.0 EA	IVIPOUT
929 7173 046	CABLE COAX	1.0 EA	
929 7173 047	CABLE COAX	1.0 EA	
929 8440 161	BRKT	1.0 EA	#DC002 #DC003
938 4203 014	GRND HOOK ASSY	1.0 EA	
992 5497 003	METER PNL, OUTER DRIVER	1.0 EA	1A015

Table 1-1084. STDOFF 6-32X1.31 1/4 HEX - 813 5006 049

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.006878 LB	

Table 1-1085. STUD BRS 10-32 X 1-1/8 - 813 5606 013

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 040	BRS, THD STK 10-32	0.097965 FT	

Table 1-1086. SAFETY SHIELD, DRIVER - 829 9583 109

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.1450 LB	

Table 1-1087. COVER, AGC CARD - 839 4653 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	1.158550 LB	

Table 1-1088. CABLE COAX - 927 8138 008

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0221 000	CABLE, COAX, 1/2", FSJ450B	2.0 FT	
620 0574 000	PLUG, MALE TYPE N, F4NM	2.0 EA	
827 8138 008	CABLE ASSY	0.0 EA	
829 8642 002	MARKER 1A2J1TO 1DC3	2.0 EA	

Table 1-1089. MARKER 1A2J1TO 1DC3 - 829 8642 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0271 000	TUBING, SHRINK 3/4 WHITE	0.10 FT	

Table 1-1090. CABLE, FILAMENT #110 - 929 4903 016

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0468 000	CABLE, 1AWG 600V WELDING	1.50 FT	
354 0356 000	LUG 1/4 HOLE CODE PINK	2.0 EA	
829 4903 016	CABLE COAX	0.0 EA	

Table 1-1091. MARKER (110) - 829 7974 016

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0271 000	TUBING, SHRINK 3/4 WHITE	0.10 FT	

Table 1-1092. CABLE, FILAMENT #119 - 929 4903 017

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0468 000	CABLE, 1AWG 600V WELDING	1.30 FT	
354 0356 000	LUG 1/4 HOLE CODE PINK	1.0 EA	
354 0592 000	LUG 1/2 HOLE	1.0 EA	
829 4903 017	CABLE COAX	0.0 EA	
829 7974 017	MARKER (119)	2.0 EA	

Table 1-1093. MARKER (119) - 829 7974 017

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0271 000	TUBING, SHRINK 3/4 WHITE	0.10 FT	

Table 1-1094. CABLE RF - 929 4903 019

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0704 000	COAX CABLE RG393, 50 OHM	2.50 FT	
620 1947 000	PLUG, STRAIGHT TYPE N	2.0 EA	
829 4903 019	CABLE COAX	0.0 EA	
829 8642 006	MARKER VDRIN	2.0 EA	

Table 1-1095. MARKER VDRIN - 829 8642 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.10 FT	

Table 1-1096. COAX CABLE, 1A4W11 - 929 7173 019

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	0.50 FT	DIM A = 6.0
620 0502 000	PLUG BNC UG-88/U	2.0 EA	
817 2446 004	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 023	MARKER, CABLE	1.0 EA	
829 7624 024	MARKER, CABLE	1.0 EA	

Table 1-1097. MARKER, CABLE - 829 7624 023

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-1098. MARKER, CABLE - 829 7624 024

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-1099. COAX CABLE, 1A4W12 - 929 7173 020

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.60 FT	DIM A = 19.0
620 0502 000	PLUG BNC UG-88/U	1.0 EA	
620 0593 000	PLUG, N, UG536B/U	1.0 EA	
817 2446 004	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 025	MARKER, CABLE	1.0 EA	
829 7624 026	MARKER, CABLE	1.0 EA	

Table 1-1100. MARKER, CABLE - 829 7624 025

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-1101. MARKER, CABLE - 829 7624 026

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-1102. COAX CABLE, 1A4W13 - 929 7173 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	0.50 FT	DIM A = 6.0
620 0502 000	PLUG BNC UG-88/U	2.0 EA	
817 2446 004	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 027	MARKER, CABLE	1.0 EA	
829 7624 028	MARKER, CABLE	1.0 EA	

Table 1-1103. MARKER, CABLE - 829 7624 027

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-1104. MARKER, CABLE - 829 7624 028

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-1105. COAX CABLE, 1A4W14 - 929 7173 022

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	2.70 FT	DIM A = 32.0
620 0502 000	PLUG BNC UG-88/U	1.0 EA	
620 0593 000	PLUG, N, UG536B/U	1.0 EA	
817 2446 004	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 029	MARKER, CABLE	1.0 EA	
829 7624 030	MARKER, CABLE	1.0 EA	

Table 1-1106. MARKER, CABLE - 829 7624 029

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-1107. MARKER, CABLE - 829 7624 030

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.20 FT	

Table 1-1108. CABLE COAX - 929 7173 041

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0704 000	COAX CABLE RG393, 50 OHM	1.30 FT	
620 1947 000	PLUG, STRAIGHT TYPE N	2.0 EA	
829 7173 041	CABLE COAX JUMPER	0.0 EA	
829 8642 004	MARKER VIPOUT	2.0 EA	

Table 1-1109. MARKER VIPOUT - 829 8642 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.10 FT	

Table 1-1110. CABLE COAX - 929 7173 046

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.0 FT	
620 1951 000	STRAIGHT PLUG BNC CRIMP	2.0 EA	
829 7173 046	CABLE COAX JUMPER	0.0 EA	
829 7624 057	MARKER 1J10 TO 1DC3	2.0 EA	

Table 1-1111. MARKER 1J10 TO 1DC3 - 829 7624 057

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1112. CABLE COAX - 929 7173 047

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.0 FT	
620 1951 000	STRAIGHT PLUG BNC CRIMP	2.0 EA	
829 7173 047	CABLE COAX JUMPER	0.0 EA	
829 7624 058	MARKER 1J11 RO 1D33	2.0 EA	

Table 1-1113. MARKER 1J11 RO 1D33 - 829 7624 058

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1114. BRKT - 929 8440 161

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.290 LB	

324 0163 000	NUT, PEM 6-32	2.0 EA
829 8440 161	1DC2 BRKT ASSY INST	0.0 EA

Table 1-1115. GRND HOOK ASSY - 938 4203 014

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0017 000	WIRE, ROPE 10AWG	4.20 FT	
296 0019 000	PLASTIC TUBE 4AWG CLEAR	4.40 FT	
306 0006 000	NUT, HEX 10-32	2.0 EA	
308 0007 000	10 FLAT WASHER BRASS	1.0 EA	
312 0007 000	WASHER, INT LOCK 10	1.0 EA	
312 0049 000	WASHER, SPLIT-LOCK 10	1.0 EA	
354 0287 000	LUG #10 RING N/INS 7-9AWG	2.0 EA	
814 7796 004	HANDLE	1.0 EA	
814 7917 001	HOOK, 1/2IN RADIUS	1.0 EA	
838 4203 001	ASSY INSTR, GROUND HOOK	0.0 EA	

Table 1-1116. HANDLE - 814 7796 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
037 1010 033	PHENOLIC RD 1/2 DIA	0.805350 FT	

Table 1-1117. METER PNL, OUTER DRIVER - 992 5497 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
324 0239 000	PUSHNUT FASTENER	2.0 EA	
358 0059 000	STUD 85 OVAL HEAD	2.0 EA	
358 0410 000	RETAINER 85 ALL HDS	2.0 EA	
358 0801 000	WASHER WEAR 85 NYLON	2.0 EA	
384 0669 000	LED, T1-3/4, RED PANEL MT ESD	1.0 EA	DS004
396 0183 000	LAMP, 14V .08A 382	3.0 EA	DS001 DS002 DS003
406 0441 000	LIGHT, INDICATOR BASE	1.0 EA	XDS002
598 0169 000	SWITCH CAP, PB, RED	2.0 EA	S002 S004
598 0170 000	SWITCH CAP, PB, GR	2.0 EA	S001 S003
598 0188 000	SW BASE 513-0410-001	4.0 EA	S001 S002 S003 S004
598 0195 000	SWITCH CAP, PB, YELL	1.0 EA	
600 0459 000	SW. ROTARY 1P 6 POS	1.0 EA	S006
600 0488 000	SW, ROTARY 6 POS	1.0 EA	S005
646 1031 000	NAMEPLATE, HARRIS	1.0 EA	
650 0028 000	KNOB RD SKIRT 1.135" DIA	2.0 EA	
815 2998 001	SPACER	1.0 EA	
816 8641 001	LINK, METER PANEL	1.0 EA	
817 1527 031	PLUNGER METER PNL INTLCK	1.0 EA	
817 1527 032	PLUNGER METER PNL INTLCK	1.0 EA	
839 6678 028	HINGE	1.0 EA	
839 6678 031	WINDOW, METER	1.0 EA	
843 2902 001	WIRING DIAGRAM	0.0 EA	
852 9037 006	WIRING DIAG, DRVR CUBICLE	0.0 EA	
939 6678 058	PANEL, METER	1.0 EA	
943 4612 009	PLATE, BACK	1.0 EA	

Table 1-1118. SPACER - 815 2998 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 040	SST, ROD .250 DIA	0.002982 LB	

Table 1-1119. PANEL, METER - 939 6678 058

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 2746 000	STUD 8-32 X 5/8	10.0 EA	
829 9583 042	PLATE, END	2.0 EA	
839 6678 026	SILK SCREEN	0.0 EA	
839 6678 058	ASSY INSTRUCTIONS	0.0 EA	
843 4260 014	PANEL, METER	1.0 EA	

Table 1-1120. PANEL, METER - 843 4260 014

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	9.860 LB	

Table 1-1121. PLATE, BACK - 943 4612 009

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	3.480 LB	
358 0943 000	STUD 6-32 X 3/8	3.0 EA	
358 1851 000	STUD 1/4-20 X 3/4	2.0 EA	
843 4609 001	SILKSCREEN MTR PNL TRIM	0.0 EA	
843 4612 009	PLATE BACK MTR PNL	0.0 EA	

Table 1-1122. DIFF. PHASE CORRECTOR - 992 7011 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0086 000	XSTR, 2N4391 ESD	1.0 EA	Q005
380 0246 000	XSTR, 2N2219A ESD	3.0 EA	Q1 Q2 Q3
380 0558 000	XSTR, 2N5566 ESD	1.0 EA	Q004
382 0068 000	IC, CA3018A ESD	2.0 EA	U001 U002
384 0659 000	DIODE HP5082-2811/A2S811 ESD	4.0 EA	CR001 CR002 CR003 CR004
404 0198 000	SPACER TO-5, TO-9, TO-11	3.0 EA	XQ001 XQ002 XQ003
404 0264 000	HEAT SINK FOR TO-5 CASE	1.0 EA	XU002
404 0660 000	HEAT SINK	1.0 EA	XQ004
494 0398 000	CHOKE RF 10.0UH	1.0 EA	L002
494 0413 000	CHOKE RF 330.0UH	1.0 EA	L001
500 0803 000	CAP, MICA, 5PF 500V +/- .5PF	1.0 EA	C001
508 0412 000	CAP .047UF 200V 5%	1.0 EA	C014
516 0054 000	CAP, DISC .001UF 1KV 10%	2.0 EA	C015 C016
522 0550 000	CAP 100UF 25V 20%	9.0 EA	C003 C004 C005 C006 C007 C008 C009 C010 C013
526 0057 000	CAP 100UF 20V 20%	3.0 EA	C002 C011 C012
548 2400 047	RES 3.01 OHM 1/2W 1%	2.0 EA	R053 R054
548 2400 166	RES 47.5 OHM 1/2W 1%	4.0 EA	R002 R011 R012 R034
548 2400 185	RES 75 OHM 1/2W 1%	2.0 EA	R039 R040
548 2400 201	RES 100 OHM 1/2W 1%	5.0 EA	R008 R009 R037 R041 R043
548 2400 230	RES 200 OHM 1/2W 1%	1.0 EA	R035
548 2400 262	RES 432 OHM 1/2W 1%	2.0 EA	R006

			R007
548 2400 266	RES 475 OHM 1/2W 1%	1.0 EA	R038
548 2400 269	RES 511 OHM 1/2W 1%	1.0 EA	R017
548 2400 273	RES 562 OHM 1/2W 1%	1.0 EA	R005
548 2400 285	RES 750 OHM 1/2W 1%	4.0 EA	R018 R019 R020 R052
548 2400 301	RES 1K OHM 1/2W 1%	13.0 EA	R013 R014 R015 R016 R026 R027 R028 R029 R031 R032 R036 R047 R049
548 2400 309	RES 1.21K OHM 1/2W 1%	2.0 EA	R004 R033
548 2400 366	RES 4.75K OHM 1/2W 1%	4.0 EA	R024 R025 R030 R050
548 2400 401	RES 10K OHM 1/2W 1%	4.0 EA	R001 R003 R010 R042
550 0628 000	POT 10K OHM .5W 10%	4.0 EA	R021 R022 R023 R051
550 0899 000	POT 2K OHM 1/2W	4.0 EA	R044 R045 R046 R048
604 0469 000	SW TGL SPDT	1.0 EA	S001
610 0933 000	JUMPER, PWB TEST POINT	3.0 EA	TP001 TP002 TP003
839 7740 080	PWB, DIFF PHASE CORR.	1.0 EA	
839 7740 081	SCHEM, DIFF PHASE CORR.	0.0 EA	

Table 1-1123. NOTCH DIPLEXER EQLR - 994 6915 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1109 000	SPACER/STANDOFF/BUSHING	3.0 EA	
380 0188 000	XSTR, TIP30 ESD	2.0 EA	Q15 Q16
384 0730 000	LED, RED HLMP-3000 ESD	2.0 EA	CR7 CR9
398 0334 000	FUSE, .5A	1.0 EA	F1
402 0120 000	FUSE HOLDER, HWA W/AFKNOB	1.0 EA	XF1
410 0335 000	INSULATOR SCREW	2.0 EA	#Q15 #Q16
410 0381 000	INSULATOR .562 X .812	2.0 EA	#Q15 #Q16
448 0333 000	HANDLE, BLACK FINISH	1.0 EA	
472 0723 000	XFMR, PWR, 815-3521-001	1.0 EA	T1
522 0431 000	CAP 1200UF 25V	1.0 EA	C30
522 0433 000	CAP 1500UF 20V	1.0 EA	C26
604 0398 000	SW, TGL SPDT	2.0 EA	S1 S2
612 0312 000	JACK TEST POINT,WH	2.0 EA	TP1 TP6
620 0495 000	TERM BNC 75 OHM	1.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	
842 6671 001	SCHEMATIC	0.0 EA	
938 5796 002	CHASSIS ASSY	1.0 EA	
988 1150 002	DOC PKG - NOTCH EQUALIZER	2.0 EA	
992 3343 001	PC BOARD ASSY	1.0 EA	
999 1790 001	WIRE/TUBING LIST	1.0 EA	
999 1791 001	HARDWARE LIST	1.0 EA	

Table 1-1124. CHASSIS ASSY - 938 5796 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1169 000	STANDOFF 4-40 X 3/16	7.0 EA	
358 2909 000	STANDOFF 10-32 X 5/16	4.0 EA	
815 3766 001	SILKSCREEN	0.0 EA	
827 8819 001	FACE PLATE	1.0 EA	
838 5796 002	ASSY INSTR, NOTCH DIPLXR	0.0 EA	
838 5806 001	NOTCH DIPLEXER	1.0 EA	

Table 1-1125. FACE PLATE - 827 8819 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.334950 LB	

Table 1-1126. NOTCH DIPLEXER - 838 5806 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.84970 LB	

Table 1-1127. DOC PKG - NOTCH EQUALIZER - 988 1150 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
988 1150 001	DOC PKG- NOTCH EQUALIZER	1.0 EA	

Table 1-1128. PC BOARD ASSY - 992 3343 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0114 000	XSTR, 2N5109 ESD	5.0 EA	Q13 Q2 Q4 Q6 Q8
380 0125 000	XSTR, NPN 2N4401 ESD	7.0 EA	Q1 Q12 Q14 Q3 Q5 Q7 Q9
380 0189 000	XSTR, NPN 2N3904 ESD	1.0 EA	Q11
380 0190 000	XSTR, PNP 2N3906 ESD	1.0 EA	Q10
382 0068 000	IC, CA3018A ESD	4.0 EA	U1 U2 U3 U4
382 0135 000	IC, 304 ESD	1.0 EA	U6
382 0136 000	IC, LM305H ESD	1.0 EA	U5
384 0205 000	DIODE SILICON 1N914/4148 ESD	4.0 EA	CR1 CR2 CR3 CR4
384 0284 000	DIODE 10D4/1N2070 ESD	2.0 EA	CR5 CR6
384 0663 000	RECT BRIDGE 1A 200V DIP ESD	2.0 EA	U007 U008
386 0124 000	ZENER, 1N4736A 6.8V ESD	1.0 EA	CR8
404 0198 000	SPACER TO-5, TO-9, TO-11	5.0 EA	
404 0264 000	HEAT SINK FOR TO-5 CASE	1.0 EA	
494 0204 000	CHOKE RF 100UH	4.0 EA	L1 L3 L5 L7
494 0386 000	CHOKE RF 1.50UH	4.0 EA	L002 L004 L006 L008
494 0390 000	CHOKE RF 3.30UH	1.0 EA	L009
500 0804 000	CAP, MICA, 10PF 500V +/- .5PF	1.0 EA	C15
500 0809 000	CAP, MICA, 22PF 500V 5%	1.0 EA	C11
500 0813 000	CAP, MICA, 33PF 500V 5%	4.0 EA	C07 C08 C12 C16
500 0817 000	CAP, MICA, 47PF 500V 5%	1.0 EA	C28
500 0821 000	CAP, MICA, 68PF 500V 5%	1.0 EA	C4
500 0822 000	CAP, MICA, 75PF 500V 5%	8.0 EA	C18 C19 C20 C21 C22 C23 C24 C25
500 0827 000	CAP, MICA, 130PF 500V 5%	1.0 EA	C03
518 0054 000	CAP VAR 15-60PF 200V	1.0 EA	C6
518 0056 000	CAP VAR 11-110PF 200V	4.0 EA	C13 C2 C5 C9
518 0104 000	CAP, VAR 5.5-18PF	2.0 EA	C10 C14
522 0531 000	CAP 1UF 50V 20%	1.0 EA	C44
522 0550 000	CAP 100UF 25V 20%	11.0 EA	C029 C032 C034 C035 C036 C037 C038 C039 C040 C041 C042
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C031 C033
526 0045 000	CAP 330UF 6V 10%	2.0 EA	C1 C17
526 0048 000	CAP 10UF 20V 20%	2.0 EA	C27 C43
540 0306 000	* RES 82 OHM 1W 5%	1.0 EA	R100
540 0320 000	* RES 330 OHM 1W 5%	1.0 EA	R88
548 2400 001	RES 1 OHM 1/2W 1%	1.0 EA	R102

548 2400 034	RES 2.21 OHM 1/2W 1%	2.0 EA	R092 R096
548 2400 137	RES 23.7 OHM 1/2W 1%	4.0 EA	R30 R48 R66 R9
548 2400 173	RES 56.2 OHM 1/2W 1%	1.0 EA	R91
548 2400 201	RES 100 OHM 1/2W 1%	9.0 EA	R006 R023 R027 R041 R045 R062 R063 R077 R087
548 2400 212	RES 130 OHM 1/2W 1%	6.0 EA	R34 R35 R52 R53 R70 R71
548 2400 218	RES 150 OHM 1/2W 1%	2.0 EA	R042 R059
548 2400 226	RES 182 OHM 1/2W 1%	6.0 EA	R24 R26 R3 R44 R5 R61
548 2400 230	RES 200 OHM 1/2W 1%	1.0 EA	R16
548 2400 234	RES 221 OHM 1/2W 1%	6.0 EA	R14 R17 R25 R4 R43 R60
548 2400 247	RES 301 OHM 1/2W 1%	1.0 EA	R81
548 2400 251	RES 332 OHM 1/2W 1%	1.0 EA	R101
548 2400 262	RES 432 OHM 1/2W 1%	4.0 EA	R022 R040 R058 R076
548 2400 269	RES 511 OHM 1/2W 1%	2.0 EA	R79 R80
548 2400 273	RES 562 OHM 1/2W 1%	1.0 EA	R78
548 2400 281	RES 681 OHM 1/2W 1%	4.0 EA	R11 R32 R50 R68
548 2400 289	RES 825 OHM 1/2W 1%	1.0 EA	R83
548 2400 293	RES 909 OHM 1/2W 1%	4.0 EA	R28 R46 R64 R7
548 2400 312	RES 1.3K OHM 1/2W 1%	8.0 EA	R18 R19 R36 R37 R54 R55 R72 R73
548 2400 321	RES 1.62K OHM 1/2W 1%	1.0 EA	R85
548 2400 330	RES 2K OHM 1/2W 1%	1.0 EA	R90
548 2400 334	RES 2.21K OHM 1/2W 1%	2.0 EA	R094 R097
548 2400 347	RES 3.01K OHM 1/2W 1%	1.0 EA	R86
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R12
548 2400 373	RES 5.62K OHM 1/2W 1%	5.0 EA	R020 R038 R056 R074 R098
548 2400 381	RES 6.81K OHM 1/2W 1%	3.0 EA	R33 R51 R69
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R084 R093
548 2400 405	RES 11K OHM 1/2W 1%	4.0 EA	R021 R039 R057 R075
548 2400 418	RES 15K OHM 1/2W 1%	1.0 EA	R2
548 2400 421	RES 16.2K OHM 1/2W 1%	1.0 EA	R1
550 0298 000	POT TRIM 5K OHM 30%	1.0 EA	R13
550 0310 000	POT 1000 OHM 1/2W	1.0 EA	R15
550 0311 000	POT 100 OHM 1/2W 10%	1.0 EA	R82
550 0353 000	POT 2K OHM 1/2W 10%	2.0 EA	R067 R099
550 0397 000	POT 50 OHM 1/2W 10%	4.0 EA	R29 R47 R65 R8
550 0401 000	POT 500 OHM 1/2W 10%	1.0 EA	R95
550 0407 000	POT 1K OHM 1/2W 10%	3.0 EA	R010 R031 R049
574 0213 000	RELAY, REED SPDT 12V	1.0 EA	K1
610 0536 000	ADAPTER	7.0 EA	TP2 TP3 TP4 TP5 TP7 TP8 TP9
842 6671 001	SCHEMATIC	0.0 EA	
927 8843 001	PC BOARD	1.0 EA	

Table 1-1129. PC BOARD - 927 8843 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	12.0 EA	
354 0320 000	TERM, SOLDER, SLOTTED	10.0 EA	
838 5821 001	PRTD. BD.	1.0 EA	

Table 1-1130. WIRE/TUBING LIST - 999 1790 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	5.080 FT	
252 0027 000	WIRE, SOLID 20 AWG WHT	0.170 FT	

254 0001 000	WIRE, BUS CU 22AWG	0.250 FT
296 0259 000	TUBING TEFLON 18 AWG	0.170 FT

Table 1-1131. HARDWARE LIST - 999 1791 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1485 000	SCR, 4-40 X 5/16	7.0 EA	
302 0054 000	SCR, 4-40 X 3/8	2.0 EA	
302 0146 000	SCR, 10-32 X 7/8	4.0 EA	
302 0347 000	SCR, 3-56 X 3/8	2.0 EA	
306 0002 000	NUT, HEX 3-56	2.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	7.0 EA	
310 0002 000	WASHER FLAT 3	2.0 EA	
312 0003 000	WASHER, INT LOCK 4	2.0 EA	
312 0007 000	WASHER, INT LOCK 10	4.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	7.0 EA	
314 0002 000	WASHER SPLIT 3	2.0 EA	
314 0012 000	WASHER, INT LOCK 1/4	2.0 EA	
354 0386 000	TERM, LOCKING #10 RING	1.0 EA	
356 0087 000	CABLE TIE TY RAP	7.0 EA	

Table 1-1132. BLANK PANEL - 994 6976 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0052 000	SCR, 4-40 X 1/4	2.0 EA	
306 0015 000	NUT, HEX KEP 4-40	2.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	2.0 EA	
358 1109 000	SPACER/STANDOFF/BUSHING	3.0 EA	
448 0333 000	HANDLE, BLACK FINISH	1.0 EA	
938 5796 003	DIPLEXER, NOTCH	1.0 EA	

Table 1-1133. DIPLEXER, NOTCH - 938 5796 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 8819 002	FACE PLATE	1.0 EA	
838 5796 003	ASSY INSTR, NOTCH DIPLXR	0.0 EA	
838 5806 002	BLANK CHASSIS	1.0 EA	

Table 1-1134. FACE PLATE - 827 8819 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.166750 LB	

Table 1-1135. BLANK CHASSIS - 838 5806 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	1.69650 LB	

Table 1-1136. EXC AURAL VHF TV STEREO - 994 8013 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
335 0010 000	WASHER NYLON .195 ID	4.0 EA	
354 0146 000	LUG SHAKE .176 MTG	2.0 EA	#C007 #M001

354 0265 000	SPLICE WIRE 22 TO 18	1.0 EA	
357 0041 000	SCREW 6-32 X .375 BHMS	4.0 EA	
358 0908 000	POLARIZATION KEY	5.0 EA	
358 0949 000	GUIDE. CARD 2.5 IN L	12.0 EA	
358 1021 000	SLIDE, DRAWER	2.0 EA	
358 2040 000	S HOOK	1.0 EA	
380 0041 000	XSTR, 2N3054 ESD	1.0 EA	Q001
380 0043 000	XSTR, 2N3055 ESD	1.0 EA	Q002
382 0026 000	MIXER, 10514 ESD	1.0 EA	Z001
384 0669 000	LED, T1-3/4, RED PANEL MT ESD	1.0 EA	DS004
384 0702 000	RECT FW BRIDGE 600V 35A ESD	1.0 EA	CR003
384 0730 000	LED, RED HLMP-3000 ESD	3.0 EA	DS001 DS002 DS003
402 0107 000	CLIP, FUSE 9/16	1.0 EA	
448 0326 000	*LATCH, DOOR	18.0 EA	
472 1150 000	XFMR, FIL, 816-9861-001	1.0 EA	T001
506 0238 000	CAP .015UF 100V 5%	0.0 EA	
506 0239 000	CAP .022UF 100V 5%	0.0 EA	
506 0240 000	CAP .033UF 100/63V 5%	0.0 EA	
506 0262 000	CAP .047UF 100V 5%	0.0 EA	
516 0054 000	CAP, DISC .001UF 1KV 10%	1.0 EA	C011
516 0411 000	CAP .1UF 50V DISC	1.0 EA	C007
524 0145 000	CAP 800 UF 50V	3.0 EA	C001 C002 C003
530 0094 000	BRACKET, CAP, 1.375"ID	3.0 EA	#C001 #C002 #C003
548 0327 000	RES 2 OHM 10W 1%	1.0 EA	R001
548 0328 000	RES 85 OHM 10W 1%	1.0 EA	R005
550 1041 000	*POT, MOTORIZED 1K OHM 5W	1.0 EA	AT001
550 1044 000	POT, REPLACEMENT 1K OHM	0.0 EA	#AT1R1
556 0048 000	PAD, FXD 50 OHM 5DB	1.0 EA	
598 0104 000	ADAPTOR SW BEZEL	1.0 EA	#S004
598 0105 000	* PLUNGER SW GREEN	1.0 EA	#S004
604 0395 000	SW, TGL DPDT	1.0 EA	
610 0182 000	CONN, XLR TYPE 3-C A3M	1.0 EA	P001
612 0200 000	RECEPTACLE 3 CONTACT	1.0 EA	J002
620 0124 000	ADAPTER BNC UG306U	3.0 EA	
632 1094 000	MTR MULTI, 2-1/2", B	1.0 EA	M001
646 0665 000	INSPECTION LABEL	1.0 EA	
650 0028 000	KNOB RD SKIRT 1.135" DIA	3.0 EA	
650 0108 000	KNOB LOCK	1.0 EA	
650 0117 000	KNOB RD WHT DOT .708" DIA	1.0 EA	
813 5007 026	STDOFF 6-32X1/2 1/4 DIA	4.0 EA	
813 5007 028	STDOFF 6-32X3/4 1/4 DIA	8.0 EA	
813 5606 020	STUD BRS 10-32 X 1-5/8	4.0 EA	
814 8765 001	END, PWR AMP	1.0 EA	
814 8771 001	SHIELD, RFI	2.0 EA	
814 8771 002	SHIELD, RFI	2.0 EA	
814 8778 001	BRKT, XTAL	1.0 EA	
814 8778 002	OVEN BRACKET	1.0 EA	
814 8788 001	BRACKET	1.0 EA	#S001
814 8789 001	MIXER CLAMP	1.0 EA	
814 8994 001	SPACER	2.0 EA	
814 8995 001	SPACER	2.0 EA	
814 9584 001	SPACER	4.0 EA	
814 9585 003	HANDLE, DRAWER	2.0 EA	
815 2545 001	OVEN SPACER	2.0 EA	
816 9178 004	RUNNING SHEET	0.0 EA	

822 0372 001	SPACER, 2 X 8-32	1.0 EA	
822 0372 002	ANGLE, CLIP	1.0 EA	
827 4692 001	COVER	1.0 EA	
827 5101 001	CLAMP, XTAL	2.0 EA	
829 2364 002	BLOCK DIAGRAM	0.0 EA	
829 2365 002	BLOCK DIAGRAM	0.0 EA	
829 7918 001	GUARD TRANSISTOR	1.0 EA	
838 3730 001	CHASSIS	1.0 EA	
838 3731 001	COVER	1.0 EA	
838 3979 001	COVER	1.0 EA	
843 1777 003	PANEL FRONT	1.0 EA	
843 1930 003	SCHEM,LOW BAND TV AUR EXC	0.0 EA	
843 1937 003	SCHEM, HIGH BAND AUR EXC	0.0 EA	
914 5311 001	BRACKET	2.0 EA	
914 8744 001	LOW PASS FILTER	1.0 EA	
914 8756 001	EXTENDER BOARD ASSY	1.0 EA	
914 9258 002	CHASSIS ASSY	1.0 EA	
914 9494 003	POTENTIOMETER, MOD	1.0 EA	R003
914 9494 004	POT., 100 OHM (MOD)	1.0 EA	R013
915 1915 006	STOP CORD AURAL EXC.	1.0 EA	
927 4694 001	INPUT CABLE	1.0 EA	
927 4695 001	INTER-CONNECTING COA	1.0 EA	
927 4695 002	INTER-CONNECTING COA	2.0 EA	
927 4698 001	HEAT SINK - R1 & R5	1.0 EA	
927 4699 001	HEAT SINK - Q1 & Q2	1.0 EA	
927 4935 002	A.C. CORD ASSY	1.0 EA	
929 2357 002	CABLE ASSY	1.0 EA	
929 9932 001	CABLE, COMP/SCA	1.0 EA	
992 2486 001	DIRECTIONAL COUPLER	1.0 EA	
992 2487 001	3DB PAD & SAMPLER	1.0 EA	
992 2488 002	AUDIO BOARD	1.0 EA	
992 2489 003	PWR SPLY, AURAL EXCTR	1.0 EA	
992 2491 003	MODULE, PH DETECTOR	1.0 EA	
992 2557 001	REF XTAL OSC & OVEN	1.0 EA	
992 2558 002	MOD. OSC & OVEN ASSY	1.0 EA	
992 5055 002	DET. MODULE, OFF-FREQ	1.0 EA	
992 5056 001	PC BOARD, PWR DIST.	1.0 EA	
992 5766 001	FREQ. DIV. MODULE	1.0 EA	
992 6532 001	PWB, MOTOR DRIVER AUR EXC	1.0 EA	
999 1985 012	WIRE TUBING LIST	1.0 EA	
999 1986 001	HARDWARE LIST	1.0 EA	

Table 1-1137. STDOFF 6-32X1/2 1/4 DIA - 813 5007 026

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.002625 LB	

Table 1-1138. STDOFF 6-32X3/4 1/4 DIA - 813 5007 028

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.003938 LB	

Table 1-1139. STUD BRS 10-32 X 1-5/8 - 813 5606 020

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 040	BRS, THD STK 10-32	0.14070 FT	

Table 1-1140. END, PWR AMP - 814 8765 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.349450 LB	

Table 1-1141. SHIELD, RFI - 814 8771 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 060	BRZ, FGR STK 97-438S	0.94710 FT	

Table 1-1142. SHIELD, RFI - 814 8771 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 060	BRZ, FGR STK 97-438S	0.42420 FT	

Table 1-1143. BRKT, XTAL - 814 8778 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.31610 LB	

Table 1-1144. OVEN BRACKET - 814 8778 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.31610 LB	

Table 1-1145. BRACKET - 814 8788 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.032190 LB	

Table 1-1146. MIXER CLAMP - 814 8789 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 030	AL, SH .032 THK	0.120930 LB	

Table 1-1147. SPACER - 814 8994 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 5020 020	SST, SH .063	0.115130 LB	

Table 1-1148. SPACER - 814 8995 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 5020 020	SST, SH .063	0.274050 LB	

Table 1-1149. HANDLE, DRAWER - 814 9585 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 019	AL, RECT .375 X .625	0.07770 LB	

Table 1-1150. OVEN SPACER - 815 2545 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
299 0014 000	TAPE, PVC VINYL CLOSED	0.0030 RL	

Table 1-1151. SPACER, 2 X 8-32 - 822 0372 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.01050 LB	

Table 1-1152. ANGLE, CLIP - 822 0372 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.01160 LB	

Table 1-1153. COVER - 827 4692 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 030	AL, SH .032 THK	0.20880 LB	

Table 1-1154. CLAMP, XTAL - 827 5101 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.07960 LB	

Table 1-1155. GUARD TRANSISTOR - 829 7918 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.30450 LB	

Table 1-1156. CHASSIS - 838 3730 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.60950 LB	

Table 1-1157. COVER - 838 3731 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.341250 LB	

Table 1-1158. COVER - 838 3979 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	4.16150 LB	

Table 1-1159. PANEL FRONT - 843 1777 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	2.6970 LB	
839 2982 002	SILKSCREEN	0.0 EA	

Table 1-1160. BRACKET - 914 5311 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 060	STL, SH 18GA CR	0.16530 LB	
324 0101 000	SPOTWELD NUT 6 32	2.0 EA	
814 5311 001	ASSY INSTR, BRKT, MTG	0.0 EA	
814 5312 001	MTG. BRKT.	0.0 EA	

Table 1-1161. LOW PASS FILTER - 914 8744 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0012 000	SCR, 2-56 X 1/4	2.0 EA	
306 0001 000	NUT, HEX 2-56	2.0 EA	
310 0001 000	WASHER, FLAT #2	2.0 EA	
354 0033 000	SOLDER LUG 4 MTG HOLE	2.0 EA	
500 0811 000	CAP, MICA, 27PF 500V 5%	2.0 EA	C1 C4
500 0825 000	CAP, MICA, 110PF 500V 5%	2.0 EA	C2 C3
620 0355 000	JACK, BULKHEAD, SMB	2.0 EA	
814 8745 001	COIL	1.0 EA	L3
814 8746 001	COIL	2.0 EA	L2 L4
814 8747 001	COIL	2.0 EA	L1 L5
827 4690 001	BOX, LOW PASS FLTR	1.0 EA	
827 5731 001	SCHEMATIC	0.0 EA	
915 2768 001	PLATE, LOW PASS FLT	1.0 EA	

Table 1-1162. COIL - 814 8745 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0003 000	WIRE, BUS CU 18AWG	0.06640 FT	

Table 1-1163. COIL - 814 8746 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0003 000	WIRE, BUS CU 18AWG	0.80 FT	

Table 1-1164. COIL - 814 8747 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0003 000	WIRE, BUS CU 18AWG	0.670 FT	

Table 1-1165. PLATE, LOW PASS FLT - 915 2768 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
614 0498 000	TERM, STANDOFF	4.0 EA	
814 8750 001	PLATE. LO PASS FLTR	1.0 EA	

Table 1-1166. EXTENDER BOARD ASSY - 914 8756 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	1.50 FT	
302 0104 000	SCR, 6-32 X 1/4	2.0 EA	
302 0105 000	SCR, 6-32 X 5/16	2.0 EA	
310 0012 000	WASHER FLAT 6	4.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	4.0 EA	
354 0303 000	FLAG CONTACT	14.0 EA	
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
612 0432 000	CONN HOUSING 14 POS	1.0 EA	
814 8756 001	ASSY INSTR, EXTENDER BD	0.0 EA	
814 8833 001	BRKT, CONN MTG	2.0 EA	
827 4703 001	P. C. BOARD	1.0 EA	
999 0794 001	WIRE LIST	1.0 EA	

Table 1-1167. BRKT, CONN MTG - 814 8833 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.002233 LB	

Table 1-1168. WIRE LIST - 999 0794 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	2.50 FT	
354 0322 000	FLAG CONTACT	14.0 EA	

Table 1-1169. CHASSIS ASSY - 914 9258 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	7.11950 LB	
324 0143 000	NUT, PEM 6-32	4.0 EA	
814 9258 002	ASSY CHASSIS & PEM NUTS	0.0 EA	
815 2631 001	STENCIL	0.0 EA	
815 2644 001	STENCIL	0.0 EA	
827 7791 001	STENCIL	0.0 EA	
827 7792 002	STENCIL	0.0 EA	
827 7793 002	STENCIL	0.0 EA	
842 5655 002	CHASSIS, AURAL EXCITER	0.0 EA	

Table 1-1170. POTENTIOMETER, MOD - 914 9494 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
550 0029 000	POT, 10K OHM 2W	1.0 EA	

Table 1-1171. POT., 100 OHM (MOD) - 914 9494 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
550 0017 000	POT, 100 OHM 2W	1.0 EA	

Table 1-1172. STOP CORD AURAL EXC. - 915 1915 006

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
299 0012 000	NYLON ROPE 1/8 IN D	0.40 FT	

354 0260 000

LUG #6 RECT YEL 12-10AWG

2.0 EA

Table 1-1173. INPUT CABLE - 927 4694 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
610 0238 000	PLUG BNC 50 OHM	1.0 EA	
612 0418 000	JACK PANEL BNC UG-291/U	1.0 EA	
618 0051 000	COAX CABLE RG58C, 50 OHM	0.70 FT	

Table 1-1174. INTER-CONNECTING COA - 927 4695 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
610 0238 000	PLUG BNC 50 OHM	2.0 EA	
618 0051 000	COAX CABLE RG58C, 50 OHM	1.10 FT	

Table 1-1175. HEAT SINK - R1 & R5 - 927 4698 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
404 0245 000	HEAT SINK 413K	1.0 EA	

Table 1-1176. HEAT SINK - Q1 & Q2 - 927 4699 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
404 0245 000	HEAT SINK 413K	1.0 EA	

Table 1-1177. A.C. CORD ASSY - 927 4935 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0075 000	CORD, 6 FT 3C 18AWG	1.0 EA	
252 0003 000	WIRE, STRD 20AWG WHT	0.20 FT	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.30 FT	
302 0057 000	SCR, 4-40 X 5/8	1.0 EA	
306 0015 000	NUT, HEX KEP 4-40	1.0 EA	
354 0335 000	* CONNECTOR CONTACT	5.0 EA	
354 0365 000	* CONTACT 61061-5	2.0 EA	
356 0087 000	CABLE TIE TY RAP	1.0 EA	
610 0451 000	CAP CONN HSG 15 CKT	1.0 EA	
827 4935 002	ASSY INSTR	0.0 EA	
827 7848 001	CABLE CLAMP	1.0 EA	

Table 1-1178. CABLE CLAMP - 827 7848 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 030	AL, SH .032 THK	0.094685 LB	

Table 1-1179. CABLE ASSY - 929 2357 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	191.50 FT	
252 0057 000	WIRE, NYLON 24AWG WHT	3.10 FT	
253 0059 000	CABLE, 2C 22AWG AUDIO	3.20 FT	
254 0001 000	WIRE, BUS CU 22AWG	1.50 FT	
296 0020 000	PLASTIC TUBE 3AWG CLEAR	0.20 FT	

296 0025 000	PLSTC TUBE 3/8 ID CLEAR	0.20 FT
296 0027 000	PLSTC TUBE 1/2 ID CLEAR	0.20 FT
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.20 FT
296 0259 000	TUBING TEFLON 18 AWG	0.50 FT
296 0260 000	TUBING, SHRINK 3/32 WHITE	0.70 FT
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.90 FT
296 0265 000	TUBING, SHRINK 1/16 WHITE	0.20 FT
354 0322 000	FLAG CONTACT	54.0 EA
354 0365 000	* CONTACT 61061-5	7.0 EA
354 0669 000	TERM 250 FEM RED 22-18	4.0 EA
404 0068 000	SOCKET TUBE 8 PIN	2.0 EA
506 0087 000	CAP 1 UF 200V 20%	2.0 EA
526 0359 000	CAP 47UF 25V 10%	1.0 EA
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA
600 0490 000	SWITCH ROTARY 2P 12 POS	1.0 EA
604 0395 000	SW, TGL DPDT	1.0 EA
604 0396 000	*SW, PB DPDT MOM	1.0 EA
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA
612 0432 000	CONN HOUSING 14 POS	5.0 EA
618 0206 000	COAX CABLE RG196, 50 OHM	20.0 FT
620 0379 000	PLUG 50 OHM 27 1	7.0 EA
620 0464 000	PLUG ANG BNC 331185	1.0 EA
829 2357 002	CABLE ASSY	0.0 EA
852 8328 002	CABLE LAYOUT (*)	0.0 EA

Table 1-1180. CABLE, COMP/SCA - 929 9932 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	0.240 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	1.10 FT	
296 0263 000	TUBING, SHRINK 3/8 WHITE	0.20 FT	
354 0322 000	FLAG CONTACT	2.0 EA	
618 0705 000	COAX CABLE, RG316/U 50 OHM	10.20 FT	
620 0699 000	PLUG, RT ANG, SMB	2.0 EA	
620 1510 000	JACK, BULKHEAD, BNC	3.0 EA	
817 1677 001	RUNNING SHEETS, TV STEREO	0.0 EA	
829 9932 001	CADS, COMP/SCA	0.0 EA	
839 7052 001	CABLE LAYOUT (*),COMP/SCA	0.0 EA	

Table 1-1181. DIRECTIONAL COUPLER - 992 2486 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0297 000	BOX SHIELDED MDL E10759	1.0 EA	
612 0237 000	RECEPTACLE BNC UG-290A/U	0.0 EA	
814 8718 001	SCHEMATIC	0.0 EA	
816 3466 001	COIL	1.0 EA	L3
828 6006 001	SHLD BOX & COIL ASSY	0.0 EA	
992 2623 001	PC BOARD ASSY	1.0 EA	

Table 1-1182. COIL - 816 3466 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 020	BRS, HEX .313	0.047775 LB	

Table 1-1183. PC BOARD ASSY - 992 2623 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR1 CR2
516 0444 000	CAP 1000PF 500V GMV	2.0 EA	C1 C3
516 0446 000	CAP 1000PF 300V GMV	2.0 EA	C2 C4
548 2400 218	RES 150 OHM 1/2W 1%	2.0 EA	R2 R3
548 2400 430	RES 20K OHM 1/2W 1%	2.0 EA	R1 R4
814 8718 001	SCHEMATIC	0.0 EA	
814 9558 001	COIL	2.0 EA	L1 L2
914 9629 001	PRINTED BOARD ASS'Y	1.0 EA	

Table 1-1184. COIL - 814 9558 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0003 000	WIRE, BUS CU 18AWG	0.00830 FT	

Table 1-1185. PRINTED BOARD ASS'Y - 914 9629 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	1.0 EA	
814 9628 001	PWB, DIR COUPLER, AUR	1.0 EA	
814 9629 001	ASSY INSTR, PC BD	0.0 EA	

Table 1-1186. 3DB PAD & SAMPLER - 992 2487 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0116 000	XSTR, 2N3866 ESD	1.0 EA	Q2
380 0118 000	XSTR, 3N128 ESD	1.0 EA	Q1
380 0125 000	XSTR, NPN 2N4401 ESD	1.0 EA	Q3
384 0205 000	DIODE SILICON 1N914/4148 ESD	2.0 EA	CR1 CR2
404 0197 000	TRANSIPAD 10194 DAP	1.0 EA	
404 0237 000	TRANSIPAD 10201	1.0 EA	
494 0225 000	CHOKE RF 1UH	1.0 EA	L1
500 0803 000	CAP, MICA, 5PF 500V +/- .5PF	1.0 EA	C13
516 0375 000	CAP .01UF 50V -20/+80% Z5U	11.0 EA	C1 C10 C11 C2 C3 C4 C5 C6 C7 C8 C9
516 0453 000	CAP .1UF 100V 20% X7R	1.0 EA	C14
518 0047 000	CAP VAR 2.5 11PF 350V	1.0 EA	C12
548 2400 101	RES 10 OHM 1/2W 1%	2.0 EA	R1 R2
548 2400 185	RES 75 OHM 1/2W 1%	2.0 EA	R003 R004
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R16
548 2400 237	RES 237 OHM 1/2W 1%	1.0 EA	R10
548 2400 242	RES 267 OHM 1/2W 1%	1.0 EA	R6
548 2400 258	RES 392 OHM 1/2W 1%	1.0 EA	R11
548 2400 266	RES 475 OHM 1/2W 1%	1.0 EA	R13
548 2400 318	RES 1.5K OHM 1/2W 1%	1.0 EA	R15
548 2400 366	RES 4.75K OHM 1/2W 1%	2.0 EA	R7 R8
548 2400 389	RES 8.25K OHM 1/2W 1%	1.0 EA	R9
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R14 R17
548 2400 466	RES 47.5K OHM 1/2W 1%	1.0 EA	R12
548 2400 501	RES 100K OHM 1/2W 1%	1.0 EA	R5
620 0355 000	JACK, BULKHEAD, SMB	3.0 EA	J1 J2 J3
827 4571 001	SCHEMATIC	0.0 EA	
914 8958 001	PWB, ASSY	1.0 EA	
999 0615 001	WIRE LIST	1.0 EA	

Table 1-1187. PWB, ASSY - 914 8958 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
316 0025 000	EYELET, FUNNEL FLANG	3.0 EA	
354 0309 000	TERM SOLDER	3.0 EA	
814 8957 001	PWB, 3DB PAD/REF SAMPLING	1.0 EA	
814 8958 001	ASSY INSTR, 3 DB PAD	0.0 EA	

Table 1-1188. WIRE LIST - 999 0615 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0013 000	WIRE, BUS CU 24AWG	0.30 FT	

Table 1-1189. AUDIO BOARD - 992 2488 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
382 0443 000	IC, CD4053BE ESD	1.0 EA	U004
382 0594 000	IC TL074ACN ESD	3.0 EA	U001 U002 U003
404 0674 000	SOCKET 14 PIN DIP (D-L)	3.0 EA	
404 0675 000	SOCKET IC 16 CONT	1.0 EA	
500 0755 000	CAP, MICA, 270PF 500V 5%	2.0 EA	C005 C006
500 0806 000	CAP, MICA, 15PF 500V 5%	2.0 EA	C004 C009
500 0834 000	CAP, MICA, 430PF 500V 5%	1.0 EA	C011
506 0233 000	CAP .1UF 63V 5%	1.0 EA	C018
508 0547 000	CAP .01UF 160V 1%	1.0 EA	C010
516 0375 000	CAP .01UF 50V -20/+80% Z5U	6.0 EA	C012 C013 C014 C015 C016 C017
522 0573 000	CAP 47UF 50V 20%	2.0 EA	C001 C002
526 0050 000	CAP 1UF 35V 20%	2.0 EA	C007 C008
526 0315 000	CAP 150UF 16V 20%	2.0 EA	C003 C019
540 1356 000	RES NETWORK 10K OHM 2%	3.0 EA	R008 R009 R010
548 2400 185	RES 75 OHM 1/2W 1%	3.0 EA	R002 R003 R027
548 2400 218	RES 150 OHM 1/2W 1%	2.0 EA	R020 R021
548 2400 247	RES 301 OHM 1/2W 1%	1.0 EA	R022
548 2400 273	RES 562 OHM 1/2W 1%	1.0 EA	R028
548 2400 301	RES 1K OHM 1/2W 1%	4.0 EA	R011 R012 R013 R014
548 2400 318	RES 1.5K OHM 1/2W 1%	1.0 EA	R015
548 2400 369	RES 5.11K OHM 1/2W 1%	2.0 EA	R025 R026
548 2400 386	RES 7.68K OHM 1/2W 1%	2.0 EA	R023 R024
548 2400 501	RES 100K OHM 1/2W 1%	5.0 EA	R001 R016 R017 R018 R019
550 0970 000	POT 1K OHM 1/2W 10%	4.0 EA	R004 R005 R006 R007
604 0537 000	SW, SL SPDT	1.0 EA	S002
604 0859 000	SW, TGL DPDT	1.0 EA	S001
610 0900 000	HEADER 3 CKT STRAIGHT	1.0 EA	J003
612 1184 000	SHUNT JUMPER 0.1" CENTERS	1.0 EA	
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J001 J002
839 6890 001	SCHEM, AUDIO BD	0.0 EA	
939 6889 001	ASSY, PCB AUDIO BOARD	1.0 EA	

Table 1-1190. ASSY, PCB AUDIO BOARD - 939 6889 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0310 000	TERM, TUR SLDR	5.0 EA	
839 6889 001	PCB, AUDIO BOARD	1.0 EA	

Table 1-1191. PWR SPLY, AURAL EXCTR - 992 2489 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0042 000	XSTR, 2N697 ESD	1.0 EA	Q002
380 0044 000	XSTR, PNP 40319 ESD	1.0 EA	Q001
380 0246 000	XSTR, 2N2219A ESD	2.0 EA	Q003 Q004
382 0359 000	IC, 7815 ESD	1.0 EA	U002
382 0360 000	IC, 7915 ESD	1.0 EA	U003
382 0739 000	IC 555 CMOS ESD	1.0 EA	U001
384 0205 000	DIODE SILICON 1N914/4148 ESD	6.0 EA	CR007 CR008 CR009 CR010 CR011 CR012
386 0083 000	ZENER, 1N4742A 12V ESD	1.0 EA	CR006
386 0124 000	ZENER, 1N4736A 6.8V ESD	1.0 EA	CR013
386 0154 000	ZENER, 1N4751A 30V ESD	1.0 EA	CR005
404 0673 000	SOCKET 8 PIN DIP (DL)	1.0 EA	XU001
506 0233 000	CAP .1UF 63V 5%	3.0 EA	C007 C008 C011
506 0234 000	CAP .0022UF 100V 5%	1.0 EA	C012
506 0238 000	CAP .015UF 100V 5%	1.0 EA	C009
508 0551 000	CAP .001 UF 400V 1% FILM	1.0 EA	C010
522 0531 000	CAP 1UF 50V 20%	1.0 EA	C013
522 0548 000	CAP 10UF 50V 20%	1.0 EA	C006
522 0573 000	CAP 47UF 50V 20%	4.0 EA	C002 C003 C004 C005
526 0311 000	CAP 2.2UF 35V 10%	1.0 EA	C001
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R007
548 2400 292	RES 887 OHM 1/2W 1%	1.0 EA	R010
548 2400 301	RES 1K OHM 1/2W 1%	5.0 EA	R001 R003 R005 R008 R009
548 2400 321	RES 1.62K OHM 1/2W 1%	1.0 EA	R002
548 2400 347	RES 3.01K OHM 1/2W 1%	1.0 EA	R012
548 2400 373	RES 5.62K OHM 1/2W 1%	1.0 EA	
548 2400 401	RES 10K OHM 1/2W 1%	3.0 EA	R013 R014 R015
548 2400 426	RES 18.2K OHM 1/2W 1%	1.0 EA	R006
550 0865 000	POT 1K OHM 1/2W 10%	1.0 EA	R004
839 6888 001	SCHEM, PWR SUPPLY	0.0 EA	
939 6887 001	PCB POWER SUPPLY	1.0 EA	

Table 1-1192. PCB POWER SUPPLY - 939 6887 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0310 000	TERM, TUR SLDR	3.0 EA	
839 6887 001	PCB, PWR SUPPLY	1.0 EA	

Table 1-1193. MODULE, PH DETECTOR - 992 2491 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0050 000	XSTR, NPN 40317 ESD	2.0 EA	Q001 Q002
384 0321 000	DIODE 5082-2800/1N5711 ESD	2.0 EA	CR001 CR002
478 0282 000	XFMR MINIATURE INPUT	2.0 EA	T001 T002
506 0239 000	CAP .022UF 100V 5%	2.0 EA	C003 C004

516 0453 000	CAP .1UF 100V 20% X7R	1.0 EA	C010
526 0093 000	CAP 15UF 35V 20%	2.0 EA	C001 C002
526 0342 000	CAP 2.7UF 35V 10%	2.0 EA	C009 C012
548 2400 301	RES 1K OHM 1/2W 1%	2.0 EA	R001 R002
548 2400 401	RES 10K OHM 1/2W 1%	5.0 EA	R003 R004 R012 R013 R014
548 2400 485	RES 75K OHM 1/2W 1%	1.0 EA	R006
548 2400 558	RES 392K OHM 1/2W 1%	1.0 EA	R010
548 2400 566	RES 475K OHM 1/2W 1%	1.0 EA	R011
604 0537 000	SW, SL SPDT	1.0 EA	S001
612 0448 000	TEST JACK WHITE	3.0 EA	TJ001 TJ002 TJ003
839 7447 001	SCHEM, PHASE DETECTOR	0.0 EA	
839 7448 001	PWB, PHASE DETECTOR	1.0 EA	

Table 1-1194. REF XTAL OSC & OVEN - 992 2557 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0907 000	POLARIZATION KEY	1.0 EA	
915 2655 001	MODIFIED OVEN	1.0 EA	HR2
992 2493 001	REF CRYSTAL OSC	1.0 EA	

Table 1-1195. MODIFIED OVEN - 915 2655 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
558 0040 000	OVEN, PROPORPORTIONAL	1.0 EA	

Table 1-1196. REF CRYSTAL OSC - 992 2493 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0073 000	XSTR, 2N918 ESD	1.0 EA	Q2
380 0160 000	XSTR, 2N5397 ESD	1.0 EA	Q1
384 0205 000	DIODE SILICON 1N914/4148 ESD	1.0 EA	CR2
386 0058 000	OBS, USE FFF 386-0082-000 ESD	1.0 EA	CR3
404 0267 000	SOCKET, CRYSTAL HC-13/U	1.0 EA	XY1
444 1544 000	XTAL 507.8125 KHZ	1.0 EA	Y1
516 0375 000	CAP .01UF 50V -20/+80% Z5U	6.0 EA	C1 C2 C3 C5 C6 C9
516 0411 000	CAP .1UF 50V DISC	3.0 EA	C4 C7 C8
528 0007 000	VARICAP 1N4808	1.0 EA	CR1
528 0011 000	VARICAP 1N4814	1.0 EA	CR4
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R8
548 2400 269	RES 511 OHM 1/2W 1%	1.0 EA	R9
548 2400 301	RES 1K OHM 1/2W 1%	2.0 EA	R4 R5
548 2400 337	RES 2.37K OHM 1/2W 1%	1.0 EA	R003
548 2400 366	RES 4.75K OHM 1/2W 1%	1.0 EA	R7
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R10 R11
548 2400 434	RES 22.1K OHM 1/2W 1%	1.0 EA	R6
548 2400 566	RES 475K OHM 1/2W 1%	2.0 EA	R1 R12
548 2400 634	RES 2.21MEG OHM 1/2W 1%	1.0 EA	R2
827 4763 001	PWB, CRYSTAL OSC	1.0 EA	
838 4407 001	SCHEMATIC	0.0 EA	
915 2655 001	MODIFIED OVEN	0.0 EA	HR002
999 0660 001	HARDWARE LIST	1.0 EA	
999 0719 001	WIRE LIST	1.0 EA	

Table 1-1197. HARDWARE LIST - 999 0660 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0011 000	SCR, 2-56 X 3/16	1.0 EA	
306 0001 000	NUT, HEX 2-56	1.0 EA	
310 0001 000	WASHER, FLAT #2	1.0 EA	
314 0001 000	WASHER, SPLIT-LOCK 2	1.0 EA	

Table 1-1198. WIRE LIST - 999 0719 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0019 000	PLASTIC TUBE 4AWG CLEAR	0.10 FT	

Table 1-1199. MOD. OSC & OVEN ASSY - 992 2558 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0907 000	POLARIZATION KEY	1.0 EA	
938 4691 001	OVEN, MODF. BT55U	1.0 EA	HR1
992 4275 001	MOD OSC	1.0 EA	

Table 1-1200. OVEN, MODF. BT55U - 938 4691 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
558 0040 000	OVEN, PROPORTIONAL	1.0 EA	
815 2643 001	STENCIL, MOD OSC	0.0 EA	
838 4691 001	MOD DWG, MOD OSC OVEN	0.0 EA	

Table 1-1201. MOD OSC - 992 4275 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0114 000	XSTR, 2N5109 ESD	2.0 EA	Q2 Q3
380 0160 000	XSTR, 2N5397 ESD	1.0 EA	Q1
384 0205 000	DIODE SILICON 1N914/4148 ESD	2.0 EA	CR3 CR4
386 0050 000	ZENER, 1N961B 10V ESD	1.0 EA	CR2
404 0198 000	SPACER TO-5, TO-9, TO-11	2.0 EA	
492 0355 000	INDUCTOR VAR 1.3-2.5UH	1.0 EA	L1
494 0398 000	CHOKE RF 10.0UH	3.0 EA	L002 L003 L004
500 0759 000	CAP, MICA, 100PF 500V 5%	1.0 EA	C8
500 0817 000	CAP, MICA, 47PF 500V 5%	3.0 EA	C2 C4 C5
516 0054 000	CAP, DISC .001UF 1KV 10%	7.0 EA	C1 C10 C11 C12 C6 C7 C9
516 0375 000	CAP .01UF 50V -20/+80% Z5U	1.0 EA	C3
528 0012 000	VARICAP 1N4811A	1.0 EA	CR1
540 0317 000	* RES 240 OHM 1W 5%	1.0 EA	R13
548 2400 101	RES 10 OHM 1/2W 1%	1.0 EA	R14
548 2400 130	RES 20 OHM 1/2W 1%	1.0 EA	R9
548 2400 166	RES 47.5 OHM 1/2W 1%	2.0 EA	R10 R11
548 2400 209	RES 121 OHM 1/2W 1%	1.0 EA	R12
548 2400 285	RES 750 OHM 1/2W 1%	1.0 EA	R8
548 2400 289	RES 825 OHM 1/2W 1%	1.0 EA	R3
548 2400 305	RES 1.1K OHM 1/2W 1%	1.0 EA	R7
548 2400 354	RES 3.57K OHM 1/2W 1%	1.0 EA	R4
548 2400 377	RES 6.19K OHM 1/2W 1%	1.0 EA	R6
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R1
548 2400 409	RES 12.1K OHM 1/2W 1%	1.0 EA	R5

548 2400 501	RES 100K OHM 1/2W 1%	1.0 EA	R2
828 8108 001	PRINTED BOARD	1.0 EA	
839 0717 001	SCHEMATIC	0.0 EA	

Table 1-1202. DET. MODULE, OFF-FREQ - 992 5055 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
382 0415 000	IC, 324 ESD	1.0 EA	U001
384 0205 000	DIODE SILICON 1N914/4148 ESD	2.0 EA	CR001 CR002
384 0431 000	RECT. 1N4001 ESD	1.0 EA	CR003
404 0674 000	SOCKET 14 PIN DIP (D-L)	1.0 EA	XU001
506 0231 000	CAP .0015UF 63V 5%	1.0 EA	C001
506 0233 000	CAP .1UF 63V 5%	1.0 EA	C004
522 0531 000	CAP 1UF 50V 20%	1.0 EA	C006
526 0057 000	CAP 100UF 20V 20%	1.0 EA	C002
526 0358 000	CAP 22UF 35V 10%	3.0 EA	C003 C005 C007
548 2400 101	RES 10 OHM 1/2W 1%	1.0 EA	R009
548 2400 273	RES 562 OHM 1/2W 1%	1.0 EA	R013
548 2400 301	RES 1K OHM 1/2W 1%	1.0 EA	R006
548 2400 309	RES 1.21K OHM 1/2W 1%	1.0 EA	R018
548 2400 334	RES 2.21K OHM 1/2W 1%	1.0 EA	R015
548 2400 342	RES 2.67K OHM 1/2W 1%	1.0 EA	R005
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R010
548 2400 369	RES 5.11K OHM 1/2W 1%	1.0 EA	R011
548 2400 381	RES 6.81K OHM 1/2W 1%	1.0 EA	R003
548 2400 393	RES 9.09K OHM 1/2W 1%	1.0 EA	R016
548 2400 430	RES 20K OHM 1/2W 1%	1.0 EA	R008
548 2400 434	RES 22.1K OHM 1/2W 1%	1.0 EA	R017
548 2400 469	RES 51.1K OHM 1/2W 1%	1.0 EA	R007
548 2400 505	RES 110K OHM 1/2W 1%	2.0 EA	R001 R004
548 2400 569	RES 511K OHM 1/2W 1%	1.0 EA	R002
548 2400 581	RES 681K OHM 1/2W 1%	2.0 EA	R012 R014
578 0026 000	RELAY DPDT 12VDC 2 AMP	1.0 EA	K001
839 3141 002	SCHEM, DET MODULE	0.0 EA	
839 7449 001	PWB, OFF-FREQ DETECTOR	1.0 EA	

Table 1-1203. PC BOARD, PWR DIST. - 992 5056 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
386 0135 000	ZENER, 1N4733A 5.1V ESD	1.0 EA	CR1
398 0021 000	FUSE, FAST CART 4A 250V	2.0 EA	
398 0058 000	FUSE, SLOW CART 2A 250V	2.0 EA	
402 0020 000	CLIP, FUSE	8.0 EA	
522 0574 000	CAP 22UF 50V 20%	1.0 EA	C004
526 0358 000	CAP 22UF 35V 10%	1.0 EA	C005
540 0563 000	* RES 10 OHM 2W 5%	1.0 EA	R9
540 0604 000	* RES 510 OHM 2W 5%	1.0 EA	R2
540 0613 000	* RES 1.2K OHM 2W 5%	2.0 EA	R6 R7
548 2400 366	RES 4.75K OHM 1/2W 1%	1.0 EA	R4
548 2400 405	RES 11K OHM 1/2W 1%	1.0 EA	R11
548 2400 412	RES 13K OHM 1/2W 1%	1.0 EA	R10
815 3283 001	FUSE INSULATOR	4.0 EA	
829 2351 002	SCHEM PWR DIST BD	0.0 EA	

929 2359 001 PC BOARD, PWR DIST. 1.0 EA

Table 1-1204. FUSE INSULATOR - 815 3283 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 5010 009	FISH PAPER .010 THK	0.004313 SF	

Table 1-1205. PC BOARD, PWR DIST. - 929 2359 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	62.0 EA	
829 2359 001	ASSY, PWB	0.0 EA	
829 7911 001	PC BOARD	1.0 EA	

Table 1-1206. FREQ. DIV. MODULE - 992 5766 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0421 000	* XSTR, PNP 2N4258 ESD	1.0 EA	Q1
382 0541 000	IC MC10178L ESD	1.0 EA	U1
382 0653 000	IC, 74LS393 ESD	1.0 EA	U2
382 0665 000	IC, 74LS293 ESD	1.0 EA	U3
404 0674 000	SOCKET 14 PIN DIP (D-L)	2.0 EA	XU2 XU3
404 0675 000	SOCKET IC 16 CONT	1.0 EA	XU1
500 0755 000	CAP, MICA, 270PF 500V 5%	1.0 EA	C3
516 0375 000	CAP .01UF 50V -20/+80% Z5U	5.0 EA	C1 C2 C4 C5 C6
548 2400 158	RES 39.2 OHM 1/2W 1%	1.0 EA	R5
548 2400 177	RES 61.9 OHM 1/2W 1%	1.0 EA	R1
548 2400 234	RES 221 OHM 1/2W 1%	1.0 EA	R6
548 2400 273	RES 562 OHM 1/2W 1%	1.0 EA	R4
548 2400 301	RES 1K OHM 1/2W 1%	4.0 EA	R10 R12 R13 R14
548 2400 326	RES 1.82K OHM 1/2W 1%	1.0 EA	R8
548 2400 334	RES 2.21K OHM 1/2W 1%	1.0 EA	R2
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R3
548 2400 389	RES 8.25K OHM 1/2W 1%	1.0 EA	R7
548 2400 426	RES 18.2K OHM 1/2W 1%	2.0 EA	R11 R9
612 0448 000	TEST JACK WHITE	4.0 EA	TJ1 TJ2 TJ3 TJ4
839 5743 001	PC. BD.	1.0 EA	
839 5768 001	SCHEMATIC	0.0 EA	

Table 1-1207. PWB, MOTOR DRIVER AUR EXC - 992 6532 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0190 000	XSTR, PNP 2N3906 ESD	2.0 EA	Q001 Q002
384 0431 000	RECT. 1N4001 ESD	2.0 EA	CR001 CR002
540 0587 000	* RES 100 OHM 2W 5%	1.0 EA	R001
540 0589 000	* RES 120 OHM 2W 5%	1.0 EA	R004
548 2400 369	RES 5.11K OHM 1/2W 1%	2.0 EA	R002 R003
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R005 R006
839 6796 001	SCHEM MOT POT DRIVER	0.0 EA	
939 6797 001	ASSY PWB MOT POT DRIVER	1.0 EA	

Table 1-1208. ASSY PWB MOT POT DRIVER - 939 6797 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	10.0 EA	
839 6797 001	DRVR BD ASSY INST	1.0 EA	

Table 1-1209. WIRE TUBING LIST - 999 1985 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	0.9790 FT	
254 0001 000	WIRE, BUS CU 22AWG	0.1250 FT	
296 0258 000	TUBING TEFLON 19AWG	0.0830 FT	
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.9170 FT	
296 0268 000	TUBING TEFLON 12 AWG	0.670 FT	
299 0012 000	NYLON ROPE 1/8 IN D	0.2920 FT	
354 0260 000	LUG #6 RECT YEL 12-10AWG	2.0 EA	

Table 1-1210. HARDWARE LIST - 999 1986 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1540 000	SCR, 6-32 X 1/2	4.0 EA	
302 0011 000	SCR, 2-56 X 3/16	10.0 EA	
302 0012 000	SCR, 2-56 X 1/4	31.0 EA	
302 0016 000	SCR, 2-56 X 1/2	4.0 EA	
302 0017 000	SCR, 2-56 X 5/8	4.0 EA	
302 0021 000	SCR, 3-56 X 1/4	2.0 EA	
302 0052 000	SCR, 4-40 X 1/4	8.0 EA	
302 0054 000	SCR, 4-40 X 3/8	4.0 EA	
302 0103 000	SCR, 6-32 X 3/16	16.0 EA	
302 0104 000	SCR, 6-32 X 1/4	6.0 EA	
302 0106 000	SCR, 6-32 X 3/8	53.0 EA	
302 0108 000	SCR, 6-32 X 1/2	10.0 EA	
302 0109 000	SCR, 6-32 X 5/8	3.0 EA	
302 0110 000	SCR, 6-32 X 3/4	2.0 EA	
302 0130 000	SCR, 8-32 X 3/8	7.0 EA	
302 0139 000	SCR, 10-32 X 1/4	6.0 EA	
302 0141 000	SCR, 10-32 X 3/8	8.0 EA	
302 0350 000	SCR, 4-40 X 5/16	6.0 EA	
304 0075 000	NUT, HEX THIN 3/8-32	3.0 EA	
304 0089 000	NUT, HEX 6-32	6.0 EA	
306 0001 000	NUT, HEX 2-56	6.0 EA	
306 0003 000	NUT, HEX 4-40	3.0 EA	
306 0004 000	NUT, HEX 6-32	3.0 EA	
306 0005 000	NUT, HEX 8-32	1.0 EA	
306 0011 000	NUT, STOP 6-32	10.0 EA	
306 0015 000	NUT, HEX KEP 4-40	5.0 EA	
306 0016 000	NUT, HEX KEP 6-32	32.0 EA	
306 0017 000	NUT, HEX KEP 8-32	4.0 EA	
306 0018 000	NUT, HEX KEP 10-32	12.0 EA	
308 0005 000	NO 6 FLAT WASHER BRS	8.0 EA	
310 0001 000	WASHER, FLAT #2	6.0 EA	
310 0003 000	WASHER, FLAT NO. 4	6.0 EA	
310 0006 000	WASHER FLAT 8	2.0 EA	
310 0012 000	WASHER FLAT 6	31.0 EA	
310 0017 000	WASHER FLAT #6	25.0 EA	

312 0002 000	WASHER, INT LOCK 3	2.0 EA
312 0003 000	WASHER, INT LOCK 4	8.0 EA
312 0005 000	WASHER, INT LOCK 6	30.0 EA
312 0006 000	WASHER, INT LOCK 8	2.0 EA
312 0007 000	WASHER, INT LOCK 10	6.0 EA
312 0011 000	WASHER, INT LOCK 3/8	5.0 EA
312 0013 000	WASHER, INT LOCK 1/2	3.0 EA
312 0047 000	WASHER, SPLIT-LOCK 6	6.0 EA
314 0001 000	WASHER, SPLIT-LOCK 2	6.0 EA
314 0003 000	WASHER, SPLIT-LOCK 4	6.0 EA
314 0005 000	WASHER, SPLIT-LOCK 6	13.0 EA
314 0006 000	WASHER, SPLIT-LOCK 8	3.0 EA
314 0013 000	WASHER, INT LOCK 3/8	1.0 EA
314 0017 000	WASHER, INT-EXT LOCK 6	1.0 EA
324 0176 000	NUT HEX STL 15/32-32	3.0 EA
328 0033 000	WASHER FLAT STEEL	4.0 EA
328 0059 000	WASHER FLAT .484 ID	2.0 EA
335 0001 000	WASHER NYLON .149 ID	4.0 EA
335 0010 000	WASHER NYLON .195 ID	4.0 EA
335 0089 000	WASHER, SHLD .156 ID	4.0 EA
354 0141 000	LUG SHAKE .123 MTG	1.0 EA
354 0146 000	LUG SHAKE .176 MTG	6.0 EA
354 0147 000	LUG, SHAKE #6 45 DEG	5.0 EA
354 0319 000	TERM LUG .375 HOLE	1.0 EA
356 0087 000	CABLE TIE TY RAP	3.0 EA
410 0379 000	INSULATOR T066	1.0 EA
424 0004 000	GROMMET 5/8 MTG DIA	1.0 EA

Table 1-1211. *DISCONTINUED - 994 8267 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 7185 001	SCHEMATIC	0.0 EA	
952 8652 001	BASIC PRIMARY CAVITY	1.0 EA	

Table 1-1212. BASIC PRIMARY CAVITY - 952 8652 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
055 0110 008	*ADHESIVE EPOXY	1.0 EA	
099 0003 563	ROLL PIN 1/8X1/2	2.0 EA	
252 0003 000	WIRE, STRD 20AWG WHT	1.0 FT	
300 1486 000	SCR, 4-40 X 3/8	8.0 EA	
300 1537 000	SCR, 6-32 X 5/16	6.0 EA	
300 1542 000	SCR, 6-32 X 3/4	6.0 EA	
300 1653 000	SCR, 1/4-20 X 1-1/4	2.0 EA	
300 1654 000	SCR, 1/4-20 X 1-1/2	1.0 EA	
302 0106 000	SCR, 6-32 X 3/8	29.0 EA	
304 0009 000	NUT, HEX 1/4-20	23.0 EA	
306 0004 000	NUT, HEX 6-32	5.0 EA	
308 0003 000	NO 4 FLAT WASHER BRS	6.0 EA	
308 0009 000	.25 FLAT WASHER BRS	10.0 EA	
310 0012 000	WASHER FLAT 6	7.0 EA	
310 0013 000	WASHER FLAT 10	5.0 EA	
312 0009 000	WASHER, INT LOCK 1/4	12.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	32.0 EA	

312 0047 000	WASHER, SPLIT-LOCK 6	7.0 EA	
312 0051 000	WASHER, SPLIT-LOCK 1/4	10.0 EA	
314 0005 000	WASHER, SPLIT-LOCK 6	12.0 EA	
335 0129 000	WASHER, SHLD .265 ID	2.0 EA	
336 0279 000	PIN, SPRING	2.0 EA	
344 0003 000	SCREW, SET 6-32 X 1/8	16.0 EA	
344 0006 000	SCREW, SET 6-32 X 3/8	3.0 EA	
344 0008 000	SCREW, SET 8-32 X 1/8	2.0 EA	
344 0017 000	SCREW, SET 10-32 X 3/16	7.0 EA	
344 0033 000	SCREW, SET 4-40 X 1/8	3.0 EA	
344 0079 000	SCREW, SET 4-40 X 3/8	12.0 EA	
354 0001 000	LUG #6 RING RED 22-18 AWG	2.0 EA	
354 0142 000	LUG SHAKE .150 MTG	2.0 EA	
354 0147 000	LUG, SHAKE #6 45 DEG	1.0 EA	
354 0624 000	TERMINAL, MALE	2.0 EA	
356 0227 000	CABLE TIE, HI TEMP 1-7/8	1.0 EA	
358 0411 000	RING RETAINING .250	2.0 EA	
358 0414 000	RING RETAINING .500	11.0 EA	
358 1165 000	COLLAR 1/4 HOLE	6.0 EA	
358 1166 000	SPACER .012 LG	4.0 EA	
414 0239 000	CORE FERRITE TUMBLED	1.0 EA	
414 0250 000	BEAD FERRITE Q3/M3 MATERIAL	4.0 EA	
450 0077 000	BEARING, ROLLER	2.0 EA	
450 0078 000	BEARING, GRD RADIAL	4.0 EA	
452 0025 000	GEAR, MITER 16 TEETH	3.0 EA	
452 0026 000	GEAR, MITER 16 TEETH	3.0 EA	
452 0074 000	GEAR, HELICAL AC1-30	2.0 EA	
452 0075 000	GEAR, HELICAL AD1-30	2.0 EA	
454 0002 000	LINK CONNECTING	2.0 EA	
454 0003 000	LINK OFFSET	1.0 EA	
454 0074 000	SPROCKET 17 TEETH	5.0 EA	
514 0300 000	CAP 3-30PF 15KV	2.0 EA	
516 0206 000	CAP HV 1000 UUF 5000	1.0 EA	C2
516 0491 000	CAP .01 UF 3KV	2.0 EA	C3 C4
604 0061 000	SW SPDT 15A 125/250 VAC	1.0 EA	S1
610 0738 000	PLUG HOUSING	1.0 EA	P1
614 0539 000	TERM, STANDOFF	2.0 EA	
620 2548 000	RECP, FEMALE N PANEL	1.0 EA	J2
646 0665 000	INSPECTION LABEL	1.0 EA	
646 0811 000	REP'D WITH 646-1251-402	1.0 EA	
646 0857 000	DISCONTIN. NOT FOR NEW DESIGN	1.0 EA	
646 1301 000	LABEL, DANGER HI VOLTAGE	1.0 EA	
648 0061 000	COUNTER CCW	3.0 EA	
648 0071 000	DIAL, TURNS COUNTING	2.0 EA	
650 0093 000	KNOB, CRANK 2.272" DIA	1.0 EA	
650 0104 000	KNOB CRANK 1.772" DIA	2.0 EA	
814 9584 001	SPACER	2.0 EA	
814 9585 001	HANDLE	1.0 EA	
815 2955 001	SUPPORT, TUNING PNL	5.0 EA	
815 2973 001	INSULATOR, HEATER	1.0 EA	
815 3006 001	SPACER, ROD	3.0 EA	
815 3006 003	SPACER, ROD	3.0 EA	
815 3052 001	SLEEVE, GEAR	1.0 EA	
815 3068 001	INSL., HEAT CONTACT	1.0 EA	
815 3068 003	HEAT CONTACT	1.0 EA	

815 4024 001	SPACER, BEARING	1.0 EA
815 5332 001	SPACER	1.0 EA
815 5333 001	LEAD, FIL CONN	1.0 EA
815 5567 001	RING, COMPRESSION	1.0 EA
815 5567 002	RING, COMPRESSION	1.0 EA
816 6882 001	INSTALLATION	0.0 EA
816 9897 001	CATHODE AIR DAM	1.0 EA
816 9939 002	INSULATOR, PLATE SUPPORT	1.0 EA
817 1533 001	SUPPORT, INPUT DRIVE	2.0 EA
827 5313 001	INSERT, DRIVEN SPRK	3.0 EA
827 5333 001	STRAP, OUTPUT	1.0 EA
827 5404 001	ROD, INPUT TUNING	4.0 EA
827 5421 001	ROD, PLT TUNING	3.0 EA
827 5421 002	ROD, PLT TUNING	1.0 EA
827 5421 006	STUD 1/4-20 X 8	4.0 EA
827 7873 001	NUT, INPUT DRIVE	1.0 EA
827 7873 002	NUT, INPUT DRIVE	1.0 EA
827 7875 001	BRACKET, INPUT DRIVE	2.0 EA
827 8104 001	BLOCK, BEARING	1.0 EA
827 8111 001	B + CHOKE	1.0 EA
827 8134 001	INSERT, DRV SPROCKET	1.0 EA
827 8149 001	SHAFT, IDLER GEAR	1.0 EA
827 8354 001	INSULATOR, BLOCKER	1.0 EA
827 8616 002	SPACER, OUTPUT	2.0 EA
827 8616 003	SPACER, OUTPUT	4.0 EA
828 0665 001	SHIELD, RF CAVITY	2.0 EA
828 7611 001	INSTR. INSTR. RF INP	0.0 EA
828 7964 001	TEST FIXTURE	0.0 EA
828 7965 001	TEST FIXTURE	0.0 EA
828 7966 001	TEST FIXTURE	0.0 EA
828 7967 001	TEST FIXTURE	0.0 EA
829 3288 001	PLATE BYPASS BRKT	2.0 EA
829 3323 001	SHIELD, RF	1.0 EA
829 3325 001	RING AIR DUCT	1.0 EA
829 3325 002	RING AIR DUCT	1.0 EA
829 3326 001	DUCT, AIR	1.0 EA
829 3993 001	SHAFT, TUNING	1.0 EA
829 7185 001	SCHEMATIC	0.0 EA
829 7272 001	BLOCK, BYPASS PLATE	3.0 EA
829 7440 001	SAFETY SHIELD	1.0 EA
829 7452 001	CAP, INPUT	1.0 EA
829 7557 002	INSULATOR	1.0 EA
829 7627 001	STRAP OUTPUT	1.0 EA
829 9589 001	SHAFT, DRIVE	2.0 EA
829 9589 004	SHAFT, INPUT DRIVE	1.0 EA
829 9589 005	SHAFT, INPUT DRIVE	1.0 EA
838 5392 001	PLATE, TOP SUPT.	1.0 EA
838 5536 001	RETAINER, PLT CONTAC	1.0 EA
839 4393 001	PLATE, BOTTOM	1.0 EA
839 4877 001	BOTTOM VIEW 8988 CAVITY	0.0 EA
839 4878 001	INPUT DRIVE VIEW, CAVITY	0.0 EA
839 4891 001	RING, BYPASS BRKT	1.0 EA
839 6420 001	BRACKET-AIR INTAKE	1.0 EA
839 6420 002	BRACKET-AIR INTAKE	1.0 EA
839 6695 003	CAVITY INPUT DRIVE	0.0 EA

843 2616 001	PLATE, SUPPORT	1.0 EA
843 2617 001	PLATE, FRONT	1.0 EA
843 2619 001	SIDE PLATE	1.0 EA
843 2619 002	SIDE PLATE	1.0 EA
843 2624 001	PLATE, MAIN SUPPORT	1.0 EA
843 3176 001	AIR CHAMBER	1.0 EA
852 8652 001	8988 CAVITY ASSY	0.0 EA
915 2750 003	GRID CONTACT ASSY	1.0 EA
915 2751 003	SCREEN CONTACT ASSY	1.0 EA
915 3053 001	BEVEL GEAR, MOD.	1.0 EA
915 3053 002	BEVEL GEAR, MOD.	1.0 EA
915 3109 001	WIRE LEAD, 5-1/2 LG.	1.0 EA
915 3109 002	WIRE LEAD, 4"LG.	1.0 EA
915 3345 001	RING ASSY.	2.0 EA
915 3347 001	CAP, OUTPUT CAP.	2.0 EA
915 5190 001	OUTPUT STRAP	1.0 EA
915 5566 001	RING, SUPPRESSOR	1.0 EA
916 2646 001	CONNECTOR	1.0 EA
916 6193 001	CHAIN MODF	1.0 EA
916 9973 002	WIRE TUBE ASSY	1.0 EA
922 0834 001	ASSY, COOLER/HEATER	1.0 EA
927 7879 001	SCREW, 4-40, MOD.	12.0 EA
927 8122 001	HEATER CONTACT ASSY	1.0 EA
927 8133 001	PLUNGER, PLT TUNING	1.0 EA
927 8416 002	CONNECTOR, RF INPUT	1.0 EA
928 0605 001	INSULATOR	1.0 EA
928 8045 001	TEST FIXTURE	0.0 EA
929 3839 001	LINE ASSY	1.0 EA
929 3853 001	PLUNGER PLATE ASSY	1.0 EA
929 3858 001	CYL ASSY OUTER TUNING	1.0 EA
929 3860 001	SCREEN BLOCKER ASSY	1.0 EA
929 7115 001	TOP PLATE ASSY	1.0 EA
929 7158 001	CABLE ASSY	1.0 EA
929 7201 001	WIRE ASSY, SCREEN	1.0 EA
929 7202 001	WIRE ASSY, GRID	1.0 EA
938 5279 001	GRID SCREEN SUPPORT	1.0 EA
939 3717 002	OUTER CONDUCTOR ASSY	1.0 EA
939 4128 001	CATHODE LINE ASSY	1.0 EA
939 4154 001	GRID BLOCKER ASSY	1.0 EA
939 4700 001	OUTPUT CAP CUP ASSY	1.0 EA
939 5533 001	PLATE CONTACT ASSY	1.0 EA
939 6695 002	HOUSING ASSEMBLY	2.0 EA

Table 1-1213. INSULATOR, PLATE SUPPORT - 816 9939 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 075	TFL RD 1.250 DIA	0.206850 FT	

Table 1-1214. STRAP, OUTPUT - 827 5333 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 007	CU, SH .032 X 36 X 96	0.016250 LB	

Table 1-1215. INSULATOR, BLOCKER - 827 8354 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
033 5030 015	MYLAR SH .0075	0.4850 SF	

Table 1-1216. SPACER, OUTPUT - 827 8616 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 025	BRS, RD .500 FCB	0.02520 LB	

Table 1-1217. SPACER, OUTPUT - 827 8616 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 025	BRS, RD .500 FCB	0.01260 LB	

Table 1-1218. PLATE BYPASS BRKT - 829 3288 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 020	AL, RECT .375 X 1.000	0.11130 LB	

Table 1-1219. SHIELD, RF - 829 3323 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 9510 010	AL, HEX CELL	0.1890 SF	

Table 1-1220. RING AIR DUCT - 829 3325 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 055	GL, .062 THK	0.310 LB	

Table 1-1221. RING AIR DUCT - 829 3325 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 5010 055	GL, .062 THK	0.310 LB	

Table 1-1222. DUCT, AIR - 829 3326 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 8015 075	GL, TBG 4.937 OD	0.15960 FT	

Table 1-1223. SHAFT, TUNING - 829 3993 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 041	SST, SFT .2497 DIA	0.185850 EA	

Table 1-1224. BLOCK, BYPASS PLATE - 829 7272 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 042	AL, PL .750 THK	0.2750 LB	

Table 1-1225. SAFETY SHIELD - 829 7440 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5030 030	POLYCARBONATE, 0.060 THK	0.024375 SF	

Table 1-1226. INSULATOR - 829 7557 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 070	TFL, RD 1.00 DIA	0.065310 FT	

Table 1-1227. STRAP OUTPUT - 829 7627 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 5010 007	CU, SH .032 X 36 X 96	0.00250 LB	

Table 1-1228. SHAFT, INPUT DRIVE - 829 9589 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 041	SST, SFT .2497 DIA	0.24360 EA	

Table 1-1229. SHAFT, INPUT DRIVE - 829 9589 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 041	SST, SFT .2497 DIA	0.225750 EA	

Table 1-1230. RETAINER, PLT CONTAC - 838 5536 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5020 050	PLASTIC SH. 1/2 THK	0.51750 SF	

Table 1-1231. PLATE, BOTTOM - 839 4393 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 001	AL, SH .250 THK	2.40 LB	

Table 1-1232. RING, BYPASS BRKT - 839 4891 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 006	BRS, FCB .050 X 12 X 96	0.813750 LB	

Table 1-1233. BRACKET-AIR INTAKE - 839 6420 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 2045 083	AL, SQ BAR 2.5	3.85350 LB	

Table 1-1234. BRACKET-AIR INTAKE - 839 6420 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 2045 083	AL, SQ BAR 2.5	3.85350 LB	

Table 1-1235. PLATE, SUPPORT - 843 2616 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 062	TOOLING PLT, MIC-6 ALUM	4.850 LB	

Table 1-1236. PLATE, FRONT - 843 2617 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	2.74050 LB	

Table 1-1237. PLATE, MAIN SUPPORT - 843 2624 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 020	AL, SH .190 THK	6.33650 LB	

Table 1-1238. AIR CHAMBER - 843 3176 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 092	BRS, TBG 7.750 OD +/-0.008	4.06350 LB	

Table 1-1239. RING ASSY. - 915 3345 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 3343 001	FINGERSTOCK OUTSIDE	1.0 EA	
815 3343 002	FINGERSTOCK INSIDE	1.0 EA	
827 8413 001	OUTPUT CAP.	1.0 EA	

Table 1-1240. FINGERSTOCK OUTSIDE - 815 3343 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 061	BRZ, FGR STK	0.25410 EA	

Table 1-1241. FINGERSTOCK INSIDE - 815 3343 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 061	BRZ, FGR STK	0.244650 EA	

Table 1-1242. OUTPUT CAP. - 827 8413 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 042	BRS, TBG 1.250 OD	0.03150 LB	

Table 1-1243. CAP, OUTPUT CAP. - 915 3347 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 3346 001	FINGER STOCK OUTPUT	1.0 EA	
827 8404 001	OUTPUT UPPER CAP.	1.0 EA	

Table 1-1244. FINGER STOCK OUTPUT - 815 3346 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 061	BRZ, FGR STK	0.244650 EA	

Table 1-1245. OUTPUT UPPER CAP. - 827 8404 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 061	BRS, RD 1.500 FCB	0.41160 LB	

Table 1-1246. OUTPUT STRAP - 915 5190 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
254 0008 000	WIRE, BUS CU 8AWG	0.30 FT	
354 0075 000	TERMINAL LUG RING 8	2.0 EA	
815 5190 001	OUTPUT STRAP	0.0 EA	

Table 1-1247. WIRE TUBE ASSY - 916 9973 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
816 9975 002	WIRE TUBE	1.0 EA	
816 9976 001	BASE	1.0 EA	

Table 1-1248. WIRE TUBE - 816 9975 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 010	BRS, TBG .500 OD	0.358050 LB	

Table 1-1249. PLUNGER, PLT TUNING - 927 8133 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 3077 001	FINGER STOCK	1.0 EA	
815 3077 002	FINGER STOCK	1.0 EA	
838 4151 001	PLATE TUNING PLUNGER	1.0 EA	

Table 1-1250. FINGER STOCK - 815 3077 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4035 010	BRZ, FGR STK CONTACT	1.050 EA	

Table 1-1251. FINGER STOCK - 815 3077 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4035 010	BRZ, FGR STK CONTACT	0.44310 EA	

Table 1-1252. PLATE TUNING PLUNGER - 838 4151 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 086	BRS, RECT FCB .500 X 12"	9.030 LB	

Table 1-1253. TOP PLATE ASSY - 929 7115 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 7112 001	TUBE, UPPER	1.0 EA	
829 7113 001	TUBE, LOWER	1.0 EA	
839 3741 001	TOP	1.0 EA	
843 3176 002	AIR CHAMBER	1.0 EA	

Table 1-1254. TUBE, UPPER - 829 7112 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 081	BRS, TBG 6.000 OD	0.616350 LB	

Table 1-1255. TUBE, LOWER - 829 7113 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 006	BRS, FCB .050 X 12 X 96	0.12390 LB	

Table 1-1256. TOP - 839 3741 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 041	BRS, SH .1285 X 24	4.42250 LB	

Table 1-1257. AIR CHAMBER - 843 3176 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 092	BRS, TBG 7.750 OD +/-0.008	2.5620 LB	

Table 1-1258. OUTER CONDUCTOR ASSY - 939 3717 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
939 3717 001	OUTER CONDUCTOR	1.0 EA	

Table 1-1259. OUTER CONDUCTOR - 939 3717 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0415 000	SCR, 10-32 X 1-1/4	2.0 EA	
838 4159 001	FLANGE OUTPUT BYPASS	1.0 EA	
838 4161 001	FLANGE PLATE LINE	1.0 EA	
839 3718 001	PLATE LINE	1.0 EA	

Table 1-1260. FLANGE OUTPUT BYPASS - 838 4159 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 086	BRS, RECT FCB .500 X 12"	10.27950 LB	

Table 1-1261. FLANGE PLATE LINE - 838 4161 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 096	BRS, RD 6.000 FCB	15.4770 LB	

Table 1-1262. PLATE LINE - 839 3718 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 092	BRS, TBG 7.750 OD +/-0.008	10.3530 LB	

Table 1-1263. OUTPUT CAP CUP ASSY - 939 4700 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
827 7884 002	ADAPTER	1.0 EA	
829 4830 001	OUTPUT CAP CUP	2.0 EA	

838 5538 001	FLANGE, MTG.	1.0 EA
929 4829 001	OUTPUT CAP CUP	1.0 EA

Table 1-1264. ADAPTER - 827 7884 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 070	BRS, RECT FCB .375 X 1.25	0.1890 LB	

Table 1-1265. OUTPUT CAP CUP - 829 4830 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 069	BRS, RD 2.000 FCB	1.31250 LB	

Table 1-1266. FLANGE, MTG. - 838 5538 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	3.6540 LB	

Table 1-1267. OUTPUT CAP CUP - 929 4829 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
725 0139 000	CASE, BRASS 4.625 OD	1.0 EA	

Table 1-1268. PLATE CONTACT ASSY - 939 5533 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
815 3072 001	FINGER STOCK	1.0 EA	
827 8409 001	PIN CONTACT PLATE	1.0 EA	
839 5532 001	PLATE	1.0 EA	

Table 1-1269. FINGER STOCK - 815 3072 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 020	BRZ, FGR STK	11.2350 IN	

Table 1-1270. PIN CONTACT PLATE - 827 8409 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 001	BRS, RD .125 FCB	0.00420 LB	

Table 1-1271. PLATE - 839 5532 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 069	BRS, RECT .375 X 12"	2.520 LB	

Table 1-1272. *DISCONTINUED - 994 8277 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
852 8683 001	TECH MANUAL DWG	0.0 EA	
952 8681 001	VISUAL CAVITY ASSY	1.0 EA	

Table 1-1273. VISUAL CAVITY ASSY - 952 8681 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0482 000	SCR, 8-32 X 7/8	2.0 EA	
358 0411 000	RING RETAINING .250	6.0 EA	
358 0414 000	RING RETAINING .500	12.0 EA	
358 1514 000	SPACER, SHAFT	20.0 EA	
358 2167 000	RING, RETAINING	2.0 EA	
450 0011 000	BUSHING, BALL	1.0 EA	
450 0074 000	WASHER, THRUST	6.0 EA	
452 0025 000	GEAR, MITER 16 TEETH	3.0 EA	
452 0026 000	GEAR, MITER 16 TEETH	3.0 EA	
454 0002 000	LINK CONNECTING	5.0 EA	
454 0003 000	LINK OFFSET	1.0 EA	
454 0074 000	SPROCKET 17 TEETH	13.0 EA	
620 0017 000	ADAPTER, INNER 3.125	1.0 EA	
620 0498 000	ADAPTOR 3-1/8 301-014	1.0 EA	
648 0072 000	COUNTER, CCW 5 DIGIT	3.0 EA	
650 0104 000	KNOB CRANK 1.772" DIA	1.0 EA	
650 0147 000	KNOB CRANK 1.25" DIA	2.0 EA	
813 5001 049	STDOFF 8-32X1 3/8 HEX	3.0 EA	
813 5608 032	STUD	1.0 EA	
813 5613 011	STUD	3.0 EA	
816 9966 001	WASHER	1.0 EA	
816 9967 001	ROD	2.0 EA	
816 9968 001	ROD, DRIVE	3.0 EA	
816 9969 001	ROD, DRIVE	4.0 EA	
817 0009 001	SHAFT, IDLER	2.0 EA	
817 0009 002	SHAFT, IDLER	2.0 EA	
817 0011 001	SHAFT, DRIVING	2.0 EA	
817 0011 002	SHAFT, DRIVING	6.0 EA	
817 0015 001	ROD, DRIVE	1.0 EA	
817 0098 001	SHAFT	3.0 EA	
817 0210 001	STRIP, RFI SHIELDING	4.0 EA	
829 3974 001	PLATE	1.0 EA	
829 3979 001	SPACER, PLUG	3.0 EA	
829 3983 001	CONDUCTOR	1.0 EA	
829 4008 001	BRACKET	3.0 EA	
829 4065 001	BAR TUNING DRIVE	1.0 EA	
829 4067 001	SIDE, SEC RIGHT	1.0 EA	
839 4276 001	SIDE, SEC FRONT	1.0 EA	
839 4314 001	SIDE, SEC REAR	1.0 EA	
839 4354 001	SIDE, LEFT	1.0 EA	
839 4375 001	COVER	1.0 EA	
917 0071 001	BEARING HOUSING ASSY	7.0 EA	
917 0072 001	HOUSING, CTR BEARING	1.0 EA	
917 0212 001	SPROCKET	3.0 EA	
917 0220 001	CHAIN	1.0 EA	
917 0220 002	CHAIN	1.0 EA	
917 0220 003	CHAIN	1.0 EA	
917 0220 004	CHAIN	1.0 EA	
929 4108 001	RING ASSY, TUBING	1.0 EA	
929 4110 001	LINE ASSY TUBING	1.0 EA	
929 4111 001	LINE CENTER	1.0 EA	
929 4118 001	SHORT LOADING ASSY	1.0 EA	
929 4122 001	SHORT, COUPLING ASSY	1.0 EA	

929 4206 001	ANGLE SUPPORT ASSY	2.0 EA
929 4251 001	PLATE SEC BASE	1.0 EA
929 7840 001	FLANGE ASSY	1.0 EA
939 4309 001	PLATE SEC, TOP	1.0 EA

Table 1-1274. STUD - 813 5608 032

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 050	BRS, THD STK 1/4-20	0.087150 FT	

Table 1-1275. STUD - 813 5613 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1020 020	SST, THD STK 8-32	0.087150 FT	

Table 1-1276. WASHER - 816 9966 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	0.032865 LB	

Table 1-1277. ROD - 816 9967 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
027 1010 005	GL, EPOXY RD .250	1.35450 FT	

Table 1-1278. ROD, DRIVE - 816 9968 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1020 050	SST, THD STK .25-20	1.00170 FT	

Table 1-1279. ROD, DRIVE - 816 9969 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1020 050	SST, THD STK .25-20	0.87150 FT	

Table 1-1280. SHAFT, IDLER - 817 0009 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 080	SST RD .750 DIA	0.196350 LB	

Table 1-1281. SHAFT, DRIVING - 817 0011 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 061	SST, RD .4989 DIA	0.158550 LB	

Table 1-1282. ROD, DRIVE - 817 0015 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1020 050	SST, THD STK .25-20	0.52290 FT	

Table 1-1283. SHAFT - 817 0098 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 041	SST, SFT .2497 DIA	0.116550 EA	

Table 1-1284. STRIP, RFI SHIELDING - 817 0210 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
031 1710 017	GSKT, RF	1.92150 FT	

Table 1-1285. PLATE - 829 3974 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 030	AL, RECT .375 X 2.0	0.6720 LB	

Table 1-1286. SPACER, PLUG - 829 3979 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
025 1000 040	TFL, RD .500 DIA	0.019110 FT	

Table 1-1287. CONDUCTOR - 829 3983 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	1.10250 LB	

Table 1-1288. BRACKET - 829 4008 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.046835 LB	

Table 1-1289. BAR TUNING DRIVE - 829 4065 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 028	AL, RECT .500 X 1.0	0.3150 LB	

Table 1-1290. SIDE, SEC RIGHT - 829 4067 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 001	BRS, RECT .064 X 24	4.2840 LB	

Table 1-1291. SIDE, SEC FRONT - 839 4276 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 001	BRS, RECT .064 X 24	4.75650 LB	

Table 1-1292. SIDE, SEC REAR - 839 4314 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 001	BRS, RECT .064 X 24	4.73550 LB	

Table 1-1293. SIDE, LEFT - 839 4354 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 001	BRS, RECT .064 X 24	5.5020 LB	

Table 1-1294. COVER - 839 4375 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	3.90050 LB	

Table 1-1295. HOUSING, CTR BEARING - 917 0072 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
450 0076 000	BEARING, ROLLER	2.0 EA	
817 0012 001	BEARING HOUSING	1.0 EA	

Table 1-1296. BEARING HOUSING - 817 0012 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 090	BRS, HEX 1.250	0.78540 LB	

Table 1-1297. CHAIN - 917 0220 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
454 0001 000	CHAIN ROLLERLESS NO. 25	1.90 FT	

Table 1-1298. CHAIN - 917 0220 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
454 0001 000	CHAIN ROLLERLESS NO. 25	1.40 FT	

Table 1-1299. CHAIN - 917 0220 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
454 0001 000	CHAIN ROLLERLESS NO. 25	2.80 FT	

Table 1-1300. CHAIN - 917 0220 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
454 0001 000	CHAIN ROLLERLESS NO. 25	1.20 FT	

Table 1-1301. RING ASSY, TUBING - 929 4108 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 0016 001	BUSHING	2.0 EA	
839 4201 001	RING, CORONA	1.0 EA	
839 4205 001	0016001EC TUBING	1.0 EA	

Table 1-1302. BUSHING - 817 0016 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 021	BRS, RD .375 FCB	0.124950 LB	

Table 1-1303. RING, CORONA - 839 4201 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 080	BRS, SH .75 X 12	2.1170 LB	

Table 1-1304. 0016001EC TUBING - 839 4205 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 8010 088	BRS, TBG 5.750 OD	2.730 LB	

Table 1-1305. LINE ASSY TUBING - 929 4110 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 0694 001	SPACER	3.0 EA	
829 3982 001	LINE, TUNING	1.0 EA	
829 4014 001	PLATE, BASE	1.0 EA	
829 4119 001	CONTACT	2.0 EA	

Table 1-1306. SPACER - 817 0694 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 045	BRS, RD 1.000 FCB	0.106050 LB	

Table 1-1307. LINE, TUNING - 829 3982 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1260 060	CU, TUBG 6.125 OD	1.48050 FT	

Table 1-1308. PLATE, BASE - 829 4014 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	5.3940 LB	

Table 1-1309. CONTACT - 829 4119 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 010	BRZ, FGR STK	0.61530 EA	

Table 1-1310. LINE CENTER - 929 4111 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 2794 000	SCR, 1/2-13 X 3/4	1.0 EA	
829 3978 001	LINE, SECTION	1.0 EA	
829 3980 001	LINE SECTION	1.0 EA	
829 3984 001	CAP, END	1.0 EA	
829 3987 001	TRANSITION, SEC	1.0 EA	

Table 1-1311. LINE, SECTION - 829 3978 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1260 061	CU, TBG 2.600 OD	1.35450 FT	

Table 1-1312. LINE SECTION - 829 3980 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 1220 020	CU, TBG 1.315 OD 1.231 ID	0.34860 FT	

Table 1-1313. CAP, END - 829 3984 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 081	BRS, RD 2.750 FCB	0.9660 LB	

Table 1-1314. TRANSITION, SEC - 829 3987 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1010 081	BRS, RD 2.750 FCB	1.24950 LB	

Table 1-1315. SHORT LOADING ASSY - 929 4118 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 4117 001	CONTACT	2.0 EA	
829 4117 002	CONTACT	1.0 EA	
839 4202 001	SHORT, LOADING	1.0 EA	

Table 1-1316. CONTACT - 829 4117 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4035 010	BRZ, FGR STK CONTACT	0.58590 EA	

Table 1-1317. CONTACT - 829 4117 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4035 010	BRZ, FGR STK CONTACT	0.580650 EA	

Table 1-1318. SHORT, LOADING - 839 4202 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	3.69750 LB	

Table 1-1319. SHORT, COUPLING ASSY - 929 4122 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 4121 001	CONTACTS	4.0 EA	
829 4121 002	CONTACTS	2.0 EA	
839 4200 001	SHORT, COUPLING	1.0 EA	

Table 1-1320. CONTACTS - 829 4121 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 075	BRZ, PH FGR STK 97-310-21	0.47880 EA	

Table 1-1321. CONTACTS - 829 4121 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4060 075	BRZ, PH FGR STK 97-310-21	0.630 EA	

Table 1-1322. SHORT, COUPLING - 839 4200 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 045	BRS, LEADED SH .25	6.19150 LB	

Table 1-1323. ANGLE SUPPORT ASSY - 929 4206 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 7060 005	AL, ANGLE SQ EDGE	0.204750 LB	
324 0168 000	NUT, PEM 10-32	3.0 EA	
829 4205 001	ANGLE	0.0 EA	
829 4206 001	ASSY INSTR, ANGLE SUPPORT	0.0 EA	

Table 1-1324. PLATE SEC BASE - 929 4251 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 1793 000	PIN, HARDENED DOWEL	4.0 EA	
450 0149 000	BEARING, FLANGED	3.0 EA	
817 0217 001	SHAFT, DOWEL	1.0 EA	
843 2772 001	PLATE	1.0 EA	

Table 1-1325. SHAFT, DOWEL - 817 0217 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
013 1010 056	SST, SFT .3740/.3735 DIA	0.435750 FT	

Table 1-1326. PLATE - 843 2772 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5058 031	AL, PL .500 THK	6.50 LB	

Table 1-1327. PLATE SEC, TOP - 939 4309 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
817 0037 001	STUD	6.0 EA	
839 4203 001	PLATE, TOP	1.0 EA	

Table 1-1328. STUD - 817 0037 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 070	BRS, THD STK 3/8-16	0.1260 FT	

Table 1-1329. PLATE, TOP - 839 4203 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 069	BRS, RECT .375 X 12"	7.33950 LB	

Table 1-1330. IPA EXTENDER MODULE - 994 8470 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
088 0020 015	TAPE, SCOTCH FOAM	0.0 RL	

358 2104 000	CARD GUIDE	4.0 EA
817 0428 001	STANDOFF	12.0 EA
817 0804 001	RUNNING SHEETS	0.0 EA
829 8086 001	SIDE, AIR DUCT	1.0 EA
829 8099 001	HANDLE	2.0 EA
839 5563 001	SIDE, AIR DUCT	1.0 EA
839 5565 001	BRKT, SIDE	2.0 EA
929 8083 001	CABLE ASSY EXT. MOD.	1.0 EA
929 8085 001	PC. BD EXT. MOD.	2.0 EA
929 8592 001	EXTENDER SIDE ASSY	2.0 EA
999 1975 001	HARDWARE LIST	1.0 EA

Table 1-1331. SIDE, AIR DUCT - 829 8086 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.189950 LB	

Table 1-1332. HANDLE - 829 8099 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 016	BRS, RECT FCB .125 X .750	0.27720 LB	

Table 1-1333. SIDE, AIR DUCT - 839 5563 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.340750 LB	

Table 1-1334. BRKT, SIDE - 839 5565 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.50170 LB	

Table 1-1335. CABLE ASSY EXT. MOD. - 929 8083 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	62.50 FT	
296 0260 000	TUBING, SHRINK 3/32 WHITE	2.30 FT	
296 0264 000	TUBING, SHRINK 1/2 WHITE	0.10 FT	
612 0796 000	CONN, PC 44 CONT	2.0 EA	
817 0804 001	RUNNING SHEETS	0.0 EA	
839 5562 001	CABLE LAYOUT	0.0 EA	

Table 1-1336. PC. BD EXT. MOD. - 929 8085 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0310 000	TERM, TUR SLDR	22.0 EA	
829 8084 001	BOTTOM WIRING	0.0 EA	
829 8085 001	ASSY INSTR, PC BOARD	0.0 EA	
839 5566 001	PC BD	1.0 EA	

Table 1-1337. EXTENDER SIDE ASSY - 929 8592 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
829 8591 001	KEY, EXTENDER	1.0 EA	
839 5564 001	SHIELD, SIDE	1.0 EA	

Table 1-1338. KEY, EXTENDER - 829 8591 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1320 004	BRS, RECT FCB .091 X 24"	0.014490 LB	

Table 1-1339. SHIELD, SIDE - 839 5564 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 5010 010	BRS, SH .0403	4.27750 LB	

Table 1-1340. HARDWARE LIST - 999 1975 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0054 000	SCR, 4-40 X 3/8	18.0 EA	
302 0056 000	SCR, 4-40 X 1/2	11.0 EA	
302 0108 000	SCR, 6-32 X 1/2	4.0 EA	
306 0016 000	NUT, HEX KEP 6-32	12.0 EA	
310 0006 000	WASHER FLAT 8	2.0 EA	
310 0017 000	WASHER FLAT #6	2.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	29.0 EA	

Table 1-1341. HI BAND MULTIPLEX OPTION - 994 8604 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 2104 000	CARD GUIDE	1.0 EA	
358 2105 000	CARD GUIDE	1.0 EA	
384 0431 000	RECT. 1N4001 ESD	1.0 EA	CR050
410 0018 000	INSULATOR ROUND NS5W 0312	1.0 EA	
410 0024 000	INSULATOR ROUND NS5W 0412	1.0 EA	
580 0007 000	RELAY, VACUUM SPDT 12VDC	1.0 EA	K004
620 0455 000	ADPT BNC UG492A/U	2.0 EA	
813 5001 053	STDOFF 8-32X2 3/8 HEX	4.0 EA	
813 5003 057	STDOFF 10-32X3 5/8 HEX	1.0 EA	
813 5608 020	*NON STANDARD	1.0 EA	
817 0990 105	POWER LEVEL RESISTOR CHAR	0.0 EA	
829 8440 165	AIR DAM	1.0 EA	
829 9034 001	STRAP, CAPACITOR	1.0 EA	
839 5800 216	SCHEMATIC	0.0 EA	
929 7173 051	CABLE COAX	1.0 EA	W25
929 7173 052	COAX CABLE	1.0 EA	W26
929 7173 053	COAX CABLE	1.0 EA	W23
929 7173 054	COAX CABLE	1.0 EA	W24
929 9035 001	CABLE, MULTIPLEX OPTION	1.0 EA	
929 9220 001	SAMPLER KIT	1.0 EA	
939 6231 001	MUX MTG PLATE	1.0 EA	
992 5811 002	MULTI PLEX MODULE	1.0 EA	
992 5957 001	HV DIVIDER BD	1.0 EA	

Table 1-1342. STDOFF 8-32X2 3/8 HEX - 813 5001 053

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 020	AL, HEX .375	0.02520 LB	

Table 1-1343. STDOFF 10-32X3 5/8 HEX - 813 5003 057

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 030	AL, HEX .625	0.10710 LB	

Table 1-1344. *NON STANDARD - 813 5608 020

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 1020 050	BRS, THD STK 1/4-20	0.1470 FT	

Table 1-1345. STRAP, CAPACITOR - 829 9034 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
003 4010 055	CU, STRAP .020 X 1	2.42550 FT	

Table 1-1346. CABLE COAX - 929 7173 051

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.160 FT	
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.80 FT	
620 0617 000	PLUG BNC 69475	1.0 EA	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
829 7173 051	ASSY INSTR, COAX CABLE	0.0 EA	
829 7624 063	CABLE MARKER	0.0 EA	
829 7624 064	CABLE MARKER	0.0 EA	

Table 1-1347. COAX CABLE - 929 7173 052

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0705 000	COAX CABLE, RG316/U 50 OHM	2.0 FT	
620 0617 000	PLUG BNC 69475	1.0 EA	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
829 7624 065	CABLE MARKER	0.0 EA	
829 7624 066	CABLE MARKER	0.0 EA	

Table 1-1348. COAX CABLE - 929 7173 053

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0705 000	COAX CABLE, RG316/U 50 OHM	2.0 FT	
620 0617 000	PLUG BNC 69475	1.0 EA	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
829 7624 059	CABLE MARKER	1.0 EA	
829 7624 060	CABLE MARKER	0.0 EA	

Table 1-1349. COAX CABLE - 929 7173 054

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.0 FT	

620 0617 000	PLUG BNC 69475	1.0 EA
620 0699 000	PLUG, RT ANG, SMB	1.0 EA
829 7624 061	CABLE MARKER	0.0 EA
829 7624 062	CABLE MARKER	0.0 EA

Table 1-1350. CABLE, MULTIPLEX OPTION - 929 9035 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	15.0 FT	
354 0625 000	TERMINAL, FEMALE	3.0 EA	
612 0885 000	RECEPTACLE HOUSING	1.0 EA	

Table 1-1351. SAMPLER KIT - 929 9220 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0003 000	WIRE, STRD 20AWG WHT	7.0 FT	
255 0002 000	WIRE, TURBO 12AWG BRN	22.0 FT	
354 0002 000	LUG, #8 RING RED 22-18AWG	1.0 EA	
354 0003 000	LUG #10 RING RED 22-18AWG	1.0 EA	
354 0245 000	TERM LUG YEL RING 10	1.0 EA	
354 0259 000	LUG 6 RING	2.0 EA	
354 0261 000	LUG .25 RING	3.0 EA	

Table 1-1352. MUX MTG PLATE - 939 6231 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	22.330 LB	
358 0944 000	STUD 8-32 X 3/8	4.0 EA	
358 0945 000	STUD 10-32 X 1/2	3.0 EA	
358 1728 000	STUD 1/4-20 X 1/2	1.0 EA	
839 6231 001	MUX MTG. PANEL	0.0 EA	

Table 1-1353. MULTI PLEX MODULE - 992 5811 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
350 0048 000	RIVET POP .093X.337	2.0 EA	
358 2037 000	BALL STUD 6-32X 3/16	1.0 EA	
448 0623 000	SPRING CATCH	1.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	
813 5611 017	STUD 4-40 X .62	6.0 EA	
816 9849 001	SPACER	1.0 EA	
816 9862 001	SPACER, SPRING CATCH	2.0 EA	
817 0428 001	STANDOFF	6.0 EA	
817 0428 002	SPACER	6.0 EA	
839 3797 001	SHIELD	2.0 EA	
839 5800 216	SCHEMATIC	0.0 EA	
929 3391 001	EXTRACTOR IPA MODULE	1.0 EA	
939 5800 092	FRONT PANEL ASSY	1.0 EA	
992 5802 002	PC BD MULTIPLEX ASSY	1.0 EA	
999 2065 001	HARDWARE LIST	1.0 EA	

Table 1-1354. SPACER - 817 0428 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 3045 010	AL, HEX .250	0.011865 LB	

Table 1-1355. FRONT PANEL ASSY - 939 5800 092

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	0.290 LB	
324 0152 000	NUT, PEM 4-40	4.0 EA	
358 1013 000	STUD 4-40 X 3/8	1.0 EA	

Table 1-1356. PC BD MULTIPLEX ASSY - 992 5802 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0244 000	XSTR, 2N2905 ESD	5.0 EA	Q002 Q003 Q004 Q005 Q008
380 0246 000	XSTR, 2N2219A ESD	3.0 EA	Q001 Q006 Q007
382 0159 000	IC, 7407 ESD	2.0 EA	U006 U007
382 0184 000	IC, 340T-5/7805 +5V REG ESD	1.0 EA	U008
382 0288 000	IC, 4011/14011 ESD	1.0 EA	U002
382 0302 000	IC, 4023/14023 ESD	1.0 EA	U001
382 0367 000	IC, 4049/14049 ESD	1.0 EA	U005
382 0419 000	IC, 74C14 ESD	1.0 EA	U003
382 0619 000	IC, CD4050/MC14050 ESD	1.0 EA	U004
384 0321 000	DIODE 5082-2800/1N5711 ESD	1.0 EA	CR012
384 0431 000	RECT. 1N4001 ESD	24.0 EA	CR001 CR002 CR004 CR005 CR010 CR011 CR013 CR014 CR015 CR016 CR017 CR018 CR020 CR021 CR022 CR023 CR024 CR026 CR027 CR028 CR030 CR031 CR035 CR036
384 0662 000	LED RED ESD	1.0 EA	DS001
384 0668 000	PIN DIODE MA-47111 ESD	7.0 EA	CR032 CR033 CR034 CR037 CR038 CR039 CR040
386 0083 000	ZENER, 1N4742A 12V ESD	5.0 EA	CR003 CR006 CR007 CR008 CR009
386 0092 000	ZENER, 1N4744A 15V ESD	1.0 EA	CR045
386 0138 000	ZENER, 1N4750A 27V ESD	4.0 EA	CR019 CR025 CR029 CR041
398 0054 000	FUSE, SLOW CART 1A 250V	2.0 EA	F001 F002
402 0129 000	CLIP, 1/4 DIA FUSE	4.0 EA	
404 0198 000	SPACER TO-5, TO-9, TO-11	8.0 EA	XQ001 XQ002 XQ003 XQ004 XQ005 XQ006 XQ007 XQ008
404 0655 000	HEAT SINK	1.0 EA	XU008
404 0674 000	SOCKET 14 PIN DIP (D-L)	5.0 EA	XU001 XU002 XU003 XU004 XU005
404 0675 000	SOCKET IC 16 CONT	2.0 EA	XU004 XU005
494 0384 000	CHOKE RF 1.00UH	2.0 EA	L001 L006
494 0394 000	CHOKE 6.80UH	9.0 EA	L002 L003 L004 L005 L007 L008 L009 L010 L011
516 0453 000	CAP .1UF 100V 20% X7R	27.0 EA	C009 C010 C013 C015 C017 C019 C021 C022 C023 C024 C025 C026 C027 C028 C029 C030 C031 C032 C033 C034 C037 C038 C039 C040 C041 C042 C043
516 0740 000	CAP 1000PF 50V 10%	5.0 EA	C008 C011 C014 C018 C020
526 0050 000	CAP 1UF 35V 20%	1.0 EA	C036
526 0057 000	CAP 100UF 20V 20%	7.0 EA	C001 C002 C003 C004 C005 C044
526 0097 000	CAP 47UF 35V 20%	1.0 EA	C006

526 0318 000	CAP 10UF 35V 20%	1.0 EA	C035
540 0285 000	* RES 11 OHM 1W 5%	1.0 EA	R053
540 0292 000	* RES 22 OHM 1W 5%	1.0 EA	R034
540 0317 000	* RES 240 OHM 1W 5%	9.0 EA	R030 R037 R038 R039 R040 R041 R042 R045 R046
540 0319 000	* RES 300 OHM 1W 5%	2.0 EA	R031 R036
540 0323 000	* RES 430 OHM 1W 5%	2.0 EA	R052 R054
540 0563 000	* RES 10 OHM 2W 5%	2.0 EA	R049 R050
540 0592 000	* RES 160 OHM 2W 5%	2.0 EA	R043 R044
540 0598 000	* RES 300 OHM 2W 5%	1.0 EA	R051
540 0606 000	* RES 620 OHM 2W 5%	2.0 EA	R047 R048
548 2400 101	RES 10 OHM 1/2W 1%	5.0 EA	R063 R064 R065 R066 R067
548 2400 234	RES 221 OHM 1/2W 1%	3.0 EA	R017 R028 R029
548 2400 266	RES 475 OHM 1/2W 1%	7.0 EA	R001 R003 R005 R007 R009 R012 R062
548 2400 301	RES 1K OHM 1/2W 1%	5.0 EA	R019 R021 R023 R025 R027
548 2400 326	RES 1.82K OHM 1/2W 1%	1.0 EA	R055
548 2400 334	RES 2.21K OHM 1/2W 1%	4.0 EA	R002 R004 R008 R010
548 2400 369	RES 5.11K OHM 1/2W 1%	10.0 EA	R018 R020 R022 R024 R026 R057 R058 R059 R060 R061
548 2400 401	RES 10K OHM 1/2W 1%	6.0 EA	R011 R013 R014 R015 R016 R070
548 2400 554	RES 357K OHM 1/2W 1%	1.0 EA	R056
604 0947 000	SW, PB 2P	2.0 EA	S001 S002
610 0679 000	PLUG, SHORTING, .25" CTRS	1.0 EA	P001
620 0700 000	*RECPT, MALE SMB,PC MOUNT	4.0 EA	J001 J002 J003 J004
620 1888 000	COUPLER, DIRECTIONAL	1.0 EA	
839 5800 216	SCHEMATIC	0.0 EA	
943 3730 069	BD, MULTIPLEX	1.0 EA	

Table 1-1357. BD, MULTIPLEX - 943 3730 069

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	16.0 EA	
612 0904 000	JACK, PC MT GOLD PLATED	3.0 EA	
843 3730 068	PWB, MULTIPLEX	1.0 EA	
843 3730 069	ASSY INSTR, MULTIPLEX	0.0 EA	

Table 1-1358. HARDWARE LIST - 999 2065 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1485 000	SCR, 4-40 X 5/16	12.0 EA	
302 0350 000	SCR, 4-40 X 5/16	2.0 EA	
302 0354 000	SCR, 6-32 X 3/4	2.0 EA	
312 0005 000	WASHER, INT LOCK 6	1.0 EA	
312 0045 000	WASHER, SPLIT-LOCK 4	12.0 EA	
314 0003 000	WASHER, SPLIT-LOCK 4	2.0 EA	
350 0048 000	RIVET POP .093X.337	4.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	

Table 1-1359. HV DIVIDER BD - 992 5957 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
386 0083 000	ZENER, 1N4742A 12V ESD	1.0 EA	CR1
540 0387 000	RES 200.0K OHM 1W 5%	2.0 EA	R003 R004

548 1539 000	RES 5 MEGOHM 10W 1%	2.0 EA	R1 R2
829 9929 001	SCHEMATIC, HV BD	0.0 EA	
839 5800 111	PC BD	1.0 EA	

Table 1-1360. TOP REMOTE AIR INTAKE KIT - 994 8703 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0141 000	SCR, 10-32 X 3/8	12.0 EA	
310 0013 000	WASHER FLAT 10	12.0 EA	
314 0007 000	WASHER, SPLIT-LOCK 10	12.0 EA	
350 0039 000	RIVET POP .125X.375	31.0 EA	
646 1250 000	LABEL SAFETY INSTR.	1.0 EA	
829 8910 001	BTM, PLENUM	1.0 EA	
839 6104 001	INSTRUCTIONS, ATTACHMENT	0.0 EA	
839 6104 003	COVER, FILTER ACCESS	1.0 EA	
939 6104 002	PLENUM, DOOR	1.0 EA	

Table 1-1361. BTM, PLENUM - 829 8910 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	1.81250 LB	

Table 1-1362. COVER, FILTER ACCESS - 839 6104 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	4.42250 LB	

Table 1-1363. PLENUM, DOOR - 939 6104 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 050	AL, SH .050 THK	27.550 LB	
324 0168 000	NUT, PEM 10-32	12.0 EA	

Table 1-1364. BASIC VHF VIS EXC MCP2V - 994 8713 010

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0420 000	SCR, 6-32 X 3/16	2.0 EA	
335 0089 000	WASHER, SHLD .156 ID	4.0 EA	
354 0147 000	LUG, SHAKE #6 45 DEG	2.0 EA	#Q1 #Q2
358 1021 000	SLIDE, DRAWER	2.0 EA	
358 2040 000	S HOOK	1.0 EA	
380 0187 000	XSTR NPN DARL 2N6055 ESD	2.0 EA	Q001 Q002
382 0026 000	MIXER, 10514 ESD	1.0 EA	A4
382 0475 000	IC, 317 ESD	1.0 EA	U001
384 0431 000	RECT. 1N4001 ESD	2.0 EA	CR001 CR002
384 0730 000	LED, RED HLMP-3000 ESD	2.0 EA	DS001 DS002
404 0661 000	SOCKET, TRANSISTOR TO-3	1.0 EA	XU001
410 0232 000	INSULATOR TO-3 MICA	2.0 EA	#Q1 #Q2
424 0001 000	GROMMET 3/8 MTG DIA	2.0 EA	#Q1 #Q2
424 0003 000	GROMMET 1/2 MTG DIA	3.0 EA	
472 1118 000	XFMR, PWR	1.0 EA	T001
484 0063 000	FILTER RFI 12 SECTION	1.0 EA	FL001
516 0411 000	CAP .1UF 50V DISC	1.0 EA	C004

522 0572 000	CAP 3.3UF 50V 20%	1.0 EA	C005
524 0150 000	CAP 6000 UF 50V	1.0 EA	C001
524 0332 000	CAP 5500 UF 40WVDC	2.0 EA	C002 C003
530 0088 000	BRACKET, CAP, 2" ID	1.0 EA	#C1
530 0094 000	BRACKET, CAP, 1.375"ID	2.0 EA	#C2 #C3
548 2400 237	RES 237 OHM 1/2W 1%	1.0 EA	R003
550 1040 000	*POT, MOTORIZED 500 OHM 5W	1.0 EA	R002
550 1041 000	*POT, MOTORIZED 1K OHM 5W	1.0 EA	R001
550 1043 000	POT, REPLACEMENT 500 OHM	0.0 EA	\$R2R1 #R2R1
550 1044 000	POT, REPLACEMENT 1K OHM	0.0 EA	#R1R1
600 0490 000	SWITCH ROTARY 2P 12 POS	1.0 EA	S001
606 0591 000	CB 2A 250AC/65DC 50/60HZ	1.0 EA	CB001
620 0569 000	COUPLER 50 OHM 2W	1.0 EA	DC001
620 1783 000	CAP RES TERMINATED BNC	1.0 EA	
632 1095 000	MTR MULTI, 2-1/2", B	1.0 EA	M001
646 0569 000	REPLACE WITH 646-1301-201	1.0 EA	
646 0704 000	NOT FOR NEW DESIGN	1.0 EA	
650 0028 000	KNOB RD SKIRT 1.135" DIA	3.0 EA	
813 5007 034	STDOFF 6-32X2 1/4 DIA	4.0 EA	
813 5010 100	STDOFF 6-32X4.53 1/2 RD	1.0 EA	
814 8789 001	MIXER CLAMP	1.0 EA	
814 9584 001	SPACER	4.0 EA	
814 9585 001	HANDLE	2.0 EA	
828 0654 001	TRANSISTOR GUARD	2.0 EA	#Q1 #Q2
843 1679 002	BLOCK DIAGRAM	0.0 EA	
843 1684 002	SCHEM PWR DIST	0.0 EA	
852 8256 002	SCHEMATIC	0.0 EA	
852 8258 003	INTERCONNECT DIAGRAM	0.0 EA	
915 1915 007	STOP CORD VIS. EXC.	1.0 EA	
916 8951 001	HEAT SINK, REAR	1.0 EA	#U1
916 8952 001	HEAT SINK, REAR	2.0 EA	#Q1 #Q2
927 4935 001	A.C. CORD ASSY	1.0 EA	
929 1774 001	ANGLE, MOUNTING	1.0 EA	
929 1855 003	CABLE ASSY	1.0 EA	
929 1903 001	CABLE ASSY, INPUT	1.0 EA	
929 1939 001	SHIELD, CAPACITOR	1.0 EA	
939 2656 002	CHASSIS ASSY	1.0 EA	
939 2704 001	COVER, PWR DIST.	1.0 EA	
939 2705 001	BRACKET, CKT BRKR	1.0 EA	
939 2859 002	CABLE, COAX 17.5LG	1.0 EA	
939 2859 005	CABLE, COAX 17.5LG	1.0 EA	
939 2859 009	CABLE, COAX 17-7LG	1.0 EA	
939 2859 010	CABLE, COAX 17.5LG	1.0 EA	
939 2859 011	CABLE, COAX 9.2LG	4.0 EA	
939 2859 012	CABLE, COAX 18.0LG	1.0 EA	#J4
939 2859 021	CABLE COAX	2.0 EA	
992 4814 001	DETECTOR ASSY.	1.0 EA	A5
992 4831 001	EXTENDER CARD	1.0 EA	
992 4840 002	VIDEO/I.F. ASSY	1.0 EA	A1
992 4841 001	OSCILLATOR ASSY	1.0 EA	A2
992 6531 001	AC DISTRIBUTION BOARD VIS	1.0 EA	A003
999 1680 001	WIRE & TUBING LIST	1.0 EA	
999 1681 001	HARDWARE LIST	1.0 EA	

Table 1-1365. STDOFF 6-32X2 1/4 DIA - 813 5007 034

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 006	AL, RD .250 DIA	0.01050 LB	

Table 1-1366. STDOFF 6-32X4.53 1/2 RD - 813 5010 100

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1025 012	AL, RD .500 DIA	0.095130 LB	

Table 1-1367. TRANSISTOR GUARD - 828 0654 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.198650 LB	

Table 1-1368. STOP CORD VIS. EXC. - 915 1915 007

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
299 0012 000	NYLON ROPE 1/8 IN D	0.30 FT	
354 0260 000	LUG #6 RECT YEL 12-10AWG	2.0 EA	

Table 1-1369. HEAT SINK, REAR - 916 8951 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
404 0665 000	HEAT SINK	1.0 EA	

Table 1-1370. HEAT SINK, REAR - 916 8952 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
404 0270 000	HEAT SINK FOR CASE TO-3	1.0 EA	

Table 1-1371. A.C. CORD ASSY - 927 4935 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
250 0075 000	CORD, 6 FT 3C 18AWG	1.0 EA	
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.30 FT	
302 0057 000	SCR, 4-40 X 5/8	1.0 EA	
306 0015 000	NUT, HEX KEP 4-40	1.0 EA	
354 0335 000	* CONNECTOR CONTACT	3.0 EA	
354 0365 000	* CONTACT 61061-5	1.0 EA	
356 0087 000	CABLE TIE TY RAP	1.0 EA	
610 0451 000	CAP CONN HSG 15 CKT	1.0 EA	
827 4935 001	ASSY INSTR	0.0 EA	
827 7848 001	CABLE CLAMP	1.0 EA	

Table 1-1372. ANGLE, MOUNTING - 929 1774 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.046110 LB	
324 0163 000	NUT, PEM 6-32	2.0 EA	

Table 1-1373. CABLE ASSY - 929 1855 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	174.0 FT	
254 0002 000	WIRE, BUS CU 20AWG	0.50 FT	
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.40 FT	
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.20 FT	
354 0033 000	SOLDER LUG 4 MTG HOLE	1.0 EA	
354 0146 000	LUG SHAKE .176 MTG	6.0 EA	
354 0147 000	LUG, SHAKE #6 45 DEG	4.0 EA	
354 0386 000	TERM, LOCKING #10 RING	2.0 EA	
354 0406 000	TERM, SQ WIRE	2.0 EA	
354 0584 000	TERM, SQ WIRE	42.0 EA	
354 0669 000	TERM 250 FEM RED 22-18	2.0 EA	
612 0526 000	HSG, 8 CKT, SGL ROW	1.0 EA	
612 0571 000	CONN	1.0 EA	P011
612 0816 000	HSG, 12 CKT, SGL ROW	4.0 EA	
618 0081 000	COAX CABLE RG187A, 75 OHM	6.0 FT	
618 0705 000	COAX CABLE, RG316/U 50 OHM	3.50 FT	
620 0545 000	JACK, BULKHEAD, BNC	1.0 EA	J003
620 0566 000	PLUG, RT ANGLE UG1466/U SMC	1.0 EA	
620 0597 000	JACK, BULKHEAD BNC	2.0 EA	J001 J002
829 1855 003	CADS	0.0 EA	
852 8253 003	CABLE LAYOUT	0.0 EA	

Table 1-1374. CABLE ASSY, INPUT - 929 1903 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0002 000	WIRE, STRD 22AWG GRN	7.0 FT	
354 0033 000	SOLDER LUG 4 MTG HOLE	2.0 EA	
354 0335 000	* CONNECTOR CONTACT	1.0 EA	
354 0365 000	* CONTACT 61061-5	14.0 EA	
610 0448 000	PLUG CONN HSG 15 CKT	1.0 EA	
829 1904 001	CABLE LAYOUT, INPUT	0.0 EA	

Table 1-1375. SHIELD, CAPACITOR - 929 1939 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.27550 LB	
088 0001 071	*TAPE, FEP TEFLON 5"W	0.010 RL	
324 0163 000	NUT, PEM 6-32	2.0 EA	

Table 1-1376. CHASSIS ASSY - 939 2656 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
839 2652 001	STENCIL, CHASSIS REAR	0.0 EA	
839 2653 002	STENCIL, CHASSIS BTM	0.0 EA	
839 2654 002	STENCIL, FRONT PANEL	0.0 EA	
839 2656 002	CHASSIS ASSY INST	0.0 EA	
839 6184 001	SILKSCREEN	0.0 EA	
843 1558 001	SILKSCREEN, REAR	0.0 EA	
843 1559 002	PANEL, FRONT	1.0 EA	
852 8236 002	CHASSIS	1.0 EA	

Table 1-1377. PANEL, FRONT - 843 1559 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	2.59550 LB	

Table 1-1378. CHASSIS - 852 8236 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	7.43850 LB	

Table 1-1379. COVER, PWR DIST. - 939 2704 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.68150 LB	
324 0147 000	NUT, PEM 4-40	6.0 EA	
839 2704 001	ASSY INSTRUCTIONS	0.0 EA	
839 4069 001	COVER	0.0 EA	

Table 1-1380. BRACKET, CKT BRKR - 939 2705 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.33930 LB	
324 0147 000	NUT, PEM 4-40	4.0 EA	

Table 1-1381. CABLE, COAX 17.5LG - 939 2859 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1670 FT	2 PIECES 1.0"
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.50 FT	
620 0699 000	PLUG, RT ANG, SMB	2.0 EA	
839 2859 002	CABLE COAX VIS. EXCITERS	0.0 EA	

Table 1-1382. CABLE, COAX 17.5LG - 939 2859 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1670 FT	2 PIECES 1.0"
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.50 FT	
620 0567 000	PLUG, RT ANGLE BNC	1.0 EA	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
839 2859 005	CABLE COAX VIS. EXCITERS	0.0 EA	

Table 1-1383. CABLE, COAX 17-7LG - 939 2859 009

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1670 FT	2 PIECES 1.0"
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.50 FT	
620 0699 000	PLUG, RT ANG, SMB	1.0 EA	
620 1894 000	PLUG, RT ANGLE CRIMP-TYPE	1.0 EA	
839 2859 009	CABLE COAX VIS. EXCITERS	0.0 EA	

Table 1-1384. CABLE, COAX 17.5LG - 939 2859 010

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1670 FT	2 PIECES 1.0"
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.50 FT	
620 0567 000	PLUG, RT ANGLE BNC	1.0 EA	
620 1894 000	PLUG, RT ANGLE CRIMP-TYPE	1.0 EA	
839 2859 010	CABLE COAX VIS. EXCITERS	0.0 EA	

Table 1-1385. CABLE, COAX 9.2LG - 939 2859 011

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1670 FT	2 PIECES 1.0"
618 0705 000	COAX CABLE, RG316/U 50 OHM	0.70 FT	
620 0567 000	PLUG, RT ANGLE BNC	2.0 EA	
839 2859 011	CABLE COAX VIS. EXCITERS	0.0 EA	

Table 1-1386. CABLE, COAX 18.0LG - 939 2859 012

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1670 FT	2 PIECES 1.0"
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.60 FT	
620 0545 000	JACK, BULKHEAD, BNC	1.0 EA	
620 0567 000	PLUG, RT ANGLE BNC	1.0 EA	
839 2859 012	CABLE COAX VIS. EXCITERS	0.0 EA	

Table 1-1387. CABLE COAX - 939 2859 021

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1670 FT	2 PIECES 1.0"
618 0705 000	COAX CABLE, RG316/U 50 OHM	1.0 FT	
620 0699 000	PLUG, RT ANG, SMB	2.0 EA	
839 2859 021	CABLE COAX	0.0 EA	

Table 1-1388. DETECTOR ASSY. - 992 4814 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1536 000	SCR, 6-32 X 1/4	1.0 EA	
302 0012 000	SCR, 2-56 X 1/4	8.0 EA	
302 0354 000	SCR, 6-32 X 3/4	4.0 EA	
314 0001 000	WASHER, SPLIT-LOCK 2	8.0 EA	
354 0055 000	SOLDER LUG 6 MTG HOLE	1.0 EA	
354 0140 000	LUG SLDR .25 HOLE	1.0 EA	
384 0321 000	DIODE 5082-2800/1N5711 ESD	1.0 EA	CR1
414 0087 000	BEAD FERRITE SHIELD	2.0 EA	E001 E002
516 0450 000	CAP 1000PF 500V 20%	1.0 EA	C1
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R1
620 0571 000	RECEP. BNC UG535-U	2.0 EA	J1 J2
816 7255 002	CENTER CONDUCTOR	1.0 EA	
816 8659 001	SCHEMATIC	0.0 EA	
816 9135 001	TEST SPECIFICATION	0.0 EA	
839 2326 001	RF DETECTOR INSTR.	0.0 EA	
916 8591 001	DETECTOR BLOCK	1.0 EA	

Table 1-1389. CENTER CONDUCTOR - 816 7255 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0188 000	COAX CABLE RG213, 50 OHM	0.1760 FT	

Table 1-1390. DETECTOR BLOCK - 916 8591 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0354 000	SCR, 6-32 X 3/4	4.0 EA	
829 1091 001	DETECTOR, TOP	1.0 EA	
829 1102 001	DETECTOR, BOTTOM	1.0 EA	

Table 1-1391. DETECTOR, TOP - 829 1091 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 053	AL, RECT .75 X 2.0	0.40320 LB	

Table 1-1392. DETECTOR, BOTTOM - 829 1102 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 053	AL, RECT .75 X 2.0	0.40320 LB	

Table 1-1393. EXTENDER CARD - 992 4831 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
612 0868 000	CONN, PC 22 CONT POS	1.0 EA	
816 8072 001	SUPPORT, CONNECTOR	2.0 EA	
839 2409 001	PRINTED BOARD	1.0 EA	

Table 1-1394. SUPPORT, CONNECTOR - 816 8072 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.001943 LB	

Table 1-1395. VIDEO/I.F. ASSY - 992 4840 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0949 000	GUIDE. CARD 2.5 IN L	26.0 EA	
430 0051 000	FAN 115V 50/60HZ	1.0 EA	
430 0093 000	FAN SPRITE GUARD	1.0 EA	
829 1474 001	SPACER BAR, ENCL	1.0 EA	
829 1474 002	SPACER, BAR	1.0 EA	
829 1475 001	SPACER BAR, ENCL	1.0 EA	
829 1733 001	COVER, BLOWER	1.0 EA	
829 8732 001	PLATE, COVER	1.0 EA	
839 6152 001	BRACKET, CIRCUIT BD	1.0 EA	
843 1623 004	COVER, ENCLOSURE	1.0 EA	
852 8256 002	SCHEMATIC	0.0 EA	
929 1734 001	BRACKET ASSY.	1.0 EA	
939 2466 001	SHIELD ASSY	7.0 EA	
939 2466 002	SHIELD ASSY	1.0 EA	
939 2695 001	DUCT, VIDEO/IF	1.0 EA	
939 2696 001	PLENUM, VIDEO/IF	1.0 EA	
939 2859 001	CABLE, COAX 7.0LG	4.0 EA	

943 1462 002	BRACKET ASSY	1.0 EA
943 3141 003	BRACKET ASSY	1.0 EA
992 4715 001	AMPLIFIER BOARD	1.0 EA
992 4716 001	GEN, CLAMP PULSE	1.0 EA
992 4718 001	GAIN CORRECTOR	1.0 EA
992 4842 001	MOTHER BOARD	1.0 EA
992 4843 001	MODULATOR MODULE	1.0 EA
992 4844 001	DELAY COMPENSATOR	1.0 EA
992 4846 001	IF ATTEN & AGC BD.	1.0 EA
992 4847 001	REGULATOR BD PWR SUP	1.0 EA
992 6049 002	PWB, QUAD CORR	1.0 EA
992 6087 002	PWB, LINEARITY CORRECTOR	1.0 EA
992 7011 001	DIFF. PHASE CORRECTOR	1.0 EA
992 7023 001	PWB, VSB FILTER	1.0 EA

Table 1-1396. SPACER BAR, ENCL - 829 1474 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 016	AL, RECT .375 X .500	0.299250 LB	

Table 1-1397. SPACER, BAR - 829 1474 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 1310 016	AL, RECT .375 X .500	0.248850 LB	

Table 1-1398. SPACER BAR, ENCL - 829 1475 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 2045 041	AL, SQ .500	0.169050 LB	

Table 1-1399. COVER, BLOWER - 829 1733 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.233450 LB	

Table 1-1400. PLATE, COVER - 829 8732 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 030	AL, SH .032 THK	0.037990 LB	

Table 1-1401. BRACKET, CIRCUIT BD - 839 6152 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.016820 LB	

Table 1-1402. COVER, ENCLOSURE - 843 1623 004

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	1.63850 LB	
839 2763 002	SILKSCREEN, COVER	0.0 EA	

Table 1-1403. BRACKET ASSY. - 929 1734 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.044950 LB	
324 0167 000	NUT, PEM 6-32	2.0 EA	

Table 1-1404. SHIELD ASSY - 939 2466 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.33930 LB	
324 0147 000	NUT, PEM 4-40	6.0 EA	
839 2466 001	FAB/ASSY INSTR, SHIELD	0.0 EA	

Table 1-1405. SHIELD ASSY - 939 2466 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.28710 LB	
324 0147 000	NUT, PEM 4-40	6.0 EA	
839 2466 002	FAB/ASSY INSTR, SHIELD	0.0 EA	

Table 1-1406. DUCT, VIDEO/IF - 939 2695 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.28420 LB	
324 0147 000	NUT, PEM 4-40	4.0 EA	
324 0167 000	NUT, PEM 6-32	2.0 EA	
839 2695 001	ASSY/FAB INSTR, DUCT	0.0 EA	

Table 1-1407. PLENUM, VIDEO/IF - 939 2696 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	0.506050 LB	
324 0147 000	NUT, PEM 4-40	3.0 EA	

Table 1-1408. CABLE, COAX 7.0LG - 939 2859 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0253 000	TUBING, SHRINK 3/16 WHITE	0.1670 FT	2 PIECES 1.0"
618 0705 000	COAX CABLE, RG316/U 50 OHM	0.70 FT	
620 0699 000	PLUG, RT ANG, SMB	2.0 EA	
839 2859 001	CABLE COAX VIS. EXCITERS	0.0 EA	

Table 1-1409. BRACKET ASSY - 943 1462 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.775750 LB	
324 0163 000	NUT, PEM 6-32	8.0 EA	
843 1462 002	ASSY INSTRUCTIONS	0.0 EA	
843 3141 002	BRKT	0.0 EA	

Table 1-1410. BRACKET ASSY - 943 3141 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.36250 LB	
324 0163 000	NUT, PEM 6-32	8.0 EA	

Table 1-1411. AMPLIFIER BOARD - 992 4715 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0086 000	XSTR, 2N4391 ESD	1.0 EA	Q8
380 0189 000	XSTR, NPN 2N3904 ESD	1.0 EA	Q9
380 0190 000	XSTR, PNP 2N3906 ESD	2.0 EA	Q1 Q4
380 0246 000	XSTR, 2N2219A ESD	4.0 EA	Q2 Q3 Q5 Q6
380 0558 000	XSTR, 2N5566 ESD	1.0 EA	Q7
382 0068 000	IC, CA3018A ESD	1.0 EA	U1
404 0198 000	SPACER TO-5, TO-9, TO-11	4.0 EA	XQ2 XQ3 XQ5 XQ6
404 0264 000	HEAT SINK FOR TO-5 CASE	2.0 EA	XQ2 XQ3
404 0660 000	HEAT SINK	1.0 EA	XQ7
494 0413 000	CHOKE RF 330.0UH	1.0 EA	L1
500 0813 000	CAP, MICA, 33PF 500V 5%	1.0 EA	C17
508 0412 000	CAP .047UF 200V 5%	1.0 EA	C11
516 0054 000	CAP, DISC .001UF 1KV 10%	2.0 EA	C019 C020
522 0550 000	CAP 100UF 25V 20%	6.0 EA	C002 C008 C013 C014 C015 C018
526 0047 000	CAP 220UF 10V 20%	2.0 EA	C5 C6
526 0048 000	CAP 10UF 20V 20%	2.0 EA	C16 C7
526 0057 000	CAP 100UF 20V 20%	6.0 EA	C001 C003 C004 C009 C010 C012
540 0326 000	* RES 560 OHM 1W 5%	2.0 EA	R11 R5
548 0466 000	*RES 74 OHM 3/4W 0.5%	2.0 EA	R12 R8
548 2400 130	RES 20 OHM 1/2W 1%	1.0 EA	R24
548 2400 166	RES 47.5 OHM 1/2W 1%	6.0 EA	R13 R18 R2 R22 R23 R9
548 2400 185	RES 75 OHM 1/2W 1%	2.0 EA	R36 R37
548 2400 201	RES 100 OHM 1/2W 1%	4.0 EA	R31 R34 R38 R40
548 2400 209	RES 121 OHM 1/2W 1%	3.0 EA	R10 R14 R30
548 2400 218	RES 150 OHM 1/2W 1%	1.0 EA	R29
548 2400 230	RES 200 OHM 1/2W 1%	2.0 EA	R17 R45
548 2400 262	RES 432 OHM 1/2W 1%	2.0 EA	R41 R42
548 2400 266	RES 475 OHM 1/2W 1%	1.0 EA	R35
548 2400 285	RES 750 OHM 1/2W 1%	1.0 EA	R4
548 2400 301	RES 1K OHM 1/2W 1%	5.0 EA	R020 R021 R028 R032 R033
548 2400 309	RES 1.21K OHM 1/2W 1%	1.0 EA	R44
548 2400 330	RES 2K OHM 1/2W 1%	3.0 EA	R003 R019 R025
548 2400 347	RES 3.01K OHM 1/2W 1%	1.0 EA	R27
548 2400 401	RES 10K OHM 1/2W 1%	5.0 EA	R1 R15 R16 R26 R39
816 9111 001	TEST SPECIFICATION	0.0 EA	
843 1624 001	SCHEMATIC	0.0 EA	
939 2110 001	PRINTED BOARD	1.0 EA	

Table 1-1412. PRINTED BOARD - 939 2110 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	1.0 EA	
839 2110 001	PRINTED BOARD	1.0 EA	

Table 1-1413. GEN, CLAMP PULSE - 992 4716 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0190 000	XSTR, PNP 2N3906 ESD	3.0 EA	Q1 Q2 Q3
382 0219 000	IC, NE531N ESD	1.0 EA	U1
382 0366 000	IC, MC14528BCP ESD	1.0 EA	U3
382 0452 000	IC, LM311/CA311 ESD	1.0 EA	U2
382 0453 000	IC, LM320H-12/UA79M12AHC ESD	1.0 EA	U5
382 0454 000	IC, 78L12A ESD	1.0 EA	U4
384 0205 000	DIODE SILICON 1N914/4148 ESD	6.0 EA	CR1 CR2 CR3 CR4 CR5 CR6
384 0431 000	RECT. 1N4001 ESD	2.0 EA	CR7 CR8
404 0198 000	SPACER TO-5, TO-9, TO-11	2.0 EA	XU4 XU5
404 0673 000	SOCKET 8 PIN DIP (DL)	2.0 EA	XU1 XU2
404 0675 000	SOCKET IC 16 CONT	1.0 EA	XU3
500 0817 000	CAP, MICA, 47PF 500V 5%	2.0 EA	C18 C3
500 0842 000	CAP, MICA, 820PF 300V 5%	1.0 EA	C11
516 0054 000	CAP, DISC .001UF 1KV 10%	2.0 EA	C022 C023
516 0453 000	CAP .1UF 100V 20% X7R	7.0 EA	C1 C12 C13 C2 C21 C7 C9
522 0548 000	CAP 10UF 50V 20%	4.0 EA	C015 C016 C019 C020
522 0550 000	CAP 100UF 25V 20%	6.0 EA	C004 C006 C008 C010 C014 C017
526 0048 000	CAP 10UF 20V 20%	1.0 EA	C005
548 2400 166	RES 47.5 OHM 1/2W 1%	1.0 EA	R16
548 2400 185	RES 75 OHM 1/2W 1%	1.0 EA	R20
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R15
548 2400 318	RES 1.5K OHM 1/2W 1%	1.0 EA	R2
548 2400 330	RES 2K OHM 1/2W 1%	1.0 EA	R14
548 2400 342	RES 2.67K OHM 1/2W 1%	1.0 EA	R6
548 2400 347	RES 3.01K OHM 1/2W 1%	1.0 EA	R3
548 2400 354	RES 3.57K OHM 1/2W 1%	1.0 EA	R12
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R19
548 2400 366	RES 4.75K OHM 1/2W 1%	3.0 EA	R11 R17 R9
548 2400 401	RES 10K OHM 1/2W 1%	4.0 EA	R1 R4 R7 R8
548 2400 418	RES 15K OHM 1/2W 1%	1.0 EA	R10
548 2400 466	RES 47.5K OHM 1/2W 1%	1.0 EA	R18
548 2400 530	RES 200K OHM 1/2W 1%	1.0 EA	R5
550 0865 000	POT 1K OHM 1/2W 10%	1.0 EA	R13
816 9106 001	TEST SPECIFICATION	0.0 EA	
843 1897 001	SCHEMATIC	0.0 EA	
939 2111 001	PRINTED BOARD	1.0 EA	

Table 1-1414. PRINTED BOARD - 939 2111 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	5.0 EA	
839 2111 001	ASSY, PWB	0.0 EA	
839 3532 001	PWB, CLAMP PULSE GENERATOR	1.0 EA	

Table 1-1415. MOTHER BOARD - 992 4842 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0217 000	WIRE, STRD 26AWG WHT	0.130 FT	#JPR FOR PIN 5 J10 TO PIN E J11
358 0907 000	POLARIZATION KEY	12.0 EA	
380 0189 000	XSTR, NPN 2N3904 ESD	1.0 EA	Q001
384 0205 000	DIODE SILICON 1N914/4148 ESD	2.0 EA	CR1 CR2

404 0319 000	SOCKET TRANSISTOR	1.0 EA	
516 0375 000	CAP .01UF 50V -20/+80% Z5U	4.0 EA	C002 C003 C004 C005
516 0453 000	CAP .1UF 100V 20% X7R	1.0 EA	C1
548 0887 000	RES 75.0 OHM 3/4W	1.0 EA	R2
548 2400 193	RES 90.9 OHM 1/2W 1%	2.0 EA	R3 R4
548 2400 218	RES 150 OHM 1/2W 1%	1.0 EA	R1
548 2400 281	RES 681 OHM 1/2W 1%	1.0 EA	R5
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R006
578 0021 000	RELAY DPDT 12V	2.0 EA	K1 K2
604 0411 000	SW, TGL, SPDT, ON-OFF-ON	1.0 EA	S1
604 0849 000	SW, TGL SPDT	1.0 EA	S2
610 0679 000	PLUG, SHORTING, .25" CTRS	5.0 EA	P5 P6 P7 P8 P9
610 0704 000	CONN 12 PIN	4.0 EA	P1 P2 P3 P4
612 0775 000	JACK, PC MT, .040 PINS	15.0 EA	
612 0872 000	CONN, PC 44 CONT	12.0 EA	J1 J10 J11 J12 J2 J3 J4 J5 J6 J7 J8 J9
816 9112 001	TEST SPECIFICATIONS	0.0 EA	
843 1486 001	PRINTED BOARD	1.0 EA	
852 8256 001	SCHEMATIC	0.0 EA	
999 1694 001	HARDWARE LIST	1.0 EA	

Table 1-1416. HARDWARE LIST - 999 1694 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
302 0056 000	SCR, 4-40 X 1/2	24.0 EA	
306 0003 000	NUT, HEX 4-40	24.0 EA	

Table 1-1417. MODULATOR MODULE - 992 4843 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0114 000	XSTR, 2N5109 ESD	3.0 EA	Q1 Q3 Q4
380 0536 000	XSTR, 2N5179 ESD	1.0 EA	Q2
382 0036 000	IC, 10514C ESD	1.0 EA	U1
404 0198 000	SPACER TO-5, TO-9, TO-11	3.0 EA	XQ1 XQ3 XQ4
404 0264 000	HEAT SINK FOR TO-5 CASE	1.0 EA	XQ1
478 0392 000	XFMR, RF MODEL T4-1	2.0 EA	T1 T2
494 0239 000	CHOKE WIDE BAND	1.0 EA	L1
494 0375 000	CHOKE RF 0.18UH	1.0 EA	L3
494 0383 000	CHOKE RF 0.82UH	1.0 EA	L4
494 0388 000	CHOKE RF 2.20UH	1.0 EA	L2
500 0801 000	CAP, MICA, 2PF 500V +/- .5PF	1.0 EA	C10
500 0807 000	CAP, MICA, 18PF 500V 5%	1.0 EA	C13
500 0808 000	CAP, MICA, 20PF 500V 5%	1.0 EA	C12
500 0840 000	CAP, MICA, 680PF 300V 5%	1.0 EA	C20
516 0059 000	CAP, DISC .0015UF 1KV 10%	12.0 EA	C1 C14 C15 C16 C18 C19 C2 C3 C5 C7 C8 C9
520 0446 000	CAP, VAR .8-10PF	1.0 EA	C11
522 0572 000	CAP 3.3UF 50V 20%	3.0 EA	C17 C4 C6
548 2400 101	RES 10 OHM 1/2W 1%	1.0 EA	R5
548 2400 105	RES 11 OHM 1/2W 1%	1.0 EA	R22
548 2400 118	RES 15 OHM 1/2W 1%	1.0 EA	R19
548 2400 134	RES 22.1 OHM 1/2W 1%	2.0 EA	R33 R34
548 2400 158	RES 39.2 OHM 1/2W 1%	2.0 EA	R21 R29
548 2400 169	RES 51.1 OHM 1/2W 1%	1.0 EA	R16
548 2400 181	RES 68.1 OHM 1/2W 1%	1.0 EA	R6

548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R18 R9
548 2400 205	RES 110 OHM 1/2W 1%	1.0 EA	R7
548 2400 230	RES 200 OHM 1/2W 1%	2.0 EA	R35 R36
548 2400 247	RES 301 OHM 1/2W 1%	3.0 EA	R11 R25 R4
548 2400 251	RES 332 OHM 1/2W 1%	2.0 EA	R27 R32
548 2400 266	RES 475 OHM 1/2W 1%	2.0 EA	R13 R8
548 2400 293	RES 909 OHM 1/2W 1%	1.0 EA	R30
548 2400 301	RES 1K OHM 1/2W 1%	1.0 EA	R17
548 2400 326	RES 1.82K OHM 1/2W 1%	2.0 EA	R3 R38
548 2400 330	RES 2K OHM 1/2W 1%	1.0 EA	R31
548 2400 334	RES 2.21K OHM 1/2W 1%	1.0 EA	R2
548 2400 366	RES 4.75K OHM 1/2W 1%	6.0 EA	R14 R15 R23 R24 R26 R28
550 0841 000	POT 50 OHM 1/2W 10%	1.0 EA	R1
550 0842 000	POT 200 OHM 1/2W 10%	2.0 EA	R20 R37
550 0865 000	POT 1K OHM 1/2W 10%	2.0 EA	R10 R12
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J1 J2
816 9110 001	TEST SPECIFICATION	0.0 EA	
843 1682 001	SCHEMATIC	0.0 EA	
939 2599 001	PRINTED BOARD	1.0 EA	

Table 1-1418. PRINTED BOARD - 939 2599 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
027 5010 009	GL, .059 +/- .005 THK	0.4650 SF	
354 0309 000	TERM SOLDER	1.0 EA	
839 2599 001	ASSY, PWB	0.0 EA	
839 4774 001	PC BOARD	1.0 EA	

Table 1-1419. DELAY COMPENSATOR - 992 4844 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0114 000	XSTR, 2N5109 ESD	4.0 EA	Q001 Q002 Q005 Q006
380 0536 000	XSTR, 2N5179 ESD	2.0 EA	Q003 Q004
384 0361 000	DIODE HP5082-3077/A5S377 ESD	4.0 EA	CR001 CR002 CR003 CR004
404 0198 000	SPACER TO-5, TO-9, TO-11	4.0 EA	XQ001 XQ002 XQ005 XQ006
478 0392 000	XFMR, RF MODEL T4-1	2.0 EA	T001 T002
494 0239 000	CHOKE WIDE BAND	4.0 EA	L003 L004 L013 L014
494 0376 000	CHOKE RF 0.22UH	4.0 EA	L009 L010 L015 L016
494 0378 000	CHOKE 0.33UH 10% 780MA	2.0 EA	L001 L002
494 0384 000	CHOKE RF 1.00UH	4.0 EA	L005 L006 L011 L012
494 0398 000	CHOKE RF 10.0UH	2.0 EA	L007 L008
500 0804 000	CAP, MICA, 10PF 500V +/- .5PF	4.0 EA	C011 C012 C038 C039
500 0809 000	CAP, MICA, 22PF 500V 5%	4.0 EA	C003 C004 C007 C008
516 0059 000	CAP, DISC .0015UF 1KV 10%	26.0 EA	C001 C002 C005 C006 C013 C014 C015 C016 C017 C018 C019 C020 C023 C024 C025 C026 C027 C028 C029 C030 C031 C032 C033 C034 C036 C037
518 0045 000	CAP VAR 9-35PF 200V	2.0 EA	C021 C022
520 0448 000	CAP, VAR .8-14PF	2.0 EA	C009 C010
522 0572 000	CAP 3.3UF 50V 20%	1.0 EA	C035

548 2400 101	RES 10 OHM 1/2W 1%	4.0 EA	R035 R036 R039 R040
548 2400 134	RES 22.1 OHM 1/2W 1%	2.0 EA	R053 R054
548 2400 147	RES 30.1 OHM 1/2W 1%	1.0 EA	R010
548 2400 158	RES 39.2 OHM 1/2W 1%	2.0 EA	R045 R046
548 2400 166	RES 47.5 OHM 1/2W 1%	3.0 EA	R009 R025 R026
548 2400 169	RES 51.1 OHM 1/2W 1%	2.0 EA	R023 R024
548 2400 181	RES 68.1 OHM 1/2W 1%	2.0 EA	R019 R020
548 2400 185	RES 75 OHM 1/2W 1%	4.0 EA	R021 R022 R047 R048
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R001 R002
548 2400 209	RES 121 OHM 1/2W 1%	2.0 EA	R033 R034
548 2400 218	RES 150 OHM 1/2W 1%	4.0 EA	R003 R004 R049 R050
548 2400 226	RES 182 OHM 1/2W 1%	2.0 EA	R017 R018
548 2400 234	RES 221 OHM 1/2W 1%	4.0 EA	R041 R042 R043 R044
548 2400 247	RES 301 OHM 1/2W 1%	2.0 EA	R051 R052
548 2400 258	RES 392 OHM 1/2W 1%	4.0 EA	R013 R014 R015 R016
548 2400 262	RES 432 OHM 1/2W 1%	2.0 EA	R037 R038
548 2400 277	RES 619 OHM 1/2W 1%	2.0 EA	R007 R008
548 2400 321	RES 1.62K OHM 1/2W 1%	4.0 EA	R011 R012 R029 R030
548 2400 334	RES 2.21K OHM 1/2W 1%	2.0 EA	R027 R028
548 2400 381	RES 6.81K OHM 1/2W 1%	2.0 EA	R031 R032
550 0841 000	POT 50 OHM 1/2W 10%	2.0 EA	R005 R006
600 0579 000	SW, ROTARY 4PDT	2.0 EA	S003 S004
604 0469 000	SW TGL SPDT	2.0 EA	S001 S002
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J1 J2
816 9103 001	TEST SPECIFICATION	0.0 EA	
839 2631 001	PRINTED BOARD	1.0 EA	
843 1681 001	SCHEMATIC	0.0 EA	

Table 1-1420. IF ATTEN & AGC BD. - 992 4846 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0114 000	XSTR, 2N5109 ESD	2.0 EA	Q1 Q2
380 0125 000	XSTR, NPN 2N4401 ESD	1.0 EA	Q004
380 0126 000	XSTR, PNP 2N4403 ESD	1.0 EA	Q005
380 0189 000	XSTR, NPN 2N3904 ESD	1.0 EA	Q3
382 0428 000	IC, LM358 ESD	2.0 EA	U001 U002
384 0252 000	DIODE HP5082-2900/AHR2900 ESD	3.0 EA	CR2 CR3 CR4
384 0355 000	DIODE HP5082-3081/A5S139 ESD	1.0 EA	CR1
384 0357 000	RECTIFIER 1N4004 ESD	2.0 EA	CR005 CR008
386 0083 000	ZENER, 1N4742A 12V ESD	2.0 EA	CR006 CR007
404 0198 000	SPACER TO-5, TO-9, TO-11	2.0 EA	XQ1 XQ2
404 0673 000	SOCKET 8 PIN DIP (DL)	2.0 EA	XU001 XU002
478 0392 000	XFMR, RF MODEL T4-1	1.0 EA	T1
494 0239 000	CHOKE WIDE BAND	1.0 EA	RFC1
500 0826 000	CAP, MICA, 120PF 500V 5%	1.0 EA	C7
506 0245 000	CAP.33UF 63V 5%	1.0 EA	C15
516 0059 000	CAP, DISC .0015UF 1KV 10%	10.0 EA	C1 C10 C13 C14 C2 C3 C4 C6 C8 C9
516 0453 000	CAP .1UF 100V 20% X7R	1.0 EA	C12
522 0572 000	CAP 3.3UF 50V 20%	1.0 EA	C005
526 0053 000	CAP 2.7UF 35V 20%	1.0 EA	C011
526 0093 000	CAP 15UF 35V 20%	1.0 EA	C016
548 2400 042	RES 2.67 OHM 1/2W 1%	1.0 EA	R14
548 2400 118	RES 15 OHM 1/2W 1%	1.0 EA	R12

548 2400 166	RES 47.5 OHM 1/2W 1%	1.0 EA	R042
548 2400 169	RES 51.1 OHM 1/2W 1%	1.0 EA	R037
548 2400 201	RES 100 OHM 1/2W 1%	3.0 EA	R001 R007 R030
548 2400 234	RES 221 OHM 1/2W 1%	1.0 EA	R10
548 2400 247	RES 301 OHM 1/2W 1%	1.0 EA	R9
548 2400 258	RES 392 OHM 1/2W 1%	2.0 EA	R004 R006
548 2400 266	RES 475 OHM 1/2W 1%	1.0 EA	R5
548 2400 269	RES 511 OHM 1/2W 1%	1.0 EA	R13
548 2400 301	RES 1K OHM 1/2W 1%	5.0 EA	R018 R024 R032 R033 R041
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R25
548 2400 369	RES 5.11K OHM 1/2W 1%	1.0 EA	R039
548 2400 393	RES 9.09K OHM 1/2W 1%	1.0 EA	R028
548 2400 401	RES 10K OHM 1/2W 1%	8.0 EA	R002 R003 R008 R015 R021 R031 R034 R040
548 2400 409	RES 12.1K OHM 1/2W 1%	1.0 EA	R23
548 2400 466	RES 47.5K OHM 1/2W 1%	1.0 EA	R20
548 2400 493	RES 90.9K OHM 1/2W 1%	1.0 EA	R038
548 2400 547	RES 301K OHM 1/2W 1%	1.0 EA	R19
548 2400 601	RES 1MEG OHM 1/2W 1%	1.0 EA	R27
550 0870 000	POT 5K OHM 1/2W 10%	1.0 EA	R035
550 0918 000	POT 1 MEGOHM 1/2W 20%	1.0 EA	R036
550 0942 000	POT 100K OHM 1/2 W	2.0 EA	R016 R022
550 0964 000	POT. 20K OHM .5W 10%	1.0 EA	R011
559 0003 000	THERMISTOR 1K OHM	1.0 EA	RT26
578 0021 000	RELAY DPDT 12V	1.0 EA	K001
610 0679 000	PLUG, SHORTING, .25" CTRS	1.0 EA	P1
612 0775 000	JACK, PC MT, .040 PINS	3.0 EA	
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J1 J2
816 9109 001	TEST SPECIFICATION	0.0 EA	
839 2635 001	PRINTED BOARD	1.0 EA	
839 2860 001	SCHEMATIC	0.0 EA	

Table 1-1421. REGULATOR BD PWR SUP - 992 4847 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
382 0379 000	IC, 723C ESD	2.0 EA	U1 U2
386 0062 000	ZENER, 1N4753A 36V 1W 5% ESD	1.0 EA	CR1
404 0674 000	SOCKET 14 PIN DIP (D-L)	2.0 EA	XU1 XU2
516 0054 000	CAP, DISC .001UF 1KV 10%	1.0 EA	C4
516 0375 000	CAP .01UF 50V -20/+80% Z5U	1.0 EA	C2
516 0453 000	CAP .1UF 100V 20% X7R	2.0 EA	C1 C3
540 0334 000	* RES 1.2K OHM 1W 5%	1.0 EA	R26
542 0001 000	RES 1 OHM 5% 8W	1.0 EA	R5
542 0002 000	RES 2 OHM 5% 8W	1.0 EA	R15
548 0392 000	RES .123 OHM 1W 1%	1.0 EA	R8
548 0393 000	RES .490 OHM 1W 1%	1.0 EA	R7
548 2400 281	RES 681 OHM 1/2W 1%	1.0 EA	R1
548 2400 301	RES 1K OHM 1/2W 1%	3.0 EA	R23 R24 R25
548 2400 309	RES 1.21K OHM 1/2W 1%	1.0 EA	R4
548 2400 334	RES 2.21K OHM 1/2W 1%	3.0 EA	R17 R2 R21
548 2400 337	RES 2.37K OHM 1/2W 1%	1.0 EA	R12
548 2400 342	RES 2.67K OHM 1/2W 1%	1.0 EA	R11
548 2400 347	RES 3.01K OHM 1/2W 1%	1.0 EA	R18
548 2400 351	RES 3.32K OHM 1/2W 1%	1.0 EA	R16
548 2400 385	RES 7.5K OHM 1/2W 1%	1.0 EA	R9

548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R19
548 2400 409	RES 12.1K OHM 1/2W 1%	1.0 EA	R3
548 2400 539	RES 249K OHM 1/2W 1%	3.0 EA	R13 R14 R6
550 0865 000	POT 1K OHM 1/2W 10%	3.0 EA	R10 R20 R22
816 9104 001	TEST SPECIFICATION	0.0 EA	
839 2862 001	SCHEMATIC	0.0 EA	
939 2530 001	PRINTED BOARD	1.0 EA	

Table 1-1422. PRINTED BOARD - 939 2530 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
354 0309 000	TERM SOLDER	3.0 EA	
839 2530 001	PWB, REG	1.0 EA	

Table 1-1423. PWB, QUAD CORR - 992 6049 002

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0114 000	XSTR, 2N5109 ESD	3.0 EA	Q002 Q004 Q005
380 0536 000	XSTR, 2N5179 ESD	2.0 EA	Q001 Q003
380 0622 000	XSTR, N-JFET U310 ESD	1.0 EA	Q006
382 0415 000	IC, 324 ESD	2.0 EA	U001 U002
384 0252 000	DIODE HP5082-2900/AHR2900 ESD	9.0 EA	CR001 CR002 CR003 CR004 CR005 CR006 CR007 CR008 CR009
404 0198 000	SPACER TO-5, TO-9, TO-11	3.0 EA	XQ002 XQ004 XQ005
404 0660 000	HEAT SINK	1.0 EA	XQ006
404 0674 000	SOCKET 14 PIN DIP (D-L)	2.0 EA	XU001 XU002
404 0675 000	SOCKET IC 16 CONT	1.0 EA	XR057
404 0725 000	HEAT SINK TO-5 CASE	3.0 EA	#Q002 #Q004 #Q005
478 0412 000	XFMR RF T9-1	1.0 EA	T001
494 0222 000	*RPLD BY FFF 494-0376-000	1.0 EA	L009
494 0239 000	CHOKE WIDE BAND	1.0 EA	L010
494 0262 000	CHOKE RF 10UH 10%	8.0 EA	L001 L002 L003 L004 L005 L006 L007 L008
500 0753 000	CAP, MICA, 56PF 500V 5%	2.0 EA	C022 C023
500 0759 000	CAP, MICA, 100PF 500V 5%	1.0 EA	C024
500 0811 000	CAP, MICA, 27PF 500V 5%	1.0 EA	C012
500 0822 000	CAP, MICA, 75PF 500V 5%	1.0 EA	C011
516 0054 000	CAP, DISC .001UF 1KV 10%	2.0 EA	C032 C033
516 0375 000	CAP .01UF 50V -20/+80% Z5U	21.0 EA	C001 C002 C003 C004 C005 C010 C013 C014 C019 C020 C021 C044 C045 C046 C047 C048 C049 C050 C051 C052 C053 C006 C007 C008 C009 C015 C016 C017 C018
516 0484 000	CAP 0.1UF 100V 10%	8.0 EA	
522 0531 000	CAP 1UF 50V 20%	2.0 EA	C029 C030
522 0570 000	CAP 2.2UF 50V 20%	2.0 EA	C038 C039
526 0049 000	CAP 6.8UF 35V 20%	8.0 EA	C025 C026 C027 C028 C034 C035 C036 C037
540 0320 000	* RES 330 OHM 1W 5%	1.0 EA	R017
540 0323 000	* RES 430 OHM 1W 5%	1.0 EA	R007
540 1334 000	RES NETWORK 15K OHM	1.0 EA	R057
548 2400 101	RES 10 OHM 1/2W 1%	3.0 EA	R063 R064 R065
548 2400 121	RES 16.2 OHM 1/2W 1%	1.0 EA	R062
548 2400 166	RES 47.5 OHM 1/2W 1%	1.0 EA	R028
548 2400 169	RES 51.1 OHM 1/2W 1%	1.0 EA	R001
548 2400 177	RES 61.9 OHM 1/2W 1%	1.0 EA	R005

548 2400 185	RES 75 OHM 1/2W 1%	1.0 EA	R058
548 2400 201	RES 100 OHM 1/2W 1%	2.0 EA	R059 R060
548 2400 218	RES 150 OHM 1/2W 1%	2.0 EA	R054 R061
548 2400 226	RES 182 OHM 1/2W 1%	1.0 EA	R008
548 2400 234	RES 221 OHM 1/2W 1%	1.0 EA	R026
548 2400 237	RES 237 OHM 1/2W 1%	2.0 EA	R009 R023
548 2400 247	RES 301 OHM 1/2W 1%	2.0 EA	R006 R015
548 2400 258	RES 392 OHM 1/2W 1%	1.0 EA	R027
548 2400 262	RES 432 OHM 1/2W 1%	2.0 EA	R019 R020
548 2400 285	RES 750 OHM 1/2W 1%	2.0 EA	R004 R014
548 2400 318	RES 1.5K OHM 1/2W 1%	3.0 EA	R041 R068 R069
548 2400 330	RES 2K OHM 1/2W 1%	8.0 EA	R029 R030 R031 R032 R033 R034 R035 R036
548 2400 334	RES 2.21K OHM 1/2W 1%	2.0 EA	R055 R056
548 2400 342	RES 2.67K OHM 1/2W 1%	1.0 EA	R003
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R013
548 2400 385	RES 7.5K OHM 1/2W 1%	4.0 EA	R044 R047 R050 R053
548 2400 393	RES 9.09K OHM 1/2W 1%	1.0 EA	R002
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R024 R025
548 2400 426	RES 18.2K OHM 1/2W 1%	1.0 EA	R012
550 0842 000	POT 200 OHM 1/2W 10%	1.0 EA	R011
550 0865 000	POT 1K OHM 1/2W 10%	7.0 EA	R010 R021 R022 R037 R038 R039 R040
604 0469 000	SW TGL SPDT	1.0 EA	S001
610 0679 000	PLUG, SHORTING, .25" CTRS	2.0 EA	P001 P002
620 0700 000	*RECPT, MALE SMB,PC MOUNT	3.0 EA	J001 J002 J003
839 7096 001	SCHEMATIC, QUAD CORRECTOR	0.0 EA	
939 7095 001	ASSY, PWB QUAD CORRECTOR	1.0 EA	

Table 1-1424. ASSY, PWB QUAD CORRECTOR - 939 7095 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
612 0904 000	JACK, PC MT GOLD PLATED	6.0 EA	P1-1 P1-2 P1-3 P2-4 P2-5 P2-6
839 7095 001	PWB, QUAD CORP	1.0 EA	

Table 1-1425. PWB, LINEARITY CORRECTOR - 992 6087 002

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0114 000	XSTR, 2N5109 ESD	3.0 EA	Q002 Q004 Q005
380 0536 000	XSTR, 2N5179 ESD	2.0 EA	Q001 Q003
382 0415 000	IC, 324 ESD	2.0 EA	U001 U002
384 0252 000	DIODE HP5082-2900/AHR2900 ESD	9.0 EA	CR001 CR002 CR003 CR004 CR005 CR006 CR007 CR008 CR009
404 0198 000	SPACER TO-5, TO-9, TO-11	3.0 EA	XQ002 XQ004 XQ005
404 0674 000	SOCKET 14 PIN DIP (D-L)	2.0 EA	XU001 XU002
404 0675 000	SOCKET IC 16 CONT	1.0 EA	XR057
404 0725 000	HEAT SINK TO-5 CASE	3.0 EA	XQ002 XQ004 XQ005
494 0222 000	*RPLD BY FFF 494-0376-000	1.0 EA	L009
494 0239 000	CHOKE WIDE BAND	1.0 EA	L010
494 0262 000	CHOKE RF 10UH 10%	8.0 EA	L001 L002 L003 L004 L005 L006 L007 L008
500 0753 000	CAP, MICA, 56PF 500V 5%	2.0 EA	C022 C023
500 0761 000	CAP, MICA, 150PF 500V 5%	1.0 EA	C024
500 0811 000	CAP, MICA, 27PF 500V 5%	1.0 EA	C012
500 0822 000	CAP, MICA, 75PF 500V 5%	1.0 EA	C011

516 0375 000	CAP .01UF 50V -20/+80% Z5U	21.0 EA	C001 C002 C003 C004 C005 C010 C013 C014 C019 C020 C021 C044 C045 C046 C047 C048 C049 C050 C051 C052 C053
516 0484 000	CAP 0.1UF 100V 10%	8.0 EA	C006 C007 C008 C009 C015 C016 C017 C018
522 0531 000	CAP 1UF 50V 20%	2.0 EA	C029 C030
522 0570 000	CAP 2.2UF 50V 20%	2.0 EA	C038 C039
526 0049 000	CAP 6.8UF 35V 20%	8.0 EA	C025 C026 C027 C028 C034 C035 C036 C037
540 0320 000	* RES 330 OHM 1W 5%	1.0 EA	R017
540 0323 000	* RES 430 OHM 1W 5%	1.0 EA	R007
540 1334 000	RES NETWORK 15K OHM	1.0 EA	R057
548 2400 101	RES 10 OHM 1/2W 1%	3.0 EA	R064 R063 R065
548 2400 166	RES 47.5 OHM 1/2W 1%	1.0 EA	R028
548 2400 169	RES 51.1 OHM 1/2W 1%	2.0 EA	R001 R066
548 2400 177	RES 61.9 OHM 1/2W 1%	1.0 EA	R005
548 2400 218	RES 150 OHM 1/2W 1%	1.0 EA	R054
548 2400 226	RES 182 OHM 1/2W 1%	1.0 EA	R008
548 2400 234	RES 221 OHM 1/2W 1%	1.0 EA	R026
548 2400 237	RES 237 OHM 1/2W 1%	2.0 EA	R009 R023
548 2400 247	RES 301 OHM 1/2W 1%	2.0 EA	R006 R015
548 2400 258	RES 392 OHM 1/2W 1%	1.0 EA	R027
548 2400 262	RES 432 OHM 1/2W 1%	2.0 EA	R019 R020
548 2400 285	RES 750 OHM 1/2W 1%	2.0 EA	R004 R014
548 2400 318	RES 1.5K OHM 1/2W 1%	3.0 EA	R041 R068 R069
548 2400 330	RES 2K OHM 1/2W 1%	8.0 EA	R029 R030 R031 R032 R033 R034 R035 R036
548 2400 334	RES 2.21K OHM 1/2W 1%	2.0 EA	R055 R056
548 2400 342	RES 2.67K OHM 1/2W 1%	1.0 EA	R003
548 2400 358	RES 3.92K OHM 1/2W 1%	1.0 EA	R013
548 2400 385	RES 7.5K OHM 1/2W 1%	4.0 EA	R044 R047 R050 R053
548 2400 393	RES 9.09K OHM 1/2W 1%	1.0 EA	R002
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R024 R025
548 2400 426	RES 18.2K OHM 1/2W 1%	1.0 EA	R012
550 0842 000	POT 200 OHM 1/2W 10%	1.0 EA	R011
550 0865 000	POT 1K OHM 1/2W 10%	7.0 EA	R010 R021 R022 R037 R038 R039 R040
604 0469 000	SW TGL SPDT	1.0 EA	S001
610 0679 000	PLUG, SHORTING, .25" CTRS	4.0 EA	P001 P002 P003 P004
620 0700 000	*RECPT, MALE SMB,PC MOUNT	3.0 EA	J001 J002 J003
620 1955 000	HYBRID, QUADRATURE	1.0 EA	HY001
839 7109 001	SCH, LINEARITY CORRECTOR	0.0 EA	
939 7108 001	ASSY, PWB LINEARITY CORR	1.0 EA	

Table 1-1426. ASSY, PWB LINEARITY CORR - 939 7108 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
612 0904 000	JACK, PC MT GOLD PLATED	10.0 EA	E001 E002 E003 E004 P1-5 P1-6 P1-7 P2-10 P2-8 P2-9
839 7108 001	PWB, LINEARITY COR	1.0 EA	

Table 1-1427. PWB, VSB FILTER - 992 7023 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
358 0958 000	CARD EJECTOR, NYLON	2.0 EA	
380 0114 000	XSTR, 2N5109 ESD	3.0 EA	Q003 Q005 Q006

380 0152 000	XSTR, D40C5 ESD	1.0 EA	Q004
380 0189 000	XSTR, NPN 2N3904 ESD	2.0 EA	Q001 Q002
384 0361 000	DIODE HP5082-3077/A5S377 ESD	6.0 EA	CR001 CR002 CR003 CR004 CR005 CR006
404 0198 000	SPACER TO-5, TO-9, TO-11	3.0 EA	XQ003 XQ005 XQ006
404 0513 000	HEAT SINK PA1-1CB	1.0 EA	Q004
404 0725 000	HEAT SINK TO-5 CASE	3.0 EA	Q003 Q005 Q006
478 0392 000	XFMR, RF MODEL T4-1	2.0 EA	T001 T002
484 0336 000	SAW FILTER ESD	1.0 EA	FL001
494 0398 000	CHOKER RF 10.0UH	2.0 EA	L001 L003
500 0801 000	CAP, MICA, 2PF 500V +/- .5PF	1.0 EA	C026
500 0837 000	CAP, MICA, 510PF 500V 5%	1.0 EA	C008
516 0059 000	CAP, DISC .0015UF 1KV 10%	13.0 EA	C001 C002 C006 C007 C011 C017 C021 C022 C027 C028 C029 C030 C031
516 0067 000	CAP DISC .003UF 1KV 20%	4.0 EA	C005 C010 C012 C018
516 0074 000	CAP, DISC .005UF 1KV 20%	1.0 EA	C016
516 0375 000	CAP .01UF 50V -20/+80% Z5U	4.0 EA	C019 C023 C024 C025
516 0453 000	CAP .1UF 100V 20% X7R	4.0 EA	C003 C004 C013 C014
526 0342 000	CAP 2.7UF 35V 10%	1.0 EA	C015
548 2400 109	RES 12.1 OHM 1/2W 1%	1.0 EA	R013
548 2400 130	RES 20 OHM 1/2W 1%	2.0 EA	R006 R008
548 2400 137	RES 23.7 OHM 1/2W 1%	1.0 EA	R031
548 2400 169	RES 51.1 OHM 1/2W 1%	3.0 EA	R001 R021 R023
548 2400 181	RES 68.1 OHM 1/2W 1%	1.0 EA	R032
548 2400 185	RES 75 OHM 1/2W 1%	1.0 EA	R025
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R026
548 2400 234	RES 221 OHM 1/2W 1%	2.0 EA	R022 R024
548 2400 273	RES 562 OHM 1/2W 1%	1.0 EA	R017
548 2400 285	RES 750 OHM 1/2W 1%	1.0 EA	R002
548 2400 301	RES 1K OHM 1/2W 1%	1.0 EA	R012
548 2400 318	RES 1.5K OHM 1/2W 1%	7.0 EA	R005 R009 R010 R011 R027 R028 R029
548 2400 330	RES 2K OHM 1/2W 1%	2.0 EA	R020 R030
548 2400 401	RES 10K OHM 1/2W 1%	4.0 EA	R003 R004 R015 R016
548 2400 430	RES 20K OHM 1/2W 1%	1.0 EA	R019
550 0841 000	POT 50 OHM 1/2W 10%	1.0 EA	R007
550 0865 000	POT 1K OHM 1/2W 10%	1.0 EA	R018
558 0045 000	HTR, SAW FILTER 5W 24VDC	1.0 EA	
559 0047 000	THERMISTOR 10K OHM	1.0 EA	RT001
620 0700 000	*RECPT, MALE SMB,PC MOUNT	2.0 EA	J001 J002
817 1240 001	TEST SPEC	0.0 EA	
839 7740 125	SCHEM, VSB/FLTR - SYS M	0.0 EA	
839 7740 126	PWB, VSB FLTR - SYS M	1.0 EA	
917 1961 001	CLIP, GROUND	1.0 EA	
999 2439 001	HARDWARE LIST	1.0 EA	

Table 1-1428. CLIP, GROUND - 917 1961 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
007 4060 070	BRZ, CONT STRIP	0.5250 IN	
817 1961 001	ASSY INSTR, CLIP, GROUND	0.0 EA	

Table 1-1429. HARDWARE LIST - 999 2439 001

HARRIS P/N	DESCRIPTION	QTY/UM	REF. SYMBOLS/EXPLANATIONS
254 0001 000	WIRE, BUS CU 22AWG	0.08330 FT	

296 0309 000	TUBING, TEFLON 24 AWG	0.05210 FT
300 1485 000	SCR, 4-40 X 5/16	1.0 EA
302 0053 000	SCR, 4-40 X 5/16	1.0 EA
304 0087 000	NUT, HEX 4-40	2.0 EA
308 0003 000	NO 4 FLAT WASHER BRS	2.0 EA
310 0003 000	WASHER, FLAT NO. 4	1.0 EA
312 0045 000	WASHER, SPLIT-LOCK 4	1.0 EA
314 0003 000	WASHER, SPLIT-LOCK 4	1.0 EA

Table 1-1430. OSCILLATOR ASSY - 992 4841 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
404 0068 000	SOCKET TUBE 8 PIN	2.0 EA	
494 0398 000	CHOKE RF 10.0UH	2.0 EA	L1 L2
516 0054 000	CAP, DISC .001UF 1KV 10%	10.0 EA	C10 C11 C12 C3 C4 C5 C6 C7 C8 C9
516 0450 000	CAP 1000PF 500V 20%	2.0 EA	C1 C2
548 2400 409	RES 12.1K OHM 1/2W 1%	2.0 EA	R3 R4
552 0781 000	POT 20K OHM 1.5W	2.0 EA	R1 R2
814 8894 001	CLAMP	1.0 EA	
829 1907 001	SCHEMATIC	0.0 EA	
915 0587 003	OVEN BRACKET ASSY.	1.0 EA	
992 2964 001	37MHZ OSCILLATOR ASS	1.0 EA	A1
992 3130 001	MASTER OSC ASSY UHF	1.0 EA	A2

Table 1-1431. CLAMP - 814 8894 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.100485 LB	

Table 1-1432. OVEN BRACKET ASSY. - 915 0587 003

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0053 000	SCR, 4-40 X 5/16	12.0 EA	
306 0015 000	NUT, HEX KEP 4-40	12.0 EA	
815 0587 003	ASSY INSTR, OVEN BRACKET	0.0 EA	
843 1505 001	BRACKET, OVEN	1.0 EA	
915 0587 002	BRACKET ASSY	2.0 EA	
915 4339 001	BRKT-GRD SPRING	1.0 EA	

Table 1-1433. BRACKET, OVEN - 843 1505 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 070	AL, SH .090 THK	0.99180 LB	

Table 1-1434. BRACKET ASSY - 915 0587 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
350 0002 000	RIVET 1/8 D X 5/32 L	2.0 EA	
815 0587 002	ASSY INSTR, OVEN BRACKET	0.0 EA	
815 0588 001	GRD SPRING	1.0 EA	
927 5751 001	BRACKET. GND SPRING	1.0 EA	

Table 1-1435. GRD SPRING - 815 0588 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4050 010	BRZ, FGR STK	2.7720 IN	

Table 1-1436. BRACKET. GND SPRING - 927 5751 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.2610 LB	
324 0143 000	NUT, PEM 6-32	1.0 EA	

Table 1-1437. BRKT-GRD SPRING - 915 4339 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
310 0017 000	WASHER FLAT #6	2.0 EA	
350 0002 000	RIVET 1/8 D X 5/32 L	2.0 EA	
815 0588 001	GRD SPRING	2.0 EA	
827 5750 001	BRACKET	1.0 EA	

Table 1-1438. BRACKET - 827 5750 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	0.236350 LB	

Table 1-1439. 37MHZ OSCILLATOR ASS - 992 2964 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 8030 010	PLASTIC CHAN NO 190	0.30 FT	
358 0907 000	POLARIZATION KEY	1.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	
827 6839 002	SCHEMATIC	0.0 EA	
928 9038 001	OVEN ASSY	1.0 EA	HR-2
992 2965 005	PC BOARD ASSY	1.0 EA	

Table 1-1440. OVEN ASSY - 928 9038 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
558 0040 000	OVEN, PROPORTIONAL	1.0 EA	
828 0371 023	FINGER STOCK	2.0 EA	
828 9038 001	ASSY INSTR, OVEN	0.0 EA	

Table 1-1441. FINGER STOCK - 828 0371 023

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
007 4030 021	BRZ, FGR STK 97-500S	0.064050 EA	

Table 1-1442. PC BOARD ASSY - 992 2965 005

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
000 0000 008	SELECT IN TEST COMPONENT	0.0 EA	C006 C007
357 0033 000	SCREW 4-40 X .375 BHMS	1.0 EA	
380 0536 000	XSTR, 2N5179 ESD	2.0 EA	Q001 Q002
386 0083 000	ZENER, 1N4742A 12V ESD	1.0 EA	CR001

404 0248 000	SOCKET CRYSTAL	1.0 EA	XY001
444 1888 000	XTAL 37.000000 MHZ	1.0 EA	Y001
494 0244 000	*RPLD BY FFF 494-0384-000	1.0 EA	L001
508 0338 000	CAP .01UF 50V 10%	1.0 EA	C005
516 0375 000	CAP .01UF 50V -20/+80% Z5U	3.0 EA	C001 C002 C003
516 0755 000	CAP 470PF 200V 10%	1.0 EA	C004
517 0014 000	CAP VAR 1-36 PF	1.0 EA	C008
528 0010 000	VARICAP MV1650	1.0 EA	CR002
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R009
548 2400 251	RES 332 OHM 1/2W 1%	1.0 EA	R003
548 2400 289	RES 825 OHM 1/2W 1%	1.0 EA	R004
548 2400 318	RES 1.5K OHM 1/2W 1%	2.0 EA	R002 R008
548 2400 347	RES 3.01K OHM 1/2W 1%	1.0 EA	R005
548 2400 401	RES 10K OHM 1/2W 1%	2.0 EA	R001 R007
548 2400 489	RES 82.5K OHM 1/2W 1%	1.0 EA	R006
827 4835 002	PRINTED BOARD-MIXER	1.0 EA	
914 9150 001	R F TRANSFORMER	1.0 EA	T001
999 2201 001	HARDWARE LIST	1.0 EA	

Table 1-1443. R F TRANSFORMER - 914 9150 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
251 0107 000	WIRE, MAGNET 30AWG CLEAR	0.60 FT	
251 0108 000	WIRE, MAGNET 30AWG GRN	1.70 FT	
414 0128 000	TOROID FERRITE	1.0 EA	
814 9150 001	ASSY INSTR, XFMR, RF	0.0 EA	

Table 1-1444. HARDWARE LIST - 999 2201 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
086 0001 010	*SEALANT GLYPTOL	0.0 QT	
302 0012 000	SCR, 2-56 X 1/4	1.0 EA	
304 0087 000	NUT, HEX 4-40	1.0 EA	
306 0001 000	NUT, HEX 2-56	1.0 EA	
310 0001 000	WASHER, FLAT #2	1.0 EA	
310 0003 000	WASHER, FLAT NO. 4	1.0 EA	
314 0001 000	WASHER, SPLIT-LOCK 2	1.0 EA	
335 0001 000	WASHER NYLON .149 ID	2.0 EA	

Table 1-1445. MASTER OSC ASSY UHF - 992 3130 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 0907 000	POLARIZATION KEY	1.0 EA	
646 0665 000	INSPECTION LABEL	1.0 EA	
827 7400 002	SCHEMATIC	0.0 EA	
928 9038 002	OVEN ASSY	1.0 EA	
992 3131 002	MASTER OSC. BD	1.0 EA	

Table 1-1446. OVEN ASSY - 928 9038 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
558 0040 000	OVEN, PROPORTIONAL	1.0 EA	
828 0371 023	FINGER STOCK	2.0 EA	
828 9038 002	ASSY INSTR, OVEN	0.0 EA	

Table 1-1447. MASTER OSC. BD - 992 3131 002

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
000 0000 008	SELECT IN TEST COMPONENT	0.0 EA	C006 C007
357 0033 000	SCREW 4-40 X .375 BHMS	1.0 EA	
380 0536 000	XSTR, 2N5179 ESD	2.0 EA	Q1 Q2
386 0083 000	ZENER, 1N4742A 12V ESD	1.0 EA	CR001
404 0248 000	SOCKET CRYSTAL	1.0 EA	XY1
494 0381 000	CHOKE RF 0.56UH	1.0 EA	L1
508 0338 000	CAP .01UF 50V 10%	1.0 EA	C5
516 0375 000	CAP .01UF 50V -20/+80% Z5U	3.0 EA	C1 C2 C3
517 0014 000	CAP VAR 1-36 PF	1.0 EA	C8
519 0074 000	*CAP RF CHIP 1000PF 5% 50V	1.0 EA	C4
528 0010 000	VARICAP MV1650	1.0 EA	CR2
548 2400 201	RES 100 OHM 1/2W 1%	1.0 EA	R9
548 2400 251	RES 332 OHM 1/2W 1%	1.0 EA	R3
548 2400 285	RES 750 OHM 1/2W 1%	1.0 EA	R8
548 2400 289	RES 825 OHM 1/2W 1%	1.0 EA	R004
548 2400 318	RES 1.5K OHM 1/2W 1%	1.0 EA	R2
548 2400 347	RES 3.01K OHM 1/2W 1%	1.0 EA	R5
548 2400 366	RES 4.75K OHM 1/2W 1%	1.0 EA	R7
548 2400 401	RES 10K OHM 1/2W 1%	1.0 EA	R1
548 2400 489	RES 82.5K OHM 1/2W 1%	1.0 EA	R6
827 4835 002	PRINTED BOARD-MIXER	1.0 EA	
914 9150 001	R F TRANSFORMER	1.0 EA	T1
999 2200 001	HARDWARE LIST	1.0 EA	

Table 1-1448. HARDWARE LIST - 999 2200 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
086 0001 010	*SEALANT GLYPTOL	0.0 QT	
302 0012 000	SCR, 2-56 X 1/4	1.0 EA	
304 0087 000	NUT, HEX 4-40	1.0 EA	
306 0001 000	NUT, HEX 2-56	1.0 EA	
310 0001 000	WASHER, FLAT #2	1.0 EA	
310 0003 000	WASHER, FLAT NO. 4	1.0 EA	
314 0001 000	WASHER, SPLIT-LOCK 2	1.0 EA	
335 0001 000	WASHER NYLON .149 ID	2.0 EA	

Table 1-1449. AC DISTRIBUTION BOARD VIS - 992 6531 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
380 0189 000	XSTR, NPN 2N3904 ESD	4.0 EA	Q001 Q002 Q003 Q004
384 0431 000	RECT. 1N4001 ESD	4.0 EA	CR013 CR014 CR015 CR016
384 0651 000	RECTIFIER 1N5401 ESD	12.0 EA	CR001 CR002 CR003 CR004 CR005 CR006 CR007 CR008 CR009 CR010 CR011 CR012
540 0589 000	* RES 120 OHM 2W 5%	2.0 EA	R004 R008
548 2400 101	RES 10 OHM 1/2W 1%	2.0 EA	R001 R005
548 2400 369	RES 5.11K OHM 1/2W 1%	4.0 EA	R002 R003 R006 R007
548 2400 401	RES 10K OHM 1/2W 1%	4.0 EA	R009 R010 R011 R012
610 0831 000	HDR, STR, 8 PIN, RD	1.0 EA	P005
839 6800 001	SCHEM, A.C. DIST	0.0 EA	
939 6801 001	ASSY, PWB A.C. DIST	1.0 EA	

Table 1-1450. ASSY, PWB A.C. DIST - 939 6801 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
354 0309 000	TERM SOLDER	26.0 EA	
839 6801 001	PWB, AC DIST.	1.0 EA	

Table 1-1451. WIRE & TUBING LIST - 999 1680 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 8030 010	PLASTIC CHAN NO 190	0.50 FT	
252 0235 000	WIRE, STRD 22AWG GRN	3.30 FT	
254 0001 000	WIRE, BUS CU 22AWG	1.10 FT	
296 0259 000	TUBING TEFLON 18 AWG	0.50 FT	
296 0260 000	TUBING, SHRINK 3/32 WHITE	0.10 FT	
296 0261 000	TUBING, SHRINK 1/8 WHITE	0.70 FT	
299 0012 000	NYLON ROPE 1/8 IN D	0.30 FT	
354 0033 000	SOLDER LUG 4 MTG HOLE	1.0 EA	
354 0260 000	LUG #6 RECT YEL 12-10AWG	2.0 EA	

Table 1-1452. HARDWARE LIST - 999 1681 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
300 1538 000	SCR, 6-32 X 3/8	4.0 EA	
300 1541 000	SCR, 6-32 X 5/8	4.0 EA	
300 2108 000	SCR, 6-32 X 1	5.0 EA	
300 2817 000	SCR, THUMB 6-32 X 1/4	6.0 EA	
302 0052 000	SCR, 4-40 X 1/4	13.0 EA	
302 0053 000	SCR, 4-40 X 5/16	44.0 EA	
302 0054 000	SCR, 4-40 X 3/8	9.0 EA	
302 0056 000	SCR, 4-40 X 1/2	2.0 EA	
302 0105 000	SCR, 6-32 X 5/16	1.0 EA	
302 0106 000	SCR, 6-32 X 3/8	60.0 EA	
302 0108 000	SCR, 6-32 X 1/2	7.0 EA	
302 0112 000	SCR, 6-32 X 1	6.0 EA	
302 0130 000	SCR, 8-32 X 3/8	4.0 EA	
302 0139 000	SCR, 10-32 X 1/4	6.0 EA	
302 0140 000	SCR, 10-32 X 5/16	1.0 EA	
302 0141 000	SCR, 10-32 X 3/8	6.0 EA	
302 0143 000	SCR, 10-32 X 1/2	2.0 EA	
302 0149 000	SCR, 10-32 X 1-1/4	4.0 EA	
302 0345 000	SCR, 2-56 X 1/4	2.0 EA	
302 0350 000	SCR, 4-40 X 5/16	2.0 EA	
302 0354 000	SCR, 6-32 X 3/4	2.0 EA	
302 0361 000	SCR, 6-32 X 2-1/4	4.0 EA	
304 0075 000	NUT, HEX THIN 3/8-32	2.0 EA	
304 0087 000	NUT, HEX 4-40	2.0 EA	
304 0089 000	NUT, HEX 6-32	8.0 EA	
306 0001 000	NUT, HEX 2-56	2.0 EA	
306 0004 000	NUT, HEX 6-32	12.0 EA	
306 0005 000	NUT, HEX 8-32	4.0 EA	
306 0015 000	NUT, HEX KEP 4-40	16.0 EA	
306 0016 000	NUT, HEX KEP 6-32	28.0 EA	
306 0017 000	NUT, HEX KEP 8-32	4.0 EA	

306 0018 000	NUT, HEX KEP 10-32	12.0 EA
308 0005 000	NO 6 FLAT WASHER BRS	4.0 EA
310 0003 000	WASHER, FLAT NO. 4	37.0 EA
310 0006 000	WASHER FLAT 8	4.0 EA
310 0012 000	WASHER FLAT 6	42.0 EA
310 0017 000	WASHER FLAT #6	8.0 EA
312 0007 000	WASHER, INT LOCK 10	6.0 EA
312 0047 000	WASHER, SPLIT-LOCK 6	4.0 EA
314 0001 000	WASHER, SPLIT-LOCK 2	2.0 EA
314 0003 000	WASHER, SPLIT-LOCK 4	65.0 EA
314 0005 000	WASHER, SPLIT-LOCK 6	27.0 EA
314 0007 000	WASHER, SPLIT-LOCK 10	4.0 EA
314 0012 000	WASHER, INT LOCK 1/4	9.0 EA
314 0013 000	WASHER, INT LOCK 3/8	3.0 EA
328 0033 000	WASHER FLAT STEEL	1.0 EA
335 0007 000	WASHER NYLON .175 ID	4.0 EA
335 0010 000	WASHER NYLON .195 ID	8.0 EA
335 0089 000	WASHER, SHLD .156 ID	4.0 EA
354 0147 000	LUG, SHAKE #6 45 DEG	3.0 EA
356 0087 000	CABLE TIE TY RAP	8.0 EA
424 0001 000	GROMMET 3/8 MTG DIA	2.0 EA
424 0003 000	GROMMET 1/2 MTG DIA	3.0 EA
646 0569 000	REPLACE WITH 646-1301-201	1.0 EA
646 0665 000	INSPECTION LABEL	1.0 EA
646 0704 000	NOT FOR NEW DESIGN	1.0 EA

Table 1-1453. 20% AURAL KIT FOR HB XMTR - 994 8879 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
358 2104 000	CARD GUIDE	2.0 EA	
358 2105 000	CARD GUIDE	2.0 EA	
620 0117 000	ADAPTER N UG-29B/U	1.0 EA	
620 0305 000	ADAPTOR,RT ANGLE UG-27B/U	1.0 EA	#1DC02
620 1571 000	COUPLER, HYBRID 3DB	1.0 EA	1A04HY01
620 1572 000	COUPLER, HYBRID 3DB	1.0 EA	1A04HY02
700 0482 000	RES, LOAD 25W	1.0 EA	1A04R01
700 0523 000	LOAD, 150W, 50 OHM, 8166	1.0 EA	1A04R02
829 4534 001	STANDOFF	2.0 EA	#1PS03
829 9044 001	PLATE	2.0 EA	#1A4HY02
829 9119 001	GUSSET	1.0 EA	#1PS03
829 9120 001	CHAN, LAMDA SUPPORT FRT	1.0 EA	#1PS03
839 4532 001	WIRING DIAGRAM	0.0 EA	
852 8900 008	SCHEMATIC, IPA	0.0 EA	
852 9037 006	WIRING DIAG, DRVR CUBICLE	0.0 EA	
929 7173 024	COAX CABLE (1A4W11)	1.0 EA	1A04W11
929 7173 025	COAX CABLE (1A4W12)	1.0 EA	1A04W12
929 7173 026	COAX CABLE (1A4W15)	1.0 EA	1A04W15
929 7173 027	COAX CABLE (1A4W16)	1.0 EA	1A04W16
929 7173 028	COAX CABLE (1A4W17)	1.0 EA	1A04W17
929 7173 029	COAX CABLE (1A4W18)	1.0 EA	1A04W18
929 7173 030	COAX CABLE (1A4W19)	1.0 EA	1A04W19
929 7173 031	COAX CABLE (1A4W20)	1.0 EA	1A04W20
929 9583 074	CABLE, 20% AURAL PWR	1.0 EA	#1PS03
992 5275 001	AUR PWR AMP MODULE, HB	1.0 EA	1A04A08
994 9108 001	POWER SUPPLY ONLY FOR	1.0 EA	1PS03

Table 1-1454. STANDOFF - 829 4534 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
005 3010 030	BRS, HEX .375	0.274050 LB	

Table 1-1455. PLATE - 829 9044 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.01740 LB	

Table 1-1456. GUSSET - 829 9119 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.51620 LB	

Table 1-1457. CHAN, LAMDA SUPPORT FRT - 829 9120 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 010	AL, SH .125 THK	0.55970 LB	

Table 1-1458. COAX CABLE (1A4W11) - 929 7173 024

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.10 FT	
620 0502 000	PLUG BNC UG-88/U	1.0 EA	
620 1809 000	PLUG, STRAIGHT, SMA	1.0 EA	
829 7173 024	DWG COAX CABLE	0.0 EA	
829 7624 031	MARKER, CABLE HY1-INPUT	1.0 EA	
829 7624 032	MARKER, CABLE A7J2	1.0 EA	

Table 1-1459. MARKER, CABLE HY1-INPUT - 829 7624 031

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1460. MARKER, CABLE A7J2 - 829 7624 032

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1461. COAX CABLE (1A4W12) - 929 7173 025

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0210 000	COAX CABLE RG142B, 50 OHM	1.70 FT	
620 0502 000	PLUG BNC UG-88/U	1.0 EA	
620 0593 000	PLUG, N, UG536B/U	1.0 EA	
829 7173 025	DWG, COAX CABLE	0.0 EA	
829 7624 033	MARKER, CABLE A8J2	1.0 EA	
829 7624 034	MARKER, CABLE HY2-INPUT	1.0 EA	

Table 1-1462. MARKER, CABLE A8J2 - 829 7624 033

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1463. MARKER, CABLE HY2-INPUT - 829 7624 034

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1464. COAX CABLE (1A4W15) - 929 7173 026

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.0 FT	
620 0593 000	PLUG, N, UG536B/U	1.0 EA	
620 1809 000	PLUG, STRAIGHT, SMA	1.0 EA	
829 7173 026	DWG, COAX CABLE	0.0 EA	
829 7624 035	MARKER, CABLE HY1-ISO	1.0 EA	
829 7624 036	MARKER, CABLE R1	1.0 EA	

Table 1-1465. MARKER, CABLE HY1-ISO - 829 7624 035

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1466. MARKER, CABLE R1 - 829 7624 036

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1467. COAX CABLE (1A4W16) - 929 7173 027

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0210 000	COAX CABLE RG142B, 50 OHM	1.70 FT	
620 0593 000	PLUG, N, UG536B/U	1.0 EA	
620 1951 000	STRAIGHT PLUG BNC CRIMP	1.0 EA	
829 7173 027	DWG, COAX CABLE	0.0 EA	
829 7624 037	MARKER, CABLE A9J2	1.0 EA	
829 7624 038	MARKER, CABLE HY2-ISO	1.0 EA	

Table 1-1468. MARKER, CABLE A9J2 - 829 7624 037

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1469. MARKER, CABLE HY2-ISO - 829 7624 038

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1470. COAX CABLE (1A4W17) - 929 7173 028

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0210 000	COAX CABLE RG142B, 50 OHM	1.70 FT	
620 0585 000	PLUG ANGLE TYPE N	2.0 EA	
829 7173 028	DWG, COAX CABLE	0.0 EA	
829 7624 039	MARKER, CABLE HY2-CO	1.0 EA	
829 7624 040	MARKER, CABLE R2	1.0 EA	

Table 1-1471. MARKER, CABLE HY2-CO - 829 7624 039

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1472. MARKER, CABLE R2 - 829 7624 040

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1473. COAX CABLE (1A4W18) - 929 7173 029

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0210 000	COAX CABLE RG142B, 50 OHM	1.0 FT	
620 0593 000	PLUG, N, UG536B/U	2.0 EA	
829 7173 029	DWG, COAX CABLE	0.0 EA	
829 7624 041	CABLE MARKER HY2-MO	1.0 EA	
829 7624 042	CABLE MARKER J6	1.0 EA	

Table 1-1474. CABLE MARKER HY2-MO - 829 7624 041

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1475. CABLE MARKER J6 - 829 7624 042

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1476. COAX CABLE (1A4W19) - 929 7173 030

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.0 FT	
620 0502 000	PLUG BNC UG-88/U	1.0 EA	
620 1809 000	PLUG, STRAIGHT, SMA	1.0 EA	
829 7173 030	DWG, COAX CABLE	0.0 EA	
829 7624 043	MARKER, CABLE HYO-90	1.0 EA	
829 7624 044	MARKER, CABLE A8J1	1.0 EA	

Table 1-1477. MARKER, CABLE HYO-90 - 829 7624 043

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1478. MARKER, CABLE A8J1 - 829 7624 044

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1479. COAX CABLE (1A4W20) - 929 7173 031

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
618 0051 000	COAX CABLE RG58C, 50 OHM	1.0 FT	
620 0502 000	PLUG BNC UG-88/U	1.0 EA	
620 1809 000	PLUG, STRAIGHT, SMA	1.0 EA	
829 7173 031	DWG, COAX CABLE	0.0 EA	
829 7624 045	MARKER, CABLE HYO-O	1.0 EA	
829 7624 046	MARKER, CABLE A9J1	1.0 EA	

Table 1-1480. MARKER, CABLE HYO-O - 829 7624 045

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1481. MARKER, CABLE A9J1 - 829 7624 046

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
296 0262 000	TUBING, SHRINK 1/4 WHITE	0.10 FT	

Table 1-1482. CABLE, 20% AURAL PWR - 929 9583 074

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
252 0008 000	WIRE, STRD 10AWG GRY	0.540 FT	
296 0287 000	TUBG SHRINKABLE 3/16	0.10 FT	
354 0028 000	TERM LUG YEL SPADE 6	6.0 EA	
354 0325 000	LUG, .25 RING YEL 12-10AWG	2.0 EA	
829 9583 074	CADS	0.0 EA	

Table 1-1483. KIT, FRONT DOOR - 994 9049 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0214 000	SCR, 1/4-20 X 5/8	3.0 EA	
302 0285 000	SCR, 8-32 X 1/2	6.0 EA	
302 0352 000	SCR, 6-32 X 1/4	2.0 EA	
302 0359 000	SCR, 10-32 X 3/8	6.0 EA	
302 0374 000	SCR, 6-32 X 3/8	4.0 EA	
304 0075 000	NUT, HEX THIN 3/8-32	2.0 EA	
310 0009 000	WASHER, FLAT 1/4	3.0 EA	
312 0006 000	WASHER, INT LOCK 8	6.0 EA	
314 0009 000	WASHER, SPLIT-LOCK 1/4	3.0 EA	
314 0013 000	WASHER, INT LOCK 3/8	6.0 EA	
328 0033 000	WASHER FLAT STEEL	2.0 EA	
358 0437 000	BUSHING PANEL .252 ID	3.0 EA	
358 2257 000	BUSHING, PANEL, BRASS	3.0 EA	
815 4365 001	PLATE, STRIKER, DOOR	3.0 EA	
817 1951 001	ASSY INSTR	0.0 EA	
829 4130 001	HINGE, BOTTOM REAR	1.0 EA	
829 4133 001	HINGE, LEFT BOTTOM	2.0 EA	

829 4134 001	HINGE	1.0 EA	
829 4135 001	HINGE	2.0 EA	
938 6058 009	DOOR ASSY, FRONT	3.0 EA	1 #UNIT 1 2 #UNIT 2

Table 1-1484. HINGE - 829 4134 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	0.743850 LB	

Table 1-1485. HINGE - 829 4135 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 020	STL, SH 11GA CR	0.488650 LB	

Table 1-1486. DOOR ASSY, FRONT - 938 6058 009

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
302 0143 000	SCR, 10-32 X 1/2	6.0 EA	
302 0144 000	SCR, 10-32 X 5/8	2.0 EA	
306 0018 000	NUT, HEX KEP 10-32	8.0 EA	
350 0044 000	RIVET POP .156X.379	24.0 EA	
448 0319 000	CATCH MAGNETIC	1.0 EA	
827 9390 001	BRACKET, LATCH	1.0 EA	
829 4435 001	INSULATION, DOOR	1.0 EA	
838 6058 009	DOOR ASSY, FRONT	0.0 EA	
839 4487 001	BACK PLATE	1.0 EA	
939 4504 001	HANDLE, MODIFIED	1.0 EA	
939 4512 001	FRONT DOOR, WELDMENT	1.0 EA	

Table 1-1487. BRACKET, LATCH - 827 9390 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
011 5020 050	STL, SH 16GA CR	0.775750 LB	

Table 1-1488. INSULATION, DOOR - 829 4435 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
043 5050 010	POLYSTYRENE SHEET, 1" THK	12.30 SF	

Table 1-1489. BACK PLATE - 839 4487 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 040	AL, SH .040 THK	11.38250 LB	

Table 1-1490. FRONT DOOR, WELDMENT - 939 4512 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
448 0323 000	HINGE LATCH RELEASE	1.0 EA	
448 0324 000	HINGE LATCH RELEASE	1.0 EA	
815 4268 001	SPACER, DOOR	2.0 EA	
839 4512 001	WELDMENT, FRONT DOOR	0.0 EA	
843 2885 001	DOOR	1.0 EA	

Table 1-1491. DOOR - 843 2885 001

<i>HARRIS P/N</i>	<i>DESCRIPTION</i>	<i>QTY/UM</i>	<i>REF. SYMBOLS/EXPLANATIONS</i>
001 5010 060	AL, SH .063 THK	20.1550 LB	